



## Corrigendum to “Global distribution of photosynthetically available radiation on the seafloor” published in Earth Syst. Sci. Data, 12, 1697–1709, 2020

Jean-Pierre Gattuso<sup>1,2</sup>, Bernard Gentili<sup>1</sup>, David Antoine<sup>1,3</sup>, and David Doxaran<sup>1</sup>

<sup>1</sup>Sorbonne Université, CNRS, Laboratoire d’Océanographie de Villefranche,  
181 chemin du Lazaret, 06230 Villefranche-sur-mer, France


<sup>2</sup>Institute for Sustainable Development and International Relations, Sciences Po,  
27 rue Saint Guillaume, 75007 Paris, France

<sup>3</sup>Remote Sensing and Satellite Research Group, Curtin University, Perth, Western Australia 6845, Australia

**Correspondence:** Jean-Pierre Gattuso (gattuso@obs-vlfr.fr)

Published: 30 September 2020

The title of the y axis of Fig. 5 is incorrect. It should read  
“Surface area (%)” as in the corrected figure below.



**Figure 5.** Time series of the surface area (percent) of the coastal nonpolar region receiving more than  $2 \text{ mol photons m}^{-2} \text{ d}^{-1}$ . The linear regression between 1999 and 2018 is shown as a dashed line, while the result of separate linear regressions for the three time periods with the same set of ocean color sensors is shown as a solid line.