



Supplement of

A worldwide meta-analysis (1977–2020) of sediment core dating using fallout radionuclides including ^{137}Cs and $^{210}\text{Pb}_{\text{xs}}$

Anthony Foucher et al.

Correspondence to: Anthony Foucher (anthony.foucher@lsce.ipsl.fr)

The copyright of individual parts of the supplement might differ from the article licence.

List of references in the dataset

- 5 Ab Razak, I. A., Li, A. and Christensen, E. R.: Association of PAHs PCBs, 137Cs, and 210Pb with clay, silt, and organic carbon in sediments, in *Water Science and Technology*, vol. 34, pp. 29–35., 1996.
- Aba, A., Uddin, S., Bahbahani, M. and Al-Ghadban, A.: Radiometric dating of sediment records in Kuwait's marine area, *J. Radioanal. Nucl. Chem.*, 301(1), 247–255, doi:10.1007/s10967-014-3140-z, 2014.
- Abraham, J. P., Whicker, F. W., Hinton, T. G. and Rowan, D. J.: Inventory and spatial pattern of 137Cs in a pond: A comparison of two survey methods, *J. Environ. Radioact.*, 51(2), 157–171, doi:10.1016/S0265-931X(00)00052-7, 2000.
- 10 Abril, J. M. and García-León, M.: The integrated atmospheric flux effect in a radiogeochronological model, *J. Environ. Radioact.*, 24(1), 65–79, doi:10.1016/0265-931X(94)90025-6, 1994.
- Abril, J. M., San Miguel, E. G., Ruiz-Canovas, C., Casas-Ruiz, M. and Bolívar, J. P.: From floodplain to aquatic sediments: Radiogeochronological fingerprints in a sediment core from the mining impacted Sancho Reservoir (SW Spain), *Sci. Total Environ.*, 631–632, 866–878, doi:10.1016/j.scitotenv.2018.03.114, 2018.
- 15 Affouri, A., Dezileau, L. and Kallel, N.: Extreme flood event reconstruction spanning the last century in the El Bibane Lagoon (southeastern Tunisia): a multi-proxy approach, *Clim. Past*, 13(6), 711–727, doi:10.5194/cp-13-711-2017, 2017.
- Al-Qasbi, H., Law, G. T. W., Fifield, L. K. and Livens, F. R.: Origin of artificial radionuclides in soil and sediment from North Wales, *J. Environ. Radioact.*, 151, 244–249, doi:10.1016/j.jenvrad.2015.10.013, 2016.
- 20 Alabdullah, J., Michel, H., Barci, V., Féraud, G. and Barci-Funel, G.: Spatial and vertical distributions of natural and anthropogenic radionuclides and cesium fractionation in sediments of the Var river and its tributaries (southeast France), *J. Radioanal. Nucl. Chem.*, 298(1), 25–32, doi:10.1007/s10967-013-2491-1, 2013.
- Albrecht, A., Reichert, P., Beer, J. and Lück, A.: Evaluation of the importance of reservoir sediments as sinks for reactor-derived radionuclides in riverine systems, *J. Environ. Radioact.*, 28(3), 239–269, doi:10.1016/0265-931X(95)00002-R, 1995.
- 25 Albrecht, A., Reiser, R., Lück, A., Stoll, J. M. A. and Giger, W.: Radiocesium dating of sediments from lakes and reservoirs of different hydrological regimes, *Environ. Sci. Technol.*, 32(13), 1882–1887, doi:10.1021/es970946h, 1998.
- 30 Alexandrin, M. Y., Darin, A. V., Kalugin, I. A., Dolgova, E. A., Grachev, A. M. and Solomina, O. N.: Annual Sedimentary Record From Lake Donguz-Orun (Central Caucasus) Constrained by High Resolution SR-XRF Analysis and Its Potential for Climate Reconstructions, *Front. Earth Sci.*, 6, doi:10.3389/feart.2018.00158, 2018.
- Alhajji, E., Ismail, I. M., Al-Masri, M. S., Salman, N., Al-Haleem, M. A. and Doubal, A. W.: Sedimentation rates in the lake Qattinah using 210Pb and 137Cs as geochronometer, *Geochronometria*, 41(1), 81–86, doi:10.2478/s13386-013-0142-5, 2014.
- 35 Ali, A. A., Ghaleb, B., Garneau, M., Asnong, H. and Loisel, J.: Recent peat accumulation rates in minerotrophic peatlands of the Bay James region, Eastern Canada, inferred by 210Pb and 137Cs radiometric techniques, *Appl. Radiat. Isot.*, 66(10), 1350–1358, doi:10.1016/j.apradiso.2008.02.091, 2008.
- Alonso-Hernandez, C. M., Diaz-Asencio, M., Munoz-Caravaca, A., Delfanti, R., Papucci, C., Ferretti, O. and Crovato, C.: Recent changes in sedimentation regime in Cienfuegos Bay, Cuba, as inferred from 210Pb and 137Cs vertical profiles, *Cont. Shelf Res.*, 26(2), 153–167, doi:10.1016/j.csr.2005.08.026, 2006.
- 40 Alonso-Hernández, C. M., Garcia-Moya, A., Tolosa, I., Diaz-Asencio, M., Corcho-Alvarado, J. A., Morera-Gomez, Y. and Fanelli, E.: Tracing organic matter sources in a tropical lagoon of the Caribbean Sea, *Cont. Shelf Res.*, 148, 53–63, doi:10.1016/j.csr.2017.08.001, 2017.
- 45 Álvarez-Iglesias, P. and Rubio, B.: Geochemistry of marine sediments from inner Ría de Vigo (NW Spain), *J. Radioanal. Nucl. Chem.*, 281(2), 247–251, doi:10.1007/s10967-009-0107-6, 2009.
- Álvarez-Iglesias, P., Quintana, B., Rubio, B. and Pérez-Arlucea, M.: Sedimentation rates and trace metal input

- history in intertidal sediments from San Simón Bay (Ría de Vigo, NW Spain) derived from ²¹⁰Pb and ¹³⁷Cs chronology, *J. Environ. Radioact.*, 98(3), 229–250, doi:10.1016/j.jenvrad.2007.05.001, 2007.
- 50 Ambers, R. K. R.: Using the sediment record in a western Oregon flood-control reservoir to assess the influence of storm history and logging on sediment yield, *J. Hydrol.*, 244(3–4), 181–200, doi:10.1016/S0022-1694(01)00331-6, 2001.
- Anderson, N. J. and Odgaard, B. V.: Recent palaeolimnology of three shallow Danish lakes, *Hydrobiologia*, 275–276(1), 411–422, doi:10.1007/BF00026730, 1994.
- 55 Andersson, M., Bogen, J., Ottesen, R. T. and Bønsnes, T. E.: Polychlorinated Biphenyls in Urban Lake Sediments and Migration Potential from Urban Stormwater in Bergen, Norway, *J. Environ. Eng.*, 141(11), 04015028, doi:10.1061/(asce)ee.1943-7870.0000957, 2015.
- Andrews, J. E., Samways, G. and Shimmield, G. B.: Historical storage budgets of organic carbon, nutrient and contaminant elements in saltmarsh sediments: Biogeochemical context for managed realignment, *Humber Estuary, UK, Sci. Total Environ.*, 405(1–3), 1–13, doi:10.1016/j.scitotenv.2008.07.044, 2008.
- 60 Angeli, J. L. F., Venturini, N., Ferreira, P. A. de L. and Figueira, R. C. L.: Recent sedimentation rates in the Caravelas estuary (Bahia, Brazil) using unsupported ²¹⁰Pb and ¹³⁷Cs modeling, *Radiochim. Acta*, 104(7), doi:10.1515/ract-2015-2503, 2016.
- Anisfeld, S. C., Tobin, M. J. and Benoit, G.: Sedimentation rates in flow-restricted and restored salt marshes in Long Island Sound, *Estuaries*, 22(2), 231–244, doi:10.2307/1352980, 1999.
- 65 Anjum, R., Gao, J., Tang, Q., He, X., Zhang, X., Long, Y., Shi, Z. and Wang, M.: Linking sedimentary total organic carbon to ²¹⁰Pb_{ex} chronology from Changshou Lake in the Three Gorges Reservoir Region, China, *Chemosphere*, 174, 243–252, doi:10.1016/j.chemosphere.2017.01.060, 2017.
- Appleby, P. G.: Environmental change and atmospheric contamination on Svalbard: Sediment chronology, *J. Paleolimnol.*, 31(4), 433–443, doi:10.1023/B:JOPL.0000022545.73163.ed, 2004.
- 70 Appleby, P. G., Dearing, J. A. and Oldfield, F.: Magnetic studies of erosion in a Scottish lake catchment. 1. Core chronology and correlation, *Limnol. Oceanogr.*, 30(6), 1144–1153, doi:10.4319/lo.1985.30.6.1144, 1985.
- Appleby, P. G., Richardson, N., Nolan, P. J. and Oldfield, F.: Radiometric dating of the United Kingdom SWAP sites, *Philos. Trans. - R. Soc. London, B*, 327(1240), 233–238, doi:10.1098/rstb.1990.0057, 1990.
- 75 Appleby, P. G., Flower, R. J., Mackay, A. W. and Rose, N. L.: Paleolimnological assessment of recent environmental change in Lake Baikal: Sediment chronology, *J. Paleolimnol.*, 20(2), 119–133, doi:10.1023/A:1008099631458, 1998.
- Appleby, P. G., Haworth, E. Y., Michel, H., Short, D. B., Laptev, G. and Piliposian, G. T.: The transport and mass balance of fallout radionuclides in Blelham Tarn, Cumbria (UK), *J. Paleolimnol.*, 29(4), 459–473, doi:10.1023/A:1024437426878, 2003.
- 80 Arnaud, F., Magand, O., Chapron, E., Bertrand, S., Boës, X., Charlet, F. and Mélières, M. A.: Radionuclide dating (²¹⁰Pb, ¹³⁷Cs, ²⁴¹Am) of recent lake sediments in a highly active geodynamic setting (Lakes Puyehue and Icalma-Chilean Lake District), *Sci. Total Environ.*, 366(2–3), 837–850, doi:10.1016/j.scitotenv.2005.08.013, 2006.
- 85 Ashwood, T. L. and Olsen, C. R.: Pearl Harbor bombing attack. A contamination legacy revealed in the sedimentary record, *Mar. Pollut. Bull.*, 19(2), 68–71, doi:10.1016/0025-326X(88)90783-7, 1988.
- Astakhov, A. S., Dar'in, A. V., Kalugin, I. A. and Aksentov, K. I.: Reconstructing the Frequency of Catastrophic Floods on the Western Coast of the Sea of Japan Based on Sedimentary Proxy, *Russ. Meteorol. Hydrol.*, 44(1), 62–70, doi:10.3103/S1068373919010072, 2019.
- 90 Aston, S. R. and Rae, J. E.: The deposition of windscale radiocaesium in the Wyre estuary and the measurement of sedimentation rates, *Mar. Environ. Res.*, 7(2), 83–90, doi:10.1016/0141-1136(82)90034-4, 1982.
- Audry, S., Schäfer, J., Blanc, G. and Jouanneau, J. M.: Fifty-year sedimentary record of heavy metal pollution (Cd, Zn, Cu, Pb) in the Lot River reservoirs (France), *Environ. Pollut.*, 132(3), 413–426, doi:10.1016/j.envpol.2004.05.025, 2004.
- 95 Bábek, O., Kieľar, O., Lend'áková, Z., Mandlíková, K., Sedláček, J. and Tolaszová, J.: Reservoir deltas and their

- role in pollutant distribution in valley-type dam reservoirs: Les Království Dam, Elbe River, Czech Republic, *Catena*, 184, doi:10.1016/j.catena.2019.104251, 2020.
- 100 Baeza, A., Guillén, J., Ontalba Salamanca, M. Á., Rodríguez, A. and Ager, F. J.: Radiological and multi-element analysis of sediments from the Proserpina reservoir (Spain) dating from Roman times, *J. Environ. Radioact.*, 100(10), 866–874, doi:10.1016/j.jenvrad.2009.06.020, 2009.
- Bai, Z. G., Wan, G. J., Huang, R. G. and Liu, T. S.: A comparison on the accumulation characteristics of ⁷Be and ¹³⁷Cs in lake sediments and surface soils in western Yunnan and central Guizhou, China, *Catena*, 49(3), 253–270, doi:10.1016/S0341-8162(02)00004-8, 2002.
- 105 Bao, K., Xia, W., Lu, X. and Wang, G.: Recent atmospheric lead deposition recorded in an ombrotrophic peat bog of Great Hinggan Mountains, Northeast China, from ²¹⁰Pb and ¹³⁷Cs dating, *J. Environ. Radioact.*, 101(9), 773–779, doi:10.1016/j.jenvrad.2010.05.004, 2010.
- Bao, K., Wang, G., Xing, W. and Shen, J.: Accumulation of organic carbon over the past 200 years in alpine peatlands, northeast China, *Environ. Earth Sci.*, 73(11), 7489–7503, doi:10.1007/s12665-014-3922-1, 2015.
- 110 Barker, P. A., Pates, J. M., Payne, R. J. and Healey, R. M.: Changing nutrient levels in Grasmere, English Lake District, during recent centuries, *Freshw. Biol.*, 50(12), 1971–1981, doi:10.1111/j.1365-2427.2005.01439.x, 2005.
- Barlas Şimşek, F. and Çağatay, M. N.: Late Holocene high resolution multi-proxy climate and environmental records from Lake Van, eastern Turkey, *Quat. Int.*, 486, 57–72, doi:10.1016/j.quaint.2017.12.043, 2018.
- 115 Barra, R., Cisternas, M., Urrutia, R., Pozo, K., Pacheco, P., Parra, O. and Focardi, S.: First report on chlorinated pesticide deposition in a sediment core from a small lake in central Chile, *Chemosphere*, 45(6–7), 749–757, doi:10.1016/S0045-6535(01)00146-1, 2001.
- Barra, R., Cisternas, M., Suarez, C., Araneda, A., Piñones, O. and Popp, P.: PCBs and HCHs in a salt-marsh sediment record from South-Central Chile: Use of tsunami signatures and ¹³⁷Cs fallout as temporal markers, *Chemosphere*, 55(7), 965–972, doi:10.1016/j.chemosphere.2003.12.006, 2004.
- 120 Barra, R., Popp, P., Quiroz, R., Treutler, H. C., Araneda, A., Bauer, C. and Urrutia, R.: Polycyclic aromatic hydrocarbons fluxes during the past 50 years observed in dated sediment cores from Andean mountain lakes in central south Chile, in *Ecotoxicology and Environmental Safety*, vol. 63, pp. 52–60., 2006.
- Baskaran, M., Nix, J., Kuyper, C. and Karunakara, N.: Problems with the dating of sediment core using excess ²¹⁰Pb in a freshwater system impacted by large scale watershed changes, *J. Environ. Radioact.*, 138, 355–363, doi:10.1016/j.jenvrad.2014.07.006, 2014.
- 125 Baskaran, M., Bianchi, T. S. and Filley, T. R.: Inconsistencies between ¹⁴C and short-lived radionuclides-based sediment accumulation rates: Effects of long-term remineralization, *J. Environ. Radioact.*, 174, 10–16, doi:10.1016/j.jenvrad.2016.07.028, 2017.
- 130 Battiston, G. A., Degetto, S., Gerbasi, R., Sbrignadello, G. and Tositti, L.: The use of ²¹⁰Pb and ¹³⁷Cs in the study of sediment pollution in the Lagoon of Venice, *Sci. Total Environ.*, 77(1), 15–23, doi:10.1016/0048-9697(88)90310-5, 1988.
- Battiston, G. A., Degetto, S., Gerbasi, R. and Sbrignadello, G.: Determination of sediment composition and chronology as a tool for environmental impact investigations, *Mar. Chem.*, 26(2), 91–100, doi:10.1016/0304-4203(89)90054-6, 1989.
- 135 Baumann, J., Chaumillon, E., Schneider, J. L., Jorissen, F., Sauriau, P. G., Richard, P., Bonnin, J. and Schmidt, S.: Contrasting sediment records of marine submersion events related to wave exposure, Southwest France, *Sediment. Geol.*, 353, 158–170, doi:10.1016/j.sedgeo.2017.03.009, 2017.
- Beasley, T. M. and Jennings, C. D.: Inventories of ^{239,240}Pu, ²⁴¹Am, ¹³⁷Cs, and ⁶⁰Co in Columbia River Sediments from Hanford to the Columbia River Estuary, *Environ. Sci. Technol.*, 18(3), 207–212, doi:10.1021/es00121a014, 1984.
- 140 Beasley, T. M., Carpenter, R. and Jennings, C. D.: Plutonium, ²⁴¹Am and ¹³⁷Cs ratios, inventories and vertical profiles in Washington and Oregon continental shelf sediments, *Geochim. Cosmochim. Acta*, 46(10), 1931–1946, doi:10.1016/0016-7037(82)90131-4, 1982.
- Begy, R. C., Simon, H. and Reizer, E.: Efficiency testing of Red Lake protection dam on Rosu stream by ²¹⁰Pb method, *J. Radioanal. Nucl. Chem.*, 303(3), 2539–2545, doi:10.1007/s10967-014-3684-y, 2015.

- 145 Begy, R. C., Simon, H., Kelemen, S. and Preteasa, L.: Investigation of sedimentation rates and sediment dynamics in Danube Delta lake system (Romania) by ²¹⁰Pb dating method, *J. Environ. Radioact.*, 192, 95–104, doi:10.1016/j.jenvrad.2018.06.010, 2018.
- Bellucci, L. G., Frignani, M., Cochran, J. K., Albertazzi, S., Zaggia, L., Cecconi, G. and Hopkins, H.: ²¹⁰Pb and ¹³⁷Cs as chronometers for salt marsh accretion in the Venice Lagoon - links to flooding frequency and climate change, *J. Environ. Radioact.*, 97(2–3), 85–102, doi:10.1016/j.jenvrad.2007.03.005, 2007.
- 150 Bellucci, L. G., Giuliani, S., Romano, S., Albertazzi, S., Mugnai, C. and Frignani, M.: An integrated approach to the assessment of pollutant delivery chronologies to impacted areas: Hg in the augusta bay (Italy), *Environ. Sci. Technol.*, 46(4), 2040–2046, doi:10.1021/es203054c, 2012.
- Benmoussa, T., Amrouni, O., Dezileau, L., Mahé, G. and Abdeljaouad, S.: The sedimentological changes caused by human impact at the artificial channel of Medjerda-River (Coastal zone of Medjerda, Tunisia), *Proc. Int. Assoc. Hydrol. Sci.*, 377, 77–81, doi:10.5194/piahs-377-77-2018, 2018.
- 155 Bennett, S. J., Cooper, C. M., Ritchie, J. C., Dunbar, J. A., Allen, P. M., Caldwell, L. W. and McGee, T. M.: Assessing sedimentation issues within aging flood control reservoirs in Oklahoma, *J. Am. Water Resour. Assoc.*, 38(5), 1307–1322, doi:10.1111/jawr.2002.38.5.1307, 2002.
- 160 Benninger, L. K., Suayah, I. B. and Stanley, D. J.: Manzala lagoon, Nile delta, Egypt: Modern sediment accumulation based on radioactive tracers, *Environ. Geol.*, 34(2–3), 183–193, doi:10.1007/s002540050270, 1998.
- Benoit, G. and Rozan, T. F.: ²¹⁰Pb and ¹³⁷Cs dating methods in lakes: A retrospective study, *J. Paleolimnol.*, 25(4), 455–465, doi:10.1023/A:1011179318352, 2001.
- 165 Benoit, G., Rozan, T. F., Patton, P. C. and Arnold, C. L.: Trace metals and radionuclides reveal sediment sources and accumulation rates in Jordan Cove, Connecticut, *Estuaries*, 22(1), 65–80, doi:10.2307/1352928, 1999.
- Bera, G., Yeager, K. M. and Shiller, A. M.: Whether hurricane Katrina impacted trace metal and dioxin depositional histories in marshes of St. Louis Bay, Mississippi, *Sci. Total Environ.*, 624, 517–529, doi:10.1016/j.scitotenv.2017.12.156, 2018.
- 170 Beurskens, J. E. M., Mol, G. A. J., Barreveld, H. L., van Munster, B. and Winkels, H. J.: Geochronology of priority pollutants in a sedimentation area of the rhine river, *Environ. Toxicol. Chem.*, 12(9), 1549–1566, doi:10.1002/etc.5620120905, 1993.
- Bigler, C. and Hall, R. I.: Diatoms as quantitative indicators of July temperature: A validation attempt at century-scale with meteorological data from northern Sweden, *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 189(3–4), 147–160, doi:10.1016/S0031-0182(02)00638-7, 2003.
- 175 Bihari, Á., Karlik, M., Mîndrescu, M., Szalai, Z., Grădinaru, I. and Kern, Z.: Fallout isotope chronology of the near-surface sediment record of Lake Bolătău, *J. Environ. Radioact.*, 181, 32–41, doi:10.1016/j.jenvrad.2017.10.009, 2018.
- Black, E. E. and Buesseler, K. O.: Spatial variability and the fate of cesium in coastal sediments near Fukushima, Japan, *Biogeosciences*, 11(18), 5123–5137, doi:10.5194/bg-11-5123-2014, 2014.
- 180 Boardman, J. and Foster, I. D. L.: The potential significance of the breaching of small farm dams in the Sneeuberg region, South Africa, *J. Soils Sediments*, 11(8), 1456–1465, doi:10.1007/s11368-011-0425-5, 2011.
- Bol'shiyanov, D. Y., Bakunov, N. A. and Makarov, A. S.: ¹³⁷Cs in sediments of deep lakes, *Lithol. Miner. Resour.*, 49(2), 177–183, doi:10.1134/S0024490214020023, 2014.
- 185 Bonino, G., Castagnoli, G. C., Callegari, E. and Zhu, G. M.: Radiometric and tephroanalysis dating of recent Ionian Sea cores, *Nuovo Cim. C*, 16(2), 155–162, doi:10.1007/BF02507300, 1993.
- Bopp, R. F., Simpson, H. J., Olsen, C. R., Trier, R. M. and Kostyk, N.: Chlorinated Hydrocarbons and Radionuclide Chronologies in Sediments of the Hudson River and Estuary, New York, *Environ. Sci. Technol.*, 16(10), 666–676, doi:10.1021/es00104a008, 1982.
- 190 Borghuis, A. M., Steenhuisen, F., Brown, J. E. and Sickel, M.: A “weighted” ¹³⁷Cs inventory calculation of Reservoir 11, Mayak P.A., Russia with the novel use of remotely sensed information and sample data in a GIS, *Sci. Total Environ.*, 291(1–3), 155–165, doi:10.1016/S0048-9697(01)01096-8, 2002.
- Botwe, B. O., Abril, J. M., Schirone, A., Barsanti, M., Delbono, I., Delfanti, R., Nyarko, E. and Lens, P. N. L.:

- Settling fluxes and sediment accumulation rates by the combined use of sediment traps and sediment cores in Tema Harbour (Ghana), *Sci. Total Environ.*, 609, 1114–1125, doi:10.1016/j.scitotenv.2017.07.139, 2017a.
- 195 Botwe, B. O., Abril, J. M., Schirone, A., Barsanti, M., Delbono, I., Delfanti, R., Nyarko, E. and Lens, P. N. L.: Settling fluxes and sediment accumulation rates by the combined use of sediment traps and sediment cores in Tema Harbour (Ghana), *Sci. Total Environ.*, 609, 1114–1125, doi:10.1016/j.scitotenv.2017.07.139, 2017b.
- Boyd, B. M. and Sommerfield, C. K.: Marsh accretion and sediment accumulation in a managed tidal wetland complex of Delaware Bay, *Ecol. Eng.*, 92, 37–46, doi:10.1016/j.ecoleng.2016.03.045, 2016.
- 200 Brack, K. and Stevens, R. L.: Historical pollution trends in a disturbed, estuarine sedimentary environment, SW Sweden, *Environ. Geol.*, 40(8), 1017–1029, doi:10.1007/s002540100294, 2001.
- Bravo, A. G., Loizeau, J. L., Ancey, L., Ungureanu, V. G. and Dominik, J.: Historical record of mercury contamination in sediments from the Babeni Reservoir in the Olt River, Romania., *Environ. Sci. Pollut. Res. Int.*, 16 Suppl 1, doi:10.1007/s11356-008-0057-5, 2009.
- 205 Brenner, M., Whitmore, T. J. and Schelske, C. L.: Paleolimnological evaluation of historical trophic state conditions in hypereutrophic Lake Thonotosassa, Florida, USA, *Hydrobiologia*, 331(1–3), 143–152, doi:10.1007/BF00025415, 1996.
- Brown, J. E., McDonald, P., Parker, A. and Rae, J. E.: The vertical distribution of radionuclides in a Ribble Estuary saltmarsh: Transport and deposition of radionuclides, *J. Environ. Radioact.*, 43(3), 259–275, doi:10.1016/S0265-931X(98)00041-1, 1999.
- 210 Budakoglu, M., Abdelnasser, A., Karaman, M. and Kumral, M.: The rare earth element geochemistry on surface sediments, shallow cores and lithological units of Lake Acigöl basin, Denizli, Turkey, *J. Asian Earth Sci.*, 111, 632–662, doi:10.1016/j.jseas.2015.05.016, 2015.
- Buesseler, K. O. and Benitez, C. R.: Determination of mass accumulation rates and sediment radionuclide inventories in the deep Black Sea, *Deep. Res. Part I*, 41(11–12), 1605–1615, doi:10.1016/0967-0637(94)90064-7, 1994.
- 215 Buesseler, K. O. and Sholkovitz, E. R.: The geochemistry of fallout plutonium in the North Atlantic: I. A pore water study in shelf, slope and deep-sea sediments, *Geochim. Cosmochim. Acta*, 51(10), 2605–2622, doi:10.1016/0016-7037(87)90143-8, 1987.
- 220 Buffoni, G., Schirone, A. and Delfanti, R.: A numerical investigation for dating ²¹⁰Pb and ¹³⁷Cs vertical profiles in a coastal area: The Eastern Ligurian Sea, Italy, *J. Environ. Radioact.*, 212, doi:10.1016/j.jenvrad.2019.106122, 2020.
- Bush, B., Shane, L. A., Wahlen, M. and Brown, M. P.: Sedimentation of 74 PCB congeners in the upper Hudson River, *Chemosphere*, 16(4), 733–744, doi:10.1016/0045-6535(87)90008-7, 1987.
- 225 C., C.-G. and M., R.: Using sediment chemistry to determine the impact of treated wastewater discharge on a natural wetland in New Zealand, *Environ. Geol.*, 40(11–12), 1411–1423, doi:10.1007/s002540100322, 2001.
- C. R. Olsen, H. J. Simpson, R. F. B.: A Geochemical Analysis of the Sediments and Sedimentation in the Hudson Estuary, *SEPM J. Sediment. Res.*, Vol. 48, doi:10.1306/212F7496-2B24-11D7-8648000102C1865D, 1978.
- 230 Caballero, M., Mora, L., Muñoz, E., Escolero, O., Bonifaz, R., Ruiz, C. and Prado, B.: Anthropogenic influence on the sediment chemistry and diatom assemblages of Balamtetik Lake, Chiapas, Mexico, *Environ. Sci. Pollut. Res.*, 27(14), 15935–15943, doi:10.1007/s11356-019-04581-9, 2020.
- Callaway, J. C., DeLaune, R. D. and Patrick, W. H.: Chernobyl ¹³⁷Cs used to determine sediment accretion rates at selected northern European coastal wetlands, *Limnol. Oceanogr.*, 41(3), 444–450, doi:10.4319/lo.1996.41.3.0444, 1996.
- 235 Callaway, J. C., Delaune, R. D. and Patrick, W. H.: Heavy metal chronologies in selected coastal wetlands from Northern Europe, *Mar. Pollut. Bull.*, 36(1), 82–96, doi:10.1016/S0025-326X(98)90039-X, 1998.
- Canuel, E. A., Lerberg, E. J., Dickhut, R. M., Kuehl, S. A., Bianchi, T. S. and Wakeham, S. G.: Changes in sediment and organic carbon accumulation in a highly-disturbed ecosystem: The Sacramento-San Joaquin River Delta (California, USA), *Mar. Pollut. Bull.*, 59(4–7), 154–163, doi:10.1016/j.marpolbul.2009.03.025, 2009.
- 240 Cao, L., Ishii, N., Zheng, J., Kagami, M., Pan, S., Tagami, K. and Uchida, S.: Vertical distributions of Pu and

- radiocesium isotopes in sediments from Lake Inba after the Fukushima Daiichi Nuclear Power Plant accident: Source identification and accumulation, *Appl. Geochemistry*, 78, 287–294, doi:10.1016/j.apgeochem.2017.01.012, 2017.
- 245 Carnero-Bravo, V., Merino-Ibarra, M., Ruiz-Fernández, A. C., Sanchez-Cabeza, J. A. and Ghaleb, B.: Sedimentary record of water column trophic conditions and sediment carbon fluxes in a tropical water reservoir (Valle de Bravo, Mexico), *Environ. Sci. Pollut. Res.*, 22(6), 4680–4694, doi:10.1007/s11356-014-3703-0, 2015.
- Carroll, J., Williamson, M., Lerche, I., Karabanov, E. and Williams, D. F.: Geochronology of Lake Baikal from ²¹⁰Pb and ¹³⁷Cs radioisotopes, *Appl. Radiat. Isot.*, 50(6), 1105–1119, doi:10.1016/S0969-8043(98)00116-X, 1999.
- 250 Catallo, W. J., Schlenker, M., Gambrell, R. P. and Shane, B. S.: Toxic Chemicals and Trace Metals from Urban and Rural Louisiana Lakes: Recent Historical Profiles and Toxicological Significance, *Environ. Sci. Technol.*, 29(6), 1436–1445, doi:10.1021/es00006a003, 1995.
- 255 Cearreta, A., Irabien, M. J., Ulibarri, I., Yusta, I., Croudace, I. W. and Cundy, A. B.: Recent salt marsh development and natural regeneration of reclaimed areas in the Plentzia Estuary, n. Spain, *Estuar. Coast. Shelf Sci.*, 54(5), 863–886, doi:10.1006/ecss.2001.0862, 2002.
- Cenci, R., Muntau, H. and Baudo, R.: Mercury deposition flfstory of pallanza bay, lake maggiore, Italy, *Environ. Technol. (United Kingdom)*, 12(8), 705–712, doi:10.1080/09593339109385059, 1991.
- 260 Chamutiová, T., Hamerlík, L., Szarlowicz, K., Pipík, R., Starek, D., Šporka, F., Přidalová, M., Sochuliaková, L. and Bitušík, P.: Historical development of three man-made reservoirs in a mining region: A story told by subfossil chironomids, *J. Limnol.*, doi:10.4081/jlimnol.2018.1798, 2018.
- Chanton, J. P., Martens, C. S. and Kipphut, G. W.: Lead-210 sediment geochronology in a changing coastal environment, *Geochim. Cosmochim. Acta*, 47(10), 1791–1804, doi:10.1016/0016-7037(83)90027-3, 1983.
- 265 Chapron, E., Faïn, X., Magand, O., Charlet, L., Debret, M. and Mélières, M. A.: Reconstructing recent environmental changes from proglacial lake sediments in the Western Alps (Lake Blanc Huez, 2543 m a.s.l., Grandes Rousses Massif, France), *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 252(3–4), 586–600, doi:10.1016/j.palaeo.2007.05.015, 2007.
- Charmasson, S., Radakovitch, O., Arnaud, M., Bouisset, P. and Pruchon, A. S.: Long-core profiles of ¹³⁷Cs, ¹³⁴Cs, ⁶⁰Co and ²¹⁰Pb in sediment near the Rhone River (northwestern Meiterranean Sea), *Estuaries*, 21(3), 367–378, doi:10.2307/1352836, 1998.
- 270 Chen, B., Zheng, Z., Huang, K., Zheng, Y., Zhang, G., Zhang, Q. and Huang, X.: Radionuclide dating of recent sediment and the validation of pollen-environment reconstruction in a small watershed reservoir in southeastern China, *Catena*, 115, 29–38, doi:10.1016/j.catena.2013.11.010, 2014.
- 275 Chen, X., Qiao, Q., McGowan, S., Zeng, L., Stevenson, M. A., Xu, L., Huang, C., Liang, J. and Cao, Y.: Determination of geochronology and sedimentation rates of shallow lakes in the middle Yangtze reaches using ²¹⁰Pb, ¹³⁷Cs and spheroidal carbonaceous particles, *Catena*, 174, 546–556, doi:10.1016/j.catena.2018.11.041, 2019.
- Chen, Z., Salem, A., Xu, Z. and Zhang, W.: Ecological implications of heavy metal concentrations in the sediments of Burullus Lagoon of Nile Delta, Egypt, *Estuar. Coast. Shelf Sci.*, 86(3), 491–498, doi:10.1016/j.ecss.2009.09.018, 2010.
- 280 Chi, K. H., Luo, S., Kao, S. J. and Lee, T. Y.: Sources and deposition fluxes of PCDD/Fs in a high-mountain lake in central Taiwan, *Chemosphere*, 91(2), 150–156, doi:10.1016/j.chemosphere.2012.12.020, 2013.
- Chiarenzelli, J., Alexander, C., Scudato, R., Pagano, J., Falanga, L., Connor, B. and Milligan, M.: Anomalous concentrations and chlorination of polychlorinated biphenyls in sediment downwind of Lake Ontario, *J. Great Lakes Res.*, 28(4), 674–687, doi:10.1016/S0380-1330(02)70613-8, 2002.
- 285 Chiarenzelli, J. R., Alexander, C., Isley, A., Scudato, R., Pagano, J. and Ramirez, W.: Polychlorinated biphenyls in nonaccumulating, century-old sediments: Sources, signatures, and mechanism of introduction, *Environ. Sci. Technol.*, 35(14), 2903–2908, doi:10.1021/es010593t, 2001.
- Chiba, T., Endo, K., Sugai, T., Haraguchi, T., Kondo, R. and Kubota, J.: Reconstruction of Lake Balkhash levels and precipitation/evaporation changes during the last 2000 years from fossil diatom assemblages, *Quat. Int.*, 397,

- 290 330–341, doi:10.1016/j.quaint.2015.08.009, 2016.
- Chmura, G. L. and Kusters, E. C.: Storm Deposition and ¹³⁷Cs Accumulation in Fine-grained Marsh Sediments of the Mississippi Delta Plain, *Estuar. Coast. Shelf Sci.*, 39(1), 33–44, doi:10.1006/ecss.1994.1047, 1994.
- 295 Christ, A. J., Talaia-Murray, M., Elking, N., Domack, E. W., Leventer, A., Lavoie, C., Brachfeld, S., Yoo, K. C., Gilbert, R., Jeong, S. M., Petrushak, S., Wellner, J., Balco, G., Brachfeld, S., de Batist, M., Domack, E., Gordon, A., Haran, A., Henriot, J. P., Huber, B., Ishman, S., Jeong, S., King, M., Lavoie, C., Leventer, A., McCormick, M., Mosley-Thompson, E., Pettit, E., Scambos, T., Smith, C., Thompson, L., Truffer, M., van Dover, C., Vernet, M., Wellner, J., Yu, K. and Zagorodnov, V.: Late Holocene glacial advance and ice shelf growth in Barilari Bay, Graham Land, West Antarctic Peninsula, *Bull. Geol. Soc. Am.*, 127(1–2), 297–315, doi:10.1130/B31035.1, 2015.
- 300 Christensen, E. R. and Karls, J. F.: Unmixing of lead, ¹³⁷Cs, and PAH records in lake sediments using curve fitting with first-and second-order corrections, *Water Res.*, 30(11), 2543–2558, doi:10.1016/S0043-1354(96)00136-4, 1996.
- Christensen, E. R. and Klein, R. J.: “Unmixing” of ¹³⁷Cs, Pb, Zn, and Cd Records in Lake Sediments, *Environ. Sci. Technol.*, 25(9), 1627–1637, doi:10.1021/es00021a015, 1991.
- 305 Cisternas, M., Araneda, A., Martínez, P. and Pérez, S.: Effects of historical land use on sediment yield from a lacustrine watershed in central Chile, *Earth Surf. Process. Landforms*, 26(1), 63–76, doi:10.1002/1096-9837(200101)26:1<63::AID-ESP157>3.0.CO;2-J, 2001.
- Clifton, R. J. and Hamilton, E. I.: The application of radioisotopes in the study of estuarine sedimentary processes, *Estuarine, Coast. Shelf Sci.*, 14(4), 433–446, doi:10.1016/S0272-7714(82)80013-9, 1982.
- 310 Cochran, J. K.: Particle mixing rates in sediments of the eastern equatorial Pacific: Evidence from ²¹⁰Pb, ^{239,240}Pu and ¹³⁷Cs distributions at MANOP sites, *Geochim. Cosmochim. Acta*, 49(5), 1195–1210, doi:10.1016/0016-7037(85)90010-9, 1985.
- Cochran, J. K., Hirschberg, D. J., Wang, J. and Dere, C.: Atmospheric deposition of metals to coastal waters (Long Island Sound, New York U.S.A.): Evidence from saltmarsh deposits, *Estuar. Coast. Shelf Sci.*, 46(4), 503–522, doi:10.1006/ecss.1997.0299, 1998.
- 315 CONNOR, D., HINTON, T. and BELL, C.: Variance partitioning as a guide for sampling and comparing spatial distributions of Hg and ¹³⁷Cs in sediments, *Sci. Total Environ.*, 206(2–3), 167–176, doi:10.1016/S0048-9697(97)80007-1, 1997.
- 320 Conrad, C. F., Fugate, D., Daus, J., Chisholm-Brause, C. J. and Kuehl, S. A.: Assessment of the historical trace metal contamination of sediments in the Elizabeth River, Virginia, *Mar. Pollut. Bull.*, 54(4), 385–395, doi:10.1016/j.marpolbul.2006.11.005, 2007.
- Corcoran, M., Sherif, M. I., Smalley, C., Li, A., Rockne, K. J., Giesy, J. P. and Sturchio, N. C.: Accumulation rates, focusing factors, and chronologies from depth profiles of ²¹⁰Pb and ¹³⁷Cs in sediments of the Laurentian Great Lakes, *J. Great Lakes Res.*, 44(4), 693–704, doi:10.1016/j.jglr.2018.05.013, 2018.
- 325 De Cort, G., Verschuren, D., Ryken, E., Wolff, C., Renaut, R. W., Creutz, M., Van der Meeren, T., Haug, G., Olago, D. O. and Mees, F.: Multi-basin depositional framework for moisture-balance reconstruction during the last 1300 years at Lake Bogoria, central Kenya Rift Valley, *Sedimentology*, 65(5), 1667–1696, doi:10.1111/sed.12442, 2018.
- 330 Covelli, S., Langone, L., Acquavita, A., Piani, R. and Emili, A.: Historical flux of mercury associated with mining and industrial sources in the Marano and Grado Lagoon (northern Adriatic Sea), *Estuar. Coast. Shelf Sci.*, 113, 7–19, doi:10.1016/j.ecss.2011.12.038, 2012.
- Coxon, T. M., Odhiambo, B. K. and Giancarlo, L. C.: The impact of urban expansion and agricultural legacies on trace metal accumulation in fluvial and lacustrine sediments of the lower Chesapeake Bay basin, USA, *Sci. Total Environ.*, 568, 402–414, doi:10.1016/j.scitotenv.2016.06.022, 2016.
- 335 Cruces, F., Urrutia, R., Parra, O., Araneda, A., Treutler, H., Bertrand, S., Fagel, N., Torres, L., Barra, R. and Chirinos, L.: Changes in diatom assemblages in an Andean lake in response to a recent volcanic event, *Arch. fur Hydrobiol.*, 165(1), 23–35, doi:10.1127/0003-9136/2006/0165-0023, 2006.
- Cuellar-Martinez, T., Ruiz-Fernández, A. C., Sanchez-Cabeza, J. A. and Alonso-Rodríguez, R.: Sedimentary record of recent climate impacts on an insular coastal lagoon in the Gulf of California, *Quat. Sci. Rev.*, 160, 138–

- 149, doi:10.1016/j.quascirev.2017.01.002, 2017.
- 340 Cundy, A. B., Croudace, I. W., Thomson, J. and Lewis, J. T.: Reliability of salt marshes as “geochemical recorders” of pollution input: A case study from contrasting estuaries in southern England, *Environ. Sci. Technol.*, 31(4), 1093–1101, doi:10.1021/es960622d, 1997.
- Cundy, A. B., Croudace, I. W., Warwick, P. E., Oh, J. S. and Haslett, S. K.: Accumulation of COGEMA-La Hague-derived reprocessing wastes in French salt marsh sediments, *Environ. Sci. Technol.*, 36(23), 4990–4997, doi:10.1021/es020098c, 2002.
- 345 Davis, A., De Curnou, P. and Eary, L. E.: Discriminating between sources of arsenic in the sediments of a tidal waterway, Tacoma, Washington, *Environ. Sci. Technol.*, 31(7), 1985–1991, doi:10.1021/es9607906, 1997.
- Dayal, R., Okubo, A., Duedall, I. W. and Ramamoorthy, A.: Radionuclide redistribution mechanisms at the 2800-m Atlantic nuclear waste disposal site, *Deep Sea Res. Part A, Oceanogr. Res. Pap.*, 26(12), doi:10.1016/0198-0149(79)90002-5, 1979.
- 350 Dearing, J. A.: Lake sediments used to quantify the erosional response to land use change in southern Sweden., *Oikos*, 50(1), 60–78, doi:10.2307/3565402, 1987.
- Debret, M., Chapron, E., Desmet, M., Rolland-Revel, M., Magand, O., Trentesaux, A., Bout-Roumazielle, V., Nomade, J. and Arnaud, F.: North western Alps Holocene paleohydrology recorded by flooding activity in Lake Le Bourget, France, *Quat. Sci. Rev.*, 29(17–18), 2185–2200, doi:10.1016/j.quascirev.2010.05.016, 2010.
- 355 Denomme, K. C., Bentley, S. J. and Harazim, D.: Mechanisms of muddy clinothem progradation on the Southwest Louisiana Chenier Plain inner shelf, *Geo-Marine Lett.*, 38(3), 273–285, doi:10.1007/s00367-017-0525-3, 2018.
- Dhivert, E., Grosbois, C., Coynel, A., Lefèvre, I. and Desmet, M.: Influences of major flood sediment inputs on sedimentary and geochemical signals archived in a reservoir core (Upper Loire Basin, France), *CATENA*, 126, 75–85, doi:10.1016/j.catena.2014.10.030, 2015.
- 360 Díaz-Asencio, M., Alonso-Hernández, C. M., Bolanos-Álvarez, Y., Gómez-Batista, M., Pinto, V., Morabito, R., Hernández-Albernas, J. I., Eriksson, M. and Sanchez-Cabeza, J. A.: One century sedimentary record of Hg and Pb pollution in the Sagua estuary (Cuba) derived from 210Pb and 137Cs chronology, *Mar. Pollut. Bull.*, 59(4–7), 108–115, doi:10.1016/j.marpolbul.2009.02.010, 2009.
- 365 Dincer Kırman, Z., Sericano, J. L., Wade, T. L., Bianchi, T. S., Marcantonio, F. and Kolker, A. S.: Composition and depth distribution of hydrocarbons in Barataria Bay marsh sediments after the Deepwater Horizon oil spill, *Environ. Pollut.*, 214, 101–113, doi:10.1016/j.envpol.2016.03.071, 2016.
- DOMINIK, J., MANGINI, A. and MÜLLER, G.: Determination of recent deposition rates in Lake Constance with radioisotopic methods, *Sedimentology*, 28(5), 653–677, doi:10.1111/j.1365-3091.1981.tb01927.x, 1981.
- 370 Dong, X., Sayer, C. D., Bennion, H., Maberly, S. C., Yang, H. and Battarbee, R. W.: Identifying sediment discontinuities and solving dating puzzles using monitoring and palaeolimnological records, *Front. Earth Sci.*, 10(4), 621–633, doi:10.1007/s11707-016-0578-z, 2016.
- Druffel, E. R. M., Williams, P. M., Livingston, H. D. and Koide, M.: Variability of natural and bomb-produced radionuclide distributions in abyssal red clay sediments, *Earth Planet. Sci. Lett.*, 71(2), 205–214, doi:10.1016/0012-821X(84)90087-6, 1984.
- 375 Du, P. and Walling, D. E.: Using 210Pb measurements to estimate sedimentation rates on river floodplains, *J. Environ. Radioact.*, 103(1), 59–75, doi:10.1016/j.jenvrad.2011.08.006, 2012.
- Duliu, O. G., Dinescu, L. C., Dinescu, M. C., Dorcioman, R. D., Mihăilescu, N. G. and Vanghelie, I. S.: Some considerations concerning 137Cs vertical profile in the Danube Delta: Matita lake core, *Sci. Total Environ.*, 188(1), 9–14, doi:10.1016/0048-9697(96)05130-3, 1996.
- 380 Durham, R. W. and Oliver, B. G.: History of Lake Ontario Contamination from the Niagara River by Sediment Radiodating and Chlorinated Hydrocarbon Analysis, *J. Great Lakes Res.*, 9(2), 160–168, doi:10.1016/S0380-1330(83)71885-X, 1983.
- 385 Eades, L. J., Farmer, J. G., MacKenzie, A. B., Kirika, A. and Bailey-Watts, A. E.: Stable lead isotopic characterisation of the historical record of environmental lead contamination in dated freshwater lake sediment cores from northern and central Scotland, *Sci. Total Environ.*, 292(1–2), 55–67, doi:10.1016/S0048-

9697(02)00026-8, 2002.

- 390 Edgington, D. N., Klump, J. V., Robbins, J. A., Kusner, Y. S., Pampura, V. D. and Sandimirov, I. V.: Sedimentation rates, residence times and radionuclide inventories in Lake Baikal from ¹³⁷Cs and ²¹⁰Pb in sediment cores, *Nature*, 350(6319), 601–604, doi:10.1038/350601a0, 1991.
- Eisenreich, S. J., Capel, P. D., Robbins, J. A. and Bourbonniere, R.: Accumulation and diagenesis of chlorinated hydrocarbons in lacustrine sediments, *Environ. Sci. Technol.*, 23(9), 1116–1126, doi:10.1021/es00067a009, 1989.
- 395 Elbert, J., Wartenburger, R., von Gunten, L., Urrutia, R., Fischer, D., Fujak, M., Hamann, Y., Greber, N. D. and Grosjean, M.: Late Holocene air temperature variability reconstructed from the sediments of Laguna Escondida, Patagonia, Chile (45°30'S), *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 369, 482–492, doi:10.1016/j.palaeo.2012.11.013, 2013.
- 400 Eleftheriou, G., Tsabaris, C., Papageorgiou, D. K., Patiris, D. L., Androulakaki, E. G. and Pappa, F. K.: Radiometric dating of sediment cores from aquatic environments of north-east Mediterranean, *J. Radioanal. Nucl. Chem.*, 316(2), 655–671, doi:10.1007/s10967-018-5802-8, 2018.
- ENGSTROM, D. R., SWAIN, E. B. and KINGSTON, J. C.: A palaeolimnological record of human disturbance from Harvey's Lake, Vermont: geochemistry, pigments and diatoms, *Freshw. Biol.*, 15(3), 261–288, doi:10.1111/j.1365-2427.1985.tb00200.x, 1985.
- 405 Erickson, M. J., Barnes, C. R., Henderson, M. R., Romagnoli, R. and Firstenberg, C. E.: Geomorphology-Based Interpretation of Sedimentation Rates from Radiodating, Lower Passaic River, New Jersey, USA, *Integr. Environ. Assess. Manag.*, 3(2), 166, doi:10.1897/IEAM_2005-074.1, 2007.
- Evans, J. E., Levine, N. S., Roberts, S. J., Gottgens, J. F. and Newman, D. M.: Assessment using GIS and sediment routing of the proposed removal of Ballville Dam, Sandusky River, Ohio, *J. Am. Water Resour. Assoc.*, 38(6), 1549–1565, doi:10.1111/j.1752-1688.2002.tb04364.x, 2002.
- 410 Farmer, J. G., MacKenzie, A. B., Graham, M. C., Macgregor, K. and Kirika, A.: Development of recent chronologies and evaluation of temporal variations in Pb fluxes and sources in lake sediment and peat cores in a remote, highly radiogenic environment, Cairngorm Mountains, Scottish Highlands, *Geochim. Cosmochim. Acta*, 156, 25–49, doi:10.1016/j.gca.2015.02.003, 2015.
- 415 Fedotov, A. P., Phedorin, M. A., Enushchenko, I. V., Vershinin, K. E., Melgunov, M. S. and Khodzher, T. V.: A reconstruction of the thawing of the permafrost during the last 170 years on the Taimyr Peninsula (East Siberia, Russia), *Glob. Planet. Change*, 98–99, 139–152, doi:10.1016/j.gloplacha.2012.09.002, 2012.
- Ferreira, P. A. de L., Figueira, R. C. L., Siegle, E., Asp Neto, N. E., Martins, C. de C., Schettini, C. A. F., Maciel, P. M., Garcia-Rodriguez, F. and Mahiques, M. M. de: Using a cesium-137 (¹³⁷Cs) sedimentary fallout record in the South Atlantic Ocean as a supporting tool for defining the Anthropocene, *Anthropocene*, 14, 34–45, doi:10.1016/j.ancene.2016.06.002, 2016.
- 420 Findlay, D. L., Kling, H. J., Röncke, H. and Findlay, W. J.: A paleolimnological study of eutrophied Lake Arendsee (Germany), *J. Paleolimnol.*, 19(1), 41–54, doi:10.1023/A:1007906611087, 1998.
- 425 Foster, I. D. L. and Lees, J. A.: Changing headwater suspended sediment yields in the LOIS catchments over the last century: A paleolimnological approach, *Hydrol. Process.*, 13(7), 1137–1153, doi:10.1002/(SICI)1099-1085(199905)13:7<1137::AID-HYP794>3.0.CO;2-M, 1999.
- Foster, I. D. L., Dearing, J. A., Simpson, A., Carter, A. D. and Appleby, P. G.: Lake catchment based studies of erosion and denudation in the merevale catchment, Warwickshire, U.K., *Earth Surf. Process. Landforms*, 10(1), 45–68, doi:10.1002/esp.3290100108, 1985.
- 430 Foucher, A., Evrard, O., Chabert, C., Cerdan, O., Lefèvre, I., Vandromme, R. and Salvador-Blanes, S.: Erosional response to land abandonment in rural areas of Western Europe during the Anthropocene: A case study in the Massif-Central, France, *Agric. Ecosyst. Environ.*, 284, 106582, doi:10.1016/j.agee.2019.106582, 2019.
- Foucher, A., Evrard, O., Huon, S., Curie, F., Lefèvre, I., Vaury, V., Cerdan, O., Vandromme, R. and Salvador-Blanes, S.: Regional trends in eutrophication across the Loire river basin during the 20th century based on multi-proxy paleolimnological reconstructions, *Agric. Ecosyst. Environ.*, 301, doi:10.1016/j.agee.2020.107065, 2020.
- 435 Fox, M. E. and Joshi, S. R.: The Fate of Pentachlorophenol in the Bay of Quinte, Lake Ontario, *J. Great Lakes Res.*, 10(2), 190–196, doi:10.1016/S0380-1330(84)71825-9, 1984.

- Francescangeli, F., Armynot du Chatelet, E., Billon, G., Trentesaux, A. and Bouchet, V. M. P.: Palaeo-ecological quality status based on foraminifera of Boulogne-sur-Mer harbour (Pas-de-Calais, Northeastern France) over the last 200 years, *Mar. Environ. Res.*, 117, 32–43, doi:10.1016/j.marenvres.2016.04.002, 2016.
- 440 Frielinghaus, M.: Soil translocation by water erosion from agricultural cropland into wet depressions (morainic kettle holes), *Soil Tillage Res.*, 46(1–2), 23–30, doi:10.1016/s0167-1987(97)00075-5, 1998.
- Frignani, M., Bellucci, L. G., Langone, L. and Muntau, H.: Metal fluxes to the sediments of the northern Venice Lagoon, *Mar. Chem.*, 58(3–4), 275–292, doi:10.1016/S0304-4203(97)00055-8, 1997.
- 445 Frignani, M., Bellucci, L. G., Carraro, C. and Favotto, M.: Accumulation of polychlorinated dibenzo-p-dioxins and dibenzofurans in sediments of the Venice Lagoon and the industrial area of Porto Marghera, *Mar. Pollut. Bull.*, 42(7), 544–553, doi:10.1016/S0025-326X(00)00197-1, 2001.
- Frignani, M., Bellucci, L. G., Favotto, M. and Albertazzi, S.: Polycyclic aromatic hydrocarbons in sediments of the Venice Lagoon, in *Hydrobiologia*, vol. 494, pp. 283–290., 2003.
- 450 Frignani, M., Bellucci, L. G., Favotto, M. and Albertazzi, S.: Pollution historical trends as recorded by sediments at selected sites of the Venice Lagoon, *Environ. Int.*, 31(7 SPEC. ISS.), 1011–1022, doi:10.1016/j.envint.2005.05.011, 2005.
- Fuller, C. C., Van Geen, A., Baskaran, M. and Anima, R.: Sediment chronology in San Francisco Bay, California, defined by ²¹⁰Pb, ²³⁴Th, ¹³⁷Cs, and ^{239,240}Pu, *Mar. Chem.*, 64(1–2), 7–27, doi:10.1016/S0304-4203(98)00081-4, 1999.
- 455 Fung, Y. S. and Lo, C. K.: Determination of heavy metal profiles in dated sediment cores from Sai Kung Bay, Hong Kong, *Environ. Int.*, 23(3), 317–335, doi:10.1016/S0160-4120(97)00034-2, 1997.
- Gäbler, H. E. and Suckow, A.: Chronology of anthropogenic heavy-metal fluxes and Pb isotope ratios derived from radiometrically dated lake sediments in northern Germany, *Water. Air. Soil Pollut.*, 144(1–4), 243–262, doi:10.1023/A:1022952232495, 2003.
- 460 Gallagher, D., Mcgee, E. J., Mitchell, P. I., Alifimov, V., Aldahan, A. and Possnert, G.: Retrospective search for evidence of the 1957 Windscale fire in NE Ireland using ¹²⁹I and other long-lived nuclides, *Environ. Sci. Technol.*, 39(9), 2927–2935, doi:10.1021/es0490491, 2005.
- Garcia-Ordiales, E., Cienfuegos, P., Roqueñí, N., Covelli, S., Flor-Blanco, G., Fontolan, G. and Loredó, J.: Historical accumulation of potentially toxic trace elements resulting from mining activities in estuarine salt marshes sediments of the Asturias coastline (northern Spain), *Environ. Sci. Pollut. Res.*, 26(4), 3115–3128, doi:10.1007/s11356-017-0449-5, 2019.
- 465 Garcia-Orellana, J., Pates, J. M., Masqué, P., Bruach, J. M. and Sanchez-Cabeza, J. A.: Distribution of artificial radionuclides in deep sediments of the Mediterranean Sea, *Sci. Total Environ.*, 407(2), 887–898, doi:10.1016/j.scitotenv.2008.09.018, 2009.
- 470 Van Geen, A. and Luoma, S. N.: The impact of human activities on sediments of San Francisco Bay, California: An overview, *Mar. Chem.*, 64(1–2), 1–6, doi:10.1016/S0304-4203(98)00080-2, 1999.
- Gehrels, W. R., Marshall, W. A., Gehrels, M. J., Larsen, G., Kirby, J. R., Eiríksson, J., Heinemeier, J. and Shimmield, T.: Rapid sea-level rise in the North Atlantic Ocean since the first half of the nineteenth century, *Holocene*, 16(7), 949–965, doi:10.1177/0959683606h1986rp, 2006.
- 475 Gerlach, M. J., Engelhart, S. E., Kemp, A. C., Moyer, R. P., Smoak, J. M., Bernhardt, C. E. and Cahill, N.: Reconstructing Common Era relative sea-level change on the Gulf Coast of Florida, *Mar. Geol.*, 390, 254–269, doi:10.1016/j.margeo.2017.07.001, 2017.
- Gerritse, R. G., Wallbrink, P. J. and Murray, A. S.: Accumulation of phosphorus and heavy metals in the Peel-Harvey Estuary in Western Australia: Results of a preliminary study, *Estuar. Coast. Shelf Sci.*, 47(6), 679–693, doi:10.1006/ecss.1998.0392, 1998.
- 480 Gharibreza, M., Raj, J. K., Yusoff, I., Othman, Z., Tahir, W. Z. W. M. and Ashraf, M. A.: Sedimentation rates in Bera Lake (Peninsular Malaysia) using ²¹⁰Pb and ¹³⁷Cs radioisotopes, *Geosci. J.*, 17(2), 211–220, doi:10.1007/s12303-013-0013-3, 2013.
- 485 Gobeil, C., Tessier, A. and Couture, R. M.: Upper mississippi pb as a mid-1800s chronostratigraphic marker in sediments from seasonally anoxic lakes in eastern canada, *Geochim. Cosmochim. Acta*, 113, 125–135,

doi:10.1016/j.gca.2013.02.023, 2013.

Goff, J. R., Whitehead, N. E. and Ditchburn, R. G.: 210Pb chronology from Wellington Harbour, New Zealand, *New Zeal. J. Mar. Freshw. Res.*, 32(2), 181–186, doi:10.1080/00288330.1998.9516818, 1998.

490 Di Gregorio, D. E., Fernández Niello, J. O., Huck, H., Somacal, H. and Curutchet, G.: 210Pb dating of sediments in a heavily contaminated drainage channel to the La Plata estuary in Buenos Aires, Argentina, *Appl. Radiat. Isot.*, 65(1), 126–130, doi:10.1016/j.apradiso.2006.06.008, 2007.

Greiner, M. and Hershner, C.: Analysis of wetland total phosphorus retention and watershed structure, *Wetlands*, 18(1), 142–149, doi:10.1007/BF03161451, 1998.

495 Grenfell, H. R., Hayward, B. W., Nomura, R. and Sabaa, A. T.: A foraminiferal proxy record of 20th century sea-level rise in the Manukau Harbour, New Zealand, *Mar. Freshw. Res.*, 63(4), 370–384, doi:10.1071/MF11208, 2012.

Grousset, F. E., Jouanneau, J. M., Castaing, P., Lavaux, G. and Latouche, C.: A 70 year record of contamination from industrial activity along the Garonne River and its tributaries (SW France), *Estuar. Coast. Shelf Sci.*, 48(3), 401–414, doi:10.1006/ecss.1998.0435, 1999.

500 Gu, J., Chen, Z. and Salem, A.: Post-Aswan dam sedimentation rate of lagoons of the Nile Delta, Egypt, *Environ. Earth Sci.*, 64(7), 1807–1813, doi:10.1007/s12665-011-0983-2, 2011.

Gu, S. H., Kralovec, A. C., Christensen, E. R. and Van Camp, R. P.: Source apportionment of PAHs in dated sediments from the Black River, Ohio, *Water Res.*, 37(9), 2149–2161, doi:10.1016/S0043-1354(02)00584-5, 2003.

505 Guan, Y., Zang, S. and Xiao, H.: The vertical variation of nutrients in a sediment core of Delong Lake reveals the anthropogenic effect, *Ecotoxicology*, 23(4), 480–485, doi:10.1007/s10646-014-1198-6, 2014.

Guan, Y., Sun, S., Sun, S., Wang, H., Ruan, X., Liu, Z., Terrasi, F., Gialanella, L. and Shen, H.: Distribution and sources of plutonium along the coast of Guangxi, China, *Nucl. Instruments Methods Phys. Res. Sect. B Beam Interact. with Mater. Atoms*, 437, 61–65, doi:10.1016/j.nimb.2018.09.047, 2018.

510 Guerra, R., Pasteris, A., Righi, S. and Ok, G.: Historical record of polychlorinated biphenyls (PCBs) in the continental shelf of the Korea Strait, *Chemosphere*, 237, 124438, doi:10.1016/j.chemosphere.2019.124438, 2019.

Guilizzoni, P., Massafiero, J., Lami, A., Piovano, E. L., Guevara, S. R., Formica, S. M., Daga, R., Rizzo, A. and Gerli, S.: Palaeolimnology of Lake Hess (Patagonia, Argentina): Multi-proxy analyses of short sediment cores, *Hydrobiologia*, 631(1), 289–302, doi:10.1007/s10750-009-9818-5, 2009.

515 Gulin, S. B.: Recent changes of biogenic carbonate deposition in anoxic sediments of the Black Sea: Sedimentary record and climatic implication, *Mar. Environ. Res.*, 49(4), 319–328, doi:10.1016/S0141-1136(99)00074-4, 2000.

Von Gunten, H. R., Sturm, M. and Moser, R. N.: 200-year record of metals in lake sediments and natural background concentrations, *Environ. Sci. Technol.*, 31(8), 2193–2197, doi:10.1021/es960616h, 1997.

520 GUPPY, S. F. and HAPPEY-WOOD, C. M.: Chemistry of sediments from two linked lakes in North Wales, *Freshw. Biol.*, 8(5), 401–413, doi:10.1111/j.1365-2427.1978.tb01463.x, 1978.

Guyard, H., Chapron, E., St-Onge, G., Anselmetti, F. S., Arnaud, F., Magand, O., Francus, P. and Mélières, M.-A.: High-altitude varve records of abrupt environmental changes and mining activity over the last 4000 years in the Western French Alps (Lake Bramant, Grandes Rousses Massif), *Quat. Sci. Rev.*, 26(19–21), 2644–2660, doi:10.1016/j.quascirev.2007.07.007, 2007.

525 Hamilton, T. F., Ballestra, S., Baxter, M. S., Gastaud, J., Osvath, I., Parsi, P., Povinec, P. P. and Scott, E. M.: Radiometric investigations of Kara Sea sediments and preliminary radiological assessment related to dumping of radioactive wastes in the Arctic Seas, *J. Environ. Radioact.*, 25(1–2), 113–134, doi:10.1016/0265-931X(94)90011-6, 1994.

530 Hancock, G. J., Leslie, C., Everett, S. E., Tims, S. G., Brunskill, G. J. and Haese, R.: Plutonium as a chronomarker in Australian and New Zealand sediments: A comparison with 137Cs, *J. Environ. Radioact.*, 102(10), 919–929, doi:10.1016/j.jenvrad.2009.09.008, 2011.

Hanna, A. J. M., Allison, M. A., Bianchi, T. S., Marcantonio, F. and Goff, J. A.: Late Holocene sedimentation in a high Arctic coastal setting: Simpson Lagoon and Colville Delta, Alaska, *Cont. Shelf Res.*, 74, 11–24,

doi:10.1016/j.csr.2013.11.026, 2014.

- 535 Hansen, A. M.: Lake sediment cores as indicators of historical metal(loid) accumulation - A case study in Mexico, *Appl. Geochemistry*, 27(9), 1745–1752, doi:10.1016/j.apgeochem.2012.02.010, 2012.
- Hansson, S. V., Kaste, J. M., Olid, C. and Bindler, R.: Incorporation of radiometric tracers in peat and implications for estimating accumulation rates, *Sci. Total Environ.*, 493, 170–177, doi:10.1016/j.scitotenv.2014.05.088, 2014.
- 540 Hardaway, C., Sheu, W. J., Meriwether, J. R., Sneddon, J. and Beck, J. N.: The Effect of Diagenetic Processes on the Radiochronology of Soft Sediments Using ²¹⁰Pb and ¹³⁷Cs, *Microchem. J.*, 58(1), 127–134, doi:10.1006/mchj.1997.1534, 1998.
- Hasholt, B., Walling, D. E. and Owens, P. N.: Sedimentation in arctic proglacial lakes: Mittivakkat Glacier, south-east Greenland, *Hydrol. Process.*, 14(4), 679–699, doi:10.1002/(SICI)1099-1085(200003)14:4<679::AID-HYP966>3.0.CO;2-E, 2000.
- 545 Hausmann, S., Lotter, A. F., van Leeuwen, J. F. N., Ohlendorf, C., Lemcke, G., Grönlund, E. and Sturm, M.: Interactions of climate and land use documented in the varved sediments of Seebergsee in the Swiss Alps, Holocene, 12(3), 279–289, doi:10.1191/0959683602hl544rp, 2002.
- He, Q. and Walling, D. E.: Rates of Overbank Sedimentation on the Floodplains of British Lowland Rivers Documented Using Fallout ¹³⁷ Cs, *Geogr. Ann. Ser. A, Phys. Geogr.*, 78(4), 223, doi:10.2307/521042, 1996.
- 550 He, Q., Walling, D. E. and Owens, P. N.: Interpreting the ¹³⁷Cs profiles observed in several small lakes and reservoirs in southern England, *Chem. Geol.*, 129(1–2), 115–131, doi:10.1016/0009-2541(95)00149-2, 1996.
- Heldal, H. E., Varskog, P. and Foyn, L.: Distribution of selected anthropogenic radionuclides (¹³⁷Cs, ²³⁸Pu, ^{239,240}Pu and ²⁴¹Am) in marine sediments with emphasis on the Spitsbergen-Bear Island area, *Sci. Total Environ.*, 293(1–3), 233–245, doi:10.1016/S0048-9697(02)00041-4, 2002.
- 555 Hermanson, M. H.: Chronology and Sources of Anthropogenic Trace Metals in Sediments from Small, Shallow Arctic Lakes, *Environ. Sci. Technol.*, 25(12), 2059–2064, doi:10.1021/es00024a011, 1991.
- Hermanson, M. H., Christensen, E. R., Buser, D. J. and Chen, L. M.: Polychlorinated Biphenyls in Dated Sediment Cores from Green Bay and Lake Michigan, *J. Great Lakes Res.*, 17(1), 94–108, doi:10.1016/S0380-1330(91)71345-2, 1991.
- 560 Higgins, S. A., Jaffe, B. E. and Fuller, C. C.: Reconstructing sediment age profiles from historical bathymetry changes in San Pablo Bay, California, *Estuar. Coast. Shelf Sci.*, 73(1–2), 165–174, doi:10.1016/j.ecss.2006.12.018, 2007.
- 565 Ho, H. H., Swennen, R., Cappuyns, V., Vassilieva, E., Neyens, G., Rajabali, M. and Van Tran, T.: Assessment on Pollution by Heavy Metals and Arsenic Based on Surficial and Core Sediments in the Cam River Mouth, Haiphong Province, Vietnam, *Soil Sediment Contam. An Int. J.*, 22(4), 415–432, doi:10.1080/15320383.2013.733445, 2013a.
- Ho, H. H., Swennen, R., Cappuyns, V., Vassilieva, E., Neyens, G., Rajabali, M. and Tran, T. Van: Geogene Versus Anthropogene Origin of Trace Metals in Sediments in Cua Luc Estuary and Ha Long Bay, Vietnam, *Estuaries and Coasts*, 36(1), 203–219, doi:10.1007/s12237-012-9562-3, 2013b.
- 570 Hong, G. H., Lee, S. H., Kim, S. H., Chung, C. S. and Baskaran, M.: Sedimentary fluxes of ⁹⁰Sr, ¹³⁷Cs, ^{239,240}Pu and ²¹⁰Pb in the East Sea (Sea of Japan), in *Science of the Total Environment*, vol. 237–238, pp. 225–240., 1999.
- Hongve, D., Blakar, I. A. and Brittain, J. E.: Radiocaesium in the sediments of Øvre Heimdalsvatn, a Norwegian subalpine lake, *J. Environ. Radioact.*, 27(1), 1–11, doi:10.1016/0265-931X(94)00014-N, 1995.
- 575 Horvatinčić, N., Sironić, A., Barešić, J., Bronić, I. K., Nikolov, J., Todorović, N., Hansman, J. and Krmar, M.: Isotope analyses of the lake sediments in the Plitvice Lakes, Croatia, *Cent. Eur. J. Phys.*, 12(10), 707–713, doi:10.2478/s11534-014-0490-7, 2014.
- Hosono, T., Alvarez, K. and Kuwae, M.: Lead isotope ratios in six lake sediment cores from Japan Archipelago: Historical record of trans-boundary pollution sources, *Sci. Total Environ.*, 559, 24–37, doi:10.1016/j.scitotenv.2016.03.138, 2016.
- 580 Hou, X. L., Fogh, C. L., Kucera, J., Andersson, K. G., Dahlgard, H. and Nielsen, S. P.: Iodine-129 and Caesium-137 in Chernobyl contaminated soil and their chemical fractionation, *Sci. Total Environ.*, 308(1–3), 97–109,

doi:10.1016/S0048-9697(02)00546-6, 2003.

- 585 Huang, C., Zhang, L., Li, Y., Lin, C., Huang, T., Zhang, M., Zhu, A. xing, Yang, H. and Wang, X.: Carbon and nitrogen burial in a plateau lake during eutrophication and phytoplankton blooms, *Sci. Total Environ.*, 616–617, 296–304, doi:10.1016/j.scitotenv.2017.10.320, 2018.
- Hughes, A. O., Olley, J. M., Croke, J. C. and Webster, I. T.: Determining floodplain sedimentation rates using ^{137}Cs in a low fallout environment dominated by channel- and cultivation-derived sediment inputs, central Queensland, Australia, *J. Environ. Radioact.*, 100(10), 858–865, doi:10.1016/j.jenvrad.2009.06.011, 2009.
- 590 Huh, C. A. and Chen, H. Y.: History of lead pollution recorded in East China Sea sediments, *Mar. Pollut. Bull.*, 38(7), 545–549, doi:10.1016/S0025-326X(98)00111-8, 1999.
- Hülse, P. and Bentley, S. J.: A ^{210}Pb sediment budget and granulometric record of sediment fluxes in a subarctic deltaic system: The Great Whale River, Canada, *Estuar. Coast. Shelf Sci.*, 109, 41–52, doi:10.1016/j.ecss.2012.05.019, 2012.
- 595 Huntley, S. L., Bonnevie, N. L. and Wenning, R. J.: Polycyclic aromatic hydrocarbon and petroleum hydrocarbon contamination in sediment from the Newark Bay estuary, New Jersey, *Arch. Environ. Contam. Toxicol.*, 28(1), 93–107, doi:10.1007/BF00213974, 1995.
- Huntley, S. L., Carlson-Lynch, H., Johnson, G. W., Paustenbach, D. J. and Finley, B. L.: Identification of historical PCDD/F sources in Newark Bay Estuary subsurface sediments using polytopic vector analysis and radioisotope dating techniques, *Chemosphere*, 36(6), 1167–1185, doi:10.1016/S0045-6535(97)10008-X, 1998.
- 600 Hutchinson, S. M. and Prandle, D.: Siltation in the Saltmarsh of the Dee Estuary Derived from ^{137}Cs Analysis of Shallow Cores, *Estuar. Coast. Shelf Sci.*, 38(5), 471–478, doi:10.1006/ecss.1994.1032, 1994.
- Hutri, K. L., Mattila, J., Ikäheimonen, T. T. and Varti, V. P.: Artificial radionuclides ^{90}Sr and ^{241}Am in the sediments of the Baltic Sea: Total and spatial inventories and some temporal trends, *Mar. Pollut. Bull.*, 70(1–2), 210–218, doi:10.1016/j.marpolbul.2013.03.007, 2013.
- 605 Irizuki, T., Ito, H., Sako, M., Yoshioka, K., Kawano, S., Nomura, R. and Tanaka, Y.: Anthropogenic impacts on meiobenthic Ostracoda (Crustacea) in the moderately polluted Kasado Bay, Seto Inland Sea, Japan, over the past 70 years, *Mar. Pollut. Bull.*, 91(1), 149–159, doi:10.1016/j.marpolbul.2014.12.013, 2015.
- Irlweck, K.: Depth distribution of $^{137}\text{cesium}$, $^{90}\text{strontium}$ and $^{210}\text{lead}$ in sediments of lake Mondsee, Austria, *J. Radioanal. Nucl. Chem. Lett.*, 93(2), 115–124, doi:10.1007/BF02167811, 1985.
- 610 Ishii, Y. and Hori, K.: Formation and infilling of oxbow lakes in the Ishikari lowland, northern Japan, *Quat. Int.*, 397, 136–146, doi:10.1016/j.quaint.2015.06.016, 2016.
- Jaakkola, T., Tolonen, K., Huttunen, P. and Leskinen, S.: The use of fallout ^{137}Cs and $^{239,240}\text{Pu}$ for dating of lake sediments, in *Paleolimnology*, pp. 15–19, Springer Netherlands, Dordrecht., 1983.
- 615 Jaegler, H., Pointurier, F., Diez-Fernández, S., Gourgiotis, A., Isnard, H., Hayashi, S., Tsuji, H., Onda, Y., Hubert, A., Lacey, J. P. and Evrard, O.: Reconstruction of uranium and plutonium isotopic signatures in sediment accumulated in the Mano Dam reservoir, Japan, before and after the Fukushima nuclear accident, *Chemosphere*, 225, 849–858, doi:10.1016/j.chemosphere.2019.03.064, 2019.
- Jenns, N., Heppell, C. M., Burt, T. P., Walden, J. and Foster, I. D. L.: Investigating contemporary and historical sediment inputs to Slapton Higher Ley: An analysis of the robustness of source ascription methods when applied to lake sediment data, *Hydrol. Process.*, 16(17), 3467–3486, doi:10.1002/hyp.1110, 2002.
- 620 Jha, S. K., Chavan, S. B., Pandit, G. G. and Sadasivan, S.: Geochronology of Pb and Hg pollution in a coastal marine environment using global fallout ^{137}Cs , in *Journal of Environmental Radioactivity*, vol. 69, pp. 145–157, Elsevier Ltd., 2003.
- 625 Jia, X., Luo, W., Wu, X., Wei, H., Wang, B., Phyo, W. and Wang, F.: Historical record of nutrients inputs into the Xin'an Reservoir and its potential environmental implication, *Environ. Sci. Pollut. Res.*, 24(25), 20330–20341, doi:10.1007/s11356-017-9537-9, 2017.
- Johnson-Pyrtle, A. and Scott, M. R.: Distribution of ^{137}Cs in the Lena River Estuary-Laptev Sea system, *Mar. Pollut. Bull.*, 42(10), 912–926, doi:10.1016/S0025-326X(00)00237-X, 2001.
- Johnson-Pyrtle, A., Scott, M. R., Laing, T. E. and Smol, J. P.: ^{137}Cs distribution and geochemistry of Lena River

- 630 (Siberia) drainage basin lake sediments, *Sci. Total Environ.*, 255(1–3), 145–159, doi:10.1016/S0048-9697(00)00466-6, 2000.
- Jordan, P., Rippey, B. and John Anderson, N.: The 20th century whole-basin trophic history of an inter-drumlin lake in an agricultural catchment, *Sci. Total Environ.*, 297(1–3), 161–173, doi:10.1016/S0048-9697(02)00135-3, 2002.
- 635 Joshi, S. R.: Recent sedimentation rates and ²¹⁰Pb fluxes in Georgian Bay and Lake Huron, *Sci. Total Environ.*, 41(3), 219–233, doi:10.1016/0048-9697(85)90143-3, 1985.
- Joshi, S. R. and Fox, M. E.: The ²¹⁰Pb and ¹³⁷Cs profiles in sediment cores from Bay of Quinte, Lake Ontario, *J. Radioanal. Nucl. Chem. Artic.*, 90(1), 207–215, doi:10.1007/BF02037335, 1985.
- 640 Joshi, S. R. and McNeely, R.: Detection of fallout ¹⁵⁵Eu and ²⁰⁷Pb in a ²¹⁰Pb-dated lake sediment core, *J. Radioanal. Nucl. Chem. Artic.*, 122(1), 183–191, doi:10.1007/BF02037177, 1988.
- Joshi, S. R. and Mudroch, A.: Direct determination of geochronologically useful radionuclides in sediments by low-energy photon analysis, *Nucl. Inst. Methods Phys. Res. A*, 263(2–3), 529–536, doi:10.1016/0168-9002(88)90998-9, 1988.
- 645 Jouanneau, J.-M., Castaing, P., Grousset, F., Buat-Ménard, P. and Pedemay, P.: Enregistrement sédimentaire et chronologie (¹³⁷Cs) d'une contamination en cadmium dans l'estuaire de la Gironde (France), *Comptes Rendus l'Académie des Sci. - Ser. IIA - Earth Planet. Sci.*, 329(4), 265–270, doi:10.1016/S1251-8050(99)80245-6, 1999.
- Kada, J. and Heit, M.: The inventories of anthropogenic Ph, Zn, As, Cd, and the radionuclides ¹³⁷Cs and excess ²¹⁰Pb in lake sediments of the Adirondack region, USA, *Hydrobiologia*, 246(3), 231–241, doi:10.1007/BF00005700, 1992.
- 650 Kadlec, R. H. and Robbins, J. A.: Sedimentation and sediment accretion in Michigan coastal wetlands (U.S.A.), *Chem. Geol.*, 44(1–3), 119–150, doi:10.1016/0009-2541(84)90070-6, 1984.
- Kaplan, D. I., Hinton, T. G. and Knox, A. S.: Cesium-137 partitioning to wetland sediments and uptake by plants, *J. Radioanal. Nucl. Chem.*, 264(2), 393–399, doi:10.1007/s10967-005-0727-4, 2005.
- 655 Karlsen, A. W., Cronin, T. M., Ishmans, S. E., Willard, D. A., Kerhin, R., Holmes, C. W. and Marot, M.: Historical trends in Chesapeake Bay dissolved oxygen based on benthic foraminifera from sediment cores, *Estuaries*, 23(4), 488–508, doi:10.2307/1353141, 2000.
- Kastner, S., Enters, D., Ohlendorf, C., Habertzettl, T., Kuhn, G., Lücke, A., Mayr, C., Reyss, J. L., Wastegård, S. and Zolitschka, B.: Reconstructing 2000 years of hydrological variation derived from laminated proglacial sediments of Lago del Desierto at the eastern margin of the South Patagonian Ice Field, Argentina, *Glob. Planet. Change*, 72(3), 201–214, doi:10.1016/j.gloplacha.2010.04.007, 2010.
- 660 Katajisto, T.: Copepod eggs survive a decade in the sediments of the Baltic Sea, *Hydrobiologia*, 320(1–3), 153–159, doi:10.1007/bf00016816, 1996.
- 665 Kato, H., Onda, Y. and Tanaka, Y.: Using ¹³⁷Cs and ²¹⁰Pb measurements to estimate soil redistribution rates on semi-arid grassland in Mongolia, *Geomorphology*, 114(4), 508–519, doi:10.1016/j.geomorph.2009.08.009, 2010.
- Kempf, P., Moernaut, J., Van Daele, M., Vermassen, F., Vandoorne, W., Pino, M., Urrutía, R., Schmidt, S., Garrett, E. and De Batist, M.: The sedimentary record of the 1960 tsunami in two coastal lakes on Isla de Chiloé, south central Chile, *Sediment. Geol.*, 328, 73–86, doi:10.1016/j.sedgeo.2015.08.004, 2015.
- 670 Kenney, W. F., Brenner, M., Arnold, T. E., Curtis, J. H. and Schelske, C. L.: Sediment cores from shallow lakes preserve reliable, informative paleoenvironmental archives despite hurricane-force winds, *Ecol. Indic.*, 60, 963–969, doi:10.1016/j.ecolind.2015.08.046, 2016.
- Ketterer, M. E., Wetzel, W. C., Layman, R. R., Matisoff, G. and Bonniwell, E. C.: Isotopic studies of sources of uranium in sediments of the Ashtabula River, Ohio, U.S.A., *Environ. Sci. Technol.*, 34(6), 966–972, doi:10.1021/es981314d, 2000.
- 675 KHALILI VAVDARE, S., SEDGHI, H. and SARRAF, A.: DETERMINATION OF SEDIMENTATION RATE IN ANZALI LAGOON OF NORTHERN IRAN USING ¹³⁷Cs TRACER TECHNIQUE, *Appl. Ecol. Environ. Res.*, 17(1), 1337–1347, doi:10.15666/aer/1701_13371347, 2019.

- 680 Khan, N. S., Vane, C. H., Engelhart, S. E., Kendrick, C. and Horton, B. P.: The application of $\delta^{13}\text{C}$, TOC and C/N geochemistry of mangrove sediments to reconstruct Holocene paleoenvironments and relative sea levels, *Puerto Rico, Mar. Geol.*, 415, doi:10.1016/j.margeo.2019.105963, 2019.
- Kim, G., Hussain, N., Chureh, T. M. and Carey, W. L.: The fallout isotope ^{207}Bi in a Delaware salt marsh: a comparison with ^{210}Pb and ^{137}Cs as a geochronological tool, *Sci. Total Environ.*, 196(1), 31–41, doi:10.1016/S0048-9697(96)05385-5, 1997.
- 685 Klaminder, J., Appleby, P., Crook, P. and Renberg, I.: Post-deposition diffusion of ^{137}Cs in lake sediment: Implications for radiocaesium dating, *Sedimentology*, 59(7), 2259–2267, doi:10.1111/j.1365-3091.2012.01343.x, 2012.
- Kleeberg, A., Neyen, M., Schkade, U. K., Kalettka, T. and Lischeid, G.: Sediment cores from kettle holes in NE Germany reveal recent impacts of agriculture, *Environ. Sci. Pollut. Res.*, 23(8), 7409–7424, doi:10.1007/s11356-015-5989-y, 2016.
- 690 Klubi, E., Abril, J. M., Nyarko, E., Laissaoui, A. and Benmansour, M.: Radioecological assessment and radiometric dating of sediment cores from dynamic sedimentary systems of Pra and Volta estuaries (Ghana) along the Equatorial Atlantic, *J. Environ. Radioact.*, 178–179, 116–126, doi:10.1016/j.jenvrad.2017.08.001, 2017.
- 695 Kotti, F., Dezileau, L., Mahé, G., Habaieb, H., Bentkaya, M., Dieulin, C. and Amrouni, O.: Etude de l'impact des barrages sur la réduction des transports sédimentaires jusqu'à la mer par approche paléohydrologique dans la basse vallée de la Medjerda, *Proc. Int. Assoc. Hydrol. Sci.*, 377, 67–76, doi:10.5194/piahs-377-67-2018, 2018.
- Kralj, D., Romic, D., Romic, M., Cukrov, N., Mlakar, M., Kontrec, J., Barisic, D. and Sirac, S.: Geochemistry of stream sediments within the reclaimed coastal floodplain as indicator of anthropogenic impact (River Neretva, Croatia), *J. Soils Sediments*, 16(4), 1150–1167, doi:10.1007/s11368-015-1194-3, 2016.
- 700 Krom, M. D., Carbo, P., Clerici, S., Cundy, A. B. and Davies, I. M.: Sources and timing of trace metal contamination to sediments in remote sealochs, N.W. Scotland, *Estuar. Coast. Shelf Sci.*, 83(2), 239–251, doi:10.1016/j.ecss.2009.03.028, 2009.
- Kudo, A., Mahara, Y., Santry, D. C., Suzuki, T., Miyahara, S., Sugahara, M., Zheng, J. and Garrec, J. P.: Plutonium mass balance released from the Nagasaki A-Bomb and the applicability for future environmental research, *Appl. Radiat. Isot.*, 46(11), 1089–1098, doi:10.1016/0969-8043(95)00152-4, 1995.
- 705 Kumar, A., Rout, S., Chopra, M. K., Mishra, D. G., Singhal, R. K., Ravi, P. M. and Tripathi, R. M.: Modeling of ^{137}Cs migration in cores of marine sediments of Mumbai Harbor Bay, *J. Radioanal. Nucl. Chem.*, 301(2), 615–626, doi:10.1007/s10967-014-3116-z, 2014.
- 710 Kumata, H., Sanada, Y., Takada, H. and Ueno, T.: Historical trends of N-cyclohexyl-2-benzothiazolamine, 2-(4-morpholinyl)benzothiazole, and other anthropogenic contaminants in the urban reservoir sediment core, *Environ. Sci. Technol.*, 34(2), 246–253, doi:10.1021/es990738k, 2000.
- Kurz, A. Y., Blum, J. D., Washburn, S. J. and Baskaran, M.: Changes in the mercury isotopic composition of sediments from a remote alpine lake in Wyoming, USA, *Sci. Total Environ.*, 669, 973–982, doi:10.1016/j.scitotenv.2019.03.165, 2019.
- 715 Laissaoui, A., Mas, J. L., Hurtado, S., Ziad, N., Villa, M. and Benmansour, M.: Radionuclide activities and metal concentrations in sediments of the Sebou Estuary, NW Morocco, following a flooding event, *Environ. Monit. Assess.*, 185(6), 5019–5029, doi:10.1007/s10661-012-2922-4, 2013.
- Laissaoui, A., Mejjad, N., Ziad, N., Ait Bouh, H., El Hammoumi, O., Benkdad, A. and Fekri, A.: Evidence for a recent increase in delivery of atmospheric ^{210}Pb to Oualidia lagoon, coastal Morocco, *Environ. Monit. Assess.*, 190(11), doi:10.1007/s10661-018-7046-z, 2018.
- 720 Lan, B., Zhang, D. and Yang, Y.: Lacustrine sediment chronology defined by ^{137}Cs , ^{210}Pb and ^{14}C and the hydrological evolution of Lake Ailike during 1901–2013, northern Xinjiang, China, *Catena*, 161, 104–112, doi:10.1016/j.catena.2017.10.020, 2018.
- 725 Larsen, J., Appleby, P. G., Christensen, G. N., Berg, T. and Eide, I.: Historical and geographical trends in sediment chronology from lakes and marine sites along the Norwegian Coast, *Water. Air. Soil Pollut.*, 206(1–4), 237–250, doi:10.1007/s11270-009-0099-4, 2010.
- Latour, D., Salençon, M.-J., Reyss, J.-L. and Giraudet, H.: SEDIMENTARY IMPRINT OF MICROCYSTIS

- AERUGINOSA (CYANOBACTERIA) BLOOMS IN GRANGENT RESERVOIR (LOIRE, FRANCE), *J. Phycol.*, 43(3), 417–425, doi:10.1111/j.1529-8817.2007.00343.x, 2007.
- 730 Latuso, K. D., Keim, R. F., King, S. L., Weindorf, D. C. and DeLaune, R. D.: Sediment deposition and sources into a Mississippi River floodplain lake; Catahoula Lake, Louisiana, *Catena*, 156, 290–297, doi:10.1016/j.catena.2017.04.020, 2017.
- Lavrieux, M., Schubert, C. J., Hofstetter, T., Eglinton, T. I., Hajdas, I., Wacker, L. and Dubois, N.: From medieval land clearing to industrial development: 800 years of human-impact history in the Joux Valley (Swiss Jura), *Holocene*, 27(10), 1443–1454, doi:10.1177/0959683617693892, 2017.
- 735 Lee, S. H., Povinec, P. P., Chisholm, J. R. M., Levy, I., Miquel, J. C. and Oh, J. S.: Distribution of natural and anthropogenic radionuclides in northwest Mediterranean coastal sediments, *J. Environ. Radioact.*, 172, 145–159, doi:10.1016/j.jenvrad.2017.03.018, 2017.
- Lee, S. V. and Cundy, A. B.: Heavy metal contamination and mixing processes in sediments from the Humber Estuary, Eastern England, *Estuar. Coast. Shelf Sci.*, 53(5), 619–636, doi:10.1006/ecss.2000.0713, 2001.
- 740 Lehu, R., Lallemand, S., Ratzov, G., Babonneau, N., Hsu, S. K., Lin, A. T. and Dezileau, L.: An attempt to reconstruct 2700 years of seismicity using deep-sea turbidites offshore eastern Taiwan, *Tectonophysics*, 692, 309–324, doi:10.1016/j.tecto.2016.04.030, 2016.
- 745 LENT, R.: MERCURY ACCUMULATION IN DEVILS LAKE, NORTH DAKOTA – EFFECTS OF ENVIRONMENTAL VARIATION IN CLOSED-BASIN LAKES ON MERCURY CHRONOLOGIES, *Water. Air. Soil Pollut.*, 98(3–4), 275–296, doi:10.1023/A:1026415001754, 1997.
- Lent, R. M., Lyons, W. B., Showers, W. J. and Johannesson, K. H.: Late holocene paleoclimatic and paleobiologic records from sediments of Devils Lake, North Dakota, *J. Paleolimnol.*, 13(3), 193–207, doi:10.1007/BF00682764, 1995.
- 750 Lewis, G. P., Taylor, B. E., Pinder, J. E. and Dixon, P. M.: Apparent decline of the sediment ¹³⁷Cs inventory of an abandoned reactor cooling reservoir: Export or uncertainty?, *J. Environ. Radioact.*, 49(3), 293–306, doi:10.1016/S0265-931X(99)00127-7, 2000.
- Li, A., Ab Razak, I. A., Ni, F., Gin, M. F. and Christensen, E. R.: Polycyclic aromatic hydrocarbons in the sediments of the Milwaukee Harbor Estuary, Wisconsin, U.S.A., *Water. Air. Soil Pollut.*, 101(1–4), 417–434, doi:10.1023/A:1004901522267, 1998.
- 755 Li, A., Beek, T. aus der, Schubert, M., Yu, Z., Schiedek, T. and Schüth, C.: Sedimentary archive of Polycyclic Aromatic Hydrocarbons and perylene sources in the northern part of Taihu Lake, China, *Environ. Pollut.*, 246, 198–206, doi:10.1016/j.envpol.2018.11.112, 2019a.
- 760 Li, C., Le Roux, G., Sonke, J., van Beek, P., Souhaut, M., Van der Putten, N. and De Vleeschouwer, F.: Recent ²¹⁰Pb, ¹³⁷Cs and ²⁴¹Am accumulation in an ombrotrophic peatland from Amsterdam Island (Southern Indian Ocean), *J. Environ. Radioact.*, 175–176, 164–169, doi:10.1016/j.jenvrad.2017.05.004, 2017a.
- Li, H. C., Wang, J., Sun, J. J., Chou, C. Y., Li, H. K., Xia, Y. Y., Zhao, H. Y., Yang, Q. N. and Kashyap, S.: Study of Jinchuan Mire in NE China I: AMS ¹⁴C, ²¹⁰Pb and ¹³⁷Cs dating on peat cores, *Quat. Int.*, 528, 9–17, doi:10.1016/j.quaint.2019.07.020, 2019b.
- 765 Li, K., Liu, E., Zhang, E., Li, Y., Shen, J. and Liu, X.: Historical variations of atmospheric trace metal pollution in Southwest China: Reconstruction from a 150-year lacustrine sediment record in the Erhai Lake, *J. Geochemical Explor.*, 172, 62–70, doi:10.1016/j.gexplo.2016.10.009, 2017b.
- Liang, K., Hu, X., Li, S., Huang, C. and Tang, Y.: Anthropogenic effect on deposition dynamics of lake sediments based on ¹³⁷Cs and ²¹⁰Pbex techniques in Jiuzhaigou National Nature Reserve, China, *Chinese Geogr. Sci.*, 24(2), 180–190, doi:10.1007/s11769-014-0665-6, 2014.
- 770 Liao, H., Bu, W., Zheng, J., Wu, F. and Yamada, M.: Vertical Distributions of Radionuclides (²³⁹⁺²⁴⁰Pu, ²⁴⁰Pu/ ²³⁹Pu, and ¹³⁷Cs) in Sediment Cores of Lake Bosten in Northwestern China, *Environ. Sci. Technol.*, 48(7), 3840–3846, doi:10.1021/es405364m, 2014.
- 775 de Lima Ferreira, P. A., Siegle, E., Schettini, C. A. F., de Mahiques, M. M. and Figueira, R. C. L.: Statistical validation of the model of diffusion-convection (MDC) of ¹³⁷Cs for the assessment of recent sedimentation rates in coastal systems, *J. Radioanal. Nucl. Chem.*, 303(3), 2059–2071, doi:10.1007/s10967-014-3622-z, 2015.

- Lin, T., Qin, Y., Zheng, B., Li, Y., Zhang, L. and Guo, Z.: Sedimentary record of polycyclic aromatic hydrocarbons in a reservoir in Northeast China, *Environ. Pollut.*, 163, 256–260, doi:10.1016/j.envpol.2012.01.005, 2012.
- 780 Lirer, F., Sprovieri, M., Ferraro, L., Vallefucio, M., Capotondi, L., Cascella, A., Petrosino, P., Insinga, D. D., Pelosi, N., Tamburrino, S. and Lubritto, C.: Integrated stratigraphy for the Late Quaternary in the eastern Tyrrhenian Sea, *Quat. Int.*, 292, 71–85, doi:10.1016/j.quaint.2012.08.2055, 2013.
- Liu, S., Narentuya, Xia, B., Chu, G. and Tian, M.: Using ²¹⁰Pb uns and ¹³⁷Cs to date recent sediment cores from the Badain Jaran Desert, Inner Mongolia, China, *Quat. Geochronol.*, 12, 30–39, doi:10.1016/j.quageo.2012.06.001, 2012.
- 785 Liu, Z., Zheng, J., Pan, S. and Gao, J.: Anthropogenic plutonium in the North Jiangsu tidal flats of the Yellow Sea in China, *Environ. Monit. Assess.*, 185(8), 6539–6551, doi:10.1007/s10661-012-3045-7, 2013a.
- Liu, Z., Pan, S., Yin, Y., Ma, R., Gao, J., Xia, F. and Yang, X.: Reconstruction of the historical deposition environment from ²¹⁰Pb and ¹³⁷Cs records at two tidal flats in China, *Ecol. Eng.*, 61(PA), 303–315, doi:10.1016/j.ecoleng.2013.09.029, 2013b.
- 790 Livingston, H. D. and Bowen, V. T.: Pu and ¹³⁷Cs in coastal sediments, *Earth Planet. Sci. Lett.*, 43(1), 29–45, doi:10.1016/0012-821X(79)90153-5, 1979.
- Lo, C. K. and Fung, Y. S.: Heavy metal pollution profiles of dated sediment cores from hebe haven, Hong Kong, *Water Res.*, 26(12), 1605–1619, doi:10.1016/0043-1354(92)90160-6, 1992.
- 795 Loizeau, J. L., Dominik, J., Luzzi, T. and Vernet, J. P.: Sediment core correlation and mapping of sediment accumulation rates in Lake Geneva (Switzerland, France) using volume magnetic susceptibility, *J. Great Lakes Res.*, 23(4), 391–402, doi:10.1016/S0380-1330(97)70921-3, 1997.
- Loso, M., Finney, B., Johnson, R. and Sinnott, R.: Evaluating evidence for historical anadromous Salmon runs in Eklutna Lake, Alaska, *Arctic*, 70(3), 259–272, doi:10.14430/arctic4665, 2017.
- 800 Lotter, A. F., Sturm, M., Teranes, J. L. and Wehrli, B.: Varve formation since 1885 and high-resolution varve analyses in hypertrophic Baldeggersee (Switzerland), *Aquat. Sci.*, 59(4), 304–325, doi:10.1007/BF02522361, 1997.
- LU, X. and MATSUMOTO, E.: Implications of excess ²¹⁰Pb and ¹³⁷Cs in sediment cores from Mikawa Bay, Japan, *J. Environ. Sci.*, 21(5), 707–712, doi:10.1016/S1001-0742(08)62328-1, 2009a.
- LU, X. and MATSUMOTO, E.: Implications of excess ²¹⁰Pb and ¹³⁷Cs in sediment cores from Mikawa Bay, Japan, *J. Environ. Sci.*, 21(5), 707–712, doi:10.1016/S1001-0742(08)62328-1, 2009b.
- 805 Lukšiene, B., Maceika, E., Tarasiuk, N., Koviagina, E., Filistovič, V., Buivydas, Š. and Puzas, A.: On peculiarities of vertical distribution of ^{239,240}Pu, ²³⁸Pu and ¹³⁷Cs activity concentrations and their ratios in lake sediments and soils, *J. Radioanal. Nucl. Chem.*, 300(1), 277–286, doi:10.1007/s10967-014-3026-0, 2014.
- 810 M. Fox, W., S. Johnson, M., Jones, S. R., Leah, R. T. and Copplestone, D.: The use of sediment cores from stable and developing salt marshes to reconstruct historical contamination profiles in the Mersey Estuary, UK, *Mar. Environ. Res.*, 47(4), 311–329, doi:10.1016/S0141-1136(98)00123-8, 1999.
- Ma, L., Wu, J. and Abuduwaili, J.: Climate and environmental changes over the past 150 years inferred from the sediments of Chaiwopu Lake, central Tianshan Mountains, northwest China, *Int. J. Earth Sci.*, 102(3), 959–967, doi:10.1007/s00531-012-0838-4, 2013.
- 815 Macdonald, R. W., Macdonald, D. M., O'Brien, M. C. and Gobeil, C.: Accumulation of heavy metals (Pb, Zn, Cu, Cd), carbon and nitrogen in sediments from Strait of Georgia, B.C., Canada, *Mar. Chem.*, 34(1–2), 109–135, doi:10.1016/0304-4203(91)90017-Q, 1991.
- MacKenzie, A., Webber, S., Watts, A. and Tonks, A.: Historical deposits of Alexandrium catenella resting cysts in the sediments of Queen Charlotte Sound, New Zealand, *New Zeal. J. Mar. Freshw. Res.*, 50(2), 195–208, doi:10.1080/00288330.2015.1110187, 2016.
- 820 Mackenzie, A. B. and Scott, R. D.: Radiocaesium and plutonium in intertidal sediments from southern Scotland, *Nature*, 299(5884), 613–616, doi:10.1038/299613a0, 1982.
- MacKenzie, A. B., Cook, G. T., McDonald, P. and Jones, S. R.: The influence of mixing timescales and re-dissolution processes on the distribution of radionuclides in northeast Irish Sea sediments, *J. Environ. Radioact.*,

- 39(1), 35–53, doi:10.1016/S0265-931X(97)00044-1, 1998.
- 825 Madsen, A. T., Murray, A. S., Andersen, T. J., Pejrup, M. and Breuning-Madsen, H.: Optically stimulated luminescence dating of young estuarine sediments: a comparison with ²¹⁰Pb and ¹³⁷Cs dating, *Mar. Geol.*, 214(1–3), 251–268, doi:10.1016/j.margeo.2004.10.034, 2005.
- Mahara, Y. and Kudo, A.: Plutonium released by the Nagasaki A-bomb: Mobility in the environment, *Appl. Radiat. Isot.*, 46(11), 1191–1201, doi:10.1016/0969-8043(95)00161-6, 1995.
- 830 Mahu, E., Nyarko, E., Hulme, S., Swarzenski, P., Asiedu, D. K. and Coale, K. H.: Geochronology and historical deposition of trace metals in three tropical estuaries in the Gulf of Guinea, *Estuar. Coast. Shelf Sci.*, 177, 31–40, doi:10.1016/j.ecss.2016.05.007, 2016.
- Marčiulioniene, D., Mažeika, J., Lukšiene, B., Jefanova, O., Mikalauskiene, R. and Paškauskas, R.: Anthropogenic radionuclide fluxes and distribution in bottom sediments of the cooling basin of the Ignalina Nuclear Power Plant, *J. Environ. Radioact.*, 145, 48–57, doi:10.1016/j.jenvrad.2015.03.007, 2015.
- 835 Marsdem, O. J., Abrahamsen, L., Brayan, N. D., Day Philip, J., Fifield, K., Gent, C., Goodal, P. S., Morris, K. and Livens, F. R.: Transport and accumulation of actinide elements in the near-shore environment: Field and modelling studies, *Sedimentology*, 53(1), 237–248, doi:10.1111/j.1365-3091.2005.00761.x, 2006.
- Martinez, A., Schnoebelen, D. J. and Hornbuckle, K. C.: Polychlorinated biphenyl congeners in sediment cores from the Upper Mississippi River, *Chemosphere*, 144, 1943–1949, doi:10.1016/j.chemosphere.2015.10.090, 2016.
- 840 Martins, C. C., Bicego, M. C., Mahiques, M. M., Figueira, R. C. L., Tessler, M. G. and Montone, R. C.: Depositional history of sedimentary linear alkylbenzenes (LABs) in a large South American industrial coastal area (Santos Estuary, Southeastern Brazil), *Environ. Pollut.*, 158(11), 3355–3364, doi:10.1016/j.envpol.2010.07.040, 2010.
- 845 Martins, V., Figueira, R. C. L., França, E. J., Ferreira, P. A. de L., Martins, P., Santos, J. F., Dias, J. A., Laut, L. L. M., Monge Soares, A. M., Silva, E. F. da and Rocha, F.: Sedimentary processes on the NW Iberian Continental Shelf since the Little Ice Age, *Estuar. Coast. Shelf Sci.*, 102–103, 48–59, doi:10.1016/j.ecss.2012.03.004, 2012.
- Matisoff, G.: Activities and geochronology of ¹³⁷Cs in lake sediments resulting from sediment resuspension, *J. Environ. Radioact.*, 167, 222–234, doi:10.1016/j.jenvrad.2016.11.015, 2017.
- 850 Matsuoka, K.: Eutrophication process recorded in dinoflagellate cyst assemblages - A case of Yokohama Port, Tokyo Bay, Japan, *Sci. Total Environ.*, 231(1), 17–35, doi:10.1016/S0048-9697(99)00087-X, 1999.
- Matter, M., Anselmetti, F. S., Jordanoska, B., Wagner, B., Wessels, M. and Wüest, A.: Carbonate sedimentation and effects of eutrophication observed at the Kališta subaquatic springs in Lake Ohrid (Macedonia), *Biogeosciences*, 7(11), 3755–3767, doi:10.5194/bg-7-3755-2010, 2010.
- 855 Matthai, C., Birch, G. F., Jenkinson, A. and Heijnis, H.: Physical resuspension and vertical mixing of sediments on a high energy continental margin (Sydney, Australia), *J. Environ. Radioact.*, 52(1), 67–89, doi:10.1016/S0265-931X(00)00104-1, 2001.
- McDonald, C. P. and Urban, N. R.: Sediment radioisotope dating across a stratigraphic discontinuity in a mining-impacted lake, *J. Environ. Radioact.*, 92(2), 80–95, doi:10.1016/j.jenvrad.2006.09.009, 2007.
- 860 McLean, R. I. and Summers, J. K.: Evaluation of transport and storage of ⁶⁰Co, ¹³⁴Cs, ¹³⁷Cs and ⁶⁵Zn by river sediments in the lower susquehanna river, *Environ. Pollut.*, 63(2), 137–153, doi:10.1016/0269-7491(90)90064-J, 1990.
- McMinn, A., Hallegraeff, G. M., Thomson, P., Jenkinson, A. V. and Heijnis, H.: Cyst and radionucleotide evidence for the recent introduction of the toxic dinoflagellate *Gymnodinium catenatum* into Tasmanian waters, *Mar. Ecol. Prog. Ser.*, 161, 165–172, doi:10.3354/meps161165, 1997.
- 865 Meena, N. K., Prakasam, M., Bhushan, R., Sarkar, S., Diwate, P. and Banerji, U.: Last-five-decade heavy metal pollution records from the Rewalsar Lake, Himachal Pradesh, India, *Environ. Earth Sci.*, 76(1), doi:10.1007/s12665-016-6303-0, 2017.
- 870 Melieres, M. A., Pourchet, M., Pinglot, J. F., Bouchez, R. and Piboule, M.: Chernobyl ¹³⁴Cs, ¹³⁷Cs, and ²¹⁰Pb in high mountain lake sediment: Measurements and modeling of mixing process, *J. Geophys. Res.*, 93(D6), 7055–5061, doi:10.1029/jd093id06p07055, 1988.

- Méndez-García, C., Rentería-Villalobos, M., García-Tenorio, R. and Montero-Cabrera, M. E.: Uranium series isotopes concentration in sediments at San Marcos and Luis L. Leon reservoirs, Chihuahua, Mexico, pp. 83–92, American Institute of Physics., 2014.
- 875 Van Metre, P. C., Callender, E. and Fuller, C. C.: Historical trends in organochlorine compounds in river basins identified using sediment cores from reservoirs, *Environ. Sci. Technol.*, 31(8), 2339–2344, doi:10.1021/es960943p, 1997.
- 880 Van Metre, P. C., Wilson, J. T., Callender, E. and Fuller, C. C.: Similar rates of decrease of persistent, hydrophobic and particle- reactive contaminants in riverine systems, *Environ. Sci. Technol.*, 32(21), 3312–3317, doi:10.1021/es9801902, 1998.
- Miao, A., Chu, Z. and Li, Y.: Three Gorges Dam controls sediment coarsening of the mud patch on the inner East China Sea shelf, *J. Ocean Univ. China*, 15(3), 414–422, doi:10.1007/s11802-016-2798-y, 2016.
- 885 Michelutti, N., Blais, J. M., Liu, H., Keatley, B. E., Douglas, M. S. V., Mallory, M. L. and Smol, J. P.: A test of the possible influence of seabird activity on the ²¹⁰Pb flux in high Arctic ponds at Cape Vera, Devon Island, Nunavut: Implications for radiochronology, *J. Paleolimnol.*, 40(3), 783–791, doi:10.1007/s10933-008-9198-2, 2008.
- Miguel, S., Bolívar, J. P. and García-Tenorio, R.: Mixing, sediment accumulation and focusing using ²¹⁰Pb and ¹³⁷Cs, *J. Paleolimnol.*, 29(1), 1–11, doi:10.1023/A:1022864615111, 2003.
- 890 Miller, H., Croudace, I. W., Bull, J. M., Cotterill, C. J., Dix, J. K. and Taylor, R. N.: A 500 Year Sediment Lake Record of Anthropogenic and Natural Inputs to Windermere (English Lake District) Using Double-Spike Lead Isotopes, Radiochronology, and Sediment Microanalysis, *Environ. Sci. Technol.*, 48(13), 7254–7263, doi:10.1021/es5008998, 2014.
- 895 Milzer, G., Giraudeau, J., Schmidt, S., Eynaud, F. and Faust, J.: Qualitative and quantitative reconstructions of surface water characteristics and recent hydrographical changes in the Trondheimsfjord, central Norway, *Clim. Past*, 10(1), 305–323, doi:10.5194/cp-10-305-2014, 2014.
- Mîndrescu, M., Németh, A., Grădinaru, I., Bihari, Á., Németh, T., Fekete, J., Bozsó, G. and Kern, Z.: Bolătău sediment record - Chronology, microsedimentology and potential for a high resolution multimillennial paleoenvironmental proxy archive, *Quat. Geochronol.*, 32, 11–20, doi:10.1016/j.quageo.2015.10.007, 2016.
- 900 Minoura, K., Yamada, T., Hirano, S. ichi and Sugihara, S.: Movement of radiocaesium fallout released by the 2011 Fukushima nuclear accident, *Nat. Hazards*, 73(3), 1843–1862, doi:10.1007/s11069-014-1171-y, 2014.
- Miralles, J., Radakovitch, O., Cochran, J. K., Véron, A. and Masqué, P.: Multitracer study of anthropogenic contamination records in the Camargue, Southern France, *Sci. Total Environ.*, 320(1), 63–72, doi:10.1016/S0048-9697(03)00443-1, 2004.
- 905 Mitchell, P. I., Condren, O. M., Leon Vintro, L. and McMahon, C. A.: Trends in plutonium, americium and radiocaesium accumulation and long- term bioavailability in the western Irish Sea mud basin, *J. Environ. Radioact.*, 44(2–3), 223–251, doi:10.1016/S0265-931X(98)00135-0, 1999.
- 910 Moon, D. S., Hong, G. H., Kim, Y. Il, Baskaran, M., Chung, C. S., Kim, S. H., Lee, H. J., Lee, S. H. and Povinec, P. P.: Accumulation of anthropogenic and natural radionuclides in bottom sediments of the Northwest Pacific Ocean, *Deep. Res. Part II Top. Stud. Oceanogr.*, 50(17–21), 2649–2673, doi:10.1016/S0967-0645(03)00140-1, 2003.
- Morellón, M., Anselmetti, F. S., Ariztegui, D., Brushulli, B., Sinopoli, G., Wagner, B., Sadori, L., Gilli, A. and Pambuku, A.: Human-climate interactions in the central Mediterranean region during the last millennia: The laminated record of Lake Butrint (Albania), *Quat. Sci. Rev.*, 136, 134–152, doi:10.1016/j.quascirev.2015.10.043, 2016.
- 915 Morris, J. L., Derose, R. J. and Brunelle, A. R.: Long-term landscape changes in a subalpine spruce-fir forest in central Utah, USA, *For. Ecosyst.*, 2(1), doi:10.1186/s40663-015-0057-0, 2015.
- Morris, K., Butterworth, J. C. and Livens, F. R.: Evidence for the remobilization of Sellafield waste radionuclides in an intertidal salt marsh, West Cumbria, U.K., *Estuar. Coast. Shelf Sci.*, 51(5), 613–625, doi:10.1006/ecss.2000.0705, 2000.
- 920 Mundschenk, H.: Occurrence and behaviour of radionuclides in the Moselle river - Part IV: Deposition of

- radioactive particulate matter in high-sedimentation areas, *J. Environ. Radioact.*, 32(3), 193–212, doi:10.1016/0265-931X(95)00060-N, 1996.
- 925 Møller, G., Dominik, J., Reuther, R., Malisch, R., Schulte, E., Acker, L. and Irion, G.: Sedimentary record of environmental pollution in the Western Baltic Sea, *Naturwissenschaften*, 67(12), 595–600, doi:10.1007/BF00396539, 1980.
- Navas, A., Valero-Garcés, B., Gaspar, L. and Palazón, L.: Radionuclides and stable elements in the sediments of the Yesa Reservoir, Central Spanish Pyrenees, *J. Soils Sediments*, 11(6), 1082–1098, doi:10.1007/s11368-011-0401-0, 2011.
- 930 Navas, A., López-Vicente, M., Gaspar, L., Palazón, L. and Quijano, L.: Establishing a tracer-based sediment budget to preserve wetlands in Mediterranean mountain agroecosystems (NE Spain), *Sci. Total Environ.*, 496, 132–143, doi:10.1016/j.scitotenv.2014.07.026, 2014.
- 935 Navratil, O., Evrard, O., Esteves, M., Ayrault, S., Lefèvre, I., Legout, C., Reyss, J. L., Gratiot, N., Nemery, J., Mathys, N., Poirol, A. and Bonté, P.: Core-derived historical records of suspended sediment origin in a mesoscale mountainous catchment: The River Bléone, French Alps, *J. Soils Sediments*, 12(9), 1463–1478, doi:10.1007/s11368-012-0565-2, 2012.
- Ndzangou, S. O., Richer-Lafleche, M. and Houle, D.: Sources and Evolution of Anthropogenic Lead in Dated Sediments from Lake Clair, Québec, Canada, *J. Environ. Qual.*, 34(3), 1016–1025, doi:10.2134/jeq2003.0421, 2005.
- 940 Neumann, T., Stögbauer, A., Walpersdorf, E., Stüben, D. and Kunzendorf, H.: Stable isotopes in recent sediments of Lake Arendsee, NE Germany: Response to eutrophication and remediation measures, *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 178(1–2), 75–90, doi:10.1016/S0031-0182(01)00403-5, 2002.
- Nie, Y., Xu, L., Liu, X. and Emslie, S. D.: Radionuclides in ornithogenic sediments as evidence for recent warming in the Ross Sea region, Antarctica, *Sci. Total Environ.*, 557–558, 248–256, doi:10.1016/j.scitotenv.2016.03.046, 2016.
- 945 Nikitina, D. L., Kemp, A. C., Horton, B. P., Vane, C. H., van de Plassche, O. and Engelhart, S. E.: Storm erosion during the past 2000 years along the north shore of Delaware Bay, USA, *Geomorphology*, 208, 160–172, doi:10.1016/j.geomorph.2013.11.022, 2014.
- 950 Nyberg, J., Kuijpers, A., Malmgren, B. A. and Kunzendorf, H.: Late Holocene changes in precipitation and hydrography recorded in marine sediments from the northeastern Caribbean Sea, *Quat. Res.*, 56(1), 87–102, doi:10.1006/qres.2001.2249, 2001.
- O'Reilly, J., León Vitró, L., Mitchell, P. I., Donohue, I., Leira, M., Hobbs, W. and Irvine, K.: ²¹⁰Pb-dating of a lake sediment core from Lough Carra (Co. Mayo, western Ireland): Use of paleolimnological data for chronology validation below the ²¹⁰Pb dating horizon, *J. Environ. Radioact.*, 102(5), 495–499, doi:10.1016/j.jenvrad.2010.09.003, 2011.
- 955 Oenema, O. and DeLaune, R. D.: Accretion rates in salt marshes in the Eastern Scheldt, South-west Netherlands, *Estuar. Coast. Shelf Sci.*, 26(4), 379–394, doi:10.1016/0272-7714(88)90019-4, 1988.
- Oguri, K., Harada, N. and Tadaï, O.: Excess ²¹⁰Pb and ¹³⁷Cs concentrations, mass accumulation rates, and sedimentary processes on the Bering Sea continental shelf, *Deep. Res. Part II Top. Stud. Oceanogr.*, 61–64, 193–204, doi:10.1016/j.dsr2.2011.03.007, 2012.
- 960 Oldfield, F., Appleby, P. G. and Thompson, R.: Palaeoecological Studies of Lakes in the Highlands of Papua New Guinea: I. The Chronology of Sedimentation, *J. Ecol.*, 68(2), 457, doi:10.2307/2259416, 1980.
- Oldfield, F., Richardson, N., Appleby, P. G. and Yu, L.: ²⁴¹Am and ¹³⁷Cs activity in fine grained saltmarsh sediments from parts of the N.E. Irish sea shoreline, *J. Environ. Radioact.*, 19(1), 1–24, doi:10.1016/0265-931X(93)90055-C, 1993.
- 965 Oldfield, F., Wake, R., Boyle, J., Jones, R., Nolan, S., Gibbs, Z., Appleby, P., Fisher, E. and Wolff, G.: The late-Holocene history of Gormire Lake (NE England) and its catchment: A multiproxy reconstruction of past human impact, *Holocene*, 13(5), 677–690, doi:10.1191/0959683603hl654rp, 2003.
- Olszewski, G., Andersson, P., Lindahl, P. and Eriksson, M.: On the distribution and inventories of radionuclides in dated sediments around the Swedish coast, *J. Environ. Radioact.*, 186, 142–151,

- 970 doi:10.1016/j.jenvrad.2017.09.025, 2018.
- Omokheyeke, O., Sikoki, F. D., Laissaoui, A., Akpuluma, D., Onyagbodor, P. O., Benkdad, A. and Benmansour, M.: Sediment geochronology and spatio-temporal and vertical distributions of radionuclides in the Upper Bonny Estuary (South Nigeria), *Geochronometria*, 41(4), 369–376, doi:10.2478/s13386-013-0164-z, 2014.
- 975 Owens, P. N. and Walling, D. E.: Changes in sediment sources and floodplain deposition rates in the catchment of the River Tweed, Scotland, over the last 100 years: The impact of climate and land use change, *Earth Surf. Process. Landforms*, 27(4), 403–423, doi:10.1002/esp.327, 2002.
- Owens, P. N., Walling, D. E., He, Q., Shanahan, J. and Foster, I. D. L.: Utilisation d’une technique de mesure par le césium-137 pour l’établissement du bilan sédimentaire du bassin versant “Start”, dans le Devon (Royaume-Uni), *Hydrol. Sci. J.*, 42(3), 405–423, doi:10.1080/02626669709492037, 1997.
- 980 Owens, P. N., Walling, D. E. and Leeks, G. J. L.: Use of floodplain sediment cores to investigate recent historical changes in overbank sedimentation rates and sediment sources in the catchment of the River Ouse, Yorkshire, UK, *Catena*, 36(1–2), 21–47, doi:10.1016/S0341-8162(99)00010-7, 1999.
- Page, M. J., Trustrum, N. A. and DeRose, R. C.: A high resolution record of storm-induced erosion from lake sediments, New Zealand, *J. Paleolimnol.*, 11(3), 333–348, doi:10.1007/BF00677993, 1994.
- 985 Papaefthymiou, H., Athanasopoulos, D., Papatheodorou, G., Iatrou, M., Geraga, M., Christodoulou, D., Kordella, S., Fakiris, E. and Tsikouras, B.: Uranium and other natural radionuclides in the sediments of a Mediterranean fjord-like embayment, Amvrakikos Gulf (Ionian Sea), Greece, *J. Environ. Radioact.*, 122, 43–54, doi:10.1016/j.jenvrad.2013.02.020, 2013.
- 990 Pappa, F. K., Tsabaris, C., Patiris, D. L., Eleftheriou, G., Ioannidou, A., Androulakaki, E. G., Kokkoris, M. and Vlastou, R.: Temporal investigation of radionuclides and heavy metals in a coastal mining area at Ierissos Gulf, Greece, *Environ. Sci. Pollut. Res.*, 26(26), 27457–27469, doi:10.1007/s11356-019-05921-5, 2019.
- Parry, L. E., Charman, D. J. and Blake, W. H.: Comparative dating of recent peat deposits using natural and anthropogenic fallout radionuclides and Spheroidal Carbonaceous Particles (SCPs) at a local and landscape scale, *Quat. Geochronol.*, 15, 11–19, doi:10.1016/j.quageo.2013.01.002, 2013.
- 995 Parsons, M. J., Long, D. T. and Yohn, S. S.: Assessing the natural recovery of a lake contaminated with Hg using estimated recovery rates determined by sediment chronologies, *Appl. Geochemistry*, 25(11), 1676–1687, doi:10.1016/j.apgeochem.2010.08.015, 2010.
- Parsons, M. L., Dortch, Q., Turner, R. E. and Rabalais, N. R.: Reconstructing the development of eutrophication in Louisiana salt marshes, in *Limnology and Oceanography*, vol. 51, pp. 534–544, American Society of Limnology and Oceanography Inc., 2006.
- 1000 Pavlova, P. A., Zennegg, M., Anselmetti, F. S., Schmid, P., Bogdal, C., Steinlin, C., Jäggi, M. and Schwikowski, M.: Release of PCBs from Silvretta glacier (Switzerland) investigated in lake sediments and meltwater, *Environ. Sci. Pollut. Res.*, 23(11), 10308–10316, doi:10.1007/s11356-015-5854-z, 2016.
- 1005 Pawłowska, J., Zajączkowski, M., Szczuciński, W., Zaborska, A., Kucharska, M., Jernas, P. E. and Forwick, M.: The influence of Coriolis force driven water circulation on the palaeoenvironment of Hornsund (S Spitsbergen) over the last century, *Boreas*, 46(4), 737–749, doi:10.1111/bor.12249, 2017.
- Pedersen, J. B. T., Bartholdy, J. and Christiansen, C.: ¹³⁷Cs in the Danish Wadden Sea: contrast between tidal flats and salt marshes, *J. Environ. Radioact.*, 97(1), 42–56, doi:10.1016/j.jenvrad.2007.03.002, 2007.
- 1010 Pempkowiak, J.: Enrichment factors of heavy metals in the Southern Baltic surface sediments dated with ²¹⁰Pb and ¹³⁷Cs, *Environ. Int.*, 17(5), 421–428, doi:10.1016/0160-4120(91)90275-U, 1991.
- Pempkowiak, J., Kozuch, J. and Szymelfenig, M.: Meiobenthic organisms as indicators of mixing processes in the Baltic surface sediments, *Mar. Ecol.*, 17(1–3), 175–179, doi:10.1111/j.1439-0485.1996.tb00498.x, 1996.
- Pempkowiak, J., Piotrowska-Szypryt, M. and Kozuch, J.: Rates of diagenetic changes of humic substances in Baltic surface sediments, in *Environment International*, vol. 24, pp. 589–594, Elsevier Sci Ltd., 1998.
- 1015 Pempkowiak, J., Tylmann, W., Staniszewski, A. and Gołębiewski, R.: Lignin depolymerization products as biomarkers of the organic matter sedimentary record in ²¹⁰Pb-¹³⁷Cs-dated lake sediments, *Org. Geochem.*, 37(11), 1452–1464, doi:10.1016/j.orggeochem.2006.07.005, 2006.

- 1020 Perner, K., Leipe, T., Dellwig, O., Kuijpers, A., Mikkelsen, N., Andersen, T. J. and Harff, J.: Contamination of arctic Fjord sediments by Pb-Zn mining at Maarmorilik in central West Greenland, *Mar. Pollut. Bull.*, 60(7), 1065–1073, doi:10.1016/j.marpolbul.2010.01.019, 2010.
- Petit, D., Thomas, M. and Lamberts, L.: Origin of heavy metal fluxes to the Meuse river in southern Belgium using 210Pb-dated water-meadow sediments, *J. Environ. Radioact.*, 5(4), 303–316, doi:10.1016/0265-931X(87)90005-1, 1987.
- 1025 Pfahl, S., Sirocko, F., Seelos, K., Dietrich, S., Walter, A. and Wernli, H.: A new windstorm proxy from lake sediments: A comparison of geological and meteorological data from western Germany for the period 1965–2001, *J. Geophys. Res. Atmos.*, 114(18), doi:10.1029/2008JD011643, 2009.
- Pinder, J. E., Bowling, J. W., Lide, R. F. and Beatty, L. M.: The distribution of 137Cs in sediments of the littoral zone of a former reactor cooling pond, *J. Environ. Radioact.*, 28(1), 57–71, doi:10.1016/0265-931X(94)00045-X, 1995.
- 1030 Pourchet, M., Pinglot, J. F. and Mélières, M. A.: Cesium 137 and lead 210 in alpine lake sediments: Measurements and modeling of mixing processes, *J. Geophys. Res.*, 94(C9), 12761, doi:10.1029/JC094iC09p12761, 1989.
- Pratte, S., Bao, K., Shen, J., De Vleeschouwer, F. and Le Roux, G.: Centennial records of cadmium and lead in NE China lake sediments, *Sci. Total Environ.*, 657, 548–557, doi:10.1016/j.scitotenv.2018.11.407, 2019.
- 1035 Putyrskaya, V., Klemt, E., Röllin, S., Astner, M. and Sahli, H.: Dating of sediments from four Swiss prealpine lakes with 210Pb determined by gamma-spectrometry: Progress and problems, *J. Environ. Radioact.*, 145, 78–94, doi:10.1016/j.jenvrad.2015.03.028, 2015.
- Qiang, M., Chen, F., Zhang, J., Zu, R., Jin, M., Zhou, A. and Xiao, S.: Grain size in sediments from Lake Sugan: A possible linkage to dust storm events at the northern margin of the Qinghai-Tibetan Plateau, *Environ. Geol.*, 51(7), 1229–1238, doi:10.1007/s00254-006-0416-9, 2007.
- 1040 Rada, R. G., Wiener, J. G., Bailey, P. A. and Powell, D. E.: Recent influxes of metals into Lake Pepin, a natural lake on the Upper Mississippi River, *Arch. Environ. Contam. Toxicol.*, 19(5), 712–716, doi:10.1007/BF01183989, 1990.
- Radakovitch, O., Charmasson, S., Arnaud, M. and Bouisset, P.: 210Pb and caesium accumulation in the Rhone delta sediments, *Estuar. Coast. Shelf Sci.*, 48(1), 77–92, doi:10.1006/ecss.1998.0405, 1999.
- 1045 Rai, S. P., Kumar, V. and Kumar, B.: Sedimentation rate and pattern of a Himalayan foothill lake using 137Cs and 210Pb, *Hydrol. Sci. J.*, 52(1), 181–191, doi:10.1623/hysj.52.1.181, 2007.
- Rasmussen, P. and John Anderson, N.: Natural and anthropogenic forcing of aquatic macrophyte development in a shallow Danish lake during the last 7000 years, *J. Biogeogr.*, 32(11), 1993–2005, doi:10.1111/j.1365-2699.2005.01352.x, 2005.
- 1050 Reavie, E. D., Smol, J. P., Carignan, R. and Lorrain, S.: Diatom paleolimnology of two fluvial lakes in the St. Lawrence River: A reconstruction of environmental changes during the last century, *J. Phycol.*, 34(3), 446–456, doi:10.1046/j.1529-8817.1998.340446.x, 1998.
- 1055 Reavie, E. D., Robbins, J. A., Stoermer, E. F., Douglas, M. S., Emmert, G. E., Morehead, N. R. and Mudroch, A.: Paleolimnology of a fluvial lake downstream of Lake Superior and the industrialized region of Sault Saint Marie, *Can. J. Fish. Aquat. Sci.*, 62(11), 2586–2608, doi:10.1139/f05-170, 2005.
- Reyss, J. L., Mangeret, A., Courbet, C., Bassot, S., Alcalde, G., Thouvenot, A. and Guillevic, J.: Estimation of sedimentation rates based on the excess of radium 228 in granitic reservoir sediments, *J. Environ. Radioact.*, 162–163, 8–13, doi:10.1016/j.jenvrad.2016.04.032, 2016.
- 1060 Ribeiro Guevara, S., Rizzo, A., Sánchez, R. and Arribére, M.: 210Pb fluxes in sediment layers sampled from Northern Patagonia lakes, *J. Radioanal. Nucl. Chem.*, 258(3), 583–595, doi:10.1023/B:JRNC.0000011755.39838.6c, 2003.
- Richardson, K. N. D., Hatten, J. A. and Wheatcroft, R. A.: 1500 years of lake sedimentation due to fire, earthquakes, floods and land clearance in the Oregon Coast Range: geomorphic sensitivity to floods during timber harvest period, *Earth Surf. Process. Landforms*, 43(7), 1496–1517, doi:10.1002/esp.4335, 2018.
- 1065 Rizzo, S., Basile, S., Caruso, A., Cosentino, C., Tranchina, L. and Brai, M.: Dating of a sediment core by 210Pbex method and Pb pollution chronology in the Palermo Gulf (Italy), *Water. Air. Soil Pollut.*, 202(1–4), 109–120,

doi:10.1007/s11270-008-9961-z, 2009.

Robbins, J. A. and Jasinski, A. W.: Chernobyl fallout radionuclides in Lake Sniardwy, Poland, *J. Environ. Radioact.*, 26(2), 157–184, doi:10.1016/0265-931X(94)00005-H, 1995.

- 1070 Robbins, J. A., Krezoski, J. R. and Mozley, S. C.: Radioactivity in sediments of the Great Lakes: Post-depositional redistribution by deposit-feeding organisms, *Earth Planet. Sci. Lett.*, 36(2), 325–333, doi:10.1016/0012-821X(77)90217-5, 1977.
- Robbins, J. A., Edgington, D. N. and Kemp, A. L. W.: Comparative ^{210}Pb , ^{137}Cs , and pollen geochronologies of sediments from Lakes Ontario and Erie, *Quat. Res.*, 10(2), 256–278, doi:10.1016/0033-5894(78)90105-9, 1978.
- 1075 Romano, E., Bergamin, L., Croudace, I. W., Ausili, A., Maggi, C. and Gabellini, M.: Establishing geochemical background levels of selected trace elements in areas having geochemical anomalies: The case study of the Orbetello lagoon (Tuscany, Italy), *Environ. Pollut.*, 202, 96–103, doi:10.1016/j.envpol.2015.03.017, 2015.
- Rosen, M. R. and Van Metre, P. C.: Assessment of multiple sources of anthropogenic and natural chemical inputs to a morphologically complex basin, Lake Mead, USA, *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 294(1–2), 30–43, doi:10.1016/j.palaeo.2009.03.017, 2010.
- 1080 Rostan, J. C., Juget, J. and Brun, A. M.: Sedimentation rates measurements in former channels of the upper Rhone river using Chernobyl ^{137}Cs and ^{134}Cs as tracers, *Sci. Total Environ.*, 193(3), 251–262, doi:10.1016/S0048-9697(96)05348-X, 1997.
- Rowell, H. C., Bopp, R. F., Peng, F., Velinsky, D. J. and Bloomfield, J. A.: Annually laminated sediments from Onondaga Lake, New York (USA) provide a basis for high-resolution studies of lake degradation and recovery, *J. Paleolimnol.*, 53(1), 107–121, doi:10.1007/s10933-014-9811-5, 2015a.
- Rowell, H. C., Bopp, R. F., Peng, F., Velinsky, D. J. and Bloomfield, J. A.: Annually laminated sediments from Onondaga Lake, New York (USA) provide a basis for high-resolution studies of lake degradation and recovery, *J. Paleolimnol.*, 53(1), 107–121, doi:10.1007/s10933-014-9811-5, 2015b.
- 1090 Ruiz-Fernandez, A. C.: Chronology of recent sedimentation and geochemical characteristics of sediments in Alvarado Lagoon, Veracruz (southwestern gulf of Mexico), *Ciencias Mar.*, 40(4), 291–303, doi:10.7773/cm.v40i4.2473, 2014.
- Ruiz-Fernandez, A. C., Hillaire-Marcel, C., Ghaleb, B., Paez-Osuna, F. and Soto-Jimenez, M.: Isotopic constraints (^{210}Pb , ^{228}Th) on the sedimentary dynamics of contaminated sediments from a subtropical coastal lagoon (NW Mexico), *Environ. Geol.*, 41(1–2), 74–89, doi:10.1007/s002540100341, 2001.
- 1095 Ruiz-Fernández, A. C., Páez-Osuna, F., Urrutia-Fucugauchi, J. and Preda, M.: ^{210}Pb geochronology of sediment accumulation rates in Mexico City Metropolitan Zone as recorded at Espejo de los Lirios lake sediments, *Catena*, 61(1), 31–48, doi:10.1016/j.catena.2005.01.003, 2005.
- Ruiz-Fernández, A. C., Hillaire-Marcel, C., de Vernal, A., Machain-Castillo, M. L., Vásquez, L., Ghaleb, B., Aspiazu-Fabián, J. A. and Páez-Osuna, F.: Changes of coastal sedimentation in the Gulf of Tehuantepec, South Pacific Mexico, over the last 100 years from short-lived radionuclide measurements, *Estuar. Coast. Shelf Sci.*, 82(3), 525–536, doi:10.1016/j.eccs.2009.02.019, 2009.
- Ruiz-Fernández, A. C., Maanan, M., Sanchez-Cabeza, J. A., Bernal, L. H. P., Mendoza, P. L. and Limoges, A.: Cronología de la sedimentación reciente y caracterización geoquímica de los sedimentos de la laguna de Alvarado, Veracruz (suroeste del golfo de México), *Ciencias Mar.*, 40(4), 291–303, doi:10.7773/cm.v40i4.2473, 2014.
- 1105 Sabatier, P., Dezileau, L., Condomines, M., Briquieu, L., Colin, C., Bouchette, F., Le Duff, M. and Blanchemanche, P.: Reconstruction of paleostorm events in a coastal lagoon (Hérault, South of France), *Mar. Geol.*, 251(3–4), 224–232, doi:10.1016/j.margeo.2008.03.001, 2008.
- Sabatier, P., Dezileau, L., Blanchemanche, P., Siani, G., Condomines, M., Bentaleb, I. and Piquès, G.: Holocene variations of radiocarbon reservoir ages in a mediterranean lagoonal system, *Radiocarbon*, 52(1), 91–102, doi:10.1017/S0033822200045057, 2010.
- 1110 Sabatier, P., Poulenard, J., Fanget, B., Reyss, J.-L., Develle, A.-L., Wilhelm, B., Ployon, E., Pignol, C., Naffrechoux, E., Dorioz, J.-M., Montuelle, B. and Arnaud, F.: Long-term relationships among pesticide applications, mobility, and soil erosion in a vineyard watershed, *Proc. Natl. Acad. Sci.*, 111(44), 15647–15652, doi:10.1073/pnas.1411512111, 2014.
- 1115

- Sanada, Y., Matsunaga, T., Yanase, N., Nagao, S., Amano, H., Takada, H. and Tkachenko, Y.: Accumulation and potential dissolution of Chernobyl-derived radionuclides in river bottom sediment, *Appl. Radiat. Isot.*, 56(5), 751–760, doi:10.1016/S0969-8043(01)00274-3, 2002.
- 1120 Sanchez-Cabeza, J. A., Masqué, P., Ani-Ragolta, I., Merino, J., Frignani, M., Alvisi, F., Palanques, A. and Puig, P.: Sediment accumulation rates in the southern Barcelona continental margin (NW Mediterranean Sea) derived from ²¹⁰Pb and ¹³⁷Cs chronology, *Prog. Oceanogr.*, 44(1–3), 313–332, doi:10.1016/S0079-6611(99)00031-2, 1999.
- 1125 Sanders, C. J., Santos, I. R., Silva-Filho, E. V. and Patchineelam, S. R.: Mercury flux to estuarine sediments, derived from Pb-210 and Cs-137 geochronologies (Guaratuba Bay, Brazil), *Mar. Pollut. Bull.*, 52(9), 1085–1089, doi:10.1016/j.marpolbul.2006.06.004, 2006.
- Sanders, C. J., Santos, I. R., Patchineelam, S. R., Schaefer, C. and Silva-Filho, E. V.: Recent ¹³⁷Cs deposition in sediments of Admiralty Bay, Antarctica, *J. Environ. Radioact.*, 101(5), 421–424, doi:10.1016/j.jenvrad.2010.02.006, 2010.
- 1130 Sanders, G., Jones, K. C., Hamilton-Taylor, J. and Dorr, H.: PCB and PAH fluxes to a dated UK peat core, *Environ. Pollut.*, 89(1), 17–25, doi:10.1016/0269-7491(94)00048-I, 1995.
- Santschi, P. H., Allison, M. A., Asbill, S., Perlet, A. B., Cappellino, S., Dobbs, C. and McShea, L.: Sediment Transport and Hg Recovery in Lavaca Bay, as Evaluated from Radionuclide and Hg Distributions, *Environ. Sci. Technol.*, 33(3), 378–391, doi:10.1021/es980378l, 1999.
- 1135 Santschi, P. H., Guo, L., Asbill, S., Allison, M., Britt Kepple, A. and Wen, L.-S.: Accumulation rates and sources of sediments and organic carbon on the Palos Verdes shelf based on radioisotopic tracers (¹³⁷Cs, ^{239,240}Pu, ²¹⁰Pb, ²³⁴Th, ²³⁸U and ¹⁴C), *Mar. Chem.*, 73(2), 125–152, doi:10.1016/S0304-4203(00)00101-8, 2001.
- Santschi, P. H., Yeager, K. M., Schwehr, K. A. and Schindler, K. J.: Estimates of recovery of the Penobscot River and estuarine system from mercury contamination in the 1960's, *Sci. Total Environ.*, 596–597, 351–359, doi:10.1016/j.scitotenv.2017.04.094, 2017.
- 1140 Sari, E., Çağatay, M. N., Acar, D., Belivermiş, M., Kılıç, Ö., Arslan, T. N., Tutay, A., Kurt, M. A. and Sezer, N.: Geochronology and sources of heavy metal pollution in sediments of Istanbul Strait (Bosporus) outlet area, SW Black Sea, Turkey, *Chemosphere*, 205, 387–395, doi:10.1016/j.chemosphere.2018.04.096, 2018.
- 1145 Sayer, C., Roberts, N., Sadler, J., David, C. and Wade, P. M.: Biodiversity changes in a shallow lake ecosystem: A multi-proxy palaeolimnological analysis, *J. Biogeogr.*, 26(1), 97–114, doi:10.1111/j.1365-2699.1999.00298.x, 1999.
- Sayles, F. L., Livingston, H. D. and Panteleyev, G. P.: The history and source of particulate ¹³⁷Cs and ^{239,240}Pu deposition in sediments of the Ob River Delta, Siberia, in *Science of the Total Environment*, vol. 202, pp. 25–41., 1997.
- 1150 Schell, W. R., Tobin, M. J., Novak, M. J. V., Wieder, R. K. and Mitchell, P. I.: Deposition history of trace metals and fallout radionuclides in wetland ecosystems using ²¹⁰Pb chronology, *Water, Air, Soil Pollut.*, 100(3–4), 233–239, doi:10.1023/A:1018332727732, 1997.
- Schertz, M., Michel, H., Barci-Funel, G. and Barci, V.: Transuranic and fission product contamination in lake sediments from an alpine wetland, Boréon (France), in *Journal of Environmental Radioactivity*, vol. 85, pp. 380–388., 2006.
- 1155 Schindler, M. and Kamber, B. S.: High-resolution lake sediment reconstruction of industrial impact in a world-class mining and smelting center, Sudbury, Ontario, Canada, *Appl. Geochemistry*, 37, 102–116, doi:10.1016/j.apgeochem.2013.07.014, 2013.
- 1160 Schmengler, A. C. and Vlek, P. L. G.: Assessment of accumulation rates in small reservoirs by core analysis, ¹³⁷Cs measurements and bathymetric mapping in Burkina Faso, *Earth Surf. Process. Landforms*, 40(14), 1951–1963, doi:10.1002/esp.3772, 2015.
- Schneider, L., Maher, W., Potts, J., Gruber, B., Batley, G., Taylor, A., Chariton, A., Krikowa, F., Zawadzki, A. and Heijnis, H.: Recent history of sediment metal contamination in Lake Macquarie, Australia, and an assessment of ash handling procedure effectiveness in mitigating metal contamination from coal-fired power stations, *Sci. Total Environ.*, 490, 659–670, doi:10.1016/j.scitotenv.2014.04.055, 2014.

- 1165 Schneider, L., Maher, W., Potts, J., Batley, G., Taylor, A., Krikowa, F., Chariton, A., Zawadzki, A., Heijnis, H. and Gruber, B.: History of metal contamination in Lake Illawarra, NSW, Australia, *Chemosphere*, 119, 377–386, doi:10.1016/j.chemosphere.2014.06.058, 2015.
- Schuh, C. E., Jamieson, H. E., Palmer, M. J. and Martin, A. J.: Solid-phase speciation and post-depositional mobility of arsenic in lake sediments impacted by ore roasting at legacy gold mines in the Yellowknife area, Northwest Territories, Canada, *Appl. Geochemistry*, 91, 208–220, doi:10.1016/j.apgeochem.2017.10.025, 2018.
- 1170 Schwab, M. J., Werner, P., Dulski, P., McGee, E., Nowaczyk, N. R., Bertrand, S. and Leroy, S. A. G.: Palaeolimnology of Lake Sapanca and identification of historic earthquake signals, Northern Anatolian Fault Zone (Turkey), *Quat. Sci. Rev.*, 28(11–12), 991–1005, doi:10.1016/j.quascirev.2009.02.018, 2009.
- Sedláček, J., Bábek, O. and Kielar, O.: Sediment accumulation rates and high-resolution stratigraphy of recent fluvial suspension deposits in various fluvial settings, Morava River catchment area, Czech Republic, *Geomorphology*, 254, 73–87, doi:10.1016/j.geomorph.2015.11.011, 2016.
- 1175 Seppä, H.: The long-term development of urban vegetation in Helsinki, Finland: A pollen diagram from Töölönlahti, *Veg. Hist. Archaeobot.*, 6(2), 91–103, doi:10.1007/BF01261957, 1997.
- Sert, I., Ozel, F. E., Yaprak, G. and Eftelioglu, M.: Determination of the latest sediment accumulation rates and pattern by performing ²¹⁰Pb models and ¹³⁷Cs technique in the Lake Bafa, Mugla, Turkey, *J. Radioanal. Nucl. Chem.*, 307(1), 313–323, doi:10.1007/s10967-015-4234-y, 2016.
- 1180 Sharma, P., Gardner, L. R., Moore, W. S. and Bollinger, M. S.: Sedimentation and bioturbation in a salt marsh as revealed by ²¹⁰Pb, ¹³⁷Cs, and ⁷Be studies, *Limnol. Oceanogr.*, 32(2), 313–326, doi:10.4319/lo.1987.32.2.0313, 1987.
- 1185 Shen, B., Wu, J. and Jin, M.: Sedimentary polycyclic aromatic hydrocarbons record recent anthropogenic activities near high-elevation Lake Sayram, northwest China, *Limnologica*, 71, 62–67, doi:10.1016/j.limno.2018.06.004, 2018.
- Singhal, R. K., Basu, H., Venkatesh, M., Chavan, T., Reddy, A. V. R., Wagh, D. N. and Pimple, M. V.: Determination of chronological heavy metal deposition and pollution intensity in the bottom sediments of Mumbai Harbour Bay, India using ¹³⁷Cs as tracer, *J. Radioanal. Nucl. Chem.*, 292(2), 863–869, doi:10.1007/s10967-011-1593-x, 2012.
- 1190 Sirocko, F., Dietrich, S., Veres, D., Grootes, P. M., Schaber-Mohr, K., Seelos, K., Nadeau, M. J., Kromer, B., Rothacker, L., Röhner, M., Krbetschek, M., Appleby, P., Hambach, U., Rolf, C., Sudo, M. and Grim, S.: Multi-proxy dating of Holocene maar lakes and Pleistocene dry maar sediments in the Eifel, Germany, *Quat. Sci. Rev.*, 62, 56–76, doi:10.1016/j.quascirev.2012.09.011, 2013.
- 1195 Ben Slimane, A., Raclot, D., Evrard, O., Sanaa, M., Lefèvre, I., Ahmadi, M., Tounsi, M., Rumpel, C., Ben Mammou, A. and Le Bissonnais, Y.: Fingerprinting sediment sources in the outlet reservoir of a hilly cultivated catchment in Tunisia, *J. Soils Sediments*, 13(4), 801–815, doi:10.1007/s11368-012-0642-6, 2013.
- Small, I. F., Rowan, J. S. and Duck, R. W.: Long-term sediment yield in Crombie Reservoir catchment, Angus; and its regional significance within the Midland Valley of Scotland, *Hydrol. Sci. J.*, 48(4), 619–635, doi:10.1623/hysj.48.4.619.51408, 2003.
- 1200 Smith, J. N., Ellis, K. M., Naes, K., Dahle, S. and Matishov, D.: Sedimentation and mixing rates of radionuclides in Barents Sea sediments off Novaya Zemlya, *Deep. Res. Part II*, 42(6), 1471–1493, doi:10.1016/0967-0645(95)00050-X, 1995.
- 1205 Smith, J. N., Lee, K., Gobeil, C. and Macdonald, R. W.: Natural rates of sediment containment of PAH, PCB and metal inventories in Sydney Harbour, Nova Scotia, *Sci. Total Environ.*, 407(17), 4858–4869, doi:10.1016/j.scitotenv.2009.05.029, 2009.
- Snyder, N. P., Wright, S. A., Alpers, C. N., Flint, L. E., Holmes, C. W. and Rubin, D. M.: Reconstructing depositional processes and history from reservoir stratigraphy: Englebright Lake, Yuba River, northern California, *J. Geophys. Res.*, 111(F4), F04003, doi:10.1029/2005JF000451, 2006.
- 1210 Sobocinski, R. W.: Sediment transport in a small stream based on ¹³⁷Cs inventories of the bedload fraction, *Water Resour. Res.*, 26(6), 1177–1187, doi:10.1029/90wr00239, 1990.
- Somayajulu, B. L. K., Bhushan, R., Sarkar, A., Burr, G. S. and Jull, A. J. T.: Sediment deposition rates on the

- 1215 continental margins of the eastern Arabian Sea using 210Pb, 137Cs and 14C, in *Science of the Total Environment*, vol. 237–238, pp. 429–439., 1999.
- Sonke, J. E., Burnett, W. C., Hoogewerff, J. A., Van Der Laan, S. R., Vangronsveld, J. and Corbett, D. R.: Reconstructing 20th century lead pollution and sediment focusing in a peat land pool (Kempen, Belgium), via 210Pb dating, *J. Paleolimnol.*, 29(1), 95–107, doi:10.1023/A:1022858715171, 2003.
- 1220 Soster, F. M., Matisoff, G., Whiting, P. J., Fornes, W., Ketterer, M. and Szechenyi, S.: Floodplain sedimentation rates in an alpine watershed determined by radionuclide techniques, *Earth Surf. Process. Landforms*, 32(13), 2038–2051, doi:10.1002/esp.1514, 2007.
- Standring, W. J. F., Brown, J. E., Dowdall, M., Korobova, E. M., Linnik, V. G. and Volosov, A. G.: Vertical distribution of anthropogenic radionuclides in cores from contaminated floodplains of the Yenisey River, *J. Environ. Radioact.*, 100(12), 1109–1120, doi:10.1016/j.jenvrad.2009.04.011, 2009.
- 1225 Steinberg, C. E. W. and Högel, H.: Forms of metals in a sediment core of a severely acidified northern Black Forest lake, *Chemosphere*, 21(1–2), 201–213, doi:10.1016/0045-6535(90)90392-7, 1990.
- Stephenson, M., Klaverkamp, J., Motycka, M., Baron, C. and Schwartz, W.: Coring artifacts and contaminant inventories in lake sediment, *J. Paleolimnol.*, 15(1), doi:10.1007/BF00176992, 1996.
- 1230 Stern, G. A., Braekevelt, E., Helm, P. A., Bidleman, T. F., Outridge, P. M., Lockhart, W. L., McNeeley, R., Rosenberg, B., Ikonomou, M. G., Hamilton, P., Tomy, G. T. and Wilkinson, P.: Modern and historical fluxes of halogenated organic contaminants to a lake in the Canadian arctic, as determined from annually laminated sediment cores, *Sci. Total Environ.*, 342(1–3), 223–243, doi:10.1016/j.scitotenv.2004.12.046, 2005.
- 1235 Stihler, S. D., Stone, D. B. and Beget, J. E.: “Varve” counting vs. tephrochronology and 137 Cs and 210 Pb dating: a comparative test at Skilak Lake, Alaska,” *Geology*, 20(11), 1019–1022, doi:10.1130/0091-7613(1992)020<1019:VCVTAC>2.3.CO;2, 1992.
- Stiller, M., Yanaki, N. E. and Kronfeld, J.: Comparative isotope study of two short sediment cores from the dead sea, *Chem. Geol.*, 58(1–2), 107–119, doi:10.1016/0009-2541(85)90183-4, 1985.
- 1240 Strand, P., Brown, J. E., Drozhko, E., Mokrov, Y., Salbu, B., Oughton, D., Christensen, G. C. and Amundsen, I.: Biogeochemical behaviour of 137Cs and 90Sr in the artificial reservoirs of Mayak PA, Russia, *Sci. Total Environ.*, 241(1–3), 107–116, doi:10.1016/S0048-9697(99)00332-0, 1999.
- Su, M.-C., Christensen, E. R. and Karls, J. F.: Determination of PAH sources in dated sediments from Green Bay, Wisconsin, by a chemical mass balance model, *Environ. Pollut.*, 99(3), 411–419, doi:10.1016/S0269-7491(97)00182-6, 1998.
- 1245 Su, M. C., Christensen, E. R., Karls, J. F., Kosuru, S. and Imamoglu, I.: Apportionment of polycyclic aromatic hydrocarbon sources in lower Fox River, USA, sediments by a chemical mass balance model, *Environ. Toxicol. Chem.*, 19(6), 1481–1490, doi:10.1002/etc.5620190603, 2000.
- Sugai, S. F.: Transport and sediment accumulation of 210Pb and 137Cs in two Southeast Alaskan fjords, *Estuaries*, 13(4), 380–392, doi:10.2307/1351783, 1990.
- 1250 Sun, L. and Zang, S.: History of fuel consumption inferred from polycyclic aromatic hydrocarbons in sediments from the South Lianhuan Lake, Northeast China, *Bull. Environ. Contam. Toxicol.*, 88(6), 1027–1032, doi:10.1007/s00128-012-0600-4, 2012.
- Sun, L., Zang, S. and Xiao, H.: Historical record and source apportionment of polycyclic aromatic hydrocarbons in the Lianhuan Lake sediments, *Ecotoxicology*, 20(5), 951–958, doi:10.1007/s10646-011-0679-0, 2011.
- 1255 Sun, L., Zang, S. Y. and Sun, H. J.: Sources and history of PAHs in lake sediments from oil-producing and industrial areas, northeast China, *Int. J. Environ. Sci. Technol.*, 11(7), 2051–2060, doi:10.1007/s13762-013-0396-8, 2014.
- Sun, P., Xie, B., Song, Y., Yang, H. and Wang, Y.: Historical Trends of Polycyclic Aromatic Hydrocarbons in the Reservoir Sediment of the Dianchi Watershed, Southwest China, *Bull. Environ. Contam. Toxicol.*, 99(1), 117–124, doi:10.1007/s00128-017-2095-5, 2017.
- 1260 Sun, Q., Liu, D., Liu, T., Di, B. and Wu, F.: Temporal and spatial distribution of trace metals in sediments from the northern Yellow Sea coast, China: Implications for regional anthropogenic processes, *Environ. Earth Sci.*, 66(3), 697–705, doi:10.1007/s12665-011-1277-4, 2012.

- 1265 Sun, W., Shen, J., Zhang, E., Hasebe, N., Kashiwaya, K., Chen, R. and Itono, T.: Stable nitrogen isotope record of lacustrine sediments in Lake Onuma (Northern Japan) indicates regional hydrological variability during the past four centuries, *Quat. Int.*, 397, 307–316, doi:10.1016/j.quaint.2015.07.036, 2016.
- Suplińska, M. M.: Vertical distribution of ¹³⁷Cs, ²¹⁰Pb, ²²⁶Ra and ^{239,240}Pu in bottom sediments from the Southern Baltic Sea in the years 1998-2000, in *Nukleonika.*, 2002.
- 1270 Swales, A., Williamson, R. B., Van Dam, L. F., Stroud, M. J. and McGlone, M. S.: Reconstruction of urban stormwater contamination of an estuary using catchment history and sediment profile dating, *Estuaries*, 25(1), 43–56, doi:10.1007/BF02696048, 2002.
- Swales, A., Denys, P., Pickett, V. I. and Lovelock, C. E.: Evaluating deep subsidence in a rapidly-accreting mangrove forest using GPS monitoring of surface-elevation benchmarks and sedimentary records, *Mar. Geol.*, 380, 205–218, doi:10.1016/j.margeo.2016.04.015, 2016.
- 1275 Swan, D. S., Baxter, M. S., McKinley, I. G. and Jack, W.: Radiocaesium and ²¹⁰Pb in Clyde sea loch sediments, *Estuar. Coast. Shelf Sci.*, 15(5), 515–536, doi:10.1016/0272-7714(82)90004-X, 1982.
- Swindles, G. T., Galloway, J. M., Macumber, A. L., Croudace, I. W., Emery, A. R., Woulds, C., Bateman, M. D., Parry, L., Jones, J. M., Selby, K., Rushby, G. T., Baird, A. J., Woodroffe, S. A. and Barlow, N. L. M.: Sedimentary records of coastal storm surges: Evidence of the 1953 North Sea event, *Mar. Geol.*, 403, 262–270, doi:10.1016/j.margeo.2018.06.013, 2018.
- 1280 Szarłowicz, K. and Kubica, B.: ¹³⁷Cs and ²¹⁰Pb radionuclides in open and closed water ecosystems, *J. Radioanal. Nucl. Chem.*, 299(3), 1321–1328, doi:10.1007/s10967-013-2864-5, 2014.
- Tamburrino, S., Passaro, S., Barsanti, M., Schirone, A., Delbono, I., Conte, F., Delfanti, R., Bonsignore, M., Del Core, M., Gherardi, S. and Sprovieri, M.: Pathways of inorganic and organic contaminants from land to deep sea: The case study of the Gulf of Cagliari (W Tyrrhenian Sea), *Sci. Total Environ.*, 647, 334–341, doi:10.1016/j.scitotenv.2018.07.467, 2019.
- 1285 Tamtam, F., Le Bot, B., Dinh, T., Mompelat, S., Eurin, J., Chevreuil, M., Bonté, P., Mouchel, J. M. and Ayrault, S.: A 50-year record of quinolone and sulphonamide antimicrobial agents in Seine River sediments, *J. Soils Sediments*, 11(5), 852–859, doi:10.1007/s11368-011-0364-1, 2011.
- 1290 Taricco, C., Alessio, S., Rubinetti, S., Vivaldo, G. and Mancuso, S.: A foraminiferal $\delta^{18}\text{O}$ record covering the last 2,200 years, *Sci. Data*, 3, doi:10.1038/sdata.2016.42, 2016.
- Teasdale, P. A., Collins, P. E. F., Firth, C. R. and Cundy, A. B.: Recent estuarine sedimentation rates from shallow inter-tidal environments in western Scotland: Implications for future sea-level trends and coastal wetland development, *Quat. Sci. Rev.*, 30(1–2), 109–129, doi:10.1016/j.quascirev.2010.08.002, 2011.
- 1295 Tessler, M. G., Figueira, R. C. L., Mahiques, M. M., Fukumoto, M. M. and Ciapina, E. M. P.: Sedimentation rates and contamination levels by heavy metals at the shallow sedimentary columns from Santos estuary and bay, SP, Brazil, *J. Coast. Res.*, SI 39 [online] Available from: <https://bv.fapesp.br/en/publicacao/2947/sedimentation-rates-and-contamination-levels-by-heavy-metals/> (Accessed 31 March 2021), 2004.
- 1300 Thevenon, F., Alencastro, L. F. de, Loizeau, J.-L., Adatte, T., Grandjean, D., Wildi, W. and Poté, J.: A high-resolution historical sediment record of nutrients, trace elements and organochlorines (DDT and PCB) deposition in a drinking water reservoir (Lake Brêt, Switzerland) points at local and regional pollutant sources, *Chemosphere*, 90(9), 2444–2452, doi:10.1016/j.chemosphere.2012.11.002, 2013.
- Thiebault, T., Chassiot, L., Fougère, L., Destandau, E., Simonneau, A., Van Beek, P., Souhaut, M. and Chapron, E.: Record of pharmaceutical products in river sediments: A powerful tool to assess the environmental impact of urban management?, *Anthropocene*, 18, 47–56, doi:10.1016/j.ancene.2017.05.006, 2017.
- 1305 Thomas, M., Petit, D. and Lamberts, L.: Pond sediments as historical record of heavy metals fallout, *Water. Air. Soil Pollut.*, 23(1), 51–59, doi:10.1007/BF00185130, 1984.
- Tolkkinen, M., Marttila, H., Saukkoriipi, J., Martinmäki, K., Tammela, S., Tertsunen, J., Heikkinen, K., Tuohino, J., Ihme, R. and Klöve, B.: PH-levels in intensively drained and peatland-dominated river basin: Paleolimnological approach to detect impacts of past land use, *Ecol. Eng.*, 64, 367–376, doi:10.1016/j.ecoleng.2013.12.042, 2014.
- 1310 Tomy, G. T., Stern, G. A., Lockhart, W. L. and Muir, D. C. G.: Occurrence of C₁₀-C₁₃ polychlorinated n-alkanes in Canadian midlatitude and Arctic lake sediments, *Environ. Sci. Technol.*, 33(17), 2858–2863,

doi:10.1021/es990107q, 1999.

- 1315 Trabelsi, Y., Gharbi, F., El Ghali, A., Oueslati, M., Samaali, M., Abdelli, W., Baccouche, S., Tekaya, M. Ben, Benmansour, M., Mabit, L., M'Barek, N. Ben, Reguigui, N. and Abril, J. M.: Recent sedimentation rates in Garaet El Ichkeul Lake, NW Tunisia, as affected by the construction of dams and a regulatory sluice, *J. Soils Sediments*, 12(5), 784–796, doi:10.1007/s11368-012-0496-y, 2012.
- Trefry, J. H., Trocine, R. P., Cooper, L. W. and Dunton, K. H.: Trace metals and organic carbon in sediments of the northeastern Chukchi Sea, *Deep. Res. Part II Top. Stud. Oceanogr.*, 102, 18–31, doi:10.1016/j.dsr2.2013.07.018, 2014.
- 1320 Tsabaris, C., Patiris, D. L., Fillis-Tsirakis, E., Kapsimalis, V., Pilakouta, M., Pappa, F. K. and Vlastou, R.: Vertical distribution of ¹³⁷Cs activity concentration in marine sediments at Amvrakikos Gulf, western of Greece, *J. Environ. Radioact.*, 144, 1–8, doi:10.1016/j.jenvrad.2015.02.009, 2015.
- 1325 Tsuji, H., Tanaka, A., Komatsu, K., Kohzu, A., Matsuzaki, S. ichiro S. and Hayashi, S.: Vertical/spatial movement and accumulation of ¹³⁷Cs in a shallow lake in the initial phase after the Fukushima Daiichi nuclear power plant accident, *Appl. Radiat. Isot.*, 147, 59–69, doi:10.1016/j.apradiso.2019.02.009, 2019.
- Tylmann, W., Enters, D., Kinder, M., Moska, P., Ohlendorf, C., Poreba, G. and Zolitschka, B.: Multiple dating of varved sediments from Lake Łazduny, northern Poland: Toward an improved chronology for the last 150 years, *Quat. Geochronol.*, 15, 98–107, doi:10.1016/j.quageo.2012.10.001, 2013.
- 1330 Ueda, S., Ohtsuka, Y. and Kondo, K.: Inventories of ²³⁹⁺²⁴⁰Pu, ¹³⁷Cs, and excess ²¹⁰Pb in sediment cores from brackish Lake Obuchi, Rokkasho Village, Japan, *J. Radioanal. Nucl. Chem.*, 261(2), 277–282, doi:10.1023/B:JRNC.0000034859.90493.0a, 2004.
- Ueda, S., Ohtsuka, Y., Kondo, K. and Inaba, J.: Sedimentation rate in brackish Lake Obuchi, Rokkasho Village, Japan, bordered by nuclear fuel cycle facilities, *J. Radioanal. Nucl. Chem.*, 264(2), 343–349, doi:10.1007/s10967-005-0719-4, 2005.
- 1335 Ugur, A., Miquel, J. C., Fowler, S. W. and Appleby, P.: Radiometric dating of sediment cores from a hydrothermal vent zone off Milos Island in the Aegean Sea, *Sci. Total Environ.*, 307(1–3), 203–214, doi:10.1016/S0048-9697(02)00542-9, 2003.
- 1340 Ünlü, S. and Alpar, B.: Ecological Risk Assessment of HCH and DDT Residues in a Sediment Core from the Küçükçekmece Lagoon, Turkey, *Bull. Environ. Contam. Toxicol.*, 101(3), 358–364, doi:10.1007/s00128-018-2400-y, 2018.
- Usenko, S., Landers, D. H., Appleby, P. G. and Simonich, S. L.: Current and Historical Deposition of PBDEs, Pesticides, PCBs, and PAHs to Rocky Mountain National Park, *Environ. Sci. Technol.*, 41(21), 7235–7241, doi:10.1021/es0710003, 2007.
- 1345 Vance, D. J., Culver, S. J., Corbett, D. R. and Buzas, M. A.: Foraminifera in the Albemarle Estuarine system, North Carolina: Distribution and recent environmental change, *J. Foraminifer. Res.*, 36(1), 15–33, doi:10.2113/36.1.15, 2006.
- Vane, C. H., Kim, A. W., McGowan, S., Leng, M. J., Heaton, T. H. E., Kendrick, C. P., Coombs, P., Yang, H. and Swann, G. E. A.: Sedimentary records of sewage pollution using faecal markers in contrasting peri-urban shallow lakes, *Sci. Total Environ.*, 409(2), 345–356, doi:10.1016/j.scitotenv.2010.09.033, 2010.
- 1350 Vanier, C., Sylvestre, M. and Planas, D.: Persistence and fate of PCBs in sediments of the Saint Lawrence River, *Sci. Total Environ.*, 192(3), 229–244, doi:10.1016/S0048-9697(96)05305-3, 1996.
- Varley, A., Tyler, A., Bondar, Y., Hosseini, A., Zabrotski, V. and Dowdall, M.: Reconstructing the deposition environment and long-term fate of Chernobyl ¹³⁷Cs at the floodplain scale through mobile gamma spectrometry, *Environ. Pollut.*, 240, 191–199, doi:10.1016/j.envpol.2018.04.112, 2018.
- 1355 Viel, M., Barbanti, A., Langone, L., Buffoni, G., Paltrinieri, D. and Rosso, G.: Nutrient profiles in the pore water of a deltaic lagoon: Methodological considerations and evaluation of benthic fluxes, *Estuar. Coast. Shelf Sci.*, 33(4), 361–382, doi:10.1016/0272-7714(91)90063-H, 1991.
- 1360 Viguri, J. R., Irabien, M. J., Yusta, I., Soto, J., Gómez, J., Rodriguez, P., Martinez-Madrid, M., Irabien, J. A. and Coz, A.: Physico-chemical and toxicological characterization of the historic estuarine sediments: A multidisciplinary approach, *Environ. Int.*, 33(4), 436–444, doi:10.1016/j.envint.2006.10.005, 2007.

- Villa-Alfageme, M., Chamizo, E., Santos-Arévalo, F. J., López-Gutierrez, J. M., Gómez-Martínez, I. and Hurtado-Bermúdez, S.: Natural and artificial radionuclides in a marine core. First results of ²³⁶U in North Atlantic Ocean sediments, *J. Environ. Radioact.*, 186, 152–160, doi:10.1016/j.jenvrad.2017.10.001, 2018.
- 1365 Virkanen, J.: Effect of urbanization on metal deposition in the Bay of Toolonlahti, Southern Finland, *Mar. Pollut. Bull.*, 36(9), 729–738, doi:10.1016/S0025-326X(98)00053-8, 1998.
- Vrel, A., Boust, D., Lesueur, P., Deloffre, J., Dubrulle-Brunaud, C., Solier, L., Rozet, M., Thouroude, C., Cossonnet, C. and Thomas, S.: Dating of sediment record at two contrasting sites of the Seine River using radioactivity data and hydrological time series, *J. Environ. Radioact.*, 126, 20–31, doi:10.1016/j.jenvrad.2013.06.005, 2013.
- 1370 Vuorinen, A., Alhonen, P. and Suksi, J.: Palaeolimnological and limnogeochemical features in the sedimentary record of the polluted Lake Lippajärvi in Southern Finland, *Environ. Pollution. Ser. A, Ecol. Biol.*, 41(4), 323–362, doi:10.1016/0143-1471(86)90026-7, 1986.
- Wahlen, M. and Thompson, R. C.: Pollution records from sediments of three lakes in New York State, *Geochim. Cosmochim. Acta*, 44(2), 333–339, doi:10.1016/0016-7037(80)90141-6, 1980.
- 1375 Walling, D. E. and He, Q.: Use of fallout ¹³⁷Cs in investigations of overbank sediment deposition on river floodplains, *Catena*, 29(3–4), 263–282, doi:10.1016/S0341-8162(96)00072-0, 1997.
- Walling, D. E., Owens, P. N. and Leeks, G. J. L.: The characteristics of overbank deposits associated with a major flood event in the catchment of the River Ouse, Yorkshire, UK, *Catena*, 31(1–2), 53–75, doi:10.1016/S0341-8162(97)00034-9, 1997.
- 1380 Wan Mahmood, Z. U. Y. and Yii, M. W.: Sedimentation rate in the Sungai Linggi estuary using excess ²¹⁰Pb and ¹³⁷Cs, *J. Radioanal. Nucl. Chem.*, 298(3), 1727–1732, doi:10.1007/s10967-013-2621-9, 2013.
- Wang, L., Hu, S., Ma, M., Wang, X., Wang, Q., Zhang, Z. and Shen, J.: Responses of magnetic properties to heavy metal pollution recorded by lacustrine sediments from the Lugu Lake, Southwest China, *Environ. Sci. Pollut. Res.*, 25(26), 26527–26538, doi:10.1007/s11356-018-2725-4, 2018a.
- 1385 Wang, Q., Song, J., Li, X., Yuan, H., Li, N. and Cao, L.: Environmental evolution records reflected by radionuclides in the sediment of coastal wetlands: A case study in the Yellow River Estuary wetland, *J. Environ. Radioact.*, 162–163, 87–96, doi:10.1016/j.jenvrad.2016.05.015, 2016.
- Wang, X., Yang, H., Gu, Z., Zhang, M. and Yang, B.: A century of change in sediment accumulation and trophic status in Lake Fuxian, a deep plateau lake of Southwestern China, *J. Soils Sediments*, 18(3), 1133–1146, doi:10.1007/s11368-017-1871-5, 2018b.
- 1390 Ward, R. D., Teasdale, P. A., Burnside, N. G., Joyce, C. B. and Sepp, K.: Recent rates of sedimentation on irregularly flooded Boreal Baltic coastal wetlands: Responses to recent changes in sea level, *Geomorphology*, 217, 61–72, doi:10.1016/j.geomorph.2014.03.045, 2014.
- 1395 Weis, P., Barrett, K. R., Proctor, T. and Bopp, R. F.: Studies of a contaminated brackish marsh in the Hackensack Meadowlands of northeastern New Jersey: An assessment of natural recovery, *Mar. Pollut. Bull.*, 50(11), 1405–1415, doi:10.1016/j.marpolbul.2005.06.013, 2005.
- Wenning, R. J., Bonnevie, N. L. and Huntley, S. L.: Accumulation of metals, polychlorinated biphenyls, and polycyclic aromatic hydrocarbons in sediments from the lower Passaic River, New Jersey, *Arch. Environ. Contam. Toxicol.*, 27(1), 64–81, doi:10.1007/BF00203890, 1994.
- 1400 Werritty, A., Paine, J. L., Macdonald, N., Rowan, J. S. and McEwen, L. J.: Use of multi-proxy flood records to improve estimates of flood risk: Lower River Tay, Scotland, *Catena*, 66(1–2), 107–119, doi:10.1016/j.catena.2005.07.012, 2006.
- Wheatcroft, R. A. and Sommerfield, C. K.: River sediment flux and shelf sediment accumulation rates on the Pacific Northwest margin, *Cont. Shelf Res.*, 25(3), 311–332, doi:10.1016/j.csr.2004.10.001, 2005.
- 1405 Whitmore, T. J., Brenner, M. and Schelske, C. L.: Highly variable sediment distribution in shallow, wind-stressed lakes: A case for sediment-mapping surveys in paleolimnological studies, *J. Paleolimnol.*, 15(3), 207–221, doi:10.1007/BF00213041, 1996.
- Wihlborg, P. and Danielsson, Å.: Half a century of mercury contamination in lake Vänern (Sweden), *Water. Air. Soil Pollut.*, 170(1–4), 285–300, doi:10.1007/s11270-006-3121-0, 2006.

- 1410 Wilhelm, B., Arnaud, F., Enters, D., Allignol, F., Legaz, A., Magand, O., Revillon, S., Giguët-Covex, C. and Malet, E.: Does global warming favour the occurrence of extreme floods in European Alps? First evidences from a NW Alps proglacial lake sediment record, *Clim. Change*, 113(3–4), 563–581, doi:10.1007/s10584-011-0376-2, 2012.
- Williams, H. F. L.: Foraminiferal record of recent environmental change: Mad Island Lake, Texas, *J. Foraminifer. Res.*, 25(2), 167–179, doi:10.2113/gsjfr.25.2.167, 1995.
- 1415 Winter, L. T., Foster, I. D. L., Charlesworth, S. M. and Lees, J. A.: Floodplain lakes as sinks for sediment-associated contaminants - A new source of proxy hydrological data?, in *Science of the Total Environment*, vol. 266, pp. 187–194., 2001.
- Wolter, J., Lantuit, H., Herzsuh, U., Stettner, S. and Fritz, M.: Tundra vegetation stability versus lake-basin variability on the Yukon coastal plain (NW Canada) during the past three centuries, *Holocene*, 27(12), 1846–1858, doi:10.1177/0959683617708441, 2017.
- 1420 Woszczyk, M., Poręba, G. and Malinowski, Ł.: 210Pb, 137Cs and 7Be in the sediments of coastal lakes on the polish coast: Implications for sedimentary processes, *J. Environ. Radioact.*, 169–170, 174–185, doi:10.1016/j.jenvrad.2017.01.015, 2017.
- 1425 Wren, D. G., Davidson, G. R., Walker, W. G. and Galicki, S. J.: The evolution of an oxbow lake in the Mississippi alluvial floodplain, *J. Soil Water Conserv.*, 63(3), 129–135, doi:10.2489/jswc.63.3.129, 2008.
- Wright, A. J., Edwards, R. J., van de Plassche, O., Blaauw, M., Parnell, A. C., van der Borg, K., de Jong, A. F. M., Roe, H. M., Selby, K. and Black, S.: Reconstructing the accumulation history of a saltmarsh sediment core: Which age-depth model is best?, *Quat. Geochronol.*, 39, 35–67, doi:10.1016/j.quageo.2017.02.004, 2017.
- 1430 Wu, F., Zheng, J., Liao, H. and Yamada, M.: Vertical distributions of plutonium and 137Cs in lacustrine sediments in northwestern china: Quantifying sediment accumulation rates and source identifications, *Environ. Sci. Technol.*, 44(8), 2911–2917, doi:10.1021/es9029649, 2010.
- Wu, X., Bi, N., Kanai, Y., Saito, Y., Zhang, Y., Yang, Z., Fan, D. and Wang, H.: Sedimentary records off the modern Huanghe (Yellow River) delta and their response to deltaic river channel shifts over the last 200 years, *J. Asian Earth Sci.*, 108, 68–80, doi:10.1016/j.jseaes.2015.04.028, 2015.
- 1435 Wunderlin, T., Corella, J. P., Junier, T., Bueche, M., Loizeau, J. L., Girardclos, S. and Junier, P.: Endospore-forming bacteria as new proxies to assess impact of eutrophication in Lake Geneva (Switzerland-France), *Aquat. Sci.*, 76(S1), 103–116, doi:10.1007/s00027-013-0329-0, 2014.
- Wurzbacher, C., Fuchs, A., Attermeyer, K., Frindte, K., Grossart, H.-P., Hupfer, M., Casper, P. and Monaghan, M. T.: Shifts among Eukaryota, Bacteria, and Archaea define the vertical organization of a lake sediment, *Microbiome*, 5(1), 41, doi:10.1186/s40168-017-0255-9, 2017.
- 1440 Xia, X., Wu, Q., Zhu, B., Zhao, P., Zhang, S. and Yang, L.: Analyzing the contribution of climate change to long-term variations in sediment nitrogen sources for reservoirs/lakes, *Sci. Total Environ.*, 523, 64–73, doi:10.1016/j.scitotenv.2015.03.140, 2015.
- 1445 Xue, B., Yao, S. and Xia, W.: Environmental changes in Lake Taihu during the past century as recorded in sediment cores, *Hydrobiologia*, 581(1), 117–123, doi:10.1007/s10750-006-0513-5, 2007.
- Yan, B., Abrajano, T. A., Bopp, R. F., Chaky, D. A., Benedict, L. A. and Chillrud, S. N.: Molecular tracers of saturated and polycyclic aromatic hydrocarbon inputs into Central Park Lake, New York City, *Environ. Sci. Technol.*, 39(18), 7012–7019, doi:10.1021/es0506105, 2005.
- 1450 Yan, D., Wünnemann, B., Zhang, Y., Long, H., Stauch, G., Sun, Q. and Cao, G.: Response of lake-catchment processes to Holocene climate variability: Evidences from the NE Tibetan Plateau, *Quat. Sci. Rev.*, 201, 261–279, doi:10.1016/j.quascirev.2018.10.017, 2018.
- Yang, H. and Turner, S.: Radiometric dating for recent lake sediments on the Tibetan Plateau, *Hydrobiologia*, 713(1), 73–86, doi:10.1007/s10750-013-1493-x, 2013.
- 1455 Yang, H., Nozaki, Y., Sakai, H., Nagaya, Y. and Nakamura, K.: Natural and man-made radionuclide distributions in Northwest Pacific deep-sea sediments: (rates of sedimentation, bioturbation and 226Ra migration), *Geochem. J.*, 20(1), 29–40, doi:10.2343/geochemj.20.29, 1986.
- Yang, L., Li, X., Crusius, J., Jans, U., Melcer, M. E. and Zhang, P.: Persistent Chlordane Concentrations in Long

- 1460 Island Sound Sediment: Implications from Chlordane, 210 Pb, and 137 Cs Profiles, *Environ. Sci. Technol.*, 41(22), 7723–7729, doi:10.1021/es070749a, 2007.
- Yang, R., Zhou, R., Xie, T. and Jing, C.: Historical record of anthropogenic polycyclic aromatic hydrocarbons in a lake sediment from the southern Tibetan Plateau, *Environ. Geochem. Health*, 40(5), 1899–1906, doi:10.1007/s10653-017-9956-z, 2018.
- 1465 Yao, S., Xue, B. and Kong, D.: Chronology and nutrients change in recent sediment of Taihu Lake, lower Changjiang River Basin, East China, *Chinese Geogr. Sci.*, 20(3), 202–208, doi:10.1007/s11769-010-0202-1, 2010.
- Yao, S. C., Li, S. J. and Zhang, H. C.: 210Pb and 137Cs dating of sediments from Zigetang Lake, Tibetan Plateau, *J. Radioanal. Nucl. Chem.*, 278(1), 55–58, doi:10.1007/s10967-007-7191-2, 2008.
- 1470 Yeager, K. M., Schwehr, K. A., Schindler, K. J. and Santschi, P. H.: Sediment accumulation and mixing in the Penobscot River and estuary, Maine, *Sci. Total Environ.*, 635, 228–239, doi:10.1016/j.scitotenv.2018.04.026, 2018.
- Yeloff, D. E., Labadz, J. C., Hunt, C. O., Higgitt, D. L. and Foster, I. D. L.: Blanket peat erosion and sediment yield in an upland reservoir catchment in the southern Pennines, UK, *Earth Surf. Process. Landforms*, 30(6), 717–733, doi:10.1002/esp.1170, 2005.
- 1475 Young, M., Murray, J. W. and Croudace, I. W.: Radionuclide dates and foraminiferal accumulation rates: examples from submarine canyons, *Mar. Micropaleontol.*, 26(1–4), 57–63, doi:10.1016/0377-8398(95)00019-4, 1995.
- Yuan, G. L., Liu, C., Chen, L. and Yang, Z.: Inputting history of heavy metals into the inland lake recorded in sediment profiles: Poyang Lake in China, *J. Hazard. Mater.*, 185(1), 336–345, doi:10.1016/j.jhazmat.2010.09.039, 2011.
- 1480 Zaborska, A.: Sources of 137Cs to an Arctic fjord (Hornsund, Svalbard), *J. Environ. Radioact.*, 180, 19–26, doi:10.1016/j.jenvrad.2017.09.021, 2017.
- Zamana, L. V., Ptitsyn, A. B., Chu, G., Reshetova, S. A., Dar'in, A. V. and Kalugin, I. A.: Estimation of modern sedimentation rate in Zun-Torei Lake (East Trans-Baikal Region) by 137Cs, *Dokl. Earth Sci.*, 437(1), 335–339, doi:10.1134/S1028334X11030287, 2011.
- 1485 Zan, F., Huo, S., Xi, B., Zhang, J., Liao, H., Wang, Y. and Yeager, K. M.: A 60-year sedimentary record of natural and anthropogenic impacts on Lake Chenghai, China, *J. Environ. Sci.*, 24(4), 602–609, doi:10.1016/S1001-0742(11)60784-5, 2012.
- ZENG, H. A. and WU, J. L.: Sedimentary Records of Heavy Metal Pollution in Fuxian Lake, Yunnan Province, China: Intensity, History, and Sources, *Pedosphere*, 19(5), 562–569, doi:10.1016/S1002-0160(09)60150-8, 2009.
- 1490 Zeng, L., Ning, D., Xu, L., Mao, X. and Chen, X.: Sedimentary Evidence of Environmental Degradation in Sanliqi Lake, Daye City (A Typical Mining City, Central China), *Bull. Environ. Contam. Toxicol.*, 95(3), 317–324, doi:10.1007/s00128-015-1606-5, 2015.
- Zhang, H., Shan, B., Ao, L., Tang, W. and Wen, S.: Past atmospheric trace metal deposition in a remote lake (Lake Ngoring) at the headwater areas of Yellow River, Tibetan Plateau, *Environ. Earth Sci.*, 72(2), 399–406, doi:10.1007/s12665-013-2960-4, 2014.
- 1495 Zhang, X., Christensen, E. R. and Yan, L. Y.: Fluxes of Polycyclic Aromatic Hydrocarbons to Green Bay and Lake Michigan Sediments, *J. Great Lakes Res.*, 19(2), 429–444, doi:10.1016/S0380-1330(93)71230-7, 1993.
- Zhang, Y., Gao, X., Zhong, Z., Chen, J. and Peng, B.: Sediment accumulation of Dianchi Lake determined by 137Cs dating, *J. Geogr. Sci.*, 19(2), 225–238, doi:10.1007/s11442-009-0225-7, 2009.
- 1500 Zhang, Y., Huo, S., Zan, F., Xi, B., Zhang, J. and Wu, F.: Historical records of multiple heavy metals from dated sediment cores in Lake Chenghai, China, *Environ. Earth Sci.*, 74(5), 3897–3906, doi:10.1007/s12665-014-3858-5, 2015.
- Zhang, Y., Liao, J., Long, Y., An, J., Xu, S. and Wang, X.: Dating reservoir deposits to reconstruct sediment yields from a small limestone catchment in the Yimeng Mountain region, China, *Catena*, 166, 1–9, doi:10.1016/j.catena.2018.03.012, 2018.
- 1505 Zhou, P., Li, D., Li, H., Fang, H., Huang, C., Zhang, Y., Zhang, H., Zhao, L., Zhou, J., Wang, H. and Yang, J.: Distribution of radionuclides in a marine sediment core off the waterspout of the nuclear power plants in Daya

- Bay, northeastern South China Sea, *J. Environ. Radioact.*, 145, 102–112, doi:10.1016/j.jenvrad.2015.03.018, 2015.
- 1510 Zhu, L. P., Zhang, P. Z., Xia, W. L., Li, B. Y. and Chen, L.: 1400-Year cold/warm fluctuations reflected by environmental magnetism of a lake sediment core from the Chen Co, southern Tibet, China, *J. Paleolimnol.*, 29(4), 391–401, doi:10.1023/A:1024440516843, 2003.
- Zhuang, Q., Li, G., Wang, F., Tian, L., Jiang, X., Zhang, K., Liu, G., Pan, S. and Liu, Z.: ^{137}Cs and $^{239+240}\text{Pu}$ in the Bohai Sea of China: Comparison in distribution and source identification between the inner bay and the tidal flat, *Mar. Pollut. Bull.*, 138, 604–617, doi:10.1016/j.marpolbul.2018.12.005, 2019.
- 1515 Zong, Y., Shennan, I., Combellick, R. A., Hamilton, S. L. and Rutherford, M. M.: Microfossil evidence for land movements associated with the AD 1964 Alaska earthquake, *Holocene*, 13(1), 7–20, doi:10.1191/0959683603hl590rp, 2003.
- Zourarah, B., Maanan, M., Carruesco, C., Aajjane, A., Mehdi, K. and Conceição Freitas, M.: Fifty-year sedimentary record of heavy metal pollution in the lagoon of Oualidia (Moroccan Atlantic coast), *Estuar. Coast. Shelf Sci.*, 72(1–2), 359–369, doi:10.1016/j.ecss.2006.11.007, 2007.
- 1520 Zourarah, B., Maanan, M., Robin, M. and Carruesco, C.: Sedimentary records of anthropogenic contribution to heavy metal content in Oum Er Bia estuary (Morocco), *Environ. Chem. Lett.*, 7(1), 67–78, doi:10.1007/s10311-008-0138-1, 2009.
- Zuo, Z., Eisma, D. and Berger, G. W.: Recent sediment deposition rates in the oyster ground, North Sea, Netherlands *J. Sea Res.*, 23(3), 263–269, doi:10.1016/0077-7579(89)90047-1, 1989.
- 1525 Zuo, Z., Eisma, D. and Berger, G. W.: Determination of sediment accumulation and mixing rates in the Gulf of Lions, Mediterranean Sea, Gauthier-Villars. [online] Available from: <https://archimer.ifremer.fr/doc/00101/21255/> (Accessed 31 March 2021), 1991.