



Supplement of

A global drought dataset of standardized moisture anomaly index incorporating snow dynamics (SZI_{snow}) and its application in identifying large-scale drought events

Lei Tian et al.

Correspondence to: Baoqing Zhang (baoqzhang@lzu.edu.cn)

The copyright of individual parts of the supplement might differ from the article licence.



Figure S1. Locations of the 32 large basins used to evaluate the SZIsnow.



Figure S2. Development of a large-scale contiguous drought event in North America identified by the severity-area-duration (SAD) drought diagnosis method. This event started in June 1952 and ceased in March 1953.



Figure S3. The Pearson correlation coefficients between SPEI and SPI (i.e., SPEI-SPI), scPDSI-SPI, SZI-SPI, and SZIsnow-SPI at 1- to 48-month time scales in the selected 32 large basins during 1948–2010. The dominant climate regime of each basin is shown in the parentheses.



Figure S4. Comparison between the SZI and SZI_{snow} in the context of their performance over the Arctic region. (a) Spatial distribution of the correlation coefficients of the SZI_{snow}–SWI over a 12-month timescale. (b) Spatial distribution of the correlation coefficients of the SZI–SWI over a 12-month timescale.

Abbreviations	Full names	Strengths	Weakness
SAI	Standardized Anomaly Index	Simple input;	Only consider water supply
		Easy calculation	
PHDI	Palmer Hydrological Drought	Consider water balance	unsatisfactory performance
	Severity Index	Consider water balance	over snow-covered regions
SWI	Standardized Water-level Index	Consider snowpack	Basin-dependent
SWS	Soil Water Storage	Simple calculation	Not works well for
			inhomogeneous soil
SMA	Soil Moisture Anomaly	Consider water balance	Data requirements are
			challenging

Table S1. Full names of the drought indices listed in Figure 1.

Abbreviations	Full names	Abbreviations	Full names
ET	Evapotranspiration	PL_t	Potential L _t
PET	Potential ET	L_s	L from bottom soil layer
E_b	Bare soil evaporation	PL_s	Potential L_s
E_t	Transpiration	SWE	Snow water equivalent
E_i	Canopy water evaporation	ΔSWE	Change of SWE
RO	Runoff	SA	SWE accumulation
PRO	Potential RO	PSA	Potential SA
ROs	Surface runoff	SM	Snowmelt
RO_b	Baseflow	PSM	Potential SM
RO _{sm}	Snowmelt runoff	Р	Precipitation
R	Soil infiltration	\hat{P}_{snow}	CAFEC precipitation
PR	Potential R	$P_{rainfall}$	Rainfall
AWC	Available soil water holding capacity	P _{snowfall}	Snowfall
S_t	Available soil moisture in top soil layer	$lpha_j$	Climatic coefficient of ET
S _u	Available soil moisture in bottom soil layer	eta_j	Climatic coefficient of R
ΔS_t	Change of S_t	γ_j	Climatic coefficient of RO
ΔS_u	Change of S_u	δ_j	Climatic coefficient of SA
L	Soil moisture loss	\mathcal{E}_{j}	Climatic coefficient of L
PL	Potential L	$arphi_j$	Climatic coefficient of SM
L _t	L from top soil layer	Z _{snow}	Moisture anomaly

Table S2. Full names of the abbreviations used in the SZI_{snow} derivation equations.

References

Katz, R. W. and Glantz, M. H.: Anatomy of a rainfall index, Mon. Weather Rev., 114(4), 764-771, https://doi.org/10.1175/1520-0493(1986)114<0764:AOARI>2.0.CO;2, 1986.

Palmer, W.C.: Meteorological drought, United States Weather Bureau, Washington, DC, United States of America, 1965.

Bhuiyan, C.: Various drought indices for monitoring drought condition in Aravalli Terrain of India, in: Proceedings of the ISPRS Conference. International Society for Photogrammetry and Remote Sensing, Istanbul, Turkey, 2004.

Bergman, K. H., Sabol, P., Miskus, D.: Experimental indices for monitoring global drought conditions, in: Experimental Indices for Monitoring Global Drought Conditions. Proceedings of 13th Annual Climate Diagnostics Workshop, United States Department of Commerce, Massachusetts, United States of America, 1988.