



***Corrigendum to*  
“A machine learning approach to address air quality  
changes during the COVID-19 lockdown in  
Buenos Aires, Argentina” published in Earth Syst. Sci.  
Data, 15, 189–209, 2023**

**Melisa Diaz Resquin<sup>1,2,3</sup>, Pablo Lichtig<sup>1,4</sup>, Diego Alessandrello<sup>1</sup>, Marcelo De Oto<sup>1</sup>, Darío Gómez<sup>1,2</sup>,  
Cristina Rössler<sup>1,5</sup>, Paula Castesana<sup>1,4,6</sup>, and Laura Dawidowski<sup>1,5</sup>**

<sup>1</sup>Comisión Nacional de Energía Atómica, Gerencia Química, Buenos Aires, Argentina

<sup>2</sup>Facultad de Ingeniería, Universidad de Buenos Aires, Buenos Aires, Argentina

<sup>3</sup>Modeling and Observing Systems, Center for Climate and Resilience Research (CR)<sup>2</sup>, Santiago, Chile

<sup>4</sup>Comisión de Ambiente, Consejo Nacional de Investigaciones Científicas y Técnicas, Buenos Aires, Argentina

<sup>5</sup>Instituto de Investigación e Ingeniería Ambiental, Universidad Nacional de San Martín,  
Buenos Aires, Argentina

<sup>6</sup>Misión Ambiente, YPF Tecnología S. A. (Y-TEC), Buenos Aires, Argentina

**Correspondence:** Melisa Diaz Resquin ([mdiazresquin@fi.uba.ar](mailto:mdiazresquin@fi.uba.ar)) and Laura Dawidowski  
([dawidows@cnea.gov.ar](mailto:dawidows@cnea.gov.ar))

Published: 6 February 2023

We found an error in a Table in the published article. In Table 5, the mean of the O<sub>3</sub> concentrations during the LD period should be 5.3 instead of 8.1.

**Table 5.** Summary of the average concentrations for the BLD, the LD, and the PLD and the relative changes for the LD and the PLD for PC and CNEA sites estimated by RF and RFN. In every case, the RCs were calculated by considering the mean value for each period. In every case, Obs refers to observed concentrations.

	BLD			LD						PLD					
	Concentrations			Concentrations			RCs (%)		Concentrations			RCs (%)			
	Obs	RF	RFN	Obs	RF	RFN	RF	RFN	Obs	RF	RFN	RF	RFN		
<b>PC</b>															
CO (ppm)	0.43	0.46	0.46	0.39	0.49	0.44	-20	-20	0.45	0.56	0.51	-19	-7		
NO (ppb)	11.6	10.9	15.6	5.2	15.6	14.6	-67	-35	15.2	24.3	19.0	-37	-15		
NO <sub>2</sub> (ppb)	16.8	16.0	15.3	9.8	17.3	13.5	-43	-28	15.5	20.0	16.4	-20	-13		
PM <sub>10</sub> (µgm <sup>-3</sup> )	20.5	19.6	20.1	13.6	20.2	17.9	-33	-20	18.4	21.4	20.6	-14	-7		
<b>CNEA</b>															
CO (ppm)	0.26	0.28	0.3	0.17	0.31	0.26	-45	-26	0.25	0.34	0.31	-26	-11		
NO (ppb)	11.4	11.4	14.1	4.3	17.4	10.3	-75	-47	14.6	23.1	15.0	-37	-21		
NO <sub>2</sub> (ppb)	18.3	19.1	15.6	10.6	19.5	10.7	-46	-36	14.4	20.7	14.0	-30	-15		
SO <sub>2</sub> (ppb)	2.4	2.5	2.64	2.3	2.6	2.4	-12	-20	2.4	2.6	2.5	-8	-15		
O <sub>3</sub> (ppb)	5	5.5	9	9.6	5.3	10.7	80	27	8.0	5.1	8.8	57	5		