



Supplement of

LakeBeD-US: a benchmark dataset for lake water quality time series and vertical profiles

Bennett J. McAfee et al.

Correspondence to: Bennett J. McAfee (bennettjmcafee@gmail.com)

The copyright of individual parts of the supplement might differ from the article licence.

S1. Observational data sources

- Carey, C. C., Breef-Pilz, A., Wander, H. L., Delany, A. D., Haynie, G. K., Keverline, R. L., Kricheldorf, M. K., and Tipper, E. M.: Secchi depth data and discrete depth profiles of water temperature, dissolved oxygen, conductivity, specific conductance, photosynthetic active radiation, oxidation-reduction potential, and pH for Beaverdam Reservoir, Carvins Cove Reservoir, Falling Creek Reservoir, Gatewood Reservoir, and Spring Hollow Reservoir in southwestern Virginia, USA 2013-2023 (12), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/6c27a31ed56662c13016307d0bb99986>, 2024a.
- Carey, C. C., Breef-Pilz, A., and Delany, A. D.: Discharge time series for the primary inflow tributary entering Falling Creek Reservoir, Vinton, Virginia, USA 2013-2023 (12), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/510534cd94e9cba40e2b0173e784c2b8>, 2024b.
- Carey, C. C., Breef-Pilz, A., Hoffman, K. K., Niederlehner, B. R., Haynie, G., Keverline, R., Kricheldorf, M., and Tipper, E.: Filtered chlorophyll a time series for Beaverdam Reservoir, Carvins Cove Reservoir, Claytor Lake, Falling Creek Reservoir, Gatewood Reservoir, Smith Mountain Lake, Spring Hollow Reservoir in southwestern Virginia, and Lake Sunapee in Sunapee, New Hampshire, USA during 2014-2023 (4), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/bdea148e951b2dd11c74b51854c3aab5>, 2024c.
- Carey, C. C., Lewis, A. S. L., and Breef-Pilz, A.: Time series of high-frequency profiles of depth, temperature, dissolved oxygen, conductivity, specific conductance, chlorophyll a, turbidity, pH, oxidation-reduction potential, photosynthetically active radiation, colored dissolved organic matter, phycocyanin, phycoerythrin, and descent rate for Beaverdam Reservoir, Carvins Cove Reservoir, Falling Creek Reservoir, Gatewood Reservoir, and Spring Hollow Reservoir in southwestern Virginia, USA 2013-2023 (14), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/b406e9a104dafb1b91e1ad85a19384db>, 2024d.
- Carey, C. C., Breef-Pilz, A., Delany, A. D., Hounshell, A. G., Lewis, A. S. L., Wander, H. L., Haynie, G., Kricheldorf, M., and Tipper, E.: Time series of high-frequency sensor data measuring water temperature, dissolved oxygen, conductivity, specific conductance, total dissolved solids, chlorophyll a, phycocyanin, fluorescent dissolved organic matter, turbidity at discrete depths, and water level in Beaverdam Reservoir, Virginia, USA in 2009-2023 (4), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/31bb6047e0ac367c60a61884338799c4>, 2024e.
- Carey, C. C., Breef-Pilz, A., Daneshmand, V., Delany, A. D., and Thomas, R. Q.: Time series of high-frequency sensor data measuring water temperature, dissolved oxygen, pressure, conductivity, specific conductance, total dissolved solids, chlorophyll a, phycocyanin, fluorescent dissolved organic matter, and turbidity at discrete depths in Falling Creek Reservoir, Virginia, USA in 2018-2023 (8), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/7541e8d297850be7c613d116156735a9>, 2024f.
- Carey, C. C., Howard, D. W., Hoffman, K. K., Wander, H. L., Breef-Pilz, A., Niederlehner, B. R., Haynie, G., Keverline, R., Kricheldorf, M., and Tipper, E.: Water chemistry time series for Beaverdam Reservoir, Carvins Cove Reservoir, Falling Creek Reservoir, Gatewood Reservoir, and Spring Hollow Reservoir in southwestern Virginia, USA 2013-2023 (12), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/7d7fdc5081ed5211651f86862e8b2b1e>, 2024g.
- Hart, J., Dugan, H., Carey, C., Stanley, E., and Hanson, P.: Lake Mendota Carbon and Greenhouse Gas Measurements at North Temperate Lakes LTER 2016 (22), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/a2b38bc23fb0061e64ae76bbdec656fd>, 2022.
- Johnson, P., Yevak, S., Dykema, S., and Loria, K.: Chlorophyll-a data for the Green Lake 4 buoy, 2018 - ongoing. (5), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/2b90eb17f06898359280f68ce140ef47>, 2024a.
- Johnson, P. T. J., Yevak, S. E., Dykema, S., and Loria, K. A.: Dissolved oxygen data for the Green Lake 4 buoy, 2018 - ongoing. (6), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/ded48fa1e3851adcd78b744e3d5b49de>, 2024b.
- Johnson, P., Yevak, S., Dykema, S., and Loria, K.: PAR data for the Green Lake 4 buoy, 2018 - ongoing. (5), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/cd2a197b4297259428d67c97d32f25b4>, 2024c.
- Johnson, P., Yevak, S., Dykema, S., and Loria, K.: Temperature data for the Green Lake 4 buoy, 2018 - ongoing. (5), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/5d1c305fda142f2af462dcd77b33ab>, 2024d.
- Lottig, N.: High Frequency Under-Ice Water Temperature Buoy Data - Crystal Bog, Trout Bog, and Lake Mendota, Wisconsin, USA 2016-2020 (3), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/ad192ce8f8e8175619d6a41aa2f72294>, 2022.

- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: Chemical Limnology of Primary Study Lakes: Nutrients, pH and Carbon 1981 - current (60), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/325232e6e4cd1ce04025fa5674f7b782>, 2023a.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: Chlorophyll - Trout Lake Area 1981 - current (32), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/4a110bd6534525f96aa90348a1871f86>, 2023b.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Meteorological and Dissolved Oxygen Data - Sparkling Lake Raft 1989 - current (34), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/9d054e35fb0b8d3a36b49b5e7a35f48f>, 2023c.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Meteorological and Metabolism Data - Crystal Bog Buoy 2005 - present (14), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/aa8d03b297cc86aaab404e4d25179a1a>, 2023d.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Meteorological and Metabolism Data - Trout Bog Buoy 2003 - present (26), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/6a281ee14843e7f80fff07e31d6e9cb0>, 2023e.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Water Temperature Data - Crystal Bog Buoy 2005 - current (10), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/800e42bf5421eb3d601a07245ff5f750e>, 2023f.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Water Temperature Data - Sparkling Lake Raft 1989 - current (24), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/52ceba5984c4497d158093f32b23b76d>, 2023g.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Water Temperature Data - Trout Bog Buoy 2003 - current (29), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/9535bbc321ebd512cd0e8b0f1d7821be>, 2023h.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: Physical Limnology of Primary Study Lakes 1981 - current (35), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/be287e7772951024ec98d73fa94eec08>, 2023i.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: Secchi Disk Depth; Other Auxiliary Base Crew Sample Data 1981 - current (32), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/4c5b055143e8b7a5de695f4514e18142>, 2023j.
- Magnuson, J., Carpenter, S., and Stanley, E.: North Temperate Lakes LTER: Chlorophyll - Madison Lakes Area 1995 - current (30), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/da59b1093236ceb67d2cf220b17e5658>, 2024a.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Data: Meteorological, Dissolved Oxygen, Chlorophyll, Phycocyanin - Lake Mendota Buoy 2006 - current (39), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/daad81be7f12173e3aefbf3df5d6d2fe>, 2024b.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Meteorological and Dissolved Oxygen Data - Trout Lake Buoy 2004 - current (42), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/1b66ce0b3f0cf7c3f5922fb320b5591e>, 2024c.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Water Temperature Data - Lake Mendota Buoy 2006 - current (33), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/b6b6b2f2070500202e10e219044b547b>, 2024d.
- Magnuson, J. J., Carpenter, S. R., and Stanley, E. H.: North Temperate Lakes LTER: High Frequency Water Temperature Data - Trout Lake Buoy 2004 - current (29), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/767e476fca7bedf46d4905517854c8f7>, 2024e.
- McKnight, D., Johnson, P., Loria, K., Niwot Ridge LTER, and Dykema, S.: Stream and lake water chemistry data for Green Lakes Valley, 1998 - ongoing. (3), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/811e22e67aa850fa6c03148ab621e76e>, 2021.
- McKnight, D. M., Yevak, S., Dykema, S., Loria, K., and Niwot Ridge LTER: Water quality data for Green Lakes Valley, 2000 - ongoing. (9), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/4835fff2b96f16677ab1abb9c46db34b>, 2023.
- National Ecological Observatory Network (NEON): Chemical properties of surface water (DP1.20093.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/FDFD-D514>, 2024a.
- National Ecological Observatory Network (NEON): Depth profile at specific depths (DP1.20254.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/VCT8-PR05>, 2024b.
- National Ecological Observatory Network (NEON): Discharge field collection (DP1.20048.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/3746-1981>, 2024c.

National Ecological Observatory Network (NEON): Nitrate in surface water (DP1.20033.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/MVDB-K902>, 2024d.

National Ecological Observatory Network (NEON): Periphyton, seston, and phytoplankton chemical properties (DP1.20163.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/25WY-9F31>, 2024e.

National Ecological Observatory Network (NEON): Photosynthetically active radiation at water surface (DP1.20042.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/S71B-KK05>, 2024f.

National Ecological Observatory Network (NEON): Photosynthetically active radiation below water surface (DP1.20261.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/JNWy-XY08>, 2024g.

National Ecological Observatory Network (NEON): Secchi depth (DP1.20252.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/DTR7-N376>, 2024h.

National Ecological Observatory Network (NEON): Temperature at specific depth in surface water (DP1.20264.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/4WDS-5B25>, 2024i.

National Ecological Observatory Network (NEON): Water quality (DP1.20288.001), RELEASE-2024, NEON [data set], <https://doi.org/10.48443/T7RJ-PK25>, 2024j.

S2. Static lake attributes sources

Aho, K. S., Maavara, T., Cawley, K. M., and Raymond, P. A.: Inland Waters can Act as Nitrous Oxide Sinks: Observation and Modeling Reveal that Nitrous Oxide Undersaturation May Partially Offset Emissions, *Geophys. Res. Lett.*, 50, e2023GL104987, <https://doi.org/10.1029/2023GL104987>, 2023.

Baron, J. S. and Caine, N.: Temporal coherence of two alpine lake basins of the Colorado Front Range, USA, *Freshwater Biol.*, 43, 463–476, <https://doi.org/10.1046/j.1365-2427.2000.00517.x>, 2000.

Carey, C. C., Lewis, A. S. L., Howard, D. W., Woelmer, W. M., Gantzer, P. A., Bierlein, K. A., Little, J. C., and WVWA: Bathymetry and watershed area for Falling Creek Reservoir, Beaverdam Reservoir, and Carvins Cove Reservoir (1), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/352735344150f7e77d2bc18b69a22412>, 2022.

Cory, R. M., McKnight, D. M., Chin, Y.-P., Miller, P., and Jaros, C. L.: Chemical characteristics of fulvic acids from Arctic surface waters: Microbial contributions and photochemical transformations, *J. Geophys. Res.-Biogeo.*, 112, <https://doi.org/10.1029/2006JG000343>, 2007.

Doubek, J. P., Campbell, K. L., Doubek, K. M., Hamre, K. D., Lofton, M. E., McClure, R. P., Ward, N. K., and Carey, C. C.: The effects of hypolimnetic anoxia on the diel vertical migration of freshwater crustacean zooplankton, *Ecosphere*, 9, e02332, <https://doi.org/10.1002/ecs2.2332>, 2018.

Flanagan, C. M., McKnight, D. M., Liptzin, D., Williams, M. W., and Miller, M. P.: Response of the Phytoplankton Community in an Alpine Lake to Drought Conditions: Colorado Rocky Mountain Front Range, U.S.A., *Arct. Antarct. Alp. Res.*, 41, 191–203, <https://doi.org/10.1657/1938.4246-41.2.191>, 2009.

Gaeta, J. W., Hrabik, T. R., Sass, G. G., Roth, B. M., Gilbert, S. J., and Vander Zanden, M. J.: A whole-lake experiment to control invasive rainbow smelt (*Actinopterygii*, *Osmeridae*) via overharvest and a food web manipulation, *Hydrobiologia*, 746, 433–444, <https://doi.org/10.1007/s10750-014-1916-3>, 2015.

Gerling, A. B., Browne, R. G., Gantzer, P. A., Mobley, M. H., Little, J. C., and Carey, C. C.: First report of the successful operation of a side stream supersaturation hypolimnetic oxygenation system in a eutrophic, shallow reservoir, *Water Res.*, 67, 129–143, <https://doi.org/10.1016/j.watres.2014.09.002>, 2014.

Lathrop, R. C. and Carpenter, S. R.: Water quality implications from three decades of phosphorus loads and trophic dynamics in the Yahara chain of lakes, *Inland Waters*, 4, 1–14, <https://doi.org/10.5268/IW-4.1.680>, 2014.

Lathrop, R. C., Johnson, B. M., Johnson, T. B., Vogelsang, M. T., Carpenter, S. R., Hrabik, T. R., Kitchell, J. F., Magnuson, J. J., Rudstam, L. G., and Stewart, R. S.: Stocking piscivores to improve fishing and water clarity: a synthesis of the Lake Mendota biomanipulation project, *Freshwater Biol.*, 47, 2410–2424, <https://doi.org/10.1046/j.1365-2427.2002.01011.x>, 2002.

Lawson, Z. J., Vander Zanden, M. J., Smith, C. A., Heald, E., Hrabik, T. R., and Carpenter, S. R.: Experimental mixing of a north-temperate lake: testing the thermal limits of a cold-water invasive fish, *Can. J. Fish. Aquat. Sci.*, 72, 926–937, <https://doi.org/10.1139/cjfas-2014-0346>, 2015.

- Lin, Y.-T. and Wu, C. H.: Response of bottom sediment stability after carp removal in a small lake, *Ann. Limnol. - Int. J. Limn.*, 49, 157–168, <https://doi.org/10.1051/limn/2013049>, 2013.
- Lottig, N. R. and Dugan, H. A.: North Temperate Lakes-LTER Core Research Lakes Information (1), Environmental Data Initiative [data set], <https://doi.org/10.6073/pasta/b9080c962f552029ee2b43aec1410328>, 2024.
- Mrnak, J. T., Sikora, L. W., Zanden, M. J. V., and Sass, G. G.: Applying Panarchy Theory to Aquatic Invasive Species Management: A Case Study on Invasive Rainbow Smelt *Osmerus mordax*, *Rev. Fish. Sci. Aquac.*, 31, 66–85, <https://doi.org/10.1080/23308249.2022.2078951>, 2023.
- Perales, K. M., Hansen, G. J. A., Hein, C. L., Mrnak, J. T., Roth, B. M., Walsh, J. R., and Vander Zanden, M. J.: Spatial and temporal patterns in native and invasive crayfishes during a 19-year whole-lake invasive crayfish removal experiment, *Freshwater Biol.*, 66, 2105–2117, <https://doi.org/10.1111/fwb.13818>, 2021.
- Rast, W. and Lee, G. F.: Report on Nutrient Load - Eutrophication Response of Lake Wingra, Wisconsin, Environmental Research Laboratory-Corvallis, Office of Research and Development, U.S. Environmental Protection Agency, 1977.
- Thomas, R. Q., McClure, R. P., Moore, T. N., Woelmer, W. M., Boettiger, C., Figueiredo, R. J., Hensley, R. T., and Carey, C. C.: Near-term forecasts of NEON lakes reveal gradients of environmental predictability across the US, *Front. Ecol. Environ.*, 21, 220–226, <https://doi.org/10.1002/fee.2623>, 2023.
- The National Map Bulk Point Query Service: <https://apps.nationalmap.gov/bulkpqs/>, last access: 13 June 2024.
- Upadhyay, S., Bierlein, K. A., Little, J. C., Burch, M. D., Elam, K. P., and Brookes, J. D.: Mixing potential of a surface-mounted solar-powered water mixer (SWM) for controlling cyanobacterial blooms, *Ecol. Eng.*, 61, 245–250, <https://doi.org/10.1016/j.ecoleng.2013.09.032>, 2013.
- Watras, C. J. and Hanson, P. C.: Ecohydrology of two northern Wisconsin bogs, *Ecohydrology*, 16, e2591, <https://doi.org/10.1002/eco.2591>, 2023.
- Webster, K. E., Kratz, T. K., Bowser, C. J., Magnuson, J. J., and Rose, W. J.: The influence of landscape position on lake chemical responses to drought in northern Wisconsin, *Limnol. Oceanogr.*, 41, 977–984, <https://doi.org/10.4319/lo.1996.41.5.0977>, 1996.