Supplement of Earth Syst. Sci. Data, 17, 6461–6486, 2025 https://doi.org/10.5194/essd-17-6461-2025-supplement © Author(s) 2025. CC BY 4.0 License.





## Supplement of

# A comparative analysis of EDGAR and UNFCCC GHG emissions inventories: insights on trends, methodology and data discrepancies

Manjola Banja et al.

Correspondence to: Manjola Banja (manjola.banja@ext.ec.europa.eu) and Monica Crippa (monica.crippa@ec.europa.eu)

The copyright of individual parts of the supplement might differ from the article licence.

### Supplementary figures




Figure S1. Data sources used to compile bottom-up EDGAR GHG and air pollutant emissions Source: EDGAR 2024




Figure S2. Correlation between EDGARv8.0 2023 and UNFCCC 2023 GHG emissions for G20 countries in years 2000, 2010 and 2012 Source: UNFCCC 2023, EDGARv8.0 2023




Figure S3. GHG (CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O) emissions every 5-years, 1990-2022, Annex I countries (EU27 not included), Mt CO<sub>2</sub>-eq

#### Source: UNFCCC CRT 2024; EDGAR 2024

NB. GWP (100 years) of IPCC Fourth Assessment Report is applied for CH<sub>4</sub> and N<sub>2</sub>O emissions.

EDGAR (blue circles) and UNFCCC submissions (red crosses) shown by both colour and shape for accessibility.

Highlighted area represents up to 90% of UNFCCC EU27 emissions.

Vertical line represents the median value of EDGAR emissions




Figure S4. GHG (CO<sub>2</sub>, CH<sub>4</sub>, N<sub>2</sub>O) emissions in EU27 MS: EDGAR vs UNFCCC submission every 5-years, 1990-2022, Mt CO<sub>2</sub>-eq

#### Source: UNFCCC CRT 2024, EDGAR 2024

NB. EDGAR (blue circles) and UNFCCC submissions (red crosses) shown by both colour and shape for accessibility.

Highlighted area represents up to 90% of UNFCCC EU27 emissions.

Vertical line represents the median value of EDGAR emissions




Figure S5. Relative change of biomass consumption in Slovakia's residential sector and EU27 public electricity and heat sector: EDGAR vs UNFCCC, 1990-2021, (%) – coloured by year





Figure S6. Fossil CO<sub>2</sub> fugitive emissions for Russia and USA: EDGAR (left) vs UNFCCC (right) – 1990-2021, kt Source: UNFCCC GHG Locator 2023, EDGARv8.0

NB. Median with 95% confidence limit is shown in darker grey bands






Figure S7. Temporal trends by sector of fossil  $CO_2$  emissions in Annex I: EDGAR vs UNFCCC inventories, 1990-2021, Mt EDGAR -blue line, UNFCCC -red line & red dots (when time series is not complete), UNFCCC annotated for accessibility




Figure S8 Fossil CO<sub>2</sub> emissions in Estonia – fugitive emissions from solid fuels (1.B.1): EDGAR vs UNFCCC




Figure S9. Fossil CO2 emissions in EU27 MS: EDGAR vs UNFCCC submission every 5-years, 1990-2022, Mt

Source: UNFCCC CRT 2024, EDGAR 2024

NB. EDGAR (blue circles) and UNFCCC submissions (red crosses) shown by both colour and shape for accessibility.

Highlighted area represents up to 90% of UNFCCC EU27 emissions.

Vertical line represents the median value of EDGAR emissions




Figure S10. CO<sub>2</sub> biogenic waste implied emission factors in Annex I countries - temporal trend in Belgium and France, kg/t Source: UNFCCC GHG Locator 2023, EDGARv8.0

NB. EDGAR CO<sub>2</sub> emission factor for biogenic waste is 550 kg CO<sub>2</sub>/ton wet waste, based on assumption of 15% Degradable Organic Carbon (DOC) content of biogenic waste (IPCC 2006 default EF for food waste).




Figure S11. Relative contribution of EU27 MS in fossil CO2 emissions, 2021, EDGAR vs UNFCCC




Figure S12. Temporal trend by sector of CH<sub>4</sub> emissions in Annex I, 1990-2021, kt CO2-eq NB. EDGAR -blue line, UNFCCC -red line & red dots (when time series is not complete), UNFCCC annotated for accessibility




Figure S13. Japan CH<sub>4</sub> fugitive emissions: EDGAR (left) vs UNFCCC (middle), temporal trend (right), 1990-2021, kt




Figure S14. CH<sub>4</sub> biomass emission factors in Annex I countries, Germany temporal trend of CH<sub>4</sub> biomass EF and emissions, Lithuania CH<sub>4</sub> emissions in Public Electricity and Heat sector (1.A.1.a), 1990-2021, kg/TJ

Source: UNFCCC GHG Locator 2023, EDGARv8.0

NB. EDGAR line represents the default CH<sub>4</sub> emission factor for solid biomass as in the Chapter 2 of the IPCC 2006 Guidelines




Figure S15. Biogenic MSW CH<sub>4</sub> IEF for controlled incineration and open burning of waste in some Annex I countries – waste incineration EDGAR CH<sub>4</sub> EFs for industrialised (RDGAR EF\_I) and developing countries (EDGAR EF\_D)




Figure S16. Temporal trend of CH<sub>4</sub> emissions from waste incineration in some Annex I countries: EDGARv8.0, 2023, UNFCCC 2023, and EDGARv8.0 2023 improved, 1990-2021




Figure S17. Solid waste disposal trend and typology in some EU27 MS as in their 2022, 2023 and 2024 UNFCCC submissions: a) Croatia, b) Netherlands, c) Poland, d) Ireland



Figure S18. CH<sub>4</sub> emissions in EU27 MS: EDGAR vs UNFCCC submission every 5-years, 1990-2022, Mt CO<sub>2</sub>-eq EDGAR (blue circles) and UNFCCC submissions (red crosses) shown by both colour and shape for accessibility. Highlighted area represents up to 90% of UNFCCC EU27 emissions.

Vertical line represents the median value of EDGAR emissions

Source: UNFCCC CRT 2024, EDGAR 2024




Figure S19. Nitrogen input for N<sub>2</sub>O emissions from animal manure applied to soils and N<sub>2</sub>O emission factors for Australia and USA, 1990-2021, EDGARv8.0 vs UNFCCC 2023





Figure S20. N2O emissions in EU27 MS: EDGAR vs UNFCCC submission every 5-years, 1990-2022, Mt CO2-eq

EDGAR (blue circles) and UNFCCC submissions (red crosses) shown by both colour and shape for accessibility.

Highlighted area represents up to 90% of UNFCCC EU27 emissions.

Vertical line represents the median value of EDGAR emissions

Source: UNFCCC CRT 2024, EDGAR 2024






Figure S21. Temporal trend of CH4 emissions from rice cultivation in Annex I countries: EDGARv8.0, 2023, UNFCCC 2023, and EDGARv8.0 2023 improved (EDGAR\_imp), 1990-2021, kt

## Supplementary tables

Table S1. G20, Annex I and EU27 country names and ISO 3 codes

Country name	iso 3 code	Group	Country name EU27	iso 3 code
Argentina	ARG	G20 / non-Annex I	Austria	AUT
Australia	AUS	G20 / Annex I	Belgium	BEL
Brazil	BRA	G20 / non-Annex I	Bulgaria	BGR
Canada	CAN	G20 / Annex I	Croatia	HRV
China	CHN	G20 / non-Annex I	Cyprus	CYP
European Union	EU27	G20 / Annex I	Czechia	CZE
Germany	DEU	G20 / EU27 /Annex I	Denmark	DNK
France	FRA	G20 / EU27 /Annex I	Estonia	EST
United Kingdom	GBR	G20 / Annex I	Finland	FIN
Indonesia	IDN	G20 / non-Annex I	Greece	GRC
India	IND	G20 / non-Annex I	Hungary	HUN
Italia	ITA	G20 / EU27 /Annex I	Ireland	IRL
Japan	JPN	G20 / Annex I	Latvia	LVA
South Korea	KOR	G20 / non-Annex I	Lithuania	LTU
Mexico	MEX	G20 / non-Annex I	Luxembourg	LUX
Russia	RUS	G20 / Annex I	Malta	MLT
Saudi Arabia	SAU	G20 / non-Annex I	Netherlands	MLD
Turkiye	TUR	G20 / Annex I	Poland	POL
United States	USA	G20 / Annex I	Portugal	PRT
South Africa	ZAF	G20 / non-Annex I	Romania	ROU
Iceland	ISL	Annex I	Slovakia	SVK
New Zealand	NZL	Annex I	Slovenia	SVN
Norway	NOR	Annex I	Spain	ESP
Switzerland	CHE	Annex I	Sweden	SWE
Ukraine	UKR	Annex I		
Belarus	BLR	Annex I		
Kazakhstan	KAZ	Annex I		

Table S2. Methodologies applied in some Annex I countries for CO<sub>2</sub> and CH<sub>4</sub> emission estimation upon sectors (UNFCCC CRT tables codes)

sector	substance	CAN	DEU	FRA	ITA	JPN	RUS	TUR	USA
1.A.1	CH4	T2	T2	T2	T3	T3	T1	T2,T3	T2
1.7.1	CO2	CS	CS	CS,PS	cs	CS	CS,D	CS,D,PS	CS
1.A.2	CH4	M,T2,T3	CS	T1,T2,T3	T2	CS,T1,T3	T1	T1	T1
1.A.2									
	CO2	M,T2	CS,T1	T2,T3	T2	CS,T2	T1,T2,T3	T1,T2	T2
1.A.3.b	CH4	M,T3	CS,M,T2,T3	T3	T3	T3	T1,T2,T3	T1	M,T3
	CO2	M,T2	CS,M,T1,T2,T3		T2	T2	T1,T2	T1,T2	CS,M,T2
1.A.4	CH4	M,T1,T2,T3	CS,T2,T3	T1,T2	T2	CS,T1,T3	T1	T1	T1
	CO2	M,T2	CS,T1,T2,T3	T1,T2	T2	CS,T2	T1,T2	T1,T2	T2
1.A.5.a	CO2		CS				T1,T2		CS,T2
1.A.5.b	CH4	M,T1,T3	CS,D,M		T2				T1
	CO2	M,T2	CS,D,M		T2				CS,T2
1.B.1	CH4	CS	CS,T2,T3	T2,T3	T1,T2	T1,T2,T3	T1,T2	T1	T2,T3
	CO2		CS,T3			CS,T2			T1
1.B.2	CH4	CS	T1,T2,T3	T1,T2,T3	T1,T2	CS,T1,T2	T1b,T2	T1	CS
	CO2	CS	T1,T2,T3	T1,T2,T3	T1,T2	CS,T1,T3	T1b,T2	T1	CS
2.A	CO2	T1,T2,T3	T1,T2	T1,T2,T3	T2	CS,T2	T1,T2	T1,T2	T1,T2,T3
2.B	CH4	T1,T2,T3	T1,T2	T2,T3	D,T1	CS,T1	T1,T2		T1
	CO2	T1,T2,T3	T1,T2,T3	T1,T2,T3	D,T2,T3	CS,T1,T2,T3	T1,T1a,T2,T3	T1,T2	CS,T1
2.C	CH4	T1	T2	T2,T3	D	CS	T1	T1	T1
	CO2	T2,T3	T1,T2,T3	T1,T2,T3	T2	T1,T2	T1,T2,T3	T1,T2,T3	T1,T2,T3
3.A	CH4	T1,T2	T1,T2,T3	T2,T3	T1,T2	CS,T1	CS,T1,T2	T1,T2	M,T1,T2
3.B	CH4	T1,T2	T2	T2	T1,T2	CS,T1	CS,T1,T2	T1	M,T1,T2
3.C	CH4			T1	T2	T3	T1	T1	ОТН
5.A	CH4	CS	T2	T2	T2	T3	T3	T2	CS
5.B	CH4	T3	T2	T2	D	T2	T1	T1	D,T1
5.C	CH4	T2,T3		T1,T2	D,T1	CS,T2		T1	
5.D	CH4	CS,T3	CS,D,T2	T1	D,T1	CS,D	T1,T2,T3	T2	CS,D,T2

Source: UNFCCC GHG Locator, 2023
NB: D (IPCC default), CS (Country specific), T1 (IPCC Tier1), T2 (IPCC (Tier 2), T3 (IPCC Tier 3), M (Model), OTH (Other)

Table S3. UNFCCC and EDGAR classification systems (Diego check)

EDGAR booklet sectors	EDGAR codes/process group name	UNFCCC non Annex I (IPCC 1996)	UNFCCC Annex I (IPCC 2006)
Power Industry	1.A.1.a Main Activity Electricity and Heat Production		1.A.1.a Main activity Electricity and Heat production (1.A.1.a.i, ii, iii)
Fuel explotation	1.A.1.b Oil refineries	1.A.1.b Petroleum Refining	1.A.1.b Petroleum Refining
Fuel explotation	1.A.1.c Transformation Industry		1.A.1.c Manufacture of Solid Fuels and Other Energy Industries (1.A.1.c.i, ii)
Industrial combustion	1.A.2 Manufacturing Industry	1.A.2 Manufacturing Industries and Construction	1.A.2 Manufacturing Industries and Construction (subdivided 1.A.2.f - 1.A.2.m)
Transport	1.A.3.a Non-road transport	•	1.A.3.a Civil Aviation
Transport	1.A.3.a.ii Non-road transport	1.A.3.a.ii Domestic	1.A.3.a.ii Domestic Aviation
Transport	1.A.3.b noRES Road transport		1.A.3.b Road Transportation
Transport	1.A.3.c Non-road transport	1.A.3.c Railways	1.A.3.c Railways
· ·	1.A.3.d Non-road transport	•	1.A.3.d Water-borne Navigation
Transport	1.A.3.d.ii Non-road transport	1.A.3.d Navigation 1.A.3.d.ii National Navigation	1.A.3.d. ii Domestic Navigation
Transport	1.A.3.e Non-road transport	1.A.3.e Other Transportation	1.A.3.e Other Transportation
Transport	1.A.4 Residential	1.A.4 Other Sectors	1.A.4 Other Sectors (subdivided 1.A.4.c.i, ii, iii)
Buildings		1.A.4 Other Sectors	1.A.4 Other Sectors (subdivided 1.A.4.c.i, ii, iii)
Buildings	1.A.5 Residential	1.A.5 Other	1.A.5 Other (Not specified elsewhere) (subdivided 1.A.5.b.i, ii, iii)
Fuel explotation	1.A.5.b.iii Transformation Industry	4.D.4 - Calid Friels (and asiains and brodling)	4.D.4.s. Ocal existence and bondline
Fuel explotation	1.B.1.a Fuel production/transmision	1.B.1.a Solid Fuels (coal mining and handling)	1.B.1.a Coal mining and handling
Fuel explotation	1.B.1.b Transformation Industry	1.B.1.b Solid fuel transformation	1.B.1.b Fuel transformation
Fuel explotation	1.B.1.c Transformation Industry		1.B.1.c Others (please specify)
Fuel explotation	1.B.2 Transformation Industry	1.B.2 Oil and Natural Gas	1.B.2 Oil and Natural Gas and Other Emissions from Energy Production
Fuel explotation	1.B.2.a.ii / iii Fuel production (Venting & Flaring)/Transmision (Oil)		1.B.2.a.ii / iii Production and upgrading/Transport (Oil)
Fuel explotation	1.B.2.b.ii / iii Fuel production (Venting)/Transmision (Gas)		1.B.2.b.ii / iii Production and gathering/Processing (Natural gas)
			1.B.2.c Venting and flaring (Oil, gas, combined)
Processes	2.A.1 Production of non-metallic minerals (Cement)		2.A.1 Cement Production
Processes	2.A.2 Production of non-metallic minerals (Lime)		2.A.2 Lime Production
Processes	2.A.3 Production of non-metallic minerals (Glass)		2.A.3 Glass production
Processes	2.A.4 Production of non-metallic minerals (Carbonates)		2.A.4 Other Process Uses of Carbonates
Processes	2.B Production of chemicals		2.B Chemical Industry
Processes	2.C Production of iron & steel/non-ferrous metals		2.C Metal Industry
Processes	2.D Production and use of other products		2.D Non-energy Products from Fuels and Solvent Use
Processes	2.E Production and use of other products		2.E Electronics Industry
Processes	2.F Production and use of other products	2.F Consumption of Halocarbons and SF <sub>6</sub>	2.F Product Uses as Substitutes for ODS
Processes	2.G Production and use of other products	2.G Other	2.G Other Product Manufacture and Use
Agriculture	3.A.1 Enteric Fermentation	4.A Enteric Fermentation	3.A Enteric Fermentation
Agriculture	3.A.2 Manure management	4.B Manure Management	3.B Manure Management
Agriculture	3.C.7 Rice cultivation	4.C Rice Cultivation	3.C Rice Cultivation
Agriculture	3.C.4 Agricultural soils (Direct N2O from managed soils)	4.D.1 Direct soil emissions	3.D.1 Direct N <sub>2</sub> O Emissions From Managed Soils
Agriculture	3.C.5 Indirect N2O emissions	4.D.3 Indirect emissions	3.D.2 Indirect N <sub>2</sub> O Emissions From Managed Soils
Agriculture	3.C.1 Agriculture waste burning	4.F Field Burning of Agricultural Residues	3.F Field Burning of Agricultural Residues
Agriculture	3.C.2 Agricultural soils (lime application)	4.D.4.b CO2 from agricultural lime application	3.G Liming
Agriculture	3.C.3 Agricultural soils (urea application)		3.H Urea Application
Agriculture	3.C.6 Indirect N2O emissions	4.G Other	3.J Other
Waste	4.A Solid Waste Disposal (Landfill)	6.A Solid Waste Disposal on Land	5.A Solid Waste Disposal
Waste	4.B Solid Waste Disposal (Composting)	6.D Other	5.B Biological Treatment of Solid Waste
Waste	4.C Solid Waste Disposal (Incineration)	6.C Waste Incineration	5.C Incineration and Open Burning of Waste
Waste	4 D Waste water	6 B. Wastewater Handling	5.D Wastewater Treatment and Discharge
Agriculture	5.A Indirect N2O emissions from the atmospheric deposition of nitr	- AI	· ·
Fuel explotation	5.B Fossil fuel fires	7. Other	6. Other

Source: UNFCCC inventory system, EDGAR 2024 the IPCC, classification the Land Use, Land-Use Change, and Forestry (LULUCF) is Sector 5. Under UNFCCC, inventory system (CRF/CRT) for Annex I the LULUCF is Sector 4.

Table S4. Sub-sectors included in EDGAR emissions estimation from waste incineration – Biogenic waste

BIOGENIC		
5.C.1.1.a	SWD.INC.BIO	Biogenic - 5.C.1.1.a Municipal Solid Waste
5.C.1.1.b_Clinical Waste	SWD.INC.BIO	Biogenic - 5.C.1.1.b Others (please specify)
5.C.1.1.b_Hazardous Waste	SWD.INC.BIO	Biogenic - 5.C.1.1.b Others (please specify)
5.C.1.1.b_Industrial Solid Wastes	SWD.INC.BIO	Biogenic - 5.C.1.1.b Others (please specify)
5.C.1.1.b_Sewage Sludge	SWD.INC.BIO	Biogenic - 5.C.1.1.b Others (please specify)
5.C.2.1.a	SWD.INC.BIO	Open burning of waste: Biogenic - 5.C.2.1.a Municipal Solid Waste
5.C.1.1.b_Cremation	SWD.INC.CRM	Biogenic - 5.C.1.1.b Others (please specify)