

Supplement of Earth Syst. Sci. Data Discuss., 8, 447–460, 2015
<http://www.earth-syst-sci-data-discuss.net/8/447/2015/>
doi:10.5194/essdd-8-447-2015-supplement
© Author(s) 2015. CC Attribution 3.0 License.



Supplement of

IPY 2007–2008 data legacy – a long story cut short

A. Driemel et al.

Correspondence to: H. Grobe (hannes.grobe@awi.de)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.

Data-References

- Aagaard-Sørensen, S., et al.: (Table 1) Radiocarbon dates of core JM05-085-GC, South-Barents Sea, doi:10.1594/PANGAEA.805692, Supplement to: Aagaard-Sørensen, Steffen; Husum, Katrine; Hald, Morten; Knies, Jochen: Paleoceanographic development in the SW Barents Sea during the Late Weichselian-Early Holocene transition, *Quaternary Sci Rev*, 29(25-26), 3442-3456, doi:10.1016/j.quascirev.2010.08.014, 2010.
- Abele, D., et al.: Shell size, body mass and average pO₂ in mantle cavity water of different marine mollusc species, doi:10.1594/PANGAEA.805717, Supplement to: Abele, Doris; Kruppe, Melanie; Philipp, Eva E R; Brey, Thomas: Mantle cavity water oxygen partial pressure (Po₂) in marine molluscs aligns with lifestyle, *Can J Fish Aquat Sci*, 67(6), 977-986, doi:10.1139/F10-035, 2010.
- Abouchami, W., et al.: (Table 1) Cadmium and nutrient concentration of surface waters sample during POLARSTERN cruise ANT-XXIV/III, doi:10.1594/PANGAEA.805890, Supplement to: Abouchami, Wafa; Galer, Stephen JG; de Baar, Hein JW; Alderkamp, Anne-Carlijn; Middag, Rob; Laan, Patrick; Feldmann, H; Andreae, Meinrat O: Modulation of the Southern Ocean cadmium isotope signature by ocean circulation and primary productivity, *Earth Planet Sci Lett*, 305(1-2), 83-91, doi:10.1016/j.epsl.2011.02.044, 2011.
- Agersted, MD., et al.: Plankton abundance and feeding characteristics of *Thysanoessa raschii* from Godthabsfjord, Greenland, doi:10.1594/PANGAEA.805981, Supplement to: Agersted, Mette Dalgaard; Nielsen, Torkel Gissel; Munk, Peter; Vismann, Bent; Arendt, Kristine Engel: The functional biology and trophic role of krill (*Thysanoessa raschii*) in a Greenlandic fjord, *Mar Biol*, 158(6), 1387-1402, doi:10.1007/s00227-011-1657-z, 2011.
- Ahn, J., et al.: Glaciological characteristics and carbon dioxide record of ice cores from Antarctica, doi:10.1594/PANGAEA.806120, Supplement to: Ahn, Jinho; Brook, Edward J; Mitchell, Logan; Rosen, Julia; McConnell, Joseph R; Taylor, Kendrick; Etheridge, David; Rubino, Mauro: Atmospheric CO₂ over the last 1000 years: A high-resolution record from the West Antarctic Ice Sheet (WAIS) Divide ice core, *Glob Biogeochem Cycles*, 26(2), GB2027, doi:10.1029/2011GB004247, 2012.
- Aislabie, J., et al.: Soil properties and microbial indicators of samples from Lake Wellman, Darwin Mountains, Antarctica, doi:10.1594/PANGAEA.806198, Supplement to: Aislabie, Jackie; Bockheim, James G; McLeod, Malcolm; Hunter, David; Stevenson, Bryan; Barker, Gary M: Microbial biomass and community structure changes along a soil development chronosequence near Lake Wellman, southern Victoria Land, *Antarctic Sci*, 24(2), 154-164, doi:10.1017/S0954102011000873, 2012.
- Alderkamp, A-C., et al.: Surface water properties, phytoplankton composition and photosynthesis rates of Amundsen Sea sites, doi:10.1594/PANGAEA.806489, Supplement to: Alderkamp, Anne-Carlijn; Mills, Matthew M; van Dijken, Gert L; Laan, Patrick; Thuróczy, Charles-Edouard; Gerringa, Loes JA; de Baar, Hein JW; Payne, Christopher D; Visser, Ronald JW; Buma, Anita GJ; Arrigo, Kevin R: Iron from melting glaciers fuels phytoplankton blooms in the Amundsen Sea (Southern Ocean): Phytoplankton characteristics and productivity, *Deep Sea Res Part II Top Stud Oceanogr*, 71-76, 32-48, doi:10.1016/j.dsr2.2012.03.005, 2012.
- Alekseyev, SS., et al.: *Salvelinus alpinus* haplotype abundance and diversity in arctic lakes and rivers, doi:10.1594/PANGAEA.806641, Supplement to: Alekseyev, SS; Bajno, Robert; Gordeeva, NV; Reist, James D; Power, Michael; Kirillov, AF; Samusenok, VP; Matveev, AN: Phylogeography and sympatric differentiation of the Arctic charr *Salvelinus alpinus* (L.) complex in Siberia as revealed by mtDNA sequence analysis, *J Fish Biol*, 75(2), 368-392, doi:10.1111/j.1095-8649.2009.02331.x, 2009.
- Alvarez-Aviles, L., et al.: Salinity and SO₄ and Br enrichment of seawater and frost flowers near Barrow, Alaska, doi:10.1594/PANGAEA.806702, Supplement to: Alvarez-Aviles, Laura; Simpson, William R; Douglas, Thomas A; Sturm, Matthew; Perovich, Donald K; Domine, Florent: Frost flower chemical composition during growth and its implications for aerosol production and bromine activation, *J Geophys Res*, 113(D21), D21304, doi:10.1029/2008JD010277, 2008.

- Anderson, NJ., et al.: (Table 1) Radiocarbon dating of a lake sediment core, southern West Greenland, doi:10.1594/PANGAEA.806777, Supplement to: Anderson, N John; Brodersen, Klaus P; Ryves, David B; McGowan, Suzanne; Johansson, Liselotte S; Jeppesen, Erik; Leng, Melanie J: Climate versus in-lake processes as controls on the development of community structure in a low-arctic lake (South-West greenland), *Ecosystems*, 11(2), 307-324, doi:10.1007/s10021-007-9123-y, 2008.
- Andersson, RA., et al.: Radiocarbon ages and major n-alkane homologues of peat cores LVPS4 and LVPS5B, Russian Arctic, doi:10.1594/PANGAEA.806807, Supplement to: Andersson, Rina A; Kuhry, Peter; Meyers, Philip; Zebühr, Yngve; Crill, Patrick; Mörth, Magnus: Impacts of paleohydrological changes on n-alkane biomarker compositions of a Holocene peat sequence in the eastern European Russian Arctic, *Org Geochem*, 42(9), 1065-1075, doi:10.1016/j.orggeochem.2011.06.020, 2011.
- Andreassen, LM., et al.: (Table 1) Correlation of precipitation and winter mass balance (bw) at Storbreen, Norway, doi:10.1594/PANGAEA.806821, Supplement to: Andreassen, Liss M; Oerlemans, Johannes: Modelling long-term summer and winter balances and the climate sensitivity of Storbreen, Norway, *Geogr Ann Ser Phys Geogr*, 91(4), 233-251, doi:10.1111/j.1468-0459.2009.00366.x, 2009.
- Andrews, C., et al.: (Table 2) Temporal changes in phenological observations between 1978 and 2007, northern Sweden, doi:10.1594/PANGAEA.806955, Supplement to: Andrews, Christopher; Dick, Jan; Jonasson, Christer; Callaghan, Terry V: Assessment of biological and environmental phenology at a landscape level from 30 years of fixed-date repeat photography in northern Sweden, *AMBIO*, 40(6), 600-609, doi:10.1007/s13280-011-0167-z, 2011.
- Anschütz, H., et al.: Volcanic activity, layer depths and accumulation rates of firn cores from the IPY traverse area, Antarctica, doi:10.1594/PANGAEA.806968, Supplement to: Anschütz, Helgard; Müller, Karsten; Isaksson, Elisabeth; McConnell, Joseph R; Fischer, Helmut; Miller, Heinz; Albert, Mary; Winther, Jan-Gunnar: Revisiting sites of the South Pole Queen Maud Land Traverses in East Antarctica: Accumulation data from shallow firn cores, *J Geophys Res*, 114(D24), D24106, doi:10.1029/2009JD012204, 2009.
- Anschütz, H., et al.: Snow depths of volcanic events and accumulation rates of firn cores from the IPY traverse, Antarctica, doi:10.1594/PANGAEA.806997, Supplement to: Anschütz, Helgard; Sinisalo, A; Isaksson, Elisabeth; McConnell, Joseph R; Hamran, SE; Bisiaux, MM; Pasteris, D; Neumann, TA; Winther, Jan-Gunnar: Variation of accumulation rates over the last eight centuries on the East Antarctic Plateau derived from volcanic signals in ice cores, *J Geophys Res*, 116(D20), D20103, doi:10.1029/2011JD015753, 2011.
- Arendt, KE., et al.: Fecal pellet and egg production rates of copepod species at varying suspended sediment concentrations, doi:10.1594/PANGAEA.807070, Supplement to: Arendt, Kristine Engel; Dutz, Jörg; Jónasdóttir, Sigrún Huld; Jung-Madsen, Signe; Mortensen, John; Møller, Eva Friis; Nielsen, Torkel Gissel: Effects of suspended sediments on copepods feeding in a glacial influenced sub-Arctic fjord, *J Plankton Res*, 33(10), 1526-1537, doi:10.1093/plankt/fbr054, 2011.
- Arendt, KE., et al.: (Table 2) Copepod carbon production in the upper 50 m in Godthabsfjord and Fyllas Banke, West Greenland, doi:10.1594/PANGAEA.807056, Supplement to: Arendt, Kristine Engel; Nielsen, Torkel Gissel; Rysgaard, Søren; Tønnesson, Kajsa: Differences in plankton community structure along the Godthabsfjord, from the Greenland Ice Sheet to offshore waters, *Mar Ecol Prog Ser*, 401, 49-62, doi:10.3354/meps08368, 2010.
- Arroniz-Crespo, M., et al.: (Table 1) Chlorophyll concentration and pigment composition of carotenoids in three heathland bryophytes, northern Sweden, doi:10.1594/PANGAEA.807081, Supplement to: Arroniz-Crespo, Maria; Gwynn-Jones, Dylan; Callaghan, Terry V; Núñez-Olivera, E; Martínez-Abaigar, J; Horton, P; Phoenix, Gareth K: Impacts of long-term enhanced UV-B radiation on bryophytes in two sub-Arctic heathland sites of contrasting water availability, *Ann Bot*, 108(3), 557-565, doi:10.1093/aob/mcr178, 2011.
- Asbakk, K., et al.: (Table 2) Seroprevalence against *Trichinella* spp. in *Ursus maritimus* from Svalbard and Barents Sea pack ice, doi:10.1594/PANGAEA.807093, Supplement to: Asbakk, Kjetil; Aars, Jon; Derocher, Andrew E; Wiig, Øystein; Oksanen, Antti; Born, Erik W; Dietz, Rune; Sonne, Christian; Godfroid, Jacques; Kapel, Christian MO: Serosurvey for *Trichinella* in polar bears (*Ursus maritimus*)

- from Svalbard and the Barents Sea, *Vet Parasitol*, 172(3-4), 256-263, doi:10.1016/j.vetpar.2010.05.018, 2010.
- Asselin, N.C., et al.: Amount and patterns of beluga sightings in the eastern Beaufort Sea, doi:10.1594/PANGAEA.807111, Supplement to: Asselin, Natalie C; Barber, David G; Stirling, Ian; Ferguson, Steven H; Richard, Pierre R: Beluga (*Delphinapterus leucas*) habitat selection in the eastern Beaufort Sea in spring, 1975-1979, *Polar Biol*, 34(12), 1973-1988, doi:10.1007/s00300-011-0990-5, 2011.
- Aubail, A., et al.: Mercury content and isotopic composition of teeth, and sex and age of skulls of polar bears collected in Svalbard, doi:10.1594/PANGAEA.807120, Supplement to: Aubail, Aurore; Dietz, Rune; Rigét, Frank F; Sonne, Christian; Wiig, Øystein; Caurant, Florence: Temporal trend of mercury in polar bears (*Ursus maritimus*) from Svalbard using teeth as a biomonitoring tissue, *J Env Monit*, 14(1), 56-63, doi:10.1039/c1em10681c, 2012.
- Ayton, J., et al.: Soil characteristics and abundance of archaea in samples from the Ross Sea Region, Antarctica, doi:10.1594/PANGAEA.807148, Supplement to: Ayton, J; Aislabie, Jackie; Barker, Gary M; Saul, D; Turner, Simon: Crenarchaeota affiliated with group 1.1b are prevalent in coastal mineral soils of the Ross Sea region of Antarctica, *Environ Microbiol*, 12(3), 689-703, doi:10.1111/j.1462-2920.2009.02111.x, 2010.
- Backman, J., et al.: Age control and stratigraphy of a sediment profile from the Lomonosov Ridge, Arctic Ocean, doi:10.1594/PANGAEA.706556, Supplement to: Backman, Jan; Jakobsson, Martin; Frank, Martin; Sangiorgi, Francesca; Brinkhuis, Henk; Stickley, Catherine E; O'Regan, Matthew; Løvlie, Reidar; Pälike, Heiko; Spofforth, David JA; Gattacceca, Jérôme et al.: Age model and core-seismic integration for the Cenozoic Arctic Coring Expedition sediments from the Lomonosov Ridge, *Paleoceanography*, 23(1), PA1S03, doi:10.1029/2007PA001476, 2008.
- Balestra, B., et al.: (Appendix A) Abundance of selected coccolithophores in sediment core DS97-2P, North Atlantic, doi:10.1594/PANGAEA.807155, Supplement to: Balestra, Barbara; Ziveri, Patrizia; Baumann, Karl-Heinz; Troelstra, Simon; Monechi, Simonetta: Surface water dynamics in the Reykjanes Ridge area during the Holocene as revealed by coccolith assemblages, *Mar Micropaleontol*, 76(1-2), 1-10, doi:10.1016/j.marmicro.2010.03.002, 2010.
- Basu, N., et al.: (Table 2) Mercury and selenium concentration in the brain stem of wild polar bears (*Ursus maritimus*), east Greenland, doi:10.1594/PANGAEA.807159, Supplement to: Basu, Niladri; Scheuhammer, Anton M; Sonne, Christian; Letcher, Robert J; Born, Erik W; Dietz, Rune: Is dietary mercury of neurotoxicological concern to wild polar bears (*Ursus maritimus*)? , *Environ Toxicol Chem*, 28(1), 133-140, doi:10.1897/08-251.1, 2009.
- Beaudon, E., et al.: (Table 1) Stable oxygen isotopic ratios and yearly snow accumulation of firn and ice cores from Svalbard, doi:10.1594/PANGAEA.807191, Supplement to: Beaudon, Emilie; Arppe, Laura; Jonsell, Ulf; Martma, Tõnu; Möller, Marco; Pohjola, Veijo A; Scherer, Dieter; Moore, John C: Spatial and temporal variability of net accumulation from shallow cores from vestfonna ice cap (Nordaustlandet, Svalbard), *Geogr Ann Ser Phys Geogr*, 93A(4), 287-299, doi:10.1111/j.1468-0459.2011.00439.x, 2011.
- Beaudon, E., et al.: Geochemistry of frost flowers and snow obtained near Ahlmann summit, Vestfonna ice cap, doi:10.1594/PANGAEA.807202, Supplement to: Beaudon, Emilie; Moore, John C: Frost flower chemical signature in winter snow on Vestfonna ice cap, Nordaustlandet, Svalbard, *The Cryosphere*, 3(2), 147-154, doi:10.5194/tc-3-147-2009, 2009.
- Beaulieu, M., et al.: (Table 1) Egg laying and hatching dates and guarding duration of Adélie penguins (*Pygoscelis adeliae*) on Petrel Island, Antarctica, doi:10.1594/PANGAEA.807225, Supplement to: Beaulieu, Michaël; Dervaux, Antoine; Thierry, Anne-Mathilde; Lazin, David; Le Maho, Yvon; Ropert-Coudert, Yan; Spée, Marion; Raclot, Thierry; Ancel, André: When sea-ice clock is ahead of Adélie penguins' clock, *Funct Ecol*, 24(1), 93-102, doi:10.1111/j.1365-2435.2009.01638.x, 2010.
- Beaulieu, M., et al.: (Table 1) Comparison of dive duration and speed of Adélie penguins (*Pygoscelis adeliae*) equipped with internal and external devices, doi:10.1594/PANGAEA.807230, Supplement to: Beaulieu, Michaël; Ropert-Coudert, Yan; Le Maho, Yvon; Ancel, André: Is abdominal implantation of devices a good alternative to external attachment? A comparative study in Adélie penguins, *J Ornithol*, 151(3), 579-586, doi:10.1007/s10336-009-0491-2, 2010.

- Bechshøft, T., et al.: (Table 1) Retinol (vitamin A) and alpha-tocopherol (vitamin E) concentration in polar bear (*Ursus maritimus*) kidney, doi:10.1594/PANGAEA.807262, Supplement to: Bechshøft, Thea Ø; Sonne, Christian; Dietz, Rune; Born, Erik W; Novak, MA; Henchey, E; Meyer, JS: Cortisol levels in hair of East Greenland polar bears, *Sci Total Environ*, 409(4), 831-834, doi:10.1016/j.scitotenv.2010.10.047, 2011.
- Bechshøft, T., et al.: (Table 1) Concentration of pollutants in hair of East Greenland polar bears (*Ursus maritimus*), doi:10.1594/PANGAEA.807320, Supplement to: Bechshøft, Thea Ø; Rigét, Frank F; Sonne, Christian; Letcher, Robert J; Muir, Derek CG; Novak, MA; Henchey, E; Meyer, JS; Eulaers, I; Jaspers, Veerle LB; Eens, Marcel; Covaci, Adrian; Dietz, Rune: Measuring environmental stress in East Greenland polar bears, 1892-1927 and 1988-2009: What does hair cortisol tell us? , *Environ Int*, 45, 15-21, doi:10.1016/j.envint.2012.04.005, 2012.
- Bechshøft, T., et al.: (Table 1) Cortisol concentration in hair of East Greenland polar bears (*Ursus maritimus*), doi:10.1594/PANGAEA.807316, Supplement to: Bechshøft, Thea Ø; Jakobsen, Jette; Sonne, Christian; Dietz, Rune: Distribution of vitamins A (retinol) and E (alpha-tocopherol) in polar bear kidney: Implications for biomarker studies, *Sci Total Environ*, 409(18), 3508-3511, doi:10.1016/j.scitotenv.2011.05.036, 2011.
- Bechshøft, T., et al.: Length of skull traits and time of attainment of full size of traits in East Greenland and Svalbard polar bears, doi:10.1594/PANGAEA.807252, Supplement to: Bechshøft, Thea Ø; Sonne, Christian; Rigét, Frank F; Wiig, Øystein; Dietz, Rune: Differences in growth, size and sexual dimorphism in skulls of East Greenland and Svalbard polar bears (*Ursus maritimus*), *Polar Biol*, 31(8), 945-958, doi:10.1007/s00300-008-0435-y, 2008.
- Becker, S., et al.: (Table 1) Annual mean concentrations of atmospheric a- and g-Hexachlorocyclohexane at stations Alert, Canada and Zeppelin, Norway, doi:10.1594/PANGAEA.786649, Supplement to: Becker, Sara; Halsall, Crispin J; Tych, Wlodek; Kallenborn, Roland; Su, Yushan; Hung, Hayley: Long-term trends in atmospheric concentrations of a- and g-HCH in the Arctic provide insight into the effects of legislation and climatic fluctuations on contaminant levels, *Atmos Environ*, 42(35), 8225-8233, doi:10.1016/j.atmosenv.2008.07.058, 2008.
- Begum, S., et al.: Habitat characteristics and energy budget of the ocean quahog (*Arctica islandica*), doi:10.1594/PANGAEA.807346, Supplement to: Begum, Salma; Basova, Larisa; Heilmayer, Olaf; Philipp, Eva E R; Abele, Doris; Brey, Thomas: Growth and energy budget models of the bivalve *Arctica islandica* at six different sites in the Northeast Atlantic realm, *J Shellfish Res*, 29(1), 107-115, doi:10.2983/035.029.0103, 2010.
- Beine, HJ., et al.: (Table 1) Characteristics of marine snow and ice samples at Barrow, Alaska, doi:10.1594/PANGAEA.807375, Supplement to: Beine, Harry J; Anastasio, Cort; Domine, Florent; Douglas, Thomas A; Barret, Manuel; France, James; King, Martin; Hall, Sam; Ullmann, Kirk: Soluble chromophores in marine snow, seawater, sea ice and frost flowers near Barrow, Alaska, *J Geophys Res*, 117, D00R15, doi:10.1029/2011JD016650, 2012.
- Bennike, O., et al.: (Table 2) Radiocarbon ages of lake sediments from Boresø, East Greenland, doi:10.1594/PANGAEA.807388, Supplement to: Bennike, Ole; Sørensen, Mikkel; Fredskild, Bent; Jacobsen, Bjarne H; Böcher, Jens; Amsinck, Susanne L; Jeppesen, Erik; Andreasen, Claus; Christiansen, Hanne H; Humlum, Ole: Late quaternary environmental and cultural changes in the Wollaston Forland region, Northeast Greenland, *Adv Ecol Res*, 40, 45-79, doi:10.1016/S0065-2504(07)00003-7, 2008.
- Bergmann, I., et al.: (Table 1) GRACE-derived mass balance of the Greenland ice sheet 2002-2010, doi:10.1594/PANGAEA.807498, Supplement to: Bergmann, Inga; Ramillien, Guillaume; Frappart, Frédéric: Climate-driven interannual ice mass evolution in Greenland, *Glob Planet Change*, 82-83, 1-11, doi:10.1016/j.gloplacha.2011.11.005, 2012.
- Bergmann, M., et al.: (Table 2) Species density and composition of an inshore and offshore station in Kongsfjord, Svalbard, doi:10.1594/PANGAEA.807423, Supplement to: Bergmann, Melanie; Langwald, Nina; Ontrup, Jörg; Soltwedel, Thomas; Schewe, Ingo; Klages, Michael; Nattkemper, Tim W: Megafaunal assemblages from two shelf stations west of Svalbard, *Mar Biol Res*, 7(6), 525-539, doi:10.1080/17451000.2010.535834, 2011.

- Bergmann, M., et al.: (Table 2) Megafauna density 2002, 2004 and 2007 in the deep-sea observatory AWI-HAUSGARTEN, Fram Strait, doi:10.1594/PANGAEA.807446, Supplement to: Bergmann, Melanie; Soltwedel, Thomas; Klages, Michael: The interannual variability of megafaunal assemblages in the Arctic deep sea: Preliminary results from the HAUSGARTEN observatory (79 degrees N), *Deep Sea Res Part I Oceanogr Res Pap*, 58(6), 711-723, doi:10.1016/j.dsr.2011.03.007, 2011.
- Blachowiak-Samolyk, K., et al.: (Table 1) Physical oceanography during Lance cruise LA99/2 in the marginal ice zone of the Barents Sea, doi:10.1594/PANGAEA.807548, Supplement to: Blachowiak-Samolyk, Katarzyna; Kwasniewski, Slawek; Hop, Haakon; Falk-Petersen, Stig: Magnitude of mesozooplankton variability: a case study from the Marginal Ice Zone of the Barents Sea in spring, *J Plankton Res*, 30(3), 311-323, doi:10.1093/plankt/fbn002, 2008.
- Blachowiak-Samolyk, K., et al.: Ice and chlorophyll a concentration and mesozooplankton characteristics during two 'On Thin Ice' cruises, northern Svalbard waters, doi:10.1594/PANGAEA.807568, Supplement to: Blachowiak-Samolyk, Katarzyna; Søreide, Janne E; Kwasniewski, Slawek; Sundfjord, Arild; Hop, Haakon; Falk-Petersen, Stig; Hegseth, Else Nøst: Hydrodynamic control of mesozooplankton abundance and biomass in northern Svalbard waters (79-81 degrees N), *Deep Sea Res Part II Top Stud Oceanogr*, 55(20-21), 2210-2224, doi:10.1016/j.dsr2.2008.05.018, 2008.
- Bockheim, JG., et al.: Characteristics of soils from the Quartermain Mountain area, Antarctica, doi:10.1594/PANGAEA.807625, Supplement to: Bockheim, James G: Soil processes and development rates in the Quartermain Mountains, upper Taylor Glacier region, Antarctica, *Geogr Ann Ser Phys Geogr*, 89A(3), 153-165, doi:10.1111/j.1468-0459.2007.00315.x, 2007.
- Bockheim, JG., et al.: (Table 3) Age-related trends of desert pavement properties in the Transantarctic Mountains, doi:10.1594/PANGAEA.807589, Supplement to: Bockheim, James G: Evolution of desert pavements and the vesicular layer in soils of the Transantarctic Mountains, *Geomorphology*, 118(3-4), 433-443, doi:10.1016/j.geomorph.2010.02.012, 2010.
- Bockheim, JG., et al.: (Table 2) Properties of relict ice and sand wedges from six sites near Rio Gallegos, southern Patagonia, doi:10.1594/PANGAEA.786099, Supplement to: Bockheim, James G; Coronato, A; Rabassa, J; Ercolano, B; Ponce, J: Relict sand wedges in southern Patagonia and their stratigraphic and paleo-environmental significance, *Quaternary Sci Rev*, 28(13-14), 1188-1199, doi:10.1016/j.quascirev.2008.12.011, 2009.
- Bokhorst, S., et al.: Berry production, shoot growth and biomass of *E. hermaphroditum*, *V. vitis-idaea* and *V. myrtilis* at Abisko ANS, doi:10.1594/PANGAEA.807755, Supplement to: Bokhorst, Stef; Bjerke, Jarle W; Street, Laura E; Callaghan, Terry V; Phoenix, Gareth K: Impacts of multiple extreme winter warming events on sub-Arctic heathland: phenology, reproduction, growth, and CO2 flux responses, *Glob Change Biol*, 17(9), 2817-2830, doi:10.1111/j.1365-2486.2011.02424.x, 2011.
- Bokhorst, S., et al.: Impacts of passive warming chambers on soil parameters in Antarctica, doi:10.1594/PANGAEA.807810, Supplement to: Bokhorst, Stef; Huiskes, Ad HL; Convey, Peter; Sinclair, Brent J; Lebouvier, Marc; Van de Vijver, Bart; Wall, Diana H: Microclimate impacts of passive warming methods in Antarctica: implications for climate change studies, *Polar Biol*, 34(10), 1421-1435, doi:10.1007/s00300-011-0997-y, 2011.
- Bokhorst, S., et al.: Climate and soil characteristics and soil arthropod abundance on Anchorage, Signy and Falkland Islands, doi:10.1594/PANGAEA.807698, Supplement to: Bokhorst, Stef; Huiskes, Ad HL; Convey, Peter; van Bodegom, PM; Aerts, Raf: Climate change effects on soil arthropod communities from the Falkland Islands and the Maritime Antarctic, *Soil Biol Biochem*, 40(7), 1547-1556, doi:10.1016/j.soilbio.2008.01.017, 2008.
- Bokhorst, S., et al.: Soil characteristics and decomposition of organic matter on Anchorage, Signy and Falkland Islands, doi:10.1594/PANGAEA.807660, Supplement to: Bokhorst, Stef; Huiskes, Ad HL; Convey, Peter; Aerts, Raf: Climate change effects on organic matter decomposition rates in ecosystems from the Maritime Antarctic and Falkland Islands, *Glob Change Biol*, 13(12), 2642-2653, doi:10.1111/j.1365-2486.2007.01468.x, 2007.

- Bokhorst, S., et al.: Soil characteristics and Collembola and Acari abundance in control and warming plots at Abisco Research Station, doi:10.1594/PANGAEA.807856, Supplement to: Bokhorst, Stef; Tømmervik, H; Callaghan, Terry V; Phoenix, Gareth K; Bjerke, Jarle W: Extreme winter warming events more negatively impact small rather than large soil fauna: shift in community composition explained by traits not taxa, *Glob Change Biol*, 18(3), 1152-1162, doi:10.1111/j.1365-2486.2011.02565.x, 2012.
- Bokhorst, S., et al.: (Table 1) Normalized difference vegetation index in control and warming plots, Abisco Research Station, doi:10.1594/PANGAEA.807879, Supplement to: Bokhorst, Stef; Phoenix, Gareth K; Bjerke, Jarle W; Callaghan, Terry V; Huyer-Brugman, F; Berg, Matty P: Vegetation recovery following extreme winter warming events in the sub-Arctic estimated using NDVI from remote sensing and handheld passive proximal sensors, *Environ Exp Bot*, 81, 18-25, doi:10.1016/j.envexpbot.2012.02.011, 2012.
- Bonnet, S., et al.: Palynology and dinoflagellate counts of surface sediments, and sea surface conditions, of sites in the North Pacific, doi:10.1594/PANGAEA.807216, Supplement to: Bonnet, Sophie; de Vernal, Anne; Gersonde, Rainer; Lembke-Jene, Lester: Modern distribution of dinocysts from the North Pacific Ocean (37-64°N, 144°E-148°W) in relation to hydrographic conditions, sea-ice and productivity, *Mar Micropaleontol*, 84-85, 87-113, doi:10.1016/j.marmicro.2011.11.006, 2012.
- Borghini, F., et al.: Pigment, carbohydrate and protein content of microbial mats from northern Victoria Land lake sediments, doi:10.1594/PANGAEA.807943, Supplement to: Borghini, Francesca; Colacevich, Andrea; Bargagli, Roberto: A study of autotrophic communities in two Victoria Land lakes (Continental Antarctica) using photosynthetic pigments, *J Limnol*, 69(2), 333-340, doi:10.4081/jlimnol.2010.333, 2010.
- Borghini, F., et al.: Water chemistry, and pigments and geochemistry of sediments from northern Victoria Land lakes, doi:10.1594/PANGAEA.807926, Supplement to: Borghini, Francesca; Colacevich, Andrea; Bargagli, Roberto: Water geochemistry and sedimentary pigments in northern Victoria Land lakes, Antarctica, *Polar Biol*, 30, 1173-1182, doi:10.1007/s00300-007-0274-2, 2007.
- Borghini, F., et al.: Site characteristics, sediment geochemistry and pigment concentration of northern Victoria Land lakes, doi:10.1594/PANGAEA.807984, Supplement to: Borghini, Francesca; Colacevich, Andrea; Caruso, Tancredi; Bargagli, Roberto: An Update on Sedimentary Pigments in Victoria Land Lakes (East Antarctica), *Arct Antarct Alp Res*, 43(1), 22-34, doi:10.1657/1938-4246-43.1.22, 2011.
- Borghini, F., et al.: (Table 1) Surface water chemistry of northern Victoria Land lakes, doi:10.1594/PANGAEA.807883, Supplement to: Borghini, Francesca; Colacevich, Andrea; Caruso, Tancredi; Bargagli, Roberto: Temporal variation in the water chemistry of northern Victoria Land lakes (Antarctica), *Aquat Sci*, 70(2), 134-141, doi:10.1007/s00027-008-8026-0, 2008.
- Bory, AJ-M., et al.: (Appendix A) Geochemical composition of snow and eolian mineral dust from Berkner Island ice sheet, Antarctica, doi:10.1594/PANGAEA.786617, Supplement to: Bory, Aloys J-M; Wolff, Eric W; Mulvaney, Robert; Jagoutz, Emil; Wegner, Anna; Ruth, Urs; Elderfield, Henry: Multiple sources supply eolian mineral dust to the Atlantic sector of coastal Antarctica: Evidence from recent snow layers at the top of Berkner Island ice sheet, *Earth Planet Sci Lett*, 291(1-4), 138-148, doi:10.1016/j.epsl.2010.01.006, 2010.
- Brandt, A., et al.: Trawled distance, Isopoda per 1000 m haul length, expected number of species, evenness, and the Shannon-Wiener index from three ANDEEP expeditions, doi:10.1594/PANGAEA.786461, Supplement to: Brandt, Angelika; Brix, Saskia; Brökeland, Wiebke; Choudhury, Madhumita; Kaiser, Stefanie; Malyutina, Marina: Deep-sea isopod biodiversity, abundance, and endemism in the Atlantic sector of the Southern Ocean - Results from the ANDEEP I - III expeditions, *Deep Sea Res Part II Top Stud Oceanogr*, 54(16-17), 1760-1775, doi:10.1016/j.dsr2.2007.07.015, 2007.
- Bratbak, G., et al.: Occurrence, abundance and biomass of photo- and heterotrophic plankton in Norwegian coastal waters, doi:10.1594/PANGAEA.807532, Supplement to: Bratbak, Gunnar; Jacquet, Stéphan; Larsen, Aud; Pettersson, Lasse H; Sazhin, Andrey F; Thyrhaug, Runar: The

- plankton community in Norwegian coastal waters-abundance, composition, spatial distribution and diel variation, *Cont Shelf Res*, 31(14), 1500-1514, doi:10.1016/j.csr.2011.06.014, 2011.
- Bromley, GRM., et al.: Beryllium ages, sedimentology and weathering characteristics of Reedy Glacier deposits, doi:10.1594/PANGAEA.808064, Supplement to: Bromley, Gordon RM; Hall, Brenda L; Stone, John O; Conway, Howard; Todd, Claire E: Late Cenozoic deposits at Reedy Glacier, Transantarctic Mountains: implications for former thickness of the West Antarctic Ice Sheet, *Quaternary Sci Rev*, 29(3-4), 384-398, doi:10.1016/j.quascirev.2009.07.001, 2010.
- Brosius, LS., et al.: Isotopic composition of ground ice, ebullition gases and thermokarst lake water, North America, doi:10.1594/PANGAEA.808037, Supplement to: Brosius, Laura Susan; Anthony, Katey M Walter; Grosse, Guido; Chanton, Jeffrey P; Farquharson, Louise M; Overduin, Pier Paul; Meyer, Hanno: Using the deuterium isotope composition of permafrost meltwater to constrain thermokarst lake contributions to atmospheric CH₄ during the last deglaciation, *J Geophys Res Biogeosciences*, 117(G1), G01022, doi:10.1029/2011JG001810, 2012.
- Brown, LC., et al.: Monthly air temperatures, snow density and snow and ice thickness at Malcolm Ramsay Lake, North America, doi:10.1594/PANGAEA.808080, Supplement to: Brown, Laura C; Duguay, Claude R: A comparison of simulated and measured lake ice thickness using a Shallow Water Ice Profiler, *Hydrol Process*, 25(19), 1932-1941, doi:10.1002/hyp.8087, 2011.
- Bustnes, JO., et al.: (Table 1) Lipid and organochlorine content in blood of common eiders (*Somateria mollissima*) in Svalbard, doi:10.1594/PANGAEA.808093, Supplement to: Bustnes, Jan Ove; Moe, Børge; Herzke, Dorte; Hanssen, Sveinn Are; Nordstad, Tore; Sagerup, Kjetil; Gabrielsen, Geir W; Borgå, Katrine: Strongly increasing blood concentrations of lipid-soluble organochlorines in high arctic common eiders during incubation fast, *Chemosphere*, 79(3), 320-325, doi:10.1016/j.chemosphere.2010.01.026, 2010.
- Bytingsvik, J., et al.: Body measurements and blood plasma lipid, PCB and OH-PCB content of polar bear (*U. maritimus*) mothers and cubs, Svalbard, doi:10.1594/PANGAEA.808112, Supplement to: Bytingsvik, Jenny; Lie, Elisabeth; Aars, Jon; Derocher, Andrew E; Wiig, Øystein; Jensen, Bjørn Munro: PCBs and OH-PCBs in polar bear mother-cub pairs: A comparative plasma levels in 1998 and 2008, *Sci Total Environ*, 417, 117-128, doi:10.1016/j.scitotenv.2011.12.033, 2012.
- Calbet, A., et al.: Chlorophyll a content, protist biomass and experimental plankton growth and mortality in West Greenland water samples, doi:10.1594/PANGAEA.808238, Supplement to: Calbet, Albert; Riisgaard, Karen; Saiz, Enric; Zamora, Sara; Stedmon, Colin A; Nielsen, Torkel Gissel: Phytoplankton growth and microzooplankton grazing along a sub-Arctic fjord (Godthabsfjord, west Greenland), *Mar Ecol Prog Ser*, 442, 11-22, doi:10.3354/meps09343, 2011.
- Callaghan, TV., et al.: Plant frequency and cover abundance at three sites on Disko Island in 1967/1970 and 2009, doi:10.1594/PANGAEA.808157, Supplement to: Callaghan, Terry V; Christensen, Torben R; Jantzen, Elin J: Plant and Vegetation Dynamics on Disko Island, West Greenland: Snapshots Separated by Over 40 Years, *AMBIO*, 40(6), 624-637, doi:10.1007/s13280-011-0169-x, 2011.
- Capron, E., et al.: (Table 1) Gas tie points used to correlate the ice cores NGRIP and EDML, doi:10.1594/PANGAEA.786135, Supplement to: Capron, Emilie; Landais, Amaelle; Lemieux-Dudon, Bénédicte; Schilt, Adrian; Masson-Delmotte, Valerie; Buiron, Daphné; Chappellaz, Jérôme A; Dahl-Jensen, Dorte; Johnsen, Sigfus J; Leuenberger, Markus et al.: Synchronising EDML and NorthGRIP ice cores using d18O of atmospheric oxygen (d18O_{atm}) and CH₄ measurements over MIS5 (80-123 kyr), *Quaternary Sci Rev*, 29(1-2), 222-234, doi:10.1016/j.quascirev.2009.07.014, 2010.
- Cardyn, R., et al.: Molar gas ratios and stable oxygen and nitrogen isotopes of air entrapped in ice, North America, doi:10.1594/PANGAEA.808160, Supplement to: Cardyn, Raphaele; Clark, Ian D; Lacelle, Denis; Lauriol, Bernard; Zdanowicz, Christian; Calmels, Fabrice: Molar gas ratios of air entrapped in ice: A new tool to determine the origin of relict massive ground ice bodies in permafrost, *Quat Res*, 68(2), 239-248, doi:10.1016/j.yqres.2007.05.003, 2007.
- Careau, V., et al.: (Table 1) Stage of the lemming cycle and nesting parameters of the greater snow geese between 1996-2005, Bylot Island, doi:10.1594/PANGAEA.786411, Supplement to: Careau, Vincent; Lecomte, Nicolas; Bêty, Joël; Giroux, Jean-François; Gauthier, Gilles; Berteaux,

- Dominique: Hoarding of pulsed resources: Temporal variations in egg-caching by arctic fox, *Ecoscience*, 15(2), 268-276, doi:10.2980/15-2-3097, 2008.
- Caruso, T., et al.: Topsoil properties and abundance of Acari and Collembola species in northern Victoria Land, Antarctica, doi:10.1594/PANGAEA.786598, Supplement to: Caruso, Tancredi; Borghini, Francesca; Bucci, Charlie; Colacevich, Andrea; Bargagli, Roberto: Modelling local-scale determinants and the probability of microarthropod species occurrence in Antarctic soils, *Soil Biol Biochem*, 39(11), 2949-2956, doi:10.1016/j.soilbio.2007.06.010, 2007.
- Cazzanelli, M., et al.: Absorption characteristics, major elements and chl a content of samples from Pond 19 at Zackenberg, NE Greenland, doi:10.1594/PANGAEA.808244, Supplement to: Cazzanelli, Matteo; Forsström, Laura; Rautio, Milla; Michelsen, Anders; Christoffersen, Kirsten Seestern: Benthic resources are the key to *Daphnia middendorffiana* survival in a high arctic pond, *Freshw Biol*, 57(3), 541-551, doi:10.1111/j.1365-2427.2011.02722.x, 2012.
- Cazzanelli, M., et al.: (Table 1) Biovolume variations of cyanobacteria and total phytoplankton in the Frederiksborg Slotsso, Denmark, doi:10.1594/PANGAEA.808239, Supplement to: Cazzanelli, Matteo; Warming, Trine Perlt; Christoffersen, Kirsten Seestern: Emergent and floating-leaved macrophytes as refuge for zooplankton in a eutrophic temperate lake without submerged vegetation, *Hydrobiologia*, 605, 113-122, doi:10.1007/s10750-008-9324-1, 2008.
- Chaubey, JP., et al.: Aerosol total mass concentration and optical depth during IPY 2007-2008 at Maitri and Larsemann Hills Station, doi:10.1594/PANGAEA.808290, Supplement to: Chaubey, Jai Prakash; Moorthy, K Krishna; Babu, S Suresh; Nair, Vijayakumar S: The optical and physical properties of atmospheric aerosols over the Indian Antarctic stations during southern hemispheric summer of the International Polar Year 2007-2008, *Ann Geophys*, 29(1), 109-121, doi:10.5194/angeo-29-109-2011, 2011.
- Chaulk, A., et al.: Ice characteristics, and mercury content of ice, air and underlying seawater in the eastern Beaufort Sea, doi:10.1594/PANGAEA.808217, Supplement to: Chaulk, Amanda; Stern, Gary A; Armstrong, Debbie; Barber, David G; Wang, Feiyue: Mercury Distribution and Transport Across the Ocean-Sea-Ice-Atmosphere Interface in the Arctic Ocean, *Environ Sci Technol*, 45(5), 1866-1872, doi:10.1021/es103434c, 2011.
- Choudhury, M., et al.: Benthic isopod species in the Ross Sea and their distribution in the Southern Ocean, doi:10.1594/PANGAEA.808313, Supplement to: Choudhury, Madhumita; Brandt, Angelika: Benthic isopods (Crustacea, Malacostraca) from the Ross Sea, Antarctica: species checklist and their zoogeography in the Southern Ocean, *Polar Biol*, 32(4), 599-610, doi:10.1007/s00300-008-0560-7, 2009.
- Chown, SL., et al.: Seed dispersal characteristics to polar regions by means of visitors, doi:10.1594/PANGAEA.808344, Supplement to: Chown, Steven L; Huiskes, Ad HL; Gremmen, Niek JM; Lee, Jennifer E; Terauds, Aleks; Crosbie, Kim; Frenot, Yves; Hughes, Kevin A; Imura, Satoshi; Kiefer, Kate; Lebouvier, Marc; Raymond, Ben et al.: Continent-wide risk assessment for the establishment of nonindigenous species in Antarctica, *Proceedings of the National Academy of Sciences*, 109(13), 4938-4943, doi:10.1073/pnas.1119787109, 2012.
- Christiansen, HH., et al.: (Tables 1, 2) Permafrost borehole characteristics in the Nordic Area during the IPY 2007-2009, doi:10.1594/PANGAEA.808512, Supplement to: Christiansen, Hanne H; Etzelmüller, Bernd; Isaksen, Ketil; Juliussen, H; Farbrot, H; Humlum, Ole; Johansson, M; Ingeman-Nielsen, T; Kristensen, L; Hjort, J; Holmlund, Per; Sannel, A Britta K; Sigsgaard, C et al.: The Thermal State of Permafrost in the Nordic Area during the International Polar Year 2007-2009, *Permaf Periglac Process*, 21(2), 156-181, doi:10.1002/ppp.687, 2010.
- Christiansen, JS., et al.: Biometry, stable isotopes and stomach contents of *A. glacialis* and *B. saida* from Northeast Greenland, doi:10.1594/PANGAEA.808534, Supplement to: Christiansen, Jørgen S; Hop, Haakon; Nilssen, Einar M; Joensen, John: Trophic ecology of sympatric Arctic gadoids, *Arctogadus glacialis* (Peters, 1872) and *Boreogadus saida* (Lepechin, 1774), in NE Greenland, *Polar Biol*, 35(8), 1247-1257, doi:10.1007/s00300-012-1170-y, 2012.
- Christoffersen, KS., et al.: Water chemistry of lakes in Zackenbergdalen between 1997-2003, East Greenland, doi:10.1594/PANGAEA.808539, Supplement to: Christoffersen, Kirsten Seestern; Amsinck, Susanne L; Landkildehus, Frank; Lauridsen, Torben L; Jeppesen, Erik: Lake flora and

- fauna in relation to ice-melt, water temperature and chemistry at Zackenberg, *Adv Ecol Res*, 40, 371-389, doi:10.1016/S0065-2504(07)00016-5, 2008.
- Colacevich, A., et al.: Floral and faunal characteristics and content of photosynthetic pigment in soils of northern Victoria Land, Antarctica, doi:10.1594/PANGAEA.786524, Supplement to: Colacevich, Andrea; Caruso, Tancredi; Borghini, Francesca; Bargagli, Roberto: Photosynthetic pigments in soils from northern Victoria Land (continental Antarctica) as proxies for soil algal community structure and function, *Soil Biol Biochem*, 41(10), 2105-2114, doi:10.1016/j.soilbio.2009.07.020, 2009.
- Colhoun, EA., et al.: Granulometry, geochemistry, amino acids, radiocarbon ages and paleomagnetism of samples from Heidemann Valley, doi:10.1594/PANGAEA.808548, Supplement to: Colhoun, Eric A; Kiernan, Kevin W; McConnell, Anne; Quilty, Patrick G; Fink, David; Murray-Wallace, Colin V; Whitehead, Jason M: Late Pliocene age of glacial deposits at Heidemann Valley, East Antarctica: evidence for the last major glaciation in the Vestfold Hills, *Antarctic Sci*, 22(1), 53-64, doi:10.1017/S0954102009990526, 2010.
- Cortese, G., et al.: Summer sea surface temperatures calculated from radiolaria at ODP Site 177-1089 in the subantarctic Atlantic, doi:10.1594/PANGAEA.684659, Supplement to: Cortese, Giuseppe; Abelman, Andrea; Gersonde, Rainer: The last five glacial-interglacial transitions: A high-resolution 450,000-year record from the subantarctic Atlantic, *Paleoceanography*, 22(4), PA4203, doi:10.1029/2007PA001457, 2007.
- Cortese, G., et al.: (Table 1) Diatom mats from ODP Leg 177 Sites in the Southern Ocean, Atlantic Sector, doi:10.1594/PANGAEA.762829, Supplement to: Cortese, Giuseppe; Gersonde, Rainer: Plio/Pleistocene changes in the main biogenic silica carrier in the Southern Ocean, Atlantic Sector, *Mar Geol*, 252(3-4), 100-110, doi:10.1016/j.margeo.2008.03.015, 2008.
- Cortese, G., et al.: Biometric measurements of *Fragilariopsis kerguelensis*, doi:10.1594/PANGAEA.782735, Supplement to: Cortese, Giuseppe; Gersonde, Rainer; Maschner, Katharina; Medley, Pamela: Glacial-interglacial size variability in the diatom *Fragilariopsis kerguelensis*: Possible iron/dust controls? , *Paleoceanography*, 27, PA1208, doi:10.1029/2011PA002187, 2012.
- Cossa, D., et al.: Mercury species concentrations near Casey station, Antarctica and along the SR3 CASO-GEOTRACES transect, doi:10.1594/PANGAEA.808385, Supplement to: Cossa, Daniel; Heimbürger, Lars-Eric; Lannuzel, Delphine; Rintoul, Stephen R; Butler, Edward CV; Bowie, Andrew R; Averty, Bernard; Watson, Roslyn J; Remenyi, Tomas: Mercury in the Southern Ocean, *Geochim Cosmochim Acta*, 75(14), 4037-4052, doi:10.1016/j.gca.2011.05.001, 2011.
- Cottin, M., et al.: (Table 1) Diving behaviour of male Adélie penguins (*Pygoscelis adeliae*) with and without corticosterone implants at Pointe Géologie, doi:10.1594/PANGAEA.808549, Supplement to: Cottin, Manuelle; Kato, Akiko; Thierry, Anne-Mathilde; Le Maho, Yvon; Raclot, Thierry; Ropert-Coudert, Yan: Does corticosterone affect diving behaviour of male Adélie Penguins? A preliminary experimental study, *Ornithol Sci*, 10(1), 3-11, doi:10.2326/osj.10.3, 2011.
- Cottin, M., et al.: (Table 1) Foraging trip characteristics of male Adélie penguins (*Pygoscelis adeliae*) during their first incubation trip at Pointe Géologie, doi:10.1594/PANGAEA.808563, Supplement to: Cottin, Manuelle; Raymond, Ben; Kato, Akiko; Amélineau, Françoise; Le Maho, Yvon; Raclot, Thierry; Galton-Fenzi, Ben; Meijers, Andrew; Ropert-Coudert, Yan: Foraging strategies of male Adélie penguins during their first incubation trip in relation to environmental conditions, *Mar Biol*, 159(8), 1843-1852, doi:10.1007/s00227-012-1974-x, 2012.
- Cronin, TM., et al.: (Table 2) Radiocarbon ages on Arctic box and multicores, doi:10.1594/PANGAEA.808564, Supplement to: Cronin, Thomas M; Gemery, L; Briggs, WM; Jakobsson, Martin; Polyak, Leonid; Brouwers, EM: Quaternary Sea-ice history in the Arctic Ocean based on a new Ostracode sea-ice proxy, *Quaternary Sci Rev*, 29(25-26), 3415-3429, doi:10.1016/j.quascirev.2010.05.024, 2010.
- Darelius, E., et al.: Relative phase shift and oscillation observations at moorings in the Filchner Depression area, doi:10.1594/PANGAEA.808593, Supplement to: Darelius, E; Smedsrud, Lars Henrik; Osterhus, Svein; Foldvik, Arne; Gammelsrød, Tor: Structure and variability of the Filchner overflow plume, *Tellus A*, 61(3), 446-464, doi:10.1111/j.1600-0870.2009.00391.x, 2009.

- de Jong, J., et al.: Iron concentration and fluxes in the water column during POLARSTERN cruises in the Southern Ocean, doi:10.1594/PANGAEA.808656, Supplement to: de Jong, Jeroen; Schoemann, Véronique; Lannuzel, Delphine; Croot, Peter L; de Baar, Hein JW; Tison, Jean-Louis: Natural iron fertilization of the Atlantic sector of the Southern Ocean by continental shelf sources of the Antarctic Peninsula, *J Geophys Res Biogeosciences*, 117, G01029, doi:10.1029/2011JG001679, 2012.
- den Ouden, MAG., et al.: Ice velocities of Nordenskiöldbreen glacier, Svalbard, doi:10.1594/PANGAEA.809087, Supplement to: den Ouden, MAG; Reijmer, Carleen; Pohjola, Veijo A; van de Wal, Roderik SW; Oerlemans, Johannes; Boot, W: Stand-alone single-frequency GPS ice velocity observations on Nordenskiöldbreen, Svalbard, *The Cryosphere*, 4(4), 593-604, doi:10.5194/tc-4-593-2010, 2010.
- Descamps, S., et al.: (Tables 1,2) Site characteristics and phenotypic attributes of King Penguins (*Aptenodytes patagonicus*) on Possession Island, doi:10.1594/PANGAEA.808873, Supplement to: Descamps, Sébastien; Le Bohec, Céline; Le Maho, Yvon; Gendner, Jean-Paul; Gauthier-Clerc, Michel: Relating demographic performance to breeding-site location in the King Penguin, *Condor*, 111(1), 81-87, doi:10.1525/cond.2009.080066, 2009.
- Desrosiers, PM., et al.: (Table 2) Number of identified specimens and individuals from bones and bone fragments at site IbGk-3, Drayton Island, doi:10.1594/PANGAEA.808897, Supplement to: Desrosiers, Pierre M; Lofthouse, Susan; Bhiry, Najat; Lemieux, Anne-Marie; Monchot, Hervé; Gendron, Daniel; Marguerie, Dominique: The Qijurittuq site (IbGk-3), Eastern Hudson Bay: An IPY Interdisciplinary Study, *Geografisk Tidsskrift*, 110(2), 227-243, , 2010.
- Di Vincenzo, G., et al.: ⁴⁰Ar-³⁹Ar dating and isotopic composition of groundmass and feldspar samples from core AND-2A, doi:10.1594/PANGAEA.809107, Supplement to: Di Vincenzo, Gianfranco; Bracciali, Laura; Del Carlo, Paola; Panter, Kurt S; Rocchi, Sergio: ⁴⁰Ar-³⁹Ar dating of volcanogenic products from the AND-2A core (ANDRILL Southern McMurdo Sound Project, Antarctica): correlations with the Erebus Volcanic Province and implications for the age model of the core, *Bull Volcanol*, 72(4), 487-505, doi:10.1007/s00445-009-0337-z, 2010.
- Dick, TA., et al.: Stomach content and parasite characteristics of *M. scorpius* from Frobisher Bay, Baffin Island, doi:10.1594/PANGAEA.808279, Supplement to: Dick, Terry A; Chambers, Carl; Gallagher, Colin P: Parasites, diet and stable isotopes of shorthorn sculpin (*Myoxocephalus scorpius*) from Frobisher Bay, Canada, *Parasite*, 16(4), 297-304, doi:10.1051/parasite/2009164297, 2009.
- Dietz, R., et al.: (Table 2) Mercury concentration in hair of Northwest Greenland polar bears (*Ursus maritimus*), doi:10.1594/PANGAEA.808872, Supplement to: Dietz, Rune; Born, Erik W; Rigét, Frank F; Aubail, Aurore; Sonne, Christian; Drimmie, R; Basu, Nandini: Temporal trends and future predictions of mercury concentrations in Northwest Greenland polar bear (*Ursus maritimus*) hair, *Environ Sci Technol*, 45(4), 1458-1465, doi:10.1021/es1028734, 2011.
- Dietz, R., et al.: Characteristics, home ranges and population estimates of narwhals (*Monodon monoceros*) around Baffin Island, doi:10.1594/PANGAEA.808846, Supplement to: Dietz, Rune; Heide-Jørgensen, Mads Peter; Richard, Pierre R; Orr, Jack; Laidre, Kristin L; Schmidt, Hans Chrisitan: Movements of narwhals (*Monodon monoceros*) from Admiralty Inlet monitored by satellite telemetry, *Polar Biol*, 31(11), 1295-1306, doi:10.1007/s00300-008-0466-4, 2008.
- Dietz, R., et al.: (Table 2) Organochlorine concentrations in polar bears (*Ursus maritimus*) from East Greenland 1999-2001, doi:10.1594/PANGAEA.841462, Supplement to: Dietz, Rune; Rigét, Frank F; Sonne, Christian; Letcher, Robert J; Born, Erik W; Muir, Derek CG: Seasonal and temporal trends in polychlorinated biphenyls and organochlorine pesticides in East Greenland polar bears (*Ursus maritimus*), 1990-2001, *Sci Total Environ*, 331(1-3), 107-124, doi:10.1016/j.scitotenv.2004.03.025, 2004.
- Dietz, R., et al.: Concentrations of PBDE and BDE congeners in adipose tissue of East Greenland polar bears (*Ursus maritimus*), doi:10.1594/PANGAEA.808815, Supplement to: Dietz, Rune; Rigét, Frank F; Sonne, Christian; Letcher, Robert J; Backus, S; Born, Erik W; Kirkegaard, Maja; Muir, Derek CG: Age and seasonal variability of polybrominated diphenyl ethers in free-ranging East Greenland

- polar bears (*Ursus maritimus*), *Environ Pollut*, 146, 166-173, doi:10.1016/j.envpol.2006.05.040, 2007.
- Divine, DV., et al.: (Table 1) Deuterium excess record during different time periods in Lomonosovfonna ice core, doi:10.1594/PANGAEA.809116, Supplement to: Divine, DV; Isaksson, Elisabeth; Pohjola, Veijo A; Meijer, Harro; van de Wal, Roderik SW; Martma, Tõnu; Moore, J; Sjögren, B; Godtlibsen, Fred: Deuterium excess record from a small Arctic ice cap, *J Geophys Res*, 113(D19), D19104, doi:10.1029/2008JD010076, 2008.
- Domine, F., et al.: Characteristics and aldehyde concentrations of diamond dust events near Barrow, Alaska, doi:10.1594/PANGAEA.809173, Supplement to: Domine, Florent; Gallet, Jean-Charles; Barret, Manuel; Houdier, Stéphan; Voisin, Didier; Douglas, Thomas A; Blum, Joel D; Beine, Harry J; Anastasio, Cort; Bréon, François-Marie: The specific surface area and chemical composition of diamond dust near Barrow, Alaska, *J Geophys Res*, 116, D00R06, doi:10.1029/2011JD016162, 2011.
- Douglas, TA., et al.: Geochemistry, isotopic ratios and aldehyde concentrations of frost flowers, snow and ice near Barrow, Alaska, doi:10.1594/PANGAEA.809218, Supplement to: Douglas, Thomas A; Domine, Florent; Barret, Manuel; Anastasio, Cort; Beine, Harry J; Bottenheim, Jan; Grannas, Amanda; Houdier, Stéphan; Netcheva, Stoyka; Rowland, Glenn; Staebler, Ralf; Steffen, Alexandra: Frost flowers growing in the Arctic ocean-atmosphere-sea ice-snow interface: 1. Chemical composition, *J Geophys Res*, 117(D3), D00R09, doi:10.1029/2011JD016460, 2012.
- Drobyshev, I., et al.: (Table 1) Tree age, post fire stand age, and soil organic matter thickness in the western Quebec black spruce boreal ecosystem, doi:10.1594/PANGAEA.809315, Supplement to: Drobyshev, Igor; Simard, Martin; Bergeron, Yves; Hofgaard, Annika: Does Soil Organic Layer Thickness Affect Climate-Growth Relationships in the Black Spruce Boreal Ecosystem? , *Ecosystems*, 13(4), 556-574, doi:10.1007/s10021-010-9340-7, 2010.
- Duchesne, D., et al.: Environment and habitat characteristics of wintering lemmings in the Arctic, doi:10.1594/PANGAEA.809457, Supplement to: Duchesne, David; Gauthier, Gilles; Berteaux, Dominique: Habitat selection, reproduction and predation of wintering lemmings in the Arctic, *Oecologia*, 167(4), 967-980, doi:10.1007/s00442-011-2045-6, 2011.
- Dünweber, M., et al.: Plankton biomass, POC and PON concentrations, and sinking velocities during the 2008 spring diatom bloom in Disko Bay, doi:10.1594/PANGAEA.809471, Supplement to: Dünweber, Michael; Swalethorp, Rasmus; Kjellerup, Sanne; Nielsen, Torkel Gissel; Arendt, Kristine Engel; Hjorth, Morten; Tönnesson, Kajsa; Møller, Eva Friis: Succession and fate of the spring diatom bloom in Disko Bay, western Greenland, *Mar Ecol Prog Ser*, 419, 11-29, doi:10.3354/meps08813, 2010.
- Ebbesen, H., et al.: (Table 1) Radiocarbon datings and calendar year calibrations in sediment core MD99-2304, western Svalbard, doi:10.1594/PANGAEA.786082, Supplement to: Ebbesen, Hanne; Hald, Morten; Eplet, Trond Henrik: Late glacial and early Holocene climatic oscillations on the western Svalbard margin, European Arctic, *Quaternary Sci Rev*, 26(15-16), 1999-2011, doi:10.1016/j.quascirev.2006.07.020, 2007.
- Ehn, JK., et al.: (Table 1) White ice and melt pond characteristics in Darnley and Franklin Bay, Canada, doi:10.1594/PANGAEA.809476, Supplement to: Ehn, Jens K; Mundy, Christopher J; Barber, David G; Hop, Haakon; Rossnagel, Andrea L; Stewart, Jeremy: Impact of horizontal spreading on light propagation in melt pond covered seasonal sea ice in the Canadian Arctic, *J Geophys Res*, 116, C00G02, doi:10.1029/2010JC006908, 2011.
- Elliott, TL., et al.: (Table 3) Soil temperatures at 10 cm depth after different treatments of wet sedge meadows on Ellesmere Island, doi:10.1594/PANGAEA.809480, Supplement to: Elliott, Tammy L; Henry, Gregory HR: Effects of Simulated Grazing in Ungrazed Wet Sedge Tundra in the High Arctic, *Arct Antarct Alp Res*, 43(2), 198-206, doi:10.1657/1938-4246-43.2.198, 2011.
- Ellis, CJ., et al.: Radiocarbon ages and diatom abundance in samples obtained from Qarlikturvik Valley, Bylot Island, doi:10.1594/PANGAEA.786400, Supplement to: Ellis, Christopher J; Rochefort, Line; Gauthier, Gilles; Pienitz, Reinhard: Paleoecological evidence for transitions between contrasting landforms in a polygon-patterned high arctic wetland, *Arct Antarct Alp Res*, 40(4), 624-637, doi:10.1657/1523-0430(07-059)[ELLIS]2.0.CO;2, 2008.

- Elster, J., et al.: (Table 1) Characteristics of Klebsormidium (filamentous green algae) strains from the Antarctic, Arctic and Slovakia, doi:10.1594/PANGAEA.809498, Supplement to: Elster, Josef; Degma, Peter; Kováčik, Lubomir; Valentová, Lucia; Sramková, Katarina; Pereira, Antonio Batista: Freezing and desiccation injury resistance in the filamentous green alga Klebsormidium from the Antarctic, Arctic and Slovakia, *Biologia*, 63(6), 843-851, doi:10.2478/s11756-008-0111-2, 2008.
- Epstein, HE., et al.: Arctic aboveground tundra biomass dynamics between 1982 and 2010, doi:10.1594/PANGAEA.809919, Supplement to: Epstein, Howard E; Raynolds, Martha K; Walker, Donald A; Bhatt, Uma S; Tucker, Compton J; Pinzon, Jorge E: Dynamics of aboveground phytomass of the circumpolar Arctic tundra during the past three decades, *Environ Research Lett*, 7(1), 12 pp, doi:10.1088/1748-9326/7/1/015506, 2012.
- Falk-Petersen, S., et al.: (Table 2) Fatty acid profile of blubber from harp seals and hooded seals from the Greenland Sea and Denmark Strait, doi:10.1594/PANGAEA.786674, Supplement to: Falk-Petersen, Stig; Haug, Tore; Hop, Haakon; Nilssen, Kjell T; Wold, Anette: Transfer of lipids from plankton to blubber of harp and hooded seals off East Greenland, *Deep Sea Res Part II Top Stud Oceanogr*, 56(121-22), 2080-2086, doi:10.1016/j.dsr2.2008.11.020, 2009.
- Falk-Petersen, S., et al.: Zooplankton and phytoplankton abundance, and stomach content of polar cod in the southern Arctic Ocean and Rijpfjorden, doi:10.1594/PANGAEA.786699, Supplement to: Falk-Petersen, Stig; Leu, Eva; Berge, Jørgen; Kwasniewski, Slawomir; Nygård, Henrik; Røstad, Anders; Keskinen, Essi; Thormar, Jonas; von Quillfeldt, Cecilie; Wold, Anette; Gulliksen, Bjørn: Vertical migration in high Arctic waters during autumn 2004, *Deep Sea Res Part II Top Stud Oceanogr*, 55(20-21), 2275-2284, doi:10.1016/j.dsr2.2008.05.010, 2008.
- Fernández-Severini, MD., et al.: TABLE 1. - Taxa list at Bahi'a Ushuaia and Bahi'a Golondrina, doi:10.1594/PANGAEA.817831, Supplement to: Fernández-Severini, Melisa Daiana; Hoffmeyer, Mónica Susana: Mesozooplankton assemblages in two bays in the Beagle Channel (Argentina) during January 2001, W. Arntz, G. Lovrich and S. Thatje (eds), In: *The Magellan-Antarctic Connection: Links and frontiers at high southern latitudes*, *Scientia Marina* 69 (Suppl. 2), Barcelona, Spain, Institut de Ciències del Mar, CMIMA-CSIC, , , , 2005.
- Flores, J-A., et al.: (Appendix A) Relative abundance of *Emiliana huxleyi* in sediment cores of the North Atlantic, doi:10.1594/PANGAEA.774598, Supplement to: Flores, José-Abel; Colmenero-Hidalgo, Elena; Mejía Molina, Alejandra E; Baumann, Karl-Heinz; Henderiks, Jorijntje; Larsson, Kristina; Prabhu, CN; Sierro, Francisco Javier; Rodrigues, Teresa: Distribution of large *Emiliana huxleyi* in the Central and Northeast Atlantic as a tracer of surface ocean dynamics during the last 25,000 years, *Mar Micropaleontol*, 76(3-4), 53-66, doi:10.1016/j.marmicro.2010.05.001, 2010.
- Fontanella, JE., et al.: (Table 1) Morphometrics of narwhal (*Monodon monoceros*) fluke planforms, doi:10.1594/PANGAEA.809490, Supplement to: Fontanella, Janet E; Fish, Frank E; Rybczynski, Natalia; Nweeia, Martin T; Ketten, Darlene R: Three-dimensional geometry of the narwhal (*Monodon monoceros*) flukes in relation to hydrodynamics, *Mar Mammal Sci*, 27(4), 889-898, doi:10.1111/j.1748-7692.2010.00439.x, 2011.
- Forest, A., et al.: (Table 1) Annual gross and new primary production rates obtained for areas centered on the AWI-HAUSGARTEN mooring (2000-2005), doi:10.1594/PANGAEA.809524, Supplement to: Forest, Alexandre; Wassmann, Paul; Slagstad, Dag; Bauerfeind, Eduard; Nöthig, Eva-Maria; Klages, Michael: Relationships between primary production and vertical particle export at the Atlantic-Arctic boundary (Fram Strait, HAUSGARTEN), *Polar Biol*, 33(12), 1733-1746, doi:10.1007/s00300-010-0855-3, 2010.
- Fountain, AG., et al.: (Table 1) Snow accumulation in the McMurdo Dry Valleys, doi:10.1594/PANGAEA.809526, Supplement to: Fountain, Andrew G; Nylen, Thomas H; Monaghan, Andrew J; Basagic, Hassan J; Bromwich, David H: Snow in the McMurdo Dry Valleys, Antarctica, *Int J Climatol*, 30(5), 633-642, doi:10.1002/joc.1933, 2010.
- Frank, M., et al.: (Table 1) The ¹⁰Be and ⁹Be isotope record of IODP EXP202 composite Site, doi:10.1594/PANGAEA.734478, Supplement to: Frank, Martin; Backman, Jan; Jakobsson, Martin; Moran, Kathryn; O'Regan, Matthew; King, John W; Haley, Brian A; Kubik, Peter W; Garbe-Schönberg, Carl-Dieter: Beryllium isotopes in central Arctic Ocean sediments over the past 12.3

- million years: Stratigraphic and paleoclimatic implications, *Paleoceanography*, 23(1), PA1S02, doi:10.1029/2007PA001478, 2008.
- Frantzen, S., et al.: Dioxin-like and non-dioxin like contaminants in the herring *Clupea harengus* in the Norwegian and North Sea, doi:10.1594/PANGAEA.809888, Supplement to: Frantzen, Sylvia; Måge, Aumund; Iversen, Svein Arnholt; Julshamn, Kåre: Seasonal variation in the levels of organohalogen compounds in herring (*Clupea harengus*) from the Norwegian Sea, *Chemosphere*, 85(2), 179-187, doi:10.1016/j.chemosphere.2011.06.034, 2011.
- Freitas, C., et al.: (Tables 1,2) Tracking records and space use statistics of polar bears (*Ursus maritimus*) in Storfjorden, Svalbard, doi:10.1594/PANGAEA.809534, Supplement to: Freitas, Carla; Kovacs, Kit Maureen; Andersen, Magnus; Aars, Jon; Sandven, Stein; Skern-Mauritzen, Mette; Pavlova, Olga; Lydersen, Christian: Importance of fast ice and glacier fronts for female polar bears and their cubs during spring in Svalbard, Norway, *Mar Ecol Prog Ser*, 447, 289-304, doi:10.3354/meps09516, 2012.
- Fripiat, F., et al.: (Table 1) Water column biogenic silica concentrations and Si isotopic composition during Marion Dufresne cruise MD166 off South Africa, doi:10.1594/PANGAEA.809702, Supplement to: Fripiat, F; Cavagna, A-J; Dehairs, Frank; de Brauwere, A; André, Luc; Cardinal, Damien: Processes controlling the Si-isotopic composition in the Southern Ocean and application for paleoceanography, *Biogeosciences*, 9(7), 2443-2457, doi:10.5194/bg-9-2443-2012, 2012.
- Fripiat, F., et al.: (Table 1) Water column silicic acid concentrations and Si isotopic composition during Marion Dufresne cruise MD166 off South Africa, doi:10.1594/PANGAEA.809699, Supplement to: Fripiat, F; Cavagna, A-J; Dehairs, Frank; Speich, Sabrina; André, Luc; Cardinal, Damien: Silicon pool dynamics and biogenic silica export in the Southern Ocean inferred from Si-isotopes, *Ocean Sci*, 7(5), 533-547, doi:10.5194/os-7-533-2011, 2011.
- Fritsen, CH., et al.: (Table 1) Chlorophyll a content and microalgae abundance and biovolume in pack ice in the Bellingshausen Sea, doi:10.1594/PANGAEA.810069, Supplement to: Fritsen, Christian H; Wirthlin, Eric D; Momberg, Diane K; Lewis, Michael J; Ackley, Stephen F: Bio-optical properties of Antarctic pack ice in the early austral spring, *Deep Sea Res Part II Top Stud Oceanogr*, 58(9-10), 1052-1061, doi:10.1016/j.dsr2.2010.10.028, 2011.
- Fritz, M., et al.: Isotopic ratios and ion composition of massive ground ice on Herschel Island, doi:10.1594/PANGAEA.809946, Supplement to: Fritz, Michael; Wetterich, Sebastian; Meyer, Hanno; Schirrmeister, Lutz; Lantuit, Hugues; Pollard, Wayne H: Origin and characteristics of massive ground ice on Herschel Island (western Canadian Arctic) as revealed by stable water isotope and hydrochemical signatures, *Permaf Periglac Process*, 22(1), 26-38, doi:10.1002/ppp.714, 2011.
- Fritz, M., et al.: Radiocarbon ages, dose rates, water isotopic composition and hydrochemistry of samples from Komakuk Beach and Herschel Island, doi:10.1594/PANGAEA.809992, Supplement to: Fritz, Michael; Wetterich, Sebastian; Schirrmeister, Lutz; Meyer, Hanno; Lantuit, Hugues; Preusser, Frank; Pollard, Wayne H: Eastern Beringia and beyond: Late Wisconsinan and Holocene landscape dynamics along the Yukon Coastal Plain, Canada, *Palaeogeogr Palaeoclimatol Palaeoecol*, 319-320, 28-45, doi:10.1016/j.palaeo.2011.12.015, 2012.
- Gallagher, CP., et al.: Fork lengths, stomach contents and parasites of ninespine stickleback and arctic char in Iqalugaajurului Lake, Canada, doi:10.1594/PANGAEA.810090, Supplement to: Gallagher, Colin P; Dick, Terry A: Ecological characteristics of ninespine stickleback *Pungitius pungitius* from southern Baffin Island, Canada, *Ecol Freshw Fish*, 20(4), 646-655, doi:10.1111/j.1600-0633.2011.00516.x, 2011.
- Gantner, N., et al.: (Table 1) Age, fork length, tissue d15N and d13C and mercury content of arctic char (*Salvelinus alpinus*) across the Canadian Arctic, doi:10.1594/PANGAEA.810106, Supplement to: Gantner, Nikolaus; Muir, Derek CG; Power, Michael; Iqaluk, Deborah; Reist, James D; Babaluk, John A; Meili, Markus; Borg, Hans; Hammar, Johan; Michaud, Wendy K; Dempson, Brian; Solomon, Keith R: Mercury concentrations in landlocked Arctic char (*Salvelinus alpinus*) from the Canadian Arctic Part II: influence of lake biotic and abiotic characteristics on geographic trends in 27 populations, *Environ Toxicol Chem*, 29(3), 633-643, doi:10.1002/etc.96, 2010.

- Gantner, N., et al.: (Table 1) Age, fork length, and tissue d15N and element concentration of arctic char (*Salvelinus alpinus*) from Lake Hazen, doi:10.1594/PANGAEA.810105, Supplement to: Gantner, Nikolaus; Power, Michael; Babaluk, John A; Reist, James D; Köck, Günther; Lockhart, Lyle W; Solomon, Keith R; Muir, Derek CG: Temporal trends of mercury, cesium, potassium, selenium, and thallium in Arctic char (*Salvelinus alpinus*) from Lake Hazen, Nunavut, Canada: effects of trophic position, size, and age, *Environ Toxicol Chem*, 28(2), 254-263, doi:10.1897/08-054.1, 2009.
- Gantner, N., et al.: Isotopic signatures and mercury content of arctic char and their prey, and water chemistry of 18 arctic Canadian lakes, doi:10.1594/PANGAEA.810149, Supplement to: Gantner, Nikolaus; Power, Michael; Iqaluk, Deborah; Meili, Markus; Borg, Hans; Sundbom, Marcus; Solomon, Keith R; Lawson, Greg; Muir, Derek CG: Mercury concentrations in landlocked Arctic char (*Salvelinus alpinus*) from the Canadian Arctic Part I: Insights from trophic relationships in 18 lakes, *Environ Toxicol Chem*, 29(3), 621-632, doi:10.1002/etc.95, 2010.
- Gantner, N., et al.: Water chemistry, and biological traits and mercury content of *Salvelinus alpinus* and *S. namaycush* in Laflamme and Pingualuit lake, doi:10.1594/PANGAEA.810120, Supplement to: Gantner, Nikolaus; Veillette, Julie; Michaud, Wendy K; Bajno, Robert; Muir, Derek CG; Vincent, Warwick C; Power, Michael; Dixon, Brian; Reist, James D; Hausmann, Sonja; Pienitz, Reinhard: Physical and biological factors affecting mercury and perfluorinated contaminants in arctic char (*Salvelinus alpinus*) of Pingualuit Crater Lake (Nunavik, Canada), *Arctic*, 65(2), 195-206, doi:10.14430/arctic4200, 2012.
- García, M., et al.: (Table 2) Characteristics of a turbidite flow inferred from physiography and morphology of the margin and the sediment waves, doi:10.1594/PANGAEA.810150, Supplement to: García, Marga; Dowdeswell, Julian A; Ercilla, Gemma; Jakobsson, Martin: Recent glacially influenced sedimentary processes on the East Greenland continental slope and deep Greenland Basin, *Quaternary Sci Rev*, 49, 64-81, doi:10.1016/j.quascirev.2012.06.016, 2012.
- Garde, E., et al.: (Table 2) Age determination of harp seals (*Pagophilus groenlandicus*) from the Barents Sea - comparison of methods, doi:10.1594/PANGAEA.810152, Supplement to: Garde, Eva; Frie, Anne K; Dunshea, Glenn; Hansen, Steen H; Kovacs, Kit Maureen; Lydersen, Christian: Harp seal ageing techniques-teeth, aspartic acid racemization, and telomere sequence analysis, *J Mammal*, 91(6), 1365-1374, doi:10.1644/10-MAMM-A-080.1, 2010.
- Garrigue, C., et al.: (Table 1) Date, deployment location, tag longevity, and satellite data of humpback whales (*Megaptera novaeangliae*) off New Caledonia, doi:10.1594/PANGAEA.810167, Supplement to: Garrigue, Claire; Zerbini, Alexandre N; Geyer, Ygor; Heide-Jørgensen, Mads Peter; Hanaoka, Wakao; Clapham, Phil: Movements of satellite-monitored humpback whales from New Caledonia, *J Mammal*, 91(1), 109-115, doi:10.1644/09-MAMM-A-033R.1., 2010.
- Gebbink, WA., et al.: (Table 1) Concentrations of neutral and phenolic organohalogen compounds in adipose tissue, blood, brain and liver of polar bears (*Ursus maritimus*) from East Greenland, doi:10.1594/PANGAEA.810194, Supplement to: Gebbink, Wouter A; Sonne, Christian; Dietz, Rune; Kirkegaard, Maja; Born, Erik W; Muir, Derek CG; Letcher, Robert J: Target tissue selectivity and burdens of diverse classes of brominated and chlorinated contaminants in polar bears (*Ursus maritimus*) from East Greenland, *Environ Sci Technol*, 42(3), 752-759, doi:10.1021/es071941f, 2008.
- Geiger, S., et al.: Body mass, flipper length, oxidative balance indices and telomere length of king penguin chicks (*A. patagonicus*) on Possession Island, doi:10.1594/PANGAEA.810206, Supplement to: Geiger, Sylvie; le Vaillant, Maryline; Lebard, Thomas; Reichert, Sophie; Stier, Antoine; Le Maho, Yvon; Criscuolo, Francois: Catching-up but telomere loss: half-opening the black box of growth and ageing trade-off in wild king penguin chicks, *Mol Ecol*, 21(6), 1500-1510, doi:10.1111/j.1365-294X.2011.05331.x, 2012.
- Gerringa, LJA., et al.: (Table 1) Vertical turbulent eddy diffusivity of selected stations from the Nathaniel B. Palmer cruise NBP09-01, doi:10.1594/PANGAEA.810237, Supplement to: Gerringa, Loes JA; Alderkamp, Anne-Carlijn; Laan, Patrick; Thuróczy, Charles-Edouard; de Baar, Hein JW; Mills, Matthew M; van Dijken, Gert L; van Haren, Hans; Arrigo, Kevin R: Iron from melting glaciers fuels the phytoplankton blooms in Amundsen Sea (Southern Ocean): Iron biogeochemistry, *Deep Sea Res Part II Top Stud Oceanogr*, 71-76, 16-31, doi:10.1016/j.dsr2.2012.03.007, 2012.

- Gies, P., et al.: UV exposure and visible erythema of expeditioners at Casey, Davis and Mawson station, doi:10.1594/PANGAEA.810254, Supplement to: Gies, Peter; Watzl, Roland; Javorniczky, John; Roy, Colin; Henderson, Stuart; Ayton, Jeff; Kingston, Melissa: Measurement of the UVR exposures of expeditioners on Antarctic resupply voyages, *Photochem Photobiol*, 85(6), 1485-1490, doi:10.1111/j.1751-1097.2009.00602.x, 2009.
- Gómez, Ml., et al.: (Table 1) Near surface water chemistry of south Patagonian waters during spring and winter, doi:10.1594/PANGAEA.810268, Supplement to: Gómez, Maréa Inés; Piola, Alberto R; Kattner, Gerhard; Alder, Viviana A: Biomass of autotrophic dinoflagellates under weak vertical stratification and contrasting chlorophyll levels in subantarctic shelf waters, *J Plankton Res*, 33(8), 1304-1310, doi:10.1093/plankt/fbr031, 2011.
- Gough, L., et al.: Carbon/Nitrogen ratio of plant tissues and biomass of belowground consumers after 11 years of experimental treatment, Toolik lake, doi:10.1594/PANGAEA.810279, Supplement to: Gough, Laura; Moore, John C; Shaver, Gavis R; Simpson, Rodney T; Johnson, David R: Above- and belowground responses of arctic tundra ecosystems to altered soil nutrients and mammalian herbivory, *Ecology*, 93(7), 1683-1694, doi:10.1890/11-1631.1, 2012.
- Gouteux, B., et al.: Total length, and lipid and toxaphene content in blubber of minke whales (*B. acutorostrata*) from the North Atlantic, doi:10.1594/PANGAEA.810306, Supplement to: Gouteux, B; Muir, Derek CG; Backus, S; Born, Erik W; Dietz, Rune; Haug, Tore; Metcalfe, T; Metcalfe, C; Øien, Nils: Toxaphene in minke whales (*Balaenoptera acutorostrata*) from the North Atlantic, *Environ Pollut*, 153(1), 71-83, doi:10.1016/j.envpol.2007.07.031, 2008.
- Gradinger, R., et al.: (Table 1) Composition of stomach and gut content of the amphipod *Onisimus litoralis*, and algal availability near Barrow, Alaska, doi:10.1594/PANGAEA.810308, Supplement to: Gradinger, Rolf; Bluhm, Bodil A: Timing of Ice Algal Grazing by the Arctic Nearshore Benthic Amphipod *Onisimus litoralis*, *Arctic*, 63(3), 355-356, doi:10.1016/j.dsr2.2009.08.008, 2010.
- Gradinger, R., et al.: Properties and faunal abundances of level sea ice and sea-ice ridges in the Chukchi/Beaufort Seas and Canada Basin, doi:10.1594/PANGAEA.786639, Supplement to: Gradinger, Rolf; Bluhm, Bodil A; Iken, Katrin: Arctic sea-ice ridges - Safe heavens for sea-ice fauna during periods of extreme ice melt? , *Deep Sea Res Part II Top Stud Oceanogr*, 57(1-2), 86-95, doi:10.1016/j.dsr2.2009.08.008, 2010.
- Graeve, M., et al.: Biometry, and fatty acid and fatty alcohol composition of the Arctic ctenophore *Mertensia ovum* from Kongsfjorden, doi:10.1594/PANGAEA.810340, Supplement to: Graeve, Martin; Lundberg, Marte; Böer, Marco; Kattner, Gerhard; Hop, Haakon; Falk-Petersen, Stig: The fate of dietary lipids in the Arctic ctenophore *Mertensia ovum* (Fabricius 1780), *Mar Biol*, 153(4), 643-651, doi:10.1007/s00227-007-0837-3, 2008.
- Guéguen, C., et al.: (Table 1) Salinity, dissolved organic carbon and absorption characteristics of surface river waters around Hudson Bay, doi:10.1594/PANGAEA.810341, Supplement to: Guéguen, Celine; Granskog, Mats A; McCullough, G; Barber, David G: Characterisation of colored dissolved organic matter in Hudson Bay and Hudson Strait using parallel factor analysis, *J Mar Sys*, 88(3), 423-433, doi:10.1016/j.jmarsys.2010.12.001, 2011.
- Gunn, GE., et al.: (Table 3) Air temperatures, and snow and ice characteristics of fresh and brackish water lakes in the Northwest Territories, Canada, doi:10.1594/PANGAEA.810343, Supplement to: Gunn, Grant E; Duguay, Claude R; Derksen, Chris P; Lemmetyinen, Juha; Toose, Peter: Evaluation of the HUT modified snow emission model over lake ice using airborne passive microwave measurements, *Remote Sens Environ*, 115(1), 233-244, doi:10.1016/j.rse.2010.09.001, 2011.
- Gutleb, AC., et al.: (Table 1) Concentration of PCB and other contaminants in blood plasma of polar bears (*Ursus maritimus*) from Svalbard, doi:10.1594/PANGAEA.810387, Supplement to: Gutleb, Arno C; Cenijn, Peter; van Velzen, Martin; Lie, Elisabeth; Ropstad, Erik; Skaare, Janneche Utne; Malmberg, Tina; Bergman, Åke; Gabrielsen, Geir W; Legler, Juliette: In vitro assay shows that PCB metabolites completely saturate thyroid hormone transport capacity in blood of wild polar bears (*Ursus maritimus*), *Environ Sci Technol*, 44(8), 3149-3154, doi:10.1021/es903029j, 2010.
- Gwynn-Jones, D., et al.: Berry size and seed number of *V. myrtilus* and *E. hermaphroditum* according to treatment, and environmental parameters 1991-2009 at Abisko Research Station, doi:10.1594/PANGAEA.810461, Supplement to: Gwynn-Jones, Dylan; Jones, Alan G; Waterhouse,

- Alice; Winters, Ana; Comont, David; Scullion, John; Gardias, Rosie; Graae, Bente J; Lee, John A; Callaghan, Terry V: Enhanced UV-B and Elevated CO₂ Impacts Sub-Arctic Shrub Berry Abundance, Quality and Seed Germination, *AMBIO*, 41(3 SU), 256-268, doi:10.1007/s13280-012-0311-4, 2012.
- Haas, C., et al.: Helicopter-borne sea ice thickness measurements during cruises ARK-XX/2 and ARK-XXII/2 (SPACE) in the Arctic Ocean, doi:10.1594/PANGAEA.778336, Supplement to: Haas, Christian; Pfaffling, Andreas; Hendricks, Stefan; Rabenstein, Lasse; Etienne, Jean-Louis; Rigor, Ignatius: Reduced ice thickness in Arctic Transpolar Drift favors rapid ice retreat, *Geophys Res Lett*, 35, L17501, doi:10.1029/2008GL034457, 2008.
- Hahn, S., et al.: Isotopic composition of diet and tissues, and isotope discrimination factors for pink-footed and barnacle geese, Svalbard, doi:10.1594/PANGAEA.810427, Supplement to: Hahn, Steffen; Loonen, Maarten JJE; Klaassen, Marcel: The reliance on distant resources for egg formation in high Arctic breeding barnacle geese *Branta leucopsis*, *J Avian Biol*, 42(2), 159-168, doi:10.1111/j.1600-048X.2010.05189.x, 2011.
- Hald, M., et al.: Foraminifer counts in core JM01-1199, and review of radiocarbon ages in the Norwegian-Barents Sea-Svalbard margin, doi:10.1594/PANGAEA.786092, Supplement to: Hald, Morten; Andersson, Carin; Ebbesen, Hanne; Jansen, Eystein; Klitgaard-Kristensen, Dorte; Risebrobakken, Bjørg; Salomonsen, Gaute R; Sarnthein, Michael; Sejrup, Hans Petter; Telford, Richard J: Variations in temperature and extent of Atlantic Water in the northern North Atlantic during the Holocene, *Quaternary Sci Rev*, 26(25-28), 3423-3440, doi:10.1016/j.quascirev.2007.10.005, 2007.
- Hald, M., et al.: 210Pb and AMS radiocarbon dates of sediment cores JM99-1197 and JM02-59 obtained in Malangen, doi:10.1594/PANGAEA.810470, Supplement to: Hald, Morten; Salomonsen, Gaute R; Husum, Katrine; Wilson, Laurie J: A 2000 year record of Atlantic Water temperature variability from the Malangen Fjord, northeastern North Atlantic, *The Holocene*, 21(7), 1049-1059, doi:10.1177/0959683611400457, 2011.
- Hallanger, IG., et al.: Stable isotopes, PCBs and pesticide concentrations in zooplankton, seawater and POM from Kongsfjorden and Liefdefjorden, Svalbard, doi:10.1594/PANGAEA.810522, Supplement to: Hallanger, Ingeborg G; Ruus, Anders; Warner, Nicholas A; Herzke, Dorte; Evenset, Anita; Schøyen, Merete; Gabrielsen, Geir W; Borgå, Katrine: Differences between Arctic and Atlantic fjord systems on bioaccumulation of persistent organic pollutants in zooplankton from Svalbard, *Sci Total Environ*, 409(14), 2783-2795, doi:10.1016/j.scitotenv.2011.03.015, 2011.
- Hallanger, IG., et al.: Persistent organic pollutants, d13C and d15N in zooplankton, fish and bird species in Kongsfjorden according to season, doi:10.1594/PANGAEA.810532, Supplement to: Hallanger, Ingeborg G; Warner, Nicholas A; Ruus, Anders; Evenset, Anita; Christensen, Guttorm; Herzke, Dorte; Gabrielsen, Geir W; Borgå, Katrine: Seasonality in contaminant accumulation in Arctic marine pelagic food webs using trophic magnification factor as a measure of bioaccumulation, *Environ Toxicol Chem*, 30(5), 1026-1035, doi:10.1002/etc.488, 2011.
- Hanslik, D., et al.: (Table 1) Radiocarbon ages and different calibrated ages for sediment core HLY0503-18TC obtained during the HOTRAX expedition, doi:10.1594/PANGAEA.810548, Supplement to: Hanslik, Daniela; Jakobsson, Martin; Backman, Jan; Björck, Svante; Sellén, Emma; O'Regan, Matthew; Fornaciari, Eliana; Skog, Göran: Quaternary Arctic Ocean sea ice variations and radiocarbon reservoir age corrections, *Quaternary Sci Rev*, 29(25-26), 3430-3441, doi:10.1016/j.quascirev.2010.06.011, 2010.
- Hauser, N., et al.: (Table 1) Date, deployment location, tag longevity, and satellite data of humpback whales (*Megaptera novaeangliae*) from the Cook Islands, doi:10.1594/PANGAEA.810594, Supplement to: Hauser, Nan; Zerbini, Alexandre N; Geyer, Ygor; Heide-Jørgensen, Mads Peter; Clapham, Phil: Movements of satellite-monitored humpback whales, *Megaptera novaeangliae*, from the Cook Islands, *Mar Mammal Sci*, 26(3), 679-685, doi:10.1111/j.1748-7692.2009.00363.x, 2010.
- Hedenås, H., et al.: Mean cover and frequencies of vascular plant species during three decades around Abisko Scientific Research Station, doi:10.1594/PANGAEA.810661, Supplement to: Hedenås, Henrik; Carlsson, Bengt Å; Emanuelsson, Urban; Headley, Alistair D; Jonasson, Christer; Svensson, Brita M; Callaghan, Terry V: Changes versus homeostasis in Alpine and Sub-Alpine

- vegetation over three decades in the Sub-Arctic, *AMBIO*, 41(S3), 187-196, doi:10.1007/s13280-012-0312-3, 2012.
- Hedenås, H., et al.: Tree characteristics, biomass and vegetation cover near Abisko Research Station in 1997 and 2010, doi:10.1594/PANGAEA.810621, Supplement to: Hedenås, Henrik; Olsson, Håkan; Jonasson, Christer; Bergstedt, Johan; Dahlberg, Ulrika; Callaghan, Terry V: Changes in Tree Growth, Biomass and Vegetation Over a 13-Year Period in the Swedish Sub-Arctic, *AMBIO*, 40(6), 672-682, doi:10.1007/s13280-011-0173-1, 2011.
- Hegseth, MN., et al.: (Table 1) Antioxidant concentrations in liver of wild sea bird chicks from the Norwegian arctic region, doi:10.1594/PANGAEA.810711, Supplement to: Hegseth, Marit Nøst; Camus, Lionel; Helgason, Lisa Bjørnsdatter; Bocchetti, Raffaella; Gabrielsen, Geir W; Regoli, Francesco: Hepatic antioxidant responses related to levels of PCBs and metals in chicks of three Arctic seabird species, *Comp Biochem Physiol Part C Toxicol Pharmacol*, 154(1), 28-35, doi:10.1016/j.cbpc.2011.02.008, 2011.
- Hegseth, MN., et al.: Concentrations of metals and POPs in liver tissue of wild sea bird chicks from the Norwegian arctic region, doi:10.1594/PANGAEA.810714, Supplement to: Hegseth, Marit Nøst; Regoli, Francesco; Gorbi, Stefania; Bocchetti, Raffaella; Gabrielsen, Geir W; Camus, Lionel: Lysosomal and lipid-associated parameters in the livers of three species of arctic seabird chicks: Species differences and relationships with contaminant levels, *Mar Pollut Bull*, 62(8), 1652-1660, doi:10.1016/j.marpolbul.2011.06.011, 2011.
- Heide-Jørgensen, MP., et al.: (Table 1) Beluga (*Delphinapterus leucas*) density and abundance, and pod characteristics in west Greenland waters, doi:10.1594/PANGAEA.811008, Supplement to: Heide-Jørgensen, Mads Peter; Laidre, Kristin L; Borchers, David; Marques, Tiago A; Stern, H; Simon, M: The effect of sea-ice loss on beluga whales (*Delphinapterus leucas*) in West Greenland, *Polar Res*, 29(2), 198-208, doi:10.1111/j.1751-8369.2009.00142.x, 2010.
- Heide-Jørgensen, MP., et al.: Characteristics of narwhal (*Monodon monoceros*) sightings in east and west Greenland waters (2007-2008), doi:10.1594/PANGAEA.811015, Supplement to: Heide-Jørgensen, Mads Peter; Laidre, Kristin L; Burt, ML; Borchers, DL; Marques, Tiago A; Hansen, RG; Rasmussen, M; Fossette, S: Abundance of narwhals (*Monodon monoceros*) on the hunting grounds in Greenland, *J Mammal*, 91(5), 1135-1151, doi:10.1644/09-MAMM-A-198.1, 2010.
- Heide-Jørgensen, MP., et al.: Travel time and speed of gray whales and amphipod abundance along Chukotka Peninsula in 2006, doi:10.1594/PANGAEA.811069, Supplement to: Heide-Jørgensen, Mads Peter; Laidre, Kristin L; Litovka, D; Villum Jensen, M; Grebmeier, Jacqueline M; Sirenko, Boris I: Identifying gray whale (*Eschrichtius robustus*) foraging grounds along the Chukotka Peninsula, Russia, using satellite telemetry, *Polar Biol*, 35(7), 1035-1045, doi:10.1007/s00300-011-1151-6, 2012.
- Heldmann, JL., et al.: (Table 1) Moisture content of buried snowpack deposit samples from Pearse Valley, McMurdo Dry Valleys, doi:10.1594/PANGAEA.810715, Supplement to: Heldmann, JL; Marinova, M; Williams, KE; Lacelle, Denis; McKay, Christopher P; Davila, A; Pollard, W; Andersen, D T: Formation and evolution of buried snowpack deposits in Pearse Valley, Antarctica, and implications for Mars, *Antarctic Sci*, 24(03), 299-316, doi:10.1017/S0954102011000903, 2012.
- Helgason, LB., et al.: Enzyme activity and liver tissue PCB concentrations of chicks of northern fulmars (*F. glacialis*) and black-legged kittiwakes (*R. tridactyla*) from Kongsfjorden, doi:10.1594/PANGAEA.811083, Supplement to: Helgason, Lisa Bjørnsdatter; Arukwe, Augustine; Gabrielsen, Geir W; Harju, Mikael; Hegseth, Marit Nøst; Heimstad, Eldbjørg S; Jørgensen, Even H; Mortensen, Anne S; Walkers, Johannes: Biotransformation of PCBs in Arctic seabirds: Characterization of phase I and II pathways at transcriptional, translational and activity levels, *Comp Biochem Physiol Part C Toxicol Pharmacol*, 152(1), 34-41, doi:10.1016/j.cbpc.2010.02.009, 2010.
- Helgason, LB., et al.: Concentration of persistent organic pollutants and mercury in seabird eggs collected in Norway, doi:10.1594/PANGAEA.786563, Supplement to: Helgason, Lisa Bjørnsdatter; Barrett, Rob; Lie, Elisabeth; Polder, Anuschka; Skaare, Janneche Utne; Gabrielsen, Geir W: Levels and temporal trends (1983-2003) of persistent organic pollutants (POPs) and mercury (Hg) in

- seabird eggs from northern Norway, *Environ Pollut*, 155(1), 190-198, doi:10.1016/j.envpol.2007.10.022, 2008.
- Helgason, LB., et al.: (Table 1) Hepatic EROD activity and and retinoid concentrations in the liver, and plasma thyroid hormones of northern fulmars (*Fulmarus glacialis*) from Bjørnøya, doi:10.1594/PANGAEA.811150, Supplement to: Helgason, Lisa Bjørnsdatter; Verreault, Jonathan; Braune, Birgit M; Borgå, Katrine; Primicerio, Raul; Jenssen, Bjørn Munro; Gabrielsen, Geir W: Relationship between persistent halogenated organic contaminants and TCDD-toxic equivalents on EROD activity and retinoid and thyroid hormone status in northern fulmars, *Sci Total Environ*, 408(24), 6117-6123, doi:10.1016/j.scitotenv.2010.08.037, 2010.
- Henriksen, MV., et al.: Carbon, nitrogen and lipid content and egg and pellet production of female *Calanus hyperboreus* in situ and during incubation experiments, doi:10.1594/PANGAEA.811157, Supplement to: Henriksen, Marie Vestergaard; Jung-Madsen, Signe; Nielsen, Torkel Gissel; Møller, Eva Friis; Henriksen, Karen Vestergaard; Markager, Stiig; Hansen, Benni Winding: Effects of temperature and food availability on feeding and egg production of *Calanus hyperboreus* from Disko Bay, western Greenland, *Mar Ecol Prog Ser*, 447, 109-126, doi:10.3354/meps09421, 2012.
- Hermanson, MH., et al.: (Table S1) Brominated flame retardant concentrations in an ice core from Høltedahlfonna, Svalbard, doi:10.1594/PANGAEA.810954, Supplement to: Hermanson, Mark H; Isaksson, Elisabeth; Forsström, Sanja; Teixeira, Camilla; Muir, Derek CG; Pohjola, Veijo A; van de Wal, Roderik SW: Deposition History of Brominated Flame Retardant Compounds in an Ice Core from Høltedahlfonna, Svalbard, Norway, *Environ Sci Technol*, 44(19), 7405-7410, doi:10.1021/es1016608, 2010.
- Hill, GB., et al.: (Table 1) Biomass and total standing crop of major wet sedge tundra species at five sites at Alexandra Fiord in 1981 and 2005, doi:10.1594/PANGAEA.811179, Supplement to: Hill, Geoff B; Henry, Gregory HR: Responses of High Arctic wet sedge tundra to climate warming since 1980, *Glob Change Biol*, 17(1), 276-287, doi:10.1111/j.1365-2486.2010.02244.x, 2011.
- Hillenbrand, C-D., et al.: Sedimentary record of the western Amundsen Sea Embayment after the last glacial maximum, doi:10.1594/PANGAEA.715974, Supplement to: Hillenbrand, Claus-Dieter; Smith, James A; Kuhn, Gerhard; Esper, Oliver; Gersonde, Rainer; Larter, Robert D; Maher, Barbara A; Moreton, Steven Grahame; Shimmield, Tracy M; Korte, Monika: Age assignment of a diatomaceous ooze deposited in the western Amundsen Sea Embayment after the last glacial maximum, *J Quat Sci*, 25(3), 280-295, doi:10.1002/jqs.1308, 2010.
- Hindell, MA., et al.: (Table 1) Stable carbon and nitrogen isotopic ratios of potential prey species of bearded seals (*Erignathus barbatus*), Svalbard, doi:10.1594/PANGAEA.811213, Supplement to: Hindell, Mark A; Lydersen, Christian; Hop, Haakon; Kovacs, Kit Maureen: Pre-Partum Diet of Adult Female Bearded Seals in Years of Contrasting Ice Conditions, *PLoS ONE*, 7(5), e38307, doi:10.1371/journal.pone.0038307, 2012.
- Hofgaard, A., et al.: Birch sapling characteristics growing beyond the tree line in Norway and Sweden, doi:10.1594/PANGAEA.811218, Supplement to: Hofgaard, Annika; Dalen, Linda; Hytteborn, Håkan: Tree recruitment above the treeline and potential for climate-driven treeline change, *J Veg Sci*, 20(6), 1133-1144, doi:10.1111/j.1654-1103.2009.01114.x, 2009.
- Hofmeyr, GJG., et al.: (Table 1) Prey species identified from the scats of Antarctic fur seals (*Arctocephalus gazella*) on Bouvet Island, doi:10.1594/PANGAEA.811221, Supplement to: Hofmeyr, GJ Greg; Bester, Marthán N; Kirkman, Steve P; Lydersen, Christian; Kovacs, Kit Maureen: Intraspecific differences in the diet of Antarctic fur seals at Nyrøysa, Bouvetøya, *Polar Biol*, 33(9), 1171-1178, doi:10.1007/s00300-010-0805-0, 2010.
- Hogan, KA., et al.: (Table 2) AMS radiocarbon dates from sediment cores obtained during James Clark Ross cruise JR142, Kvitøya Trough, doi:10.1594/PANGAEA.811288, Supplement to: Hogan, Kelly A; Dowdeswell, Julian A; Noormets, R; Evans, J; Cofaigh, Colm Ó; Jakobsson, Martin: Submarine landforms and ice-sheet flow in the Kvitøya Trough, northwestern Barents Sea, *Quaternary Sci Rev*, 29(25-26), 3545-3562, doi:10.1016/j.quascirev.2010.08.015, 2010.
- Holzkämper, S., et al.: (Table 1) Stable oxygen and carbon isotopic ratios of tree rings, and tree ring width of white spruce (*Picea glauca*), Ennadai Lake, doi:10.1594/PANGAEA.811350, Supplement to: Holzkämper, Steffen; Tillman, Päivi Kaislahti; Kuhry, Peter; Esper, Jan: Comparison of stable

- carbon and oxygen isotopes in *Picea glauca* tree rings and *Sphagnum fuscum* moss remains from subarctic Canada, *Quat Res*, 78(2), 295-302, doi:10.1016/j.yqres.2012.05.014, 2012.
- Hoogstraten, A., et al.: Seawater chemistry, nutrients, chlorophyll a, and growth rate of *Phaeocystis globosa* during experiments, doi:10.1594/PANGAEA.810898, Supplement to: Hoogstraten, Astrid; Peters, M; Timmermans, Klaas R; de Baar, Hein JW: Combined effects of inorganic carbon and light on *Phaeocystis globosa* Scherffel (Prymnesiophyceae), *Biogeosciences*, 9(5), 1885-1896, doi:10.5194/bg-9-1885-2012, 2012.
- Hoogstraten, A., et al.: Seawater carbonate chemistry, nutrients, chlorophyll and diatom *Proboscia alata* during experiments, 2012, doi:10.1594/PANGAEA.778472, Supplement to: Hoogstraten, Astrid; Timmermans, Klaas R; de Baar, Hein JW: Morphological and physiological effects in *Proboscia alata* (bacillariophyceae) grown under different light and co2 conditions of the modern southern ocean, *J Phycol*, 48(3), 559-568, doi:10.1111/j.1529-8817.2012.01148.x, 2012.
- Hop, H., et al.: Chlorophyll a concentration and zooplankton abundance and biomass below melting sea ice in the Amundsen Gulf, doi:10.1594/PANGAEA.811354, Supplement to: Hop, Haakon; Mundy, Christopher J; Gosselin, Michel; Rossnagel, Andrea L; Barber, David G: Zooplankton boom and ice amphipod bust below melting sea ice in the Amundsen Gulf, Arctic Canada, *Polar Biol*, 34(12), 1947-1958, doi:10.1007/s00300-011-0991-4, 2011.
- Howat, IM., et al.: (Table S1) Flux gate discharge and centerline discharge of Helheim, Kangerdlugssuaq and Jakobshavn glacier, Greenland, doi:10.1594/PANGAEA.811483, Supplement to: Howat, Ian M; Ahn, Yushin; Joughin, Ian; van den Broeke, Michiel R; Lenaerts, Jan T M; Smith, Ben E: Mass balance of Greenland's three largest outlet glaciers, 2000-2010, *Geophys Res Lett*, 38(12), L12501, doi:10.1029/2011GL047565, 2011.
- Hudson, JMG., et al.: (Table 1) Effects of experimental warming on plant cover and diversity indices in an evergreen shrub at Alexandra Fiord, doi:10.1594/PANGAEA.811359, Supplement to: Hudson, James MG; Henry, Gregory HR: High Arctic plant community resists 15 years of experimental warming, *J Ecol*, 98(5), 1035-1041, doi:10.1111/j.1365-2745.2010.01690.x, 2010.
- Hudson, JMG., et al.: Environmental characteristics, and growth traits and leaf chemistry of tundra plants in a warming experiment at Alexandra Fiord, doi:10.1594/PANGAEA.811482, Supplement to: Hudson, James MG; Henry, Gregory HR; Cornwell, WK: Taller and larger: shifts in Arctic tundra leaf traits after 16 years of experimental warming, *Glob Change Biol*, 17(2), 1013-1021, doi:10.1111/j.1365-2486.2010.02294.x, 2011.
- Hugelius, G., et al.: Radiocarbon dating, carbon storage and soil properties of samples from Tulemalu Lake, central Canadian Arctic, doi:10.1594/PANGAEA.786466, Supplement to: Hugelius, Gustaf; Kuhry, Peter; Tarnocai, Charles; Virtanen, Tarmo: Soil organic carbon pools in a periglacial landscape: a case study from the central Canadian Arctic, *Permaf Periglac Process*, 21(1), 16-29, doi:10.1002/ppp.677, 2010.
- Hugelius, G., et al.: Phytomass and soil carbon storage of different land cover classes in the Usa river basin, doi:10.1594/PANGAEA.811368, Supplement to: Hugelius, Gustaf; Virtanen, Tarmo; Kaverin, Dmitry; Pastukhov, Alexander; Rivkin, Felix; Marchenko, Sergey; Romanovsky, Vladimir E; Kuhry, Peter: High-resolution mapping of ecosystem carbon storage and potential effects of permafrost thaw in periglacial terrain, European Russian Arctic, *J Geophys Res*, 116(G3), G03024, doi:10.1029/2010JG001606, 2011.
- Hughes, KA., et al.: (Table 1) UK research stations, refuges and major depots between 1944 and 2010, doi:10.1594/PANGAEA.811465, Supplement to: Hughes, Kevin A; Fretwell, Peter; Rae, James William B; Holmes, Keith; Fleming, Andrew: Untouched Antarctica: mapping a finite and diminishing environmental resource, *Antarctic Sci*, 23(06), 537-548, doi:10.1017/S095410201100037X, 2011.
- Hughes, KA., et al.: Contamination and invertebrate presence on food transported to Antarctica, doi:10.1594/PANGAEA.811496, Supplement to: Hughes, Kevin A; Lee, Jennifer E; Tsujimoto, Megumu; Imura, Satoshi; Bergstrom, Dana Michelle; Ware, Chris; Lebouvier, Marc; Huiskes, Ad HL; Gremmen, Niek JM; Frenot, Yves; Bridge, Paul D; Chown, Steven L: Food for thought: Risks of non-native species transfer to the Antarctic region with fresh produce, *Biol Conserv*, 144(5), 1682-1689, doi:10.1016/j.biocon.2011.03.001, 2011.

- Hughes, KA., et al.: (Tables 1,2) Viability of *Poa trivialis* seeds transported to Antarctica from different locations, doi:10.1594/PANGAEA.811485, Supplement to: Hughes, Kevin A; Lee, Jennifer E; Ware, Chris; Kiefer, K; Bergstrom, Dana Michelle: Impact of anthropogenic transportation to Antarctica on alien seed viability, *Polar Biol*, 33(8), 1125-1130, doi:10.1007/s00300-010-0801-4, 2010.
- Hung, H., et al.: Atmospheric concentrations of organic pollutants in the Arctic between 1993-2006, doi:10.1594/PANGAEA.786757, Supplement to: Hung, Hayley; Kallenborn, Roland; Breivik, Knut; Su, Yushan; Brorström-Lundén, Eva; Olafsdottir, Kristin; Thorlacius, Johanna M; Leppänen, Sirkka; Bossi, Rossana; Skov, Henrik; Manø, Stein; Patton, Gregory W et al.: Atmospheric monitoring of organic pollutants in the Arctic under the Arctic Monitoring and Assessment Programme (AMAP): 1993-2006, *Sci Total Environ*, 408(15), 2854-2873, doi:10.1016/j.scitotenv.2009.10.044, 2010.
- Iizuka, Y., et al.: Ion concentration and deduced chemical compounds of the GRIP and Dome Fuji ice cores, Greenland and Antarctica, doi:10.1594/PANGAEA.811534, Supplement to: Iizuka, Yoshinori; Horikawa, Shinichiro; Sakurai, Toshimitsu; Johnson, Sigfus; Dahl-Jensen, Dorte; Steffensen, Jørgen Peder; Hondoh, Takeo: A relationship between ion balance and the chemical compounds of salt inclusions found in the Greenland Ice Core Project and Dome Fuji ice cores, *J Geophys Res*, 113(D7), D07303, doi:10.1029/2007JD009018, 2008.
- Isleifson, D., et al.: Physical properties of different sea ice types at ArcticNet, CFL and CASES ice stations, eastern Beaufort Sea, doi:10.1594/PANGAEA.811542, Supplement to: Isleifson, Dustin; Hwang, Byongjun; Barber, David G; Scharien, Randall K; Shafai, Lotfollah: C-Band polarimetric backscattering signatures of newly formed sea ice during fall freeze-up, *IEEE Transactions on Geoscience and Remote Sensing*, 48(8), 3256-3267, doi:10.1109/TGRS.2010.2043954, 2010.
- Iuliano-Burns, S., et al.: Bone metabolic and hormonal characteristics of Australian Antarctic expeditioners, doi:10.1594/PANGAEA.811580, Supplement to: Iuliano-Burns, Sandra; Wang, XF; Ayton, Jeff; Jones, G; Seeman, E: Skeletal and hormonal responses to sunlight deprivation in Antarctic expeditioners, *Osteoporosis Int*, 20(9), 1523-1528, doi:10.1007/s00198-008-0830-9, 2009.
- Jackson, LJ., et al.: Physical, biological and chemical characteristics of Canadian and Danish lakes during summer, doi:10.1594/PANGAEA.811583, Supplement to: Jackson, Leland J; Lauridsen, Torben L; Søndergaard, M; Jeppesen, Erik: A comparison of shallow Danish and Canadian lakes and implications of climate change, *Freshw Biol*, 52(9), 1782-1792, doi:10.1111/j.1365-2427.2007.01809.x, 2007.
- Jaspers, VLB., et al.: (Table 1) Concentration of organohalogenated compounds in clean and contaminated hair of polar bears (*Ursus maritimus*) from East Greenland, doi:10.1594/PANGAEA.811549, Supplement to: Jaspers, Veerle LB; Dietz, Rune; Sonne, Christian; Letcher, Robert J; Eens, Marcel; Neels, Hugo; Born, Erik W; Covaci, Adrian: A screening of persistent organohalogenated contaminants in hair of East Greenland polar bears, *Sci Total Environ*, 408(22), 5613-5618, doi:10.1016/j.scitotenv.2010.07.059, 2010.
- Jensen, SK., et al.: Rates of seropositivity for *Toxoplasma gondii* antibodies in polar bears and marine mammals around Svalbard, doi:10.1594/PANGAEA.811596, Supplement to: Jensen, SK; Aars, Jon; Lydersen, Christian; Kovacs, Kit Maureen; Åsbakk, K: The prevalence of *Toxoplasma gondii* in polar bears and their marine mammal prey: evidence for a marine transmission pathway? *Polar Biol*, 33(5), 599-606, , , , , doi:10.1007/s00300-009-0735-x, 2009.
- Jenssen, BM., et al.: Age, body mass, mass change and dispersal distance of suckling and weaned grey seal (*Halichoerus grypus*) pups, doi:10.1594/PANGAEA.811713, Supplement to: Jenssen, Bjørn Munro; Åsmul, Jill Ina; Ekker, Morten; Vongraven, Dag: To go for a swim or not? Consequences of neonatal aquatic dispersal behaviour for growth in grey seal pups, *Anim Behav*, 80(4), 667-673, doi:10.1016/j.anbehav.2010.06.028, 2010.
- Jenssen, BM., et al.: Brominated flame retardants and biomagnification factors in marine species in the North-East Atlantic, doi:10.1594/PANGAEA.811706, Supplement to: Jenssen, Bjørn Munro; Sørmo, Eugen G; Bæk, Kine; Bytingsvik, Jenny; Gaustad, Hege; Ruus, Anders; Skaare, Janneche Utne: Brominated flame retardants in North-East Atlantic marine ecosystems, *Environ Health Perspect*, 115(S-1), 35-41, doi:10.1289/ehp.9355, 2007.

- Johansen, CE., et al.: Prevalence, intensity and numbers of parasites in the gastrointestinal tract of ringed seals (*Pusa hispida*), doi:10.1594/PANGAEA.811717, Supplement to: Johansen, Carina E; Lydersen, Christian; Aspholm, Paul E; Haug, Tore; Kovacs, Kit Maureen: Helminth parasites in ringed seals (*Pusa hispida*) from Svalbard, Norway with special emphasis on nematodes: Variation with age, sex, diet, and location of host, *J Parasitol*, 96(5), 946-953, doi:10.1645/GE-1685.1, 2010.
- Johansson, M., et al.: Minimum, maximum and mean annual ground temperatures in permafrost around Abisko ANS between 2008-2009, doi:10.1594/PANGAEA.811722, Supplement to: Johansson, Margareta; Åkerman, Jonas; Keuper, Frida; Christensen, Torben R; Lantuit, Hugues; Callaghan, Terry V: Past and present permafrost temperatures in the Abisko Area: Redrilling of boreholes, *AMBIO*, 40(6), 558-565, doi:10.1007/s13280-011-0163-3, 2011.
- Johnson, DR., et al.: (Table 1) Species richness and diversity of tundra plants in herbivore enclosure and control plots near Barrow, Alaska, doi:10.1594/PANGAEA.811753, Supplement to: Johnson, David R; Lara, MJ; Shaver, Gavis R; Batzli, Go; Shaw, JD; Tweedie, Craig E: Exclusion of brown lemmings reduces vascular plant cover and biomass in Arctic coastal tundra: resampling of a 50 + year herbivore enclosure experiment near Barrow, Alaska, *Environ Research Lett*, 6(4), 45507, doi:10.1088/1748-9326/6/4/045507, 2011.
- Jónasdóttir, SH., et al.: (Table 1) 100 m integrated temperature, chlorophyll a content and protist biomass during Leg 7 of Galathea 3 cruise (2006), doi:10.1594/PANGAEA.835227, Supplement to: Jónasdóttir, Sigrún Huld; Nielsen, Torkel Gissel; Borg, Christian Marc A; Møller, Eva Friis; Jakobsen, Hans Henrik; Satapoomin, Suree: Biological oceanography across the Southern Indian Ocean - basin scale trends in the zooplankton community, *Deep Sea Res Part I Oceanogr Res Pap*, 75, 16-27, doi:10.1016/j.dsr.2013.01.011, 2013.
- Junttila, J., et al.: Radiocarbon ages, clay mineral content and planktic foraminifera counts of sediment cores from the SW Barents Sea, doi:10.1594/PANGAEA.811757, Supplement to: Junttila, Juho; Aagaard-Sørensen, Steffen; Husum, Katrine; Hald, Morten: Late Glacial-Holocene clay minerals elucidating glacial history in the SW Barents Sea, *Mar Geol*, 276(1-4), 71-85, doi:10.1016/j.margeo.2010.07.009, 2010.
- Kaiser, S., et al.: Epibenthic macrofauna abundance during RSS James Clark Ross cruise JR144, South Sandwich arc, doi:10.1594/PANGAEA.811814, Supplement to: Kaiser, Stefanie; Barnes, David KA; Linse, Katrin; Brandt, Angelika: Epibenthic macrofauna associated with the shelf and slope of a young and isolated Southern Ocean island, *Antarctic Sci*, 20(03), 281-290, doi:10.1017/S0954102008001107, 2008.
- Kaiser, S., et al.: Proportion of bryozoa, isopoda and ostracoda, and bryozoan species richness on the Antarctic continental shelf, slope and abyss, doi:10.1594/PANGAEA.811775, Supplement to: Kaiser, Stefanie; Griffiths, Huw J; Barnes, David KA; Brandão, Simone N; Brandt, Angelika; O'Brien, Philip E: Is there a distinct continental slope fauna in the Antarctic? , *Deep Sea Res Part II Top Stud Oceanogr*, 58(1-2), 91-104, doi:10.1016/j.dsr2.2010.05.017, 2011.
- Kaislahti Tillman, P., et al.: Radiocarbon dates, accumulation rates, d13C and July temperature of profiles obtained from Selwyn and Misaw Lake, subarctic Canada, doi:10.1594/PANGAEA.840495, Supplement to: Kaislahti Tillman, Päivi; Holzkämper, Steffen; Kuhry, Peter; Sannel, A Britta K; Loader, Neil J; Robertson, Iain: Long-term climate variability in continental subarctic Canada: A 6200-year record derived from stable isotopes in peat, *Palaeogeogr Palaeoclimatol Palaeoecol*, 298(3-4), 235-246, doi:10.1016/j.palaeo.2010.09.029, 2010.
- Kaislahti Tillman, P., et al.: Meteorological observations, and 210Pb and 14C ages of peat profiles from subarctic Canada, doi:10.1594/PANGAEA.786145, Supplement to: Kaislahti Tillman, Päivi; Holzkämper, Steffen; Kuhry, Peter; Sannel, A Britta K; Loader, Neil J; Robertson, Iain: Stable carbon and oxygen isotopes in Sphagnum fuscum peat from subarctic Canada: Implications for palaeoclimate studies, *Chem Geol*, 270(1-4), 216-226, doi:10.1016/j.chemgeo.2009.12.001, 2010.
- Kang, K-K., et al.: Seasonal mean air temperatures and ice phenology characteristics of Great Bear Lake and Great Slave Lake (2002-2009), doi:10.1594/PANGAEA.811831, Supplement to: Kang, Kyung-Kuk; Duguay, Claude R; Howell, Stephen EL: Estimating ice phenology on large northern lakes from AMSR-E: algorithm development and application to Great Bear Lake and Great Slave Lake, Canada, *The Cryosphere*, 6(2), 235-254, doi:10.5194/tc-6-235-2012, 2012.

- Kang, K-K., et al.: (Table 1) Mean temperatures in January and July, and total annual snowfall at Great Bear Lake and Great Slave Lake, Canada, doi:10.1594/PANGAEA.811808, Supplement to: Kang, Kyung-Kuk; Duguay, Claude R; Howell, Stephen EL; Derksen, Chris P; Kelly, Richard EJ: Sensitivity of AMSR-E brightness temperatures to the seasonal evolution of lake ice thickness, *IEEE Geoscience and Remote Sensing Letters*, 7(4), 751-755, doi:10.1109/LGRS.2010.2044742, 2010.
- Kapralova, KH., et al.: (Table 1) Number of alleles per locus and heterozygosity of Arctic charr (*Salvelinus alpinus*) populations in Iceland, doi:10.1594/PANGAEA.811936, Supplement to: Kapralova, KH; Morrissey, MB; Kristjánsson, Bjarni K; Ólafsdóttir, GÁ; Snorrason, Sigurdur S; Ferguson, MM: Evolution of adaptive diversity and genetic connectivity in Arctic charr (*Salvelinus alpinus*) in Iceland, *Heredity*, 106(3), 472-487, doi:10.1038/hdy.2010.161, 2011.
- Khan, SA., et al.: Crustal uplift rates of 4 GPS stations near Jakobshavn Isbrae (2006-2009), doi:10.1594/PANGAEA.811985, Supplement to: Khan, Shfaqat Abbas; Liu, Lin; Wahr, John; Howat, Ian M; Joughin, Ian; van Dam, Tonie; Fleming, Kevin: GPS measurements of crustal uplift near Jakobshavn Isbrae due to glacial ice mass loss, *J Geophys Res*, 115(B9), B09405, doi:10.1029/2010JB007490, 2010.
- Kienast, F., et al.: Modern vegetation in the coastal lowlands of Oyogos Yar, Siberia, Russia, Appendix 6.5, doi:10.1594/PANGAEA.727697, Supplement to: Boike, Julia; Bolshiyarov, Dmitry Yu; Schirmer, Lutz; Wetterich, Sebastian: Russian-German Cooperation SYSTEM LAPTEV SEA: The Expedition LENA - New Siberian Islands 2007 during the International Polar Year 2007/2008, *Berichte zur Polar- und Meeresforschung = Reports on Polar and Marine Research*, 583, 274 pp, doi:10.2312/BzPM_0584_2008, 2008.
- Kirchman, DL., et al.: Average nutrient concentration, and growth characteristics of bacteria during USCGC Healy cruises in 2002 and 2004, doi:10.1594/PANGAEA.811997, Supplement to: Kirchman, David L; Hill, Victoria; Cottrell, Matthew T; Gradinger, Rolf; Malmstrom, Rex R; Parker, Alexander E: Standing stocks, production, and respiration of phytoplankton and heterotrophic bacteria in the western Arctic Ocean, *Deep Sea Res Part II Top Stud Oceanogr*, 56(17), 1237-1248, doi:10.1016/j.dsr2.2008.10.018, 2009.
- Kirkegaard, M., et al.: Thyroid hormone and gland status of Greenland sledge dogs (*Canis lupus familiaris*) exposed to contaminated blubber, doi:10.1594/PANGAEA.812009, Supplement to: Kirkegaard, Maja; Sonne, Christian; Dietz, Rune; Letcher, Robert J; Jensen, Asger L; Hansen, Signe Stige; Jenssen, Bjørn Munro; Grandjean, Philippe: Alterations in thyroid hormone status in Greenland sledge dogs exposed to whale blubber contaminated with organohalogen compounds, *Ecotoxicol Environ Saf*, 74(1), 157-163, doi:10.1016/j.ecoenv.2010.08.040, 2011.
- Kirshner, AE., et al.: Radiocarbon ages and average physical properties of sediment cores obtained during Icebreaker Oden cruise OSO0910, doi:10.1594/PANGAEA.812069, Supplement to: Kirshner, Alexandra E; Anderson, John B; Jakobsson, Martin; O'Regan, Matthew; Majewski, Wojciech; Nitsche, Frank-Oliver: Post-LGM deglaciation in Pine Island Bay, West Antarctica, *Quaternary Sci Rev*, 38, 11-26, doi:10.1016/j.quascirev.2012.01.017, 2012.
- Kjellerup, S., et al.: Biological traits, and egg and fecal pellet production of *Calanus finmarchicus* and *Calanus glacialis* in situ and during experiments, doi:10.1594/PANGAEA.811933, Supplement to: Kjellerup, Sanne; Dünweber, Michael; Swaethorp, Rasmus; Nielsen, Torkel Gissel; Møller, Eva Friis; Markager, Stiig; Hansen, Benni Winding: Effects of a future warmer ocean on the coexisting copepods *Calanus finmarchicus* and *C. glacialis* in Disko Bay, western Greenland, *Mar Ecol Prog Ser*, 447, 87-108, doi:10.3354/meps09551, 2012.
- Klady, RA., et al.: Flower and seed biomass, and germination rate of arctic tundra plants in response to long term experimental warming, doi:10.1594/PANGAEA.812091, Supplement to: Klady, Rebecca A; Henry, Gregory HR; Lemay, Valerie: Changes in high arctic tundra plant reproduction in response to long-term experimental warming, *Glob Change Biol*, 17(4), 1611-1624, doi:10.1111/j.1365-2486.2010.02319.x, 2011.
- Klunder, MB., et al.: Dissolved iron measurements from 44 stations in the shallow Arctic Ocean waters and Shelf Sea's during POLARSTERN cruise ARK-XXII/2, doi:10.1594/PANGAEA.780543, Supplement to: Klunder, Maarten B; Bauch, Dorothea; Laan, Patrick; de Baar, Hein JW; van Heuven, Steven; Ober, Sven: Dissolved iron in the Arctic shelf seas and surface waters of the

- central Arctic Ocean: Impact of Arctic river water and ice-mel, *J Geophys Res*, 117, C01027, doi:10.1029/2011JC007133, 2012.
- Klunder, MB., et al.: Dissolved iron measured on water bottle samples during POLARSTERN cruise ANT-XXIV/3, doi:10.1594/PANGAEA.780271, Supplement to: Klunder, Maarten B; Laan, Patrick; Middag, Rob; de Baar, Hein JW; van Ooijen, Jan C: Dissolved iron in the Southern Ocean (Atlantic sector), *Deep Sea Res Part II Top Stud Oceanogr*, 58(25-16), 2678-2694, doi:10.1016/j.dsr2.2010.10.042, 2011.
- Kopalová, K., et al.: Benthic freshwater diatom abundance in streams and seepage areas of northern James Ross Island between 2004-2009, doi:10.1594/PANGAEA.812097, Supplement to: Kopalová, Katerina; Veselá, Jana; Elster, Josef; Nedbalová, Linda; Komárek, Jirí; Van de Vijver, Bart: Benthic diatoms (Bacillariophyta) from seepages and streams on James Ross Island (NW Weddell Sea, Antarctica), *Plant Ecol Evol*, 145(2), 190-208, doi:10.5091/plecevo.2012.639, 2012.
- Kounaves, SP., et al.: (Table 1) Soil description of pits dug in coastal, inland and highland Antarctic Dry Valleys, doi:10.1594/PANGAEA.812153, Supplement to: Kounaves, Samuel P; Stroble, Shannon T; Anderson, Rachel M; Moore, Quincy; Catling, David C; Douglas, Susanne; McKay, Christopher P; Ming, Douglas W; Smith, Peter H; Tamppari, Leslie K; Zent, Aaron P: Discovery of natural perchlorate in the Antarctic Dry Valleys and its global implications, *Environ Sci Technol*, 44(7), 2360-2364, doi:10.1021/es9033606, 2010.
- Kramer, M., et al.: Antarctic sympagic meiofauna in winter, doi:10.1594/PANGAEA.734773, Supplement to: Kramer, Maïke; Swadling, Kerrie M; Meiners, Klaus M; Kiko, Rainer; Scheltz, Annette; Nicolaus, Marcel; Werner, Iris: Antarctic sympagic meiofauna in winter: comparing diversity, abundance and biomass between perennially and seasonally ice-covered regions, *Deep Sea Res Part II Top Stud Oceanogr*, 58(9-10), 1062-1074, doi:10.1016/j.dsr2.2010.10.029, 2010.
- Krebs, CJ., et al.: (Table 1) Rodent (lemming and vole) densities in 5 study areas in the Canadian Arctic, doi:10.1594/PANGAEA.812214, Supplement to: Krebs, Charles J; Bilodeau, Frédéric; Reid, Donald; Gauthier, Gilles; Kenney, Alice J; Gilbert, Scott; Duchesne, David; Wilson, Deborah J: Are lemming winter nest counts a good index of population density? , *Journal of Mammalogy*, 93(1), 87-92, doi:10.1644/11-MAMM-A-137.1, 2012.
- Kristjánsson, BK., et al.: Physicochemical properties and fish occurrence in 35 Icelandic lakes housing Arctic charr (*Salvelinus alpinus*), doi:10.1594/PANGAEA.812217, Supplement to: Kristjánsson, Bjarni K; Malmquist, Hilmar J; Ingimarsson, Finnur; Antonsson, Thórólfur; Snorrason, Sigurdur S; Skúlason, Skúli: Relationships between lake ecology and morphological characters in Icelandic Arctic charr, *Salvelinus alpinus*, *Biol J Linn Soc*, 103(4), 761-771, doi:10.1111/j.1095-8312.2011.01670.x, 2011.
- Kruse, J., et al.: Survey of living conditions of Arctic indigenous peoples, doi:10.1594/PANGAEA.812678, Supplement to: Kruse, Jack; Poppel, Birger; Abryutina, Larissa; Duhaime, Gerard; Martin, Stephanie; Poppel, Mariekathrine; Kruse, Margaret; Ward, Ed; Cochran, Patricia; Hanna, Virgene: Survey of Living Conditions in the Arctic (SLiCA), In: Møller, Valerie; Huschka, Denis; Michalos, Alex C (eds), *Barometers of Quality of Life Around the Globe, Social Indicators Research Series*, 33, Springer Netherlands, Dordrecht, , 107-134, doi:10.1007/978-1-4020-8686-1_5, 2009.
- Kuhry, P., et al.: Vegetation cover and radiocarbon dates of tundra and peat plateaus in the Hudson Bay Lowlands, doi:10.1594/PANGAEA.812224, Supplement to: Kuhry, Peter: Tundra and peat plateau development in the Hudson Bay Lowlands, Canada: timing, pathways and causes, *Boreas*, 37(2), 316-327, doi:10.1111/j.1502-3885.2007.00022.x, 2008.
- Kuijper, DPJ., et al.: (Table 2) Protein and fibre content of important food plants of barnacle geese (*Branta leucopsis*) in Adventdalen, doi:10.1594/PANGAEA.812682, Supplement to: Kuijper, Dries Pieter Jan; Ubels, R; Loonen, Maarten JJE: Density-dependent switches in diet: a likely mechanism for negative feedbacks on goose population increase? , *Polar Biology*, 32(12), 1789-1803, doi:10.1007/s00300-009-0678-2, 2009.
- Kuzyk, ZA., et al.: Water chemistry and heat budget of the Churchill River estuary region, doi:10.1594/PANGAEA.813410, Supplement to: Kuzyk, ZA; Macdonald, RW; Granskog, Mats A; Scharien, RK; Galley, RJ; Michel, Christine; Barber, D; Stern, G: Sea ice, hydrological, and biological

- processes in the Churchill River estuary region, Hudson Bay, *Estuar Coast Shelf Sci*, 77(3), 369-384, doi:10.1016/j.ecss.2007.09.030, 2008.
- Kvídlerová, J., et al.: (Table 1) Effects of desiccation on photochemical processes and nitrogenase activity in *Nostoc commune* s.l. colonies, doi:10.1594/PANGAEA.813420, Supplement to: Kvídlerová, Jana; Elster, Josef; Simek, Miloslav: In situ response of *Nostoc commune* s.l. colonies to desiccation in Central Svalbard, Norwegian High Arctic, *Fottea*, 11(1), 87-97, , 2011.
- Labansen, AL., et al.: Stomach content of ringed seals (*Pusa hispida*) obtained from the Northeast Greenland area, doi:10.1594/PANGAEA.814030, Supplement to: Labansen, Aili L; Lydersen, Christian; Levermann, Nette; Haug, Tore; Kovacs, Kit Maureen: Diet of ringed seals (*Pusa hispida*) from Northeast Greenland, *Polar Biol*, 34(2), 227-234, doi:10.1007/s00300-010-0874-0, 2010.
- Laidre, KL., et al.: Sea ice habitat characteristics and number of narwhal (*Monodon monoceros*) sightings in Disko Bay, West Greenland, doi:10.1594/PANGAEA.815150, Supplement to: Laidre, Kristin L; Heide-Jørgensen, Mads Peter: Life in the lead: extreme densities of narwhals *Monodon monoceros* in the offshore pack ice, *Mar Ecol Prog Ser*, 423, 269-278, doi:10.3354/meps08941, 2011.
- Laidre, KL., et al.: Body sizes and dive characteristics of narwhals (*Monodon monoceros*) from Kakiak Point and Melville Bay (2005-2007), doi:10.1594/PANGAEA.814057, Supplement to: Laidre, Kristin L; Heide-Jørgensen, Mads Peter; Ermold, W; Steele, Michael: Narwhals document continued warming of southern Baffin Bay, *J Geophys Res*, 115(C10), C10049, doi:10.1029/2009JC005820, 2010.
- Laidre, KL., et al.: Whale sightings, group sizes and krill biomass in West Greenland in 2005, doi:10.1594/PANGAEA.814102, Supplement to: Laidre, Kristin L; Heide-Jørgensen, Mads Peter; Heagerty, Patrick; Cossio, Anthony; Bergström, Bo; Simon, M: Spatial associations between large baleen whales and their prey in West Greenland, *Mar Ecol Prog Ser*, 402, 269-284, doi:10.3354/meps08423, 2010.
- Laidre, KL., et al.: Chlorophyll a concentration, and proportion of time in the water column obtained by instrumented bowhead whales, doi:10.1594/PANGAEA.815106, Supplement to: Laidre, Kristin L; Heide-Jørgensen, Mads Peter; Logsdon, Miles L; Delwiche, Leon; Nielsen, Torkel Gissel: A whale of an opportunity: Examining the vertical structure of chlorophyll-a in high Arctic waters using instrumented marine predators, *Mar Biol Res*, 6(6), 519-529, doi:10.1080/17451000903505616, 2010.
- Lalande, S., et al.: (Table 1) Characteristics of South Pole personnel according to forced expiratory flow (FEF25-75) response to altitude, doi:10.1594/PANGAEA.815165, Supplement to: Lalande, Sophie; Anderson, PJ; Miller, AD; Ceridon, ML; Beck, KC; O'Malley, KA; Johnson, JB; Johnson, BD: Variability in pulmonary function following rapid altitude ascent to the Amundsen-Scott South Pole station, *Eur J Appl Physiol*, 111(9), 2221-2228, doi:10.1007/s00421-011-1864-9, 2011.
- Lamb, EG., et al.: (Supplemental Table 2) Plant characteristics, GHG fluxes, and soil chemical and microbial properties in experimental treatments in Alexandra Fiord, doi:10.1594/PANGAEA.815197, Supplement to: Lamb, Eric G; Han, Sukkyun; Lanoil, Brian D; Henry, Gregory HR; Brummell, Martin E; Banerjee, Samiran; Siciliano, Steven D: A High Arctic soil ecosystem resists long-term environmental manipulations, *Glob Change Biol*, 17(10), 3187-3194, doi:10.1111/j.1365-2486.2011.02431.x, 2011.
- Lanconelli, C., et al.: Baseline surface radiation during the International Polar Year 2007-2009, doi:10.1594/PANGAEA.737668, Supplement to: Lanconelli, Christian; Busetto, Maurizio; Dutton, Ellsworth G; König-Langlo, Gert; Maturilli, Marion; Sieger, Rainer; Vitale, Vito; Yamanouchi, Takashi: Polar baseline surface radiation measurements during the International Polar Year 2007-2009, *Earth Syst Sci Data*, 3(1), 1-8, doi:10.5194/essd-3-1-2011, 2011.
- Lang, SI., et al.: Species occurrence and richness of lichen, bryophytes and vascular plants near Abisko, Sweden and Toolik lake, Alaska, doi:10.1594/PANGAEA.815208, Supplement to: Lang, Simone I; Cornelissen, Johannes HC; Shaver, Gavis R; Ahrens, Matthias; Callaghan, Terry V; Molau, Ulf; ter Braak, Cajo JF; Hölzer, Adam; Aerts, Rien: Arctic warming on two continents has consistent negative effects on lichen diversity and mixed effects on bryophyte diversity, *Glob Change Biol*, 18(3), 1096-1107, doi:10.1111/j.1365-2486.2011.02570.x, 2012.

- Lantuit, H., et al.: Coastal erosion dynamics and storm characteristics of Bykovsky Peninsula, doi:10.1594/PANGAEA.810061, Supplement to: Lantuit, Hugues; Atkinson, David; Overduin, Pier Paul; Grigoriev, Mikhail N; Rachold, Volker; Grosse, Guido; Hubberten, Hans-Wolfgang: Coastal erosion dynamics on the permafrost-dominated Bykovsky Peninsula, north Siberia, 1951-2006, *Polar Res*, 30, 7341, doi:10.3402/polar.v30i0.7341, 2011.
- Lantuit, H., et al.: Characteristics and radiocarbon ages of four retrogressive thaw slumps on Herschel Island and King Point, doi:10.1594/PANGAEA.810045, Supplement to: Lantuit, Hugues; Pollard, Wayne H; Couture, Nicole; Fritz, M; Schirrmeister, Lutz; Meyer, Hanno; Hubberten, Hans-Wolfgang: Modern and late Holocene retrogressive thaw slump activity on the Yukon Coastal Plain and Herschel Island, Yukon Territory, Canada, *Permaf Periglac Process*, 23(1), 39-51, doi:10.1002/ppp.1731, 2012.
- Láska, K., et al.: (Table 1) Maximal daily erythemally effective UVB radiation and total ozone content at Vernadsky Station, Antarctica, doi:10.1594/PANGAEA.786493, Supplement to: Láska, Kamil; Prosek, Pavel; Budík, Ladislav; Budíková, Marie; Milinevsky, Gennady: Prediction of erythemally effective UVB radiation by means of nonlinear regression model, *Environmetrics*, 20(6), 633-646, doi:10.1002/env.968, 2009.
- Leat, EHK., et al.: Concentrations of persistent organic pollutants in Great skua eggs (*Stercorarius skua*) from Shetland 1980 and 2008, doi:10.1594/PANGAEA.815229, Supplement to: Leat, Eliza HK; Bourgeon, Sophie; Borgå, Katrine; Strøm, Hallvard; Hanssen, Sveinn Are; Gabrielsen, Geir W; Petersen, Ævar; Olafsdottir, Kristin; Magnusdottir, Ellen; Fisk, Aaron T; Ellis, Sandra; Bustnes, Jan Ove; Furness, Robert W: Effects of environmental exposure and diet on levels of persistent organic pollutants (POPs) in eggs of a top predator in the North Atlantic in 1980 and 2008, *Environ Pollut*, 159(5), 1222-1228, doi:10.1016/j.envpol.2011.01.036, 2011.
- Lebouvier, M., et al.: Characteristics of introduced Aphididae species, an endemic fly (*Anatalanta aptera*) and an introduced ground beetle (*Merizodus soledadinus*) on the Kerguelen Islands, doi:10.1594/PANGAEA.815245, Supplement to: Lebouvier, Marc; Laparie, M; Hullé, M; Marais, A; Cozic, Y; Lalouette, L; Vernon, P; Candresse, T; Frenot, Yves; Renault, David: The significance of the sub-Antarctic Kerguelen Islands for the assessment of the vulnerability of native communities to climate change, alien insect invasions and plant viruses, *Biol Invasions*, 13(5), 1195-1208, doi:10.1007/s10530-011-9946-5, 2011.
- Leclerc, L-ME., et al.: Characteristics and stomach contents of Greenland sharks (*Somniosus microcephalus*) caught in Svalbard during June 2008-2009, doi:10.1594/PANGAEA.815268, Supplement to: Leclerc, Lisa-Marie E; Lydersen, Christian; Haug, Tore; Bachmann, Lutz; Fisk, Aaron T; Kovacs, Kit Maureen: A missing piece in the Arctic food web puzzle? Stomach contents of Greenland sharks sampled in Svalbard, Norway, *Polar Biol*, 35(8), 1197-1208, doi:10.1007/s00300-012-1166-7, 2012.
- Lecomte, N., et al.: (Table 1) Nesting characteristics of greater snow geese (*Chen caerulescens atlanticus*) on Bylot Island between 1995-2005, doi:10.1594/PANGAEA.815269, Supplement to: Lecomte, Nicolas; Careau, Vincent; Gauthier, Gilles; Giroux, Jean-François: Predator behaviour and predation risk in the heterogeneous Arctic environment, *J Animal Ecol*, 77(3), 439-447, doi:10.1111/j.1365-2656.2008.01354.x, 2008.
- Lee, JE., et al.: Plants growing near the cargo packing station, and seed occurrence in cargo and luggage destined for Gough and Marion Island and the Antarctic, doi:10.1594/PANGAEA.815462, Supplement to: Lee, Jennifer E; Chown, Steven L: Breaching the dispersal barrier to invasion: quantification and management, *Ecol Appl*, 19(7), 1944-1959, doi:10.1890/08-2157.1, 2009.
- Legagneux, P., et al.: (Table A1) Annual biomass of plants and animals recorded on Bylot Island between 1993-2009, doi:10.1594/PANGAEA.815273, Supplement to: Legagneux, Pierre; Gauthier, G; Berteaux, D; Bêty, Joël; Cadieux, M-C; Bilodeau, F; Bolduc, E; McKinnon, L; Tarroux, Arnaud; Therrien, Jean-François; Morissette, L; Krebs, Charles J: Disentangling trophic relationships in a High Arctic tundra ecosystem through food web modeling, *Ecology*, 93(7), 1707-1716, doi:10.1890/11-1973.1, 2012.
- Lei, R., et al.: Ice and snow characteristics in Prydz Bay in 2006, doi:10.1594/PANGAEA.815755, Supplement to: Lei, Ruibo; Li, Zhijun; Cheng, Bin; Zhang, Zhanhai; Heil, Petra: Annual cycle of

- landfast sea ice in Prydz Bay, east Antarctica, *J Geophys Res*, 115(C2), , doi:10.1029/2008JC005223, 2010.
- Lemieux, A-M., et al.: Radiocarbon dates of *Mytilus* shells and peat and wood samples collected on Drayton Island, doi:10.1594/PANGAEA.808903, Supplement to: Lemieux, Anne-Marie; Bhiry, Najat; Desrosiers, Pierre M: The geoarchaeology and traditional knowledge of winter sod houses in eastern Hudson Bay, Canadian Low Arctic, *Geoarchaeology*, 26(4), 479-500, doi:10.1002/gea.20365, 2011.
- Lesovaya, SN., et al.: Soil chemistry and particle size distribution of mountainous tundra soils in the Rai-Iz Massif, doi:10.1594/PANGAEA.815783, Supplement to: Lesovaya, SN; Goryachkin, Sergey V; Polekhovskii, Yu S: Soil formation and weathering on ultramafic rocks in the mountainous tundra of the Rai-Iz massif, Polar Urals, *Eurasian Soil Sci*, 45(1), 33-44, doi:10.1134/S1064229312010097, 2012.
- Letcher, RJ., et al.: (Table 1) Neutral and phenolic organohalogen compounds in blubber samples of ringed seals (*Pusa hispida*) from East Greenland, doi:10.1594/PANGAEA.815795, Supplement to: Letcher, Robert J; Gebbink, Wouter A; Sonne, Christian; Born, Erik W; McKinney, Melissa A; Dietz, Rune: Bioaccumulation and biotransformation of brominated and chlorinated contaminants and their metabolites in ringed seals (*Pusa hispida*) and polar bears (*Ursus maritimus*) from East Greenland, *Environ Int*, 35(8), 1118-1124, doi:10.1016/j.envint.2009.07.006, 2009.
- Leu, E., et al.: Fatty acid composition, element concentration and isotope ratios of sea ice algae sampled in Rijpfjorden, Svalbard, doi:10.1594/PANGAEA.815810, Supplement to: Leu, Eva; Wiktor, Jozef M; Sørreide, Janne E; Berge, J; Falk-Petersen, Stig: Increased irradiance reduces food quality of sea ice algae, *Mar Ecol Prog Ser*, 411, 49-60, doi:10.3354/meps08647, 2010.
- Levy, R., et al.: (Table 1) Diatom events for AND1-1B, CIROS-2, DVDP-10, and DVDP-11 cores including observed and placed depths, doi:10.1594/PANGAEA.815841, Supplement to: Levy, Richard; Cody, Rosemary; Crampton, James; Fielding, Christopher R; Golledge, Nick; Harwood, David M; Henrys, Stuart; McKay, Robert M; Naish, Timothy; Ohneiser, Christian; Wilson, Gary S; Wilson, Terry; Winter, Diane M: Late Neogene climate and glacial history of the Southern Victoria Land coast from integrated drill core, seismic and outcrop data, *Glob Planet Change*, 80-81, 61-84, doi:10.1016/j.gloplacha.2011.10.002, 2012.
- Lewis, MJ., et al.: Ice and snow measurements during Nathaniel B. Palmer cruise NBP0709 (SIMBA experiment), doi:10.1594/PANGAEA.815856, Supplement to: Lewis, Michael J; Tison, Jean-Louis; Weissling, Blake P; Delille, Bruno; Ackley, Stephen F; Brabant, F; Xie, Hongjie: Sea ice and snow cover characteristics during the winter-spring transition in the Bellingshausen Sea: An overview of SIMBA 2007, *Deep Sea Res Part II Top Stud Oceanogr*, 58(9-10), 1019-1038, doi:10.1016/j.dsr2.2010.10.027, 2011.
- Link, H., et al.: Sea ice cover, and bottom water and sediment characteristics at stations in the Amundsen Gulf, Canada, doi:10.1594/PANGAEA.817858, Supplement to: Link, Heike; Archambault, Philippe; Tamelander, Tobias; Renaud, Paul E; Piepenburg, Dieter: Spring-to-summer changes and regional variability of benthic processes in the western Canadian Arctic, *Polar Biol*, 34(12), 2025-2038, doi:10.1007/s00300-011-1046-6, 2011.
- Llovel, W., et al.: (Table 1) Water storage changes of the 33 world's largest river basins between 2002-2009, doi:10.1594/PANGAEA.786381, Supplement to: Llovel, William; Becker, Melanie; Cazenave, Anny; Crétaux, Jean-François; Ramillien, Guillaume: Global land water storage change from GRACE over 2002-2009; Inference on sea level, *Comptes Rendus Geosci*, 342(2), 179-188, doi:10.1016/j.crte.2009.12.004, 2010.
- Long, MC., et al.: Physical oceanography during Nathaniel B. Palmer cruises NBP06-01 and NBP06-08 to the Ross Sea, doi:10.1594/PANGAEA.818033, Supplement to: Long, Matthew C; Dunbar, Robert B; Tortell, Philippe D; Smith, Walker O Jr; Mucciarone, David A; DiTullio, Giacomo R: Vertical structure, seasonal drawdown, and net community production in the Ross Sea, Antarctica, *J Geophys Res*, 116(C10), C10029, doi:10.1029/2009JC005954, 2011.
- Lopez, P., et al.: (Appendix) Recent surface areas and historical lengths of glaciers from Patagonia and Tierra del Fuego, South America, doi:10.1594/PANGAEA.786241, Supplement to: Lopez, Paulina; Chevallier, Pierre; Favier, Vincent; Pouyaud, Bernard; Ordenes, Fernando; Oerlemans, Johannes: A

- regional view of fluctuations in glacier length in southern South America, *Glob Planet Change*, 71(1-2), 85-108, doi:10.1016/j.gloplacha.2009.12.009, 2010.
- Lörz, A-N., et al.: (Table 1) Occurrences of *Epimeria georgiana* species complex (Amphipoda) in the Weddel and Scotia Sea, doi:10.1594/PANGAEA.815864, Supplement to: Lörz, Anne-Nina; Smith, Peter; Linse, Katrin; Steinke, Dirk: High genetic diversity within *Epimeria georgiana* (Amphipoda) from the southern Scotia Arc, *Mar Biodiv*, 42(2), 137-159, doi:10.1007/s12526-011-0098-8, 2012.
- Lu, P., et al.: (Table 1) Ice floe size and other characteristics during aerial observations in Prydz Bay, Antarctica, doi:10.1594/PANGAEA.815885, Supplement to: Lu, P; Li, ZJ; Zhang, Zhongshi; Dong, XL: Aerial observations of floe size distribution in the marginal ice zone of summer Prydz Bay, *J Geophys Res*, 113(C2), C02011, doi:10.1029/2006JC003965, 2008.
- Maddison, E.J., et al.: Radiocarbon ages, diatom abundance and laminae description of sediment core MD03-2597, doi:10.1594/PANGAEA.806336, Supplement to: Maddison, Eleanor J; Pike, Jennifer; Dunbar, Robert G: Seasonally laminated diatom-rich sediments from Dumont d'Urville Trough, East Antarctic Margin: Late-Holocene Neoglacial sea-ice conditions, *The Holocene*, 22(8), 857-875, doi:10.1177/0959683611434223, 2012.
- Makkonen, M., et al.: (Table 3) Collembola species density and diversity in control and OTC plots near Abisco Research Station, doi:10.1594/PANGAEA.815890, Supplement to: Makkonen, Marika; Berg, Matty P; van Hal, Jurgen R; Callaghan, Terry V; Press, Malcolm C; Aerts, Rien: Traits explain the responses of a sub-arctic Collembola community to climate manipulation, *Soil Biol Biochem*, 43(2), 377-384, doi:10.1016/j.soilbio.2010.11.004, 2011.
- Malinga, M., et al.: Tissue metal concentrations and metal transfer functions of Glaucous Gulls (*Larus hyperboreus*) from Bjørnøya and Jan Mayen, doi:10.1594/PANGAEA.815904, Supplement to: Malinga, Michal; Szefer, Piotr; Gabrielsen, Geir W: Age, sex and spatial dependent variations in heavy metals levels in the Glaucous Gulls (*Larus hyperboreus*) from the Bjørnøya and Jan Mayen, Arctic, *Environ Monit Assess*, 169(1-4), 407-416, doi:10.1007/s10661-009-1183-3, 2009.
- Malyutina, M., et al.: Diversity and zoogeography of Antarctic deep-sea Munnopsidae (Crustacea, Isopoda, Asellota) from three ANDEEP expeditions, doi:10.1594/PANGAEA.786500, Supplement to: Malyutina, Marina; Brandt, Angelika: Diversity and zoogeography of Antarctic deep-sea Munnopsidae (Crustacea, Isopoda, Asellota), *Deep Sea Res Part II Top Stud Oceanogr*, 54(16-17), 1790-1805, doi:10.1016/j.dsr2.2007.07.017, 2007.
- Manes, S.S., et al.: Physicochemical sea ice and water characteristics near Point Barrow 2005-2006, doi:10.1594/PANGAEA.815928, Supplement to: Manes, Sarah Story; Gradinger, Rolf: Small scale vertical gradients of Arctic ice algal photophysiological properties, *Photosynth Res*, 102(1), 53-66, doi:10.1007/s11120-009-9489-0, 2009.
- Marquardt, M., et al.: (Table 1) Snow and sea ice characteristics at stations sampled during a CCGS Amundsen cruise in 2008, eastern Beaufort Sea, doi:10.1594/PANGAEA.817877, Supplement to: Marquardt, Miriam; Kramer, Maike; Carnat, Gauthier; Werner, Iris: Vertical distribution of sympagic meiofauna in sea ice in the Canadian Beaufort Sea, *Polar Biol*, 34(12), 1887-1900, doi:10.1007/s00300-011-1078-y, 2011.
- Martinez-Garcia, A., et al.: Sea surface temperature estimates and alkenone C37:4 abundances in ODP Site 145-882 and 177-1090, doi:10.1594/PANGAEA.771708, Supplement to: Martinez-Garcia, Alfredo; Rosell-Melé, Antoni; McClymont, Erin L; Gersonde, Rainer; Haug, Gerald H: Subpolar Link to the Emergence of the Modern Equatorial Pacific Cold Tongue, *Science*, 328(5985), 1550-1553, doi:10.1126/Science.1184480, 2010.
- Masson-Delmotte, V., et al.: Database of Antarctic snow isotopic composition, doi:10.1594/PANGAEA.681697, Supplement to: various:various, , , , , .
- Matley, J.K., et al.: Seabird density and predation on Arctic cod (*Boreogadus saida*) in Allen Bay in 2010, doi:10.1594/PANGAEA.816022, Supplement to: Matley, Jordan K; Fisk, Aaron T; Dick, Terry A: Seabird predation on Arctic cod during summer in the Canadian Arctic, *Mar Ecol Prog Ser*, 450, 219-228, doi:10.3354/meps09561, 2012.
- McConnell, B., et al.: (Table 3) Growth rates of the juvenile polychaete *Scolecopsis squamata* obtained from ice cores under varying conditions, doi:10.1594/PANGAEA.816073, Supplement to: McConnell, Brenna; Gradinger, Rolf; Iken, Katrin; Bluhm, Bodil A: Growth rates of arctic juvenile

- Scolecipis squamata* (Polychaeta: Spionidae) isolated from Chukchi Sea fast ice, *Polar Biology*, 35(10), 1487-1494, doi:10.1007/s00300-012-1187-2, 2012.
- McCulloch, M., et al.: Boron isotope composition and seawater characteristics of cold water scleractinian corals, doi:10.1594/PANGAEA.816120, Supplement to: McCulloch, Malcolm; Trotter, Julie; Montagna, Paolo; Falter, Jim; Dunbar, Robert G; Freiwald, André; Försterra, Günter; López Correa, Matthias; Maier, Cornelia; Rüggeberg, Andres; Taviani, Marco: Resilience of cold-water scleractinian corals to ocean acidification: Boron isotopic systematics of pH and saturation state up-regulation, *Geochim Cosmochim Acta*, 87, 21-34, doi:10.1016/j.gca.2012.03.027, 2012.
- McFadden, EM., et al.: Retreat characteristics and geometries for 59 glaciers in West Greenland between 2000-2009, doi:10.1594/PANGAEA.815952, Supplement to: McFadden, Ellyn M; Howat, Ian M; Joughin, Ian; Smith, Ben E; Ahn, Yushin: Changes in the dynamics of marine terminating outlet glaciers in west Greenland (2000-2009), *J Geophys Res*, 116(F2), F02022, doi:10.1029/2010JF001757, 2011.
- McKay, RM., et al.: (Table S1) Diatom abundance according to ice cycles in ANDRILL AND1-1B drill core, doi:10.1594/PANGAEA.816030, Supplement to: McKay, Robert M; Naish, Tim R; Carter, Lionel; Riesselman, Christina R; Dunbar, Robert G; Winter, Diane M; Sjunneskog, Charlotte; Sangiorgi, Francesca; Warren, Courtney; Pagani, Mark; Schouten, Stefan et al.: Antarctic and Southern Ocean influences on Late Pliocene global cooling, *Proc Natl Acad Sci*, 109(17), 6423-6428, doi:10.1073/pnas.1112248109, 2012.
- McKinney, MA., et al.: (Tables 1,2) Polar bear (*Ursus maritimus*), beluga whale (*Delphinapterus leucas*) and ringed seal (*Pusa hispida*) liver microsomal protein content and EROD activity, doi:10.1594/PANGAEA.816176, Supplement to: McKinney, Melissa A; Dietz, Rune; Sonne, Christian; De Guise, Sylvain; Skirnisson, Karl; Karlsson, Karl; Steingrímsson, Egill; Letcher, Robert J: Comparative hepatic microsomal biotransformation of selected PBDEs, including decabromodiphenyl ether, and decabromodiphenyl ethane flame retardants in Arctic marine-feeding mammals, *Environ Toxicol Chem*, 30(7), 1506-1514, doi:10.1002/etc.535, 2011.
- McKinney, MA., et al.: (Tables S1,2) Stable isotopes in muscle tissue of polar bears (*Ursus maritimus*) from various regions of the Arctic, doi:10.1594/PANGAEA.816752, Supplement to: McKinney, Melissa A; Letcher, Robert J; Aars, Jon; Born, Erik W; Branigan, Marsha; Dietz, Rune; Evans, Thomas J; Gabrielsen, Geir W; Muir, Derek CG; Peacock, Elizabeth; Sonne, Christian: Regional contamination versus regional dietary differences: Understanding geographic variation in brominated and chlorinated contaminant levels in polar bears, *Environ Sci Technol*, 45(3), 896-902, doi:10.1021/es102781b, 2011.
- McKinney, MA., et al.: (Table S2) Biometric data, time of ice breakup and carbon isotopic composition of adipose tissue of polar bears (*Ursus maritimus*) between 1991-2007, doi:10.1594/PANGAEA.816156, Supplement to: McKinney, Melissa A; Peacock, Elizabeth; Letcher, Robert J: Sea Ice-associated diet change increases the levels of chlorinated and brominated contaminants in polar bears, *Environ Sci Technol*, 43(12), 4334-4339, doi:10.1021/es900471g, 2009.
- McKinney, MA., et al.: Concentrations of brominated and chlorinated contaminants in adipose tissue of polar bears (*Ursus maritimus*) between 1991-2007, doi:10.1594/PANGAEA.816171, Supplement to: McKinney, Melissa A; Stirling, Ian; Lunn, Nick J; Peacock, Elizabeth; Letcher, Robert J: The role of diet on long-term concentration and pattern trends of brominated and chlorinated contaminants in western Hudson Bay polar bears, 1991-2007, *Sci Total Environ*, 408(24), 6210-6222, doi:10.1016/j.scitotenv.2010.08.033, 2010.
- McLeod, M., et al.: Soil properties of western Wright Valley, Antarctica, doi:10.1594/PANGAEA.816760, Supplement to: McLeod, Malcolm; Bockheim, James G; Balks, Megan; Aislabie, Jackie: Soils of western Wright Valley, Antarctica, *Antarctic Sci*, 21(04), 355, doi:10.1017/S0954102009001965, 2009.
- Mesquita, PS., et al.: Physical, chemical and biological characteristics of disturbed and undisturbed Arctic lakes, Northwest Territories, doi:10.1594/PANGAEA.816875, Supplement to: Mesquita, Patricia S; Wrona, Frederick J; Prowse, Terry D: Effects of retrogressive permafrost thaw slumping

- on sediment chemistry and submerged macrophytes in Arctic tundra lakes, *Freshw Biol*, 55(11), 2347-2358, doi:10.1111/j.1365-2427.2010.02450.x, 2010.
- Meyer, H., et al.: Sediment and ice characteristics at a buried ice-wedge system at Barrow, doi:10.1594/PANGAEA.816847, Supplement to: Meyer, Hanno; Schirrmeister, Lutz; Andreev, Andrei A; Wagner, Dirk; Hubberten, Hans-Wolfgang; Yoshikawa, Kenji; Bobrov, Anatoly A; Wetterich, Sebastian; Opel, Thomas; Kandiano, Evgeniya S; Brown, Jerry: Lateglacial and Holocene isotopic and environmental history of northern coastal Alaska - Results from a buried ice-wedge system at Barrow, *Quaternary Sci Rev*, 29(27-28), 3720-3735, doi:10.1016/j.quascirev.2010.08.005, 2010.
- Michel, RFM., et al.: Soil characteristics of cryosols from two sites on King George Island, maritime Antarctica, doi:10.1594/PANGAEA.816781, Supplement to: Michel, Roberto FM; Schaefer, Carlos Ernesto GR; Poelking, Everton L; Simas, Felipe NB; Fernandes Filho, Elpidio I; Bockheim, James G: Active layer temperature in two Cryosols from King George Island, *Maritime Antarctica, Geomorphology*, 155-156, 12-19, doi:10.1016/j.geomorph.2011.12.013, 2012.
- Middag, R., et al.: (Appendix A) Dissolved manganese concentrations during POLARSTERN Cruise ARK-XXII/2, doi:10.1594/PANGAEA.816976, Supplement to: Middag, Rob; de Baar, Hein JW; Laan, Patrick; Klunder, Maarten B: Fluvial and hydrothermal input of manganese into the Arctic Ocean, *Geochim Cosmochim Acta*, 75(9), 2393-2408, doi:10.1016/j.gca.2011.02.011, 2011.
- Middag, R., et al.: (Figure 2) Dissolved manganese concentrations during POLARSTERN Cruise ANT-XXIV/3, doi:10.1594/PANGAEA.816962, Supplement to: Middag, Rob; de Baar, Hein JW; Laan, Patrick; Cai, PH; van Ooijen, Jan C: Dissolved manganese in the Atlantic sector of the Southern Ocean, *Deep Sea Res Part II Top Stud Oceanogr*, 58(25-26), 2661-2677, doi:10.1016/j.dsr2.2010.10.043, 2011.
- Middag, R., et al.: (Figure 3) Dissolved aluminium concentrations during POLARSTERN Cruise ANT-XXIV/3, doi:10.1594/PANGAEA.816968, Supplement to: Middag, Rob; van Slooten, C; de Baar, Hein JW; Laan, Patrick: Dissolved aluminium in the Southern Ocean, *Deep Sea Res Part II Top Stud Oceanogr*, 58(25-26), 2647-2660, doi:10.1016/j.dsr2.2011.03.001, 2011.
- Miljeteig, C., et al.: Contaminant concentrations in ivory gull (*Pagophila eburnea*) eggs from Svalbard and the Russian Arctic (2006-2007), doi:10.1594/PANGAEA.817049, Supplement to: Miljeteig, Cecilie; Strøm, Hallvard; Gavrilo, Maria V; Volkov, Andrey; Jenssen, Bjørn Munro; Gabrielsen, Geir W: High levels of contaminants in ivory gull *Pagophila eburnea* eggs from the Russian and Norwegian Arctic, *Environ Sci Technol*, 43(14), 5521-5528, doi:10.1021/es900490n, 2009.
- Mills, MM., et al.: (Table T1) Initial water quality conditions for bioassay experiments during Nathaniel B. Palmer cruise NBPO9-01 in the Amundsen Sea, doi:10.1594/PANGAEA.817064, Supplement to: Mills, Matthew M; Alderkamp, Anne-Carlijn; Thuróczy, Charles-Edouard; van Dijken, Gert L; Laan, Patrick; de Baar, Hein JW; Arrigo, Kevin R: Phytoplankton biomass and pigment responses to Fe amendments in the Pine Island and Amundsen polynyas, *Deep Sea Res Part II Top Stud Oceanogr*, 71-76, 61-76, doi:10.1016/j.dsr2.2012.03.008, 2012.
- Møller, EF., et al.: Copepod abundance and fecal pellet production, sinking rate, and degradation in samples obtained during Leg 7 of Galathea 3 cruise 2006, doi:10.1594/PANGAEA.817116, Supplement to: Møller, Eva Friis; Borg, Christian Marc A; Jónasdóttir, Sigrún Huld; Satapoomin, Suree; Jaspers, Cornelia; Nielsen, Torkel Gissel: Production and fate of copepod fecal pellets across the Southern Indian Ocean, *Mar Biol*, 158(3), 677-688, doi:10.1007/s00227-010-1591-5, 2011.
- Möller, M., et al.: (Table 1) Characteristics of snow pits on De Geerfonna and Vestfonna during the IPY 2007-2010, doi:10.1594/PANGAEA.817160, Supplement to: Möller, Marco; Möller, Rebecca; Beaudon, Emilie; Mattila, Olli-Pekka; Finkelnburg, Roman; Braun, Matthias; Grabiec, Mariusz; Jonsell, Ulf; Luks, Bartłomiej; Puczko, Dariusz; Scherer, Dieter; Schneider, Christoph: Snowpack characteristics of Vestfonna and De Geerfonna (Nordaustlandet, Svalbard) - a spatiotemporal analysis based on multiyear snow-pit data, *Geogr Ann Ser Phys Geogr*, 93(4), 273-285, doi:10.1111/j.1468-0459.2011.00440.x, 2011.
- Moore, JC., et al.: Mean chemical characteristics and volcano signatures of ice cores from Belukha, the Everest and three Svalbard sites, doi:10.1594/PANGAEA.817167, Supplement to: Moore, John

- C; Beaudon, Emilie; Kang, Shichang; Divine, D; Isaksson, Elisabeth; Pohjola, Veijo A; van de Wal, Roderik SW: Statistical extraction of volcanic sulphate from nonpolar ice cores, *J Geophys Res*, 117(D3), D03306, doi:10.1029/2011JD016592, 2012.
- Moran, SB., et al.: Net primary productivity, POC export, Th234 and U238 activities and abundance of autotrophs during U.S.C.G.C. Healy cruises HLY0802 and HLY0803, doi:10.1594/PANGAEA.817088, Supplement to: Moran, S Bradley; Lomas, Michael W; Kelly, RP; Gradinger, Rolf; Iken, K; Mathis, Jeremy T: Seasonal succession of net primary productivity, particulate organic carbon export, and autotrophic community composition in the eastern Bering Sea, *Deep Sea Res Part II Top Stud Oceanogr*, 65-70, 84-97, doi:10.1016/j.dsr2.2012.02.011, 2012.
- Morgan, DJ., et al.: Beryllium-10 and aluminium-26 concentration and production rates in glacial deposits from the Quartermain Mountains, doi:10.1594/PANGAEA.817199, Supplement to: Morgan, Daniel J; Putkonen, Jaakko; Balco, Greg; Stone, John: Degradation of glacial deposits quantified with cosmogenic nuclides, Quartermain Mountains, Antarctica, *Earth Surf Process Landf*, 36(2), 217-228, doi:10.1002/esp.2039, 2011.
- Morgan, DJ., et al.: (Table 1) Soil density and concentration of ¹⁰Beryllium and ²⁶Aluminium in samples from two ash deposits in the McMurdo Dry Valleys, doi:10.1594/PANGAEA.817195, Supplement to: Morgan, Daniel J; Putkonen, Jaakko; Balco, Greg; Stone, John: Quantifying regolith erosion rates with cosmogenic nuclides ¹⁰Be and ²⁶Al in the McMurdo Dry Valleys, Antarctica, *J Geophys Res*, 115(F3), F03037, doi:10.1029/2009JF001443, 2010.
- Motyka, RJ., et al.: Volume changes of Jakobshavn Isbrae between 1985, 1997 and 2007, doi:10.1594/PANGAEA.817212, Supplement to: Motyka, Roman J; Fahnestock, Mark; Truffer, Martin: Volume change of Jakobshavn Isbræ, West Greenland:: 1985-1997-2007, *J Glaciol*, 56(198), 635-646, doi:10.3189/002214310793146304, 2010.
- Motyka, RJ., et al.: (Table 1) Annual melt rates of the South Branch of Jakobshavn Isbrae between July 1984-1985, doi:10.1594/PANGAEA.817300, Supplement to: Motyka, Roman J; Truffer, Martin; Fahnestock, Mark; Mortensen, John; Rysgaard, Søren; Howat, Ian M: Submarine melting of the 1985 Jakobshavn Isbræ floating tongue and the triggering of the current retreat, *J Geophys Res*, 116(F1), F01007, doi:10.1029/2009JF001632, 2011.
- Mundy, CJ., et al.: (Table 1) Abundance of unicellular eukaryotes in ice cores collected during the July 2008 CCGS Amundsen cruise in Darnley Bay, doi:10.1594/PANGAEA.817323, Supplement to: Mundy, Christopher J; Gosselin, Michel; Ehn, Jens K; Belzile, Claude; Poulin, Michel; Alou, Eva; Roy, Suzanne; Hop, Haakon; Lessard, Sylvie; Papakyriakou, Tim N; Barber, David G; Stewart, Jeremy: Characteristics of two distinct high-light acclimated algal communities during advanced stages of sea ice melt, *Polar Biol*, 34(12), 1869-1886, doi:10.1007/s00300-011-0998-x, 2011.
- Munro, DR., et al.: (Table 1) Nutrient concentrations and carbon isotopes of sea ice segments and brine sampled during Nathaniel B. Palmer cruises NBP98-07 and NBP06-08, Ross Sea, doi:10.1594/PANGAEA.817328, Supplement to: Munro, David R; Dunbar, Robert B; Mucciarone, David A; Arrigo, Kevin R; Long, Matthew C: Stable isotope composition of dissolved inorganic carbon and particulate organic carbon in sea ice from the Ross Sea, Antarctica, *J Geophys Res*, 115(C9), C09005, doi:10.1029/2009JC005661, 2010.
- Murzina, SA., et al.: (Figures 2,3) Lipid composition of liver and muscles of the daubed shanny (*Leptoclinus maculatus*), Kongsfjorden, doi:10.1594/PANGAEA.817358, Supplement to: Murzina, SA; Nemova, NN; Nefedova, ZA; Falk-Petersen, Stig: Effects of ecological conditions on lipid composition of the liver and muscles in the daubed shanny, *Leptoclinus maculatus*, *Russ J Ecol*, 41(1), 51-54, doi:10.1134/S1067413610010091, 2010.
- Myers-Smith, IH., et al.: Ages and isotopic signatures of peat cores from a boreal landscape, Interior Alaska, doi:10.1594/PANGAEA.817460, Supplement to: Myers-Smith, IH; Harden, JW; Wilmking, M; Fuller, CC; McGuire, AD; Chapin, F Stuart: Wetland succession in a permafrost collapse: interactions between fire and thermokarst, *Biogeosciences*, 5(5), 1273-1286, doi:10.5194/bg-5-1273-2008, 2008.
- Nahrgang, J., et al.: Physiological and biochemical characteristics of polar cod (*Boreogadus saida*) from Kongsfjorden, doi:10.1594/PANGAEA.817478, Supplement to: Nahrgang, Jasmine; Camus, Lionel; Broms, Fredrik; Christiansen, Jørgen S; Hop, Haakon: Seasonal baseline levels of

- physiological and biochemical parameters in polar cod (*Boreogadus saida*): Implications for environmental monitoring, *Mar Pollut Bull*, 60(8), 1336-1345, doi:10.1016/j.marpolbul.2010.03.004, 2010.
- Nesterova, AP., et al.: Path characteristics and colony arrival-departure statistics of king penguins (*Aptenodytes patagonicus*) on Possession and Kerguelen Island, doi:10.1594/PANGAEA.817547, Supplement to: Nesterova, Anna P; Le Bohec, Céline; Beaune, David; Pettex, Emeline; Le Maho, Yvon; Bonadonna, Francesco: Do penguins dare to walk at night? Visual cues influence king penguin colony arrivals and departures, *Behav Ecol Sociobiol*, 64(7), 1145-1156, doi:10.1007/s00265-010-0930-3, 2010.
- Neven, IA., et al.: Chemical composition and phytoplankton characteristics of water samples obtained during POLARSTERN cruise ANT-XXIV/3, doi:10.1594/PANGAEA.817743, Supplement to: Neven, Ika A; Stefels, Jacqueline; van Heuven, Steven MAC; de Baar, Hein JW; Elzenga, J Theo M: High plasticity in inorganic carbon uptake by Southern Ocean phytoplankton in response to ambient CO₂, *Deep Sea Res Part II Top Stud Oceanogr*, 58(25-26), 2636-2646, doi:10.1016/j.dsr2.2011.03.006, 2011.
- Nguyen, D., et al.: Physical characteristics and bacterial production and respiration at stations sampled during 2008 in the eastern Beaufort Sea, doi:10.1594/PANGAEA.817937, Supplement to: Nguyen, Dan; Maranger, Roxane: Respiration and bacterial carbon dynamics in Arctic sea ice, *Polar Biol*, 34(12), 1843-1855, doi:10.1007/s00300-011-1040-z, 2011.
- Niederberger, TD., et al.: Environmental characteristics and gas composition of Lost Hammer, Canadian Arctic, doi:10.1594/PANGAEA.817602, Supplement to: Niederberger, Thomas D; Perreault, Nancy N; Tille, Stephanie; Lollar, Barbara Sherwood; Lacrampe-Couloume, Georges; Andersen, Dale; Greer, Charles W; Pollard, Wayne H; Whyte, Lyle G: Microbial characterization of a subzero, hypersaline methane seep in the Canadian High Arctic, *ISME J*, 4(10), 1326-1339, doi:10.1038/ismej.2010.57, 2010.
- Niemi, A., et al.: Physicochemical characteristics and protist occurrence at stations sampled in 2007/2008 in the eastern Beaufort Sea, doi:10.1594/PANGAEA.817948, Supplement to: Niemi, Andrea; Michel, Christine; Hille, Kelly; Poulin, Michel: Protist assemblages in winter sea ice: setting the stage for the spring ice algal bloom, *Polar Biol*, 34(12), 1803-1817, doi:10.1007/s00300-011-1059-1, 2011.
- Nøst, TH., et al.: Thyroid hormones and halogenated organic compounds in black-legged kittiwake (*Rissa tridactyla*) and northern fulmar (*Fulmarus glacialis*), doi:10.1594/PANGAEA.817621, Supplement to: Nøst, Therese Haugdahl; Helgason, Lisa Bjørnsdatter; Harju, Mikael; Heimstad, Eldbjørg S; Gabrielsen, Geir W; Jenssen, Bjørn Munro: Halogenated organic contaminants and their correlations with circulating thyroid hormones in developing Arctic seabirds, *Sci Total Environ*, 414, 248-256, doi:10.1016/j.scitotenv.2011.11.051, 2012.
- Oberbauer, SF., et al.: (Table 1) Climate characteristics of the four North American Tundra Experiment (ITEX) sites, doi:10.1594/PANGAEA.817624, Supplement to: Oberbauer, Steven F; Tweedie, Craig E; Welker, Jeff M; Fahnestock, Jace T; Henry, Gregory HR; Webber, Patrick J; Hollister, Robert D; Walker, Marilyn D; Kuchy, Andrea; Elmore, Elizabeth; Starr, Gregory: Tundra CO₂ fluxes in response to experimental warming across latitudinal and moisture gradients, *Ecol Monogr*, 77(2), 221-238, doi:10.1890/06-0649, 2007.
- Ohneiser, C., et al.: Paleomagnetic and age determination for three drill cores from southern Victoria Land, Antarctica, doi:10.1594/PANGAEA.771469, Supplement to: Ohneiser, Christian; Wilson, Gary S: Revised magnetostratigraphic chronologies for New Harbour drill cores, southern Victoria Land, Antarctica, *Glob Planet Change*, 82-83, 12-24, doi:10.1016/j.gloplacha.2011.11.007, 2012.
- Olguín, HF., et al.: Abiotic characteristics and diatom abundance and biomass in different sectors of the Argentinien Shelf and antarctic waters, doi:10.1594/PANGAEA.818059, Supplement to: Olguín, Héctor F; Alder, Viviana A: Species composition and biogeography of diatoms in antarctic and subantarctic (Argentine shelf) waters (37-76°S), *Deep Sea Res Part II Top Stud Oceanogr*, 58(1-2), 139-152, doi:10.1016/j.dsr2.2010.09.031, 2011.
- Olofsson, J., et al.: Initial biomass and biomass change of tundra and forest plants in three herbivore treatments in Norway and Sweden, doi:10.1594/PANGAEA.817661, Supplement to: Olofsson,

- Johan; Oksanen, Lauri; Callaghan, Terry V; Hulme, Philip E; Oksanen, Tarja; Suominen, Otso: Herbivores inhibit climate-driven shrub expansion on the tundra, *Glob Change Biol*, 15(11), 2681-2693, doi:10.1111/j.1365-2486.2009.01935.x, 2009.
- O'Regan, M., et al.: Compression and expansion index and void ratio of samples from Lomonosov Ridge and Yermak Plateau, doi:10.1594/PANGAEA.817791, Supplement to: O'Regan, Matthew; Jakobsson, Martin; Kirchner, Nina: Glacial geological implications of overconsolidated sediments on the Lomonosov Ridge and Yermak Plateau, *Quaternary Sci Rev*, 29(25-26), 3532-3544, doi:10.1016/j.quascirev.2010.09.009, 2010.
- O'Regan, M., et al.: Pleistocene chronology of sediments from the Lomonosov Ridge, doi:10.1594/PANGAEA.832427, Supplement to: O'Regan, Matthew; King, John W; Backman, Jan; Jakobsson, Martin; Pälike, Heiko; Moran, Kathryn; Heil, Chip; Sakamoto, Tatsuhiko; Cronin, Thomas M; Jordan, Richard William: Constraints on the Pleistocene chronology of sediments from the Lomonosov Ridge, *Paleoceanography*, 23(1), PA1S19, doi:10.1029/2007PA001551, 2008.
- Oskarsdottir, SM., et al.: (Supplement 1) Selected chemical composition of Icelandic river waters and bedrock age, doi:10.1594/PANGAEA.818182, Supplement to: Oskarsdottir, Sigríður Magnea; Gislason, Sigurdur Reynir; Snorrason, Arni; Halldorsdottir, Stefania Gudrún; Gisladottir, Gudrún: Spatial distribution of dissolved constituents in Icelandic river waters, *J Hydrol*, 397(3-4), 175-190, doi:10.1016/j.jhydrol.2010.11.028, 2011.
- Osterberg, E., et al.: Lead, sulphate, and aluminium concentrations and lead crustal enrichment factors in Mt. Logan ice core during pre-anthropogenic to modern periods, doi:10.1594/PANGAEA.818220, Supplement to: Osterberg, Erich; Mayewski, P; Kreutz, K; Fisher, D; Handley, M; Sneed, S; Zdanowicz, Christian; Zheng, J; Demuth, M; Waskiewicz, M; Bourgeois, J: Ice core record of rising lead pollution in the North Pacific atmosphere, *Geophys Res Lett*, 35(5), L05810, doi:10.1029/2007GL032680, 2008.
- Palmer, MA., et al.: Physicochemical and photosynthetic characteristics of water samples obtained during a CCGS Amundsen cruise in 2008, doi:10.1594/PANGAEA.817840, Supplement to: Palmer, Molly A; Arrigo, Kevin R; Mundy, Christopher J; Ehn, Jens K; Gosselin, Michel; Barber, David G; Martin, Johann; Alou, Eva; Roy, Suzanne; Tremblay, Jean-Eric: Spatial and temporal variation of photosynthetic parameters in natural phytoplankton assemblages in the Beaufort Sea, *Canadian Arctic, Polar Biol*, 34(12), 1915-1928, doi:10.1007/s00300-011-1050-x, 2011.
- Palmer, S., et al.: (Table 1) Basin area, average late-summer speedup, number of sinks and runoff of West Greenland Ice Sheet catchments, doi:10.1594/PANGAEA.817850, Supplement to: Palmer, Steven; Shepherd, Andrew; Nienow, Peter; Joughin, Ian: Seasonal speedup of the Greenland Ice Sheet linked to routing of surface water, *Earth Planet Sci Lett*, 302(3-4), 423-428, doi:10.1016/j.epsl.2010.12.037, 2011.
- Pedersen, JA., et al.: Drained thaw-lake basin soil characteristics of cores from Barrow, Alaska, doi:10.1594/PANGAEA.818010, Supplement to: Pedersen, Joel A; Simpson, Myrna A; Bockheim, James G; Kumar, Kartik: Characterization of soil organic carbon in drained thaw-lake basins of Arctic Alaska using NMR and FTIR photoacoustic spectroscopy, *Org Geochem*, 42(8), 947-954, doi:10.1016/j.orggeochem.2011.04.003, 2011.
- Pedrosa, MT., et al.: (Table 1) Main morphological features of submarine landslides southwest of Storfjorden Fan (Lobe III), doi:10.1594/PANGAEA.818201, Supplement to: Pedrosa, Mayte T; Camerlenghi, Angelo; De Mol, Ben; Urgeles, Roger; Rebesco, Michele; Lucchi, Renata G: Seabed morphology and shallow sedimentary structure of the Storfjorden and Kveithola trough-mouth fans (North West Barents Sea), *Mar Geol*, 286(1-4), 65-81, doi:10.1016/j.margeo.2011.05.009, 2011.
- Perovich, DK., et al.: (Table 1) Snow and sea ice thickness, solar heat input and solar heat used for melting at seven ice mass-balance buoys in the Arctic in 2008, doi:10.1594/PANGAEA.817713, Supplement to: Perovich, Donald K; Richter-Menge, Jacqueline A; Jones, Kathleen F; Light, Bonnie; Elder, Bruce C; Polashenski, Christopher; Laroche, Daniel; Markus, Thorsten; Lindsay, Ronald: Arctic sea-ice melt in 2008 and the role of solar heating, *Ann Glaciol*, 52(57), 355-359, doi:10.3189/172756411795931714, 2011.

- Petursdottir, H., et al.: Water chemistry, and isotopic ratios and fatty acids and alcohols in *Calanus finmarchicus* CV, norther Mid-Atlantic Ridge, doi:10.1594/PANGAEA.818238, Supplement to: Petursdottir, Hildur; Falk-Petersen, Stig; Hop, Haakon; Gislason, Astthor: *Calanus finmarchicus* along the northern Mid-Atlantic Ridge: variation in fatty acid and alcohol profiles and stable isotope values, 15N and 13C, J Plankton Res, 32(7), 1067-1077, doi:10.1093/plankt/fbq036, 2010.
- Philipp, EER., et al.: Suspended particulate matter and respiration experiments of *Laternula elliptica* in Potter Cove, King George Island, Western Antarctic Peninsula, doi:10.1594/PANGAEA.746016, Supplement to: Philipp, Eva E R; Husmann, Gunnar; Abele, Doris: The impact of sediment deposition and iceberg scour on the Antarctic soft shell clam *Laternula elliptica* at King George Island, Antarctica, Antarctic Sci, 23(2), 127-138, doi:10.1017/S0954102010000970, 2011.
- Pohjola, VA., et al.: Geodetic and satellite derived ice surface velocities of Vestfonna ice cap, doi:10.1594/PANGAEA.818291, Supplement to: Pohjola, Veijo A; Christoffersen, Poul; Kolondra, Leszek; Moore, John C; Pettersson, Rickard; Schäfer, Martina; Strozzi, Tazio; Reijmer, Carleen: Spatial distribution and change in the surface ice-velocity field of Vestfonna ice cap, Nordaustlandet, Svalbard, 1995-2010 using geodetic and satellite interferometry data, Geogr Ann Ser Phys Geogr, 93(4), 323-335, doi:10.1111/j.1468-0459.2011.00441.x, 2011.
- Point, D., et al.: (Supplementary Table 1) Mercury isotope values for common and thick-billed murre (*Uria aalge*, *Uria lomvia*) eggs from Alaska, doi:10.1594/PANGAEA.818266, Supplement to: Point, David; Sonke, Jeroen E; Day, RD; Roseneau, DG; Hobson, Keith A; Vander Pol, SS; Moors, AJ; Pugh, RS; Donard, Olivier FX; Becker, PR: Methylmercury photodegradation influenced by sea-ice cover in Arctic marine ecosystems, Nat Geosci, 4(3), 188-194, doi:10.1038/ngeo1049, 2011.
- Power, M., et al.: Biometry, isotopic composition and diet of Arctic charr (*Salvelinus alpinus*) from Lake Aigueau, Northern Quebec, doi:10.1594/PANGAEA.818405, Supplement to: Power, Michael; Power, Geoff; Reist, James D; Bajno, Robert: Ecological and genetic differentiation among the Arctic charr of Lake Aigueau, Northern Québec, Ecol Freshw Fish, 18(3), 445-460, doi:10.1111/j.1600-0633.2009.00362.x, 2009.
- Prestrud, KW., et al.: *Toxoplasma gondii* seropositive rates of animals living on Svalbard, doi:10.1594/PANGAEA.818324, Supplement to: Prestrud, Kristin Wear; Asbakk, Kjetil; Fuglei, Eva; Mørk, Torill; Stien, Audun; Ropstad, Erik; Tryland, Morten; Gabrielsen, Geir W; Lydersen, Christian; Kovacs, Kit Maureen; Loonen, Maarten JJE; Sagerup, Kjetil; Oksanen, Antti: Serosurvey for *Toxoplasma gondii* in arctic foxes and possible sources of infection in the high Arctic of Svalbard, Vet Parasitol, 150(1-2), 6-12, doi:10.1016/j.vetpar.2007.09.006, 2007.
- Pučko, M., et al.: Physical properties and hexachlorocyclohexane concentrations of sea-ice, water and ice algae samples, eastern Beaufort Sea, doi:10.1594/PANGAEA.818528, Supplement to: Pučko, Monika; Stern, Gary A; Barber, David G; Macdonald, Robie W; Rosenberg, B: The international polar year (IPY) circumpolar flaw lead (CFL) system study: The importance of brine processes for alpha- and gamma-hexachlorocyclohexane (HCH) accumulation or rejection in sea ice, Atmosphere-Ocean, 48(4), 244-262, doi:10.3137/OC318.2010, 2010.
- Pučko, M., et al.: Physical properties and alpha-/gamma-HCH concentrations in sea-ice and snow samples obtained during a CCGS Amundsen cruise, eastern Beaufort Sea, doi:10.1594/PANGAEA.818648, Supplement to: Pučko, Monika; Stern, Gary A; Macdonald, Robie W; Rosenberg, B; Barber, David G: The influence of the atmosphere-snow-ice-ocean interactions on the levels of hexachlorocyclohexanes in the Arctic cryosphere, J Geophys Res, 116(C2), C02035, doi:10.1029/2010JC006614, 2011.
- Pučko, M., et al.: alpha- and gamma-Hexachlorocyclohexane concentrations in brine, bulk sea-ice, water and air during a CCGS Amundsen cruise to the Canadian western Arctic, doi:10.1594/PANGAEA.818639, Supplement to: Pučko, Monika; Stern, Gary A; Macdonald, Robie W; Barber, David G: alpha- and gamma-Hexachlorocyclohexane measurements in the brine fraction of sea ice in the Canadian High Arctic using a sump-hole technique, Environ Sci Technol, 44(24), 9258-9264, doi:10.1021/es102275b, 2010.
- Quakenbush, LT., et al.: (Table 1) Tagging date, total length and sex of bowhead whales (*Balaena mysticetus*) tagged at Point Barrow, Alaska, doi:10.1594/PANGAEA.819005, Supplement to: Quakenbush, Lori T; Citta, John J; George, John C; Small, Robert J; Heide-Jørgensen, Mads Peter:

- Fall and winter movements of bowhead whales (*Balaena mysticetus*) in the Chukchi Sea and within a potential petroleum development area, *Arctic*, 63(3), 289-307, doi:10.14430/arctic1493, 2010.
- Ramzaev, V., et al.: ¹³⁷Cs and ⁹⁰Sr depositions, and ¹³⁷Cs/⁹⁰Sr ratios of samples from the Kraton-3 underground nuclear explosion site, Russia, doi:10.1594/PANGAEA.786504, Supplement to: Ramzaev, Valery; Mishine, Arkady; Basalaeva, Larisa; Brown, Justin: Radiostrontium hot spot in the Russian Arctic: ground surface contamination by ⁹⁰Sr at the 'Kraton-3' underground nuclear explosion site, *J Environ Radioact*, 95(2-3), 107-125, doi:10.1016/j.jenvrad.2007.02.004, 2007.
- Reid, K., et al.: (Table 1) Krill (*Euphausia superba*) biomass estimates at South Georgia Island from 2001-2005, doi:10.1594/PANGAEA.819015, Supplement to: Reid, Keith; Watkins, Jon L; Murphy, Eugene J; Trathan, Phil N; Fielding, Sophie; Enderlein, Peter: Krill population dynamics at South Georgia: implications for ecosystem-based fisheries management, *Mar Ecol Prog Ser*, 399, 243-252, doi:10.3354/meps08356, 2010.
- Richard, PR., et al.: Narwhal (*Monodon monoceros*) sightings and population estimates for the Canadian High Arctic 2002-2004, doi:10.1594/PANGAEA.819059, Supplement to: Richard, Pierre R; Laake, J; Hobbs, RC; Heide-Jørgensen, Mads Peter; Asselin, Natalie C; Cleator, H: Baffin Bay Narwhal Population Distribution and Numbers: Aerial Surveys in the Canadian High Arctic, 2002-04, *Arctic*, 63(1), 85-99, doi:10.14430/arctic649, 2010.
- Rigét, FF., et al.: (Table 1) Mercury concentrations and carbon and nitrogen isotopic ratios in 14 marine species from West Greenland sampled between 2003-2004, doi:10.1594/PANGAEA.819064, Supplement to: Rigét, Frank F; Möller, P; Dietz, Rune; Nielsen, Torkel Gissel; Asmund, Gert; Strand, Jakob; Larsen, Martin M; Hobson, Keith A: Transfer of mercury in the marine food web of West Greenland, *J Env Monit*, 9(8), 877-883, doi:10.1039/b704796g, 2007.
- Rignot, E., et al.: (Table 1) Accumulation and ice discharge of West Antarctic glaciers draining into the Amundsen Sea between 1974 and 2007, doi:10.1594/PANGAEA.819262, Supplement to: Rignot, Eric: Changes in West Antarctic ice stream dynamics observed with ALOS PALSAR data, *Geophys Res Lett*, 35(12), L12505, doi:10.1029/2008GL033365, 2008.
- Rignot, E., et al.: Mass balances of different sectors in Antarctica in 1996, 2000 and 2006, doi:10.1594/PANGAEA.819271, Supplement to: Rignot, Eric; Bamber, Jonathan L; van den Broeke, Michiel R; Davis, Curt; Li, Yonghong; van de Berg, Willem Jan; van Meijgaard, Erik: Recent Antarctic ice mass loss from radar interferometry and regional climate modelling, *Nat Geosci*, 1(2), 106-110, doi:10.1038/ngeo102, 2008.
- Romanovsky, VE., et al.: (Table 1) Mean annual ground temperatures and description of permafrost boreholes in Russia, doi:10.1594/PANGAEA.819291, Supplement to: Romanovsky, Vladimir E; Drozdov, DS; Oberman, NG; Malkova, GV; Kholodov, Aleksander L; Marchenko, SS; Moskalenko, Nataliya G; Sergeev, DO; Ukraintseva, NG; Abramov, AA; Gilichinsky, DA; Vasiliev, AA: Thermal state of permafrost in Russia, *Permaf Periglac Process*, 21(2), 136-155, doi:10.1002/ppp.683, 2010.
- Roosens, L., et al.: (Table 1) Concentrations of organic pollutants in soil samples from Adélie penguin (*Pygoscelis adeliae*) colonies and reference sites, Hop Island, Antarctica, doi:10.1594/PANGAEA.819304, Supplement to: Roosens, Laurence; Van Den Brink, Nico W; Riddle, Martin J; Blust, Ronny; Neels, Hugo; Covaci, Adrian: Penguin colonies as secondary sources of contamination with persistent organic pollutants, *J Env Monit*, 9(8), 822, doi:10.1039/b708103k, 2007.
- Rørvik, K-L., et al.: ²¹⁰Pb dates, radiocarbon ages and sedimentation and accumulation rates of sediment cores JM99-1198 and MD99-2297, doi:10.1594/PANGAEA.819346, Supplement to: Rørvik, Kari-Lise; Grøsfjeld, Kari; Hald, Morten: A Late Holocene climate history from the Malangen fjord, North Norway, based on dinoflagellate cysts, *Norw J Geol*, 89(1+2), 135-147, , 2009.
- Rørvik, K-L., et al.: Ages and geochemical and geophysical characteristics of sediment core MD99-2294, Lofoten Contourite Drift, doi:10.1594/PANGAEA.819352, Supplement to: Rørvik, Kari-Lise; Laberg, Jan Sverre; Hald, Morten; Ravna, EK; Vorren, Tore O: Behavior of the northwestern part of

- the Fennoscandian Ice Sheet during the Last Glacial Maximum - a response to external forcing, *Quaternary Sci Rev*, 29(17-18), 2224-2237, doi:10.1016/j.quascirev.2010.05.022, 2010.
- Rosell-Melé, A., et al.: UK'37, derived sea surface temperatures and coccolith abundances in North Atlantic sediment cores, doi:10.1594/PANGAEA.819384, Supplement to: Rosell-Melé, Antoni; Balestra, Barbara; Kornilova, O; McClymont, Erin L; Russell, M; Monechi, Simonetta; Troelstra, Simon; Ziveri, Patrizia: Alkenones and coccoliths in ice-rafted debris during the Last Glacial Maximum in the North Atlantic: implications for the use of UK37' as a sea surface temperature proxy, *J Quat Sci*, 26(6), 657-664, doi:10.1002/jqs.1488, 2011.
- Ross, MS., et al.: (Table 1) Enantiomer fractions of egg yolk and plasma samples from Svalbard glaucous gulls (*Larus hyperboreus*), doi:10.1594/PANGAEA.819392, Supplement to: Ross, Matthew S; Verreault, Jonathan; Letcher, Robert J; Gabrielsen, Geir W; Wong, Charles S: Chiral organochlorine contaminants in blood and eggs of glaucous gulls (*Larus hyperboreus*) from the Norwegian Arctic, *Environ Sci Technol*, 42(19), 7181-7186, doi:10.1021/es8000147, 2008.
- Rotander, A., et al.: Concentrations of perfluorinated carboxylic acids (PFCAs) and sulfonic acids (PFSAs) in liver samples of different marine mammals (1984-2009), doi:10.1594/PANGAEA.834595, Supplement to: Rotander, Anna; Kärrman, Anna; van Bavel, Bert; Polder, Anuschka; Rigét, Frank F; Auðunsson, Guðjón Atli; Víkingsson, Gísli; Gabrielsen, Geir W; Bloch, Dorete; Dam, Maria: Increasing levels of long-chain perfluorocarboxylic acids (PFCAs) in Arctic and North Atlantic marine mammals, 1984-2009, *Chemosphere*, 86(3), 278-285, doi:10.1016/j.chemosphere.2011.09.054, 2012.
- Rotander, A., et al.: (Table 3) Concentrations of polybrominated diphenyl ether and congeners in blubber samples from whales, seals and porpoises between 1986-2009, doi:10.1594/PANGAEA.834668, Supplement to: Rotander, Anna; van Bavel, Bert; Polder, Anuschka; Rigét, Frank F; Auðunsson, Guðjón Atli; Gabrielsen, Geir W; Víkingsson, Gísli; Bloch, Dorete; Dam, Maria: Polybrominated diphenyl ethers (PBDEs) in marine mammals from Arctic and North Atlantic regions, 1986-2009, *Environ Int*, 40, 102-109, doi:10.1016/j.envint.2011.07.001, 2012.
- Rotander, A., et al.: (Table 2) Concentrations of polychlorinated naphthalene congeners in blubber samples from whales, seals and porpoises between 1986-2009, doi:10.1594/PANGAEA.834670, Supplement to: Rotander, Anna; van Bavel, Bert; Rigét, Frank F; Auðunsson, Guðjón Atli; Polder, Anuschka; Gabrielsen, Geir W; Víkingsson, Gísli; Mikkelsen, Bjarni; Dam, Maria: Polychlorinated naphthalenes (PCNs) in sub-Arctic and Arctic marine mammals, 1986-2009, *Environ Pollut*, 164, 118-124, doi:10.1016/j.envpol.2012.01.035, 2012.
- Rotander, A., et al.: (Table 2) Polybrominated diphenyl ether concentration in blubber samples from whales, seals and porpoises between 1986-2009, doi:10.1594/PANGAEA.819395, Supplement to: Rotander, Anna; van Bavel, Bert; Rigét, Frank F; Auðunsson, Guðjón Atli; Polder, Anuschka; Gabrielsen, Geir W; Víkingsson, Gísli; Mikkelsen, Bjarni; Dam, Maria: Methoxylated polybrominated diphenyl ethers (MeO-PBDEs) are major contributors to the persistent organobromine load in sub-Arctic and Arctic marine mammals, 1986-2009, *Sci Total Environ*, 416, 482-489, doi:10.1016/j.scitotenv.2011.12.010, 2012.
- Routti, H., et al.: (Table 1) Polychlorinated biphenyl (PCB) and PCB metabolite concentrations in ringed seals (*Phoca hispida*) from Svalbard and the Baltic Sea, doi:10.1594/PANGAEA.819407, Supplement to: Routti, Heli; Letcher, Robert J; Arukwe, Augustine; van Bavel, Bert; Yoccoz, Nigel G; Chu, Shaogang; Gabrielsen, Geir W: Biotransformation of PCBs in relation to phase I and II xenobiotic-metabolizing enzyme activities in ringed seals (*Phoca hispida*) from Svalbard and the Baltic Sea, *Environ Sci Technol*, 42(23), 8952-8958, doi:10.1021/es801682f, 2008.
- Routti, H., et al.: (Table 1) Concentrations of polybrominated diphenyl ethers in liver and plasma samples of ringed seals (*Phoca hispida*), doi:10.1594/PANGAEA.819453, Supplement to: Routti, Heli; Letcher, Robert J; Chu, Shaogang; van Bavel, Bert; Gabrielsen, Geir W: Polybrominated diphenyl ethers and their hydroxylated analogues in ringed seals (*Phoca hispida*) from Svalbard and the Baltic Sea, *Environ Sci Technol*, 43(10), 3494-3499, doi:10.1021/es900211u, 2009.
- Routti, H., et al.: Concentrations of PCBs, DDT and thyroid hormones in gray (*Halichoerus grypus*) and ringed (*Phoca hispida*) seals, doi:10.1594/PANGAEA.819419, Supplement to: Routti, Heli; Nyman,

- Madeleine; Jenssen, Bjørn Munro; Bäckman, Christina; Koistinen, Jaana; Gabrielsen, Geir W: Bone-related effects of contaminants in seals may be associated with vitamin D and thyroid hormones, *Environ Toxicol Chem*, 27(4), 873, doi:10.1897/07-139.1, 2008.
- Routti, H., et al.: (Table 1) Concentrations of the main organochlorine pesticides in liver and plasma samples of ringed seals (*Phoca hispida*), doi:10.1594/PANGAEA.819455, Supplement to: Routti, Heli; van Bavel, Bert; Letcher, Robert J; Arukwe, Augustine; Chu, Shaogang; Gabrielsen, Geir W: Concentrations, patterns and metabolites of organochlorine pesticides in relation to xenobiotic phase I and II enzyme activities in ringed seals (*Phoca hispida*) from Svalbard and the Baltic Sea, *Environ Pollut*, 157(8-9), 2428-2434, doi:10.1016/j.envpol.2009.03.008, 2009.
- Rundqvist, S., et al.: (Table 1) Cover of shrub and tree species, and number of stems (≥ 3.5 cm DBH) during 1976-1977 and 2009-2010, respectively, doi:10.1594/PANGAEA.819497, Supplement to: Rundqvist, Sara; Hedenås, Henrik; Sandström, Anneli; Emanuelsson, Urban; Eriksson, Håkan; Jonasson, Christer; Callaghan, Terry V: Tree and shrub expansion over the past 34 years at the tree-line near Abisko, Sweden, *AMBIO*, 40(6), 683-692, doi:10.1007/s13280-011-0174-0, 2011.
- Rush, SA., et al.: Major and minor element concentrations in the livers of polar bears (*Ursus maritimus*) from Greenland, Canada and Alaska, doi:10.1594/PANGAEA.819535, Supplement to: Rush, Scott A; Borgå, Katrine; Dietz, Rune; Born, Erik W; Sonne, Christian; Evans, Thomas J; Muir, Derek CG; Letcher, Robert J; Norstrom, Ross J; Fisk, Aaron T: Geographic distribution of selected elements in the livers of polar bears from Greenland, Canada and the United States, *Environ Pollut*, 153(3), 618-626, doi:10.1016/j.envpol.2007.09.006, 2008.
- Rüther, DC., et al.: Radiocarbon ages and clay minerals in sediment cores obtained during a 2009 Jan Mayen cruise to the Norwegian Sea, doi:10.1594/PANGAEA.819620, Supplement to: Rüther, Denise C; Bjarnadottir, Lilja Rün; Junttila, Juho; Husum, Katrine; Rasmussen, Tine Lander; Lucchi, Renata G; Andreassen, Karin: Pattern and timing of the northwestern Barents Sea Ice Sheet deglaciation and indications of episodic Holocene deposition, *Boreas*, 41(3), 494-512, doi:10.1111/j.1502-3885.2011.00244.x, 2012.
- Sagerup, K., et al.: (Table 1) Concentrations of persistent organic pollutants in brain and liver of glaucous gulls, Bjørnøya, Svalbard archipelago, doi:10.1594/PANGAEA.786530, Supplement to: Sagerup, Kjetil; Helgason, Lisa Bjørnsdatter; Polder, Anuschka; Strøm, Hallvard; Josefsen, Terje D; Skaare, Janneche Utne; Gabrielsen, Geir W: Persistent organic pollutants and mercury in dead and dying glaucous gulls (*Larus hyperboreus*) at Bjornoya (Svalbard), *Sci Total Environ*, 407(23), 6009-6016, doi:10.1016/j.scitotenv.2009.08.020, 2009.
- Sagnotti, L., et al.: (Table 2) Radiocarbon dates of sediment cores obtained during Bio Hespérides cruise SVAIS and OGS Explora cruise EGLACOM between 2007-2008, doi:10.1594/PANGAEA.819543, Supplement to: Sagnotti, Leonardo; Macrì, Patrizia; Lucchi, Renata G; Rebesco, Michele; Camerlenghi, Angelo: A Holocene paleosecular variation record from the northwestern Barents Sea continental margin, *Geochem Geophys Geosystems*, 12(11), 1-24, doi:10.1029/2011GC003810, 2011.
- Sakurai, T., et al.: (Table 1) Micro-inclusion counts and ion concentrations in the five GRIP ice-core sections, doi:10.1594/PANGAEA.833919, Supplement to: Sakurai, Toshimitsu; Iizuka, Yoshinori; Horikawa, Shinichiro; Johnsen, Sigfus J; Dahl-Jensen, Dorthe; Steffensen, Jørgen Peder; Hondoh, Takeo: Direct observation of salts as micro-inclusions in the Greenland GRIP ice core, *J Glaciol*, 55(193), 777-783, doi:10.3189/002214309790152483, 2009.
- Sallon, A., et al.: Chlorophyll a and carbon fluxes, and characteristics of the water column during summer 2008 in the Beaufort Sea, doi:10.1594/PANGAEA.834260, Supplement to: Sallon, Amélie; Michel, Christine; Gosselin, Michel: Summertime primary production and carbon export in the southeastern Beaufort Sea during the low ice year of 2008, *Polar Biol*, 34(12), 1989-2005, doi:10.1007/s00300-011-1055-5, 2011.
- Sannel, ABK., et al.: Characteristics and changes of thermokarst lakes in Canada, Russia and Sweden, doi:10.1594/PANGAEA.834904, Supplement to: Sannel, A Britta K; Kuhry, Peter: Warming-induced destabilization of peat plateau/thermokarst lake complexes, *J Geophys Res*, 116(G3), G03035, doi:10.1029/2010JG001635, 2011.

- Sannel, ABK., et al.: Radiocarbon dating of peat profiles from the subarctic ecoclimatic region, west-central Canada, doi:10.1594/PANGAEA.786457, Supplement to: Sannel, A Britta K; Kuhry, Peter: Long-term stability of permafrost in subarctic peat plateaus, west-central Canada, The Holocene, 18(4), 589-601, doi:10.1177/0959683608089658, 2008.
- Santoferrara, LF., et al.: Abundance of tintinnids in waters of the Argentine Shelf and the Drake Passage 2002-2003, doi:10.1594/PANGAEA.834726, Supplement to: Santoferrara, Luciana F; Alder, Viviana A: Abundance and diversity of tintinnids (planktonic ciliates) under contrasting levels of productivity in the Argentine Shelf and Drake Passage, J Sea Res, 71, 25-30, doi:10.1016/j.seares.2012.04.002, 2012.
- Santoferrara, LF., et al.: Ciliate abundance in waters of the Argentine shelf and the Drake Passage, the south-western Atlantic, doi:10.1594/PANGAEA.834722, Supplement to: Santoferrara, Luciana F; Alder, Viviana A: Abundance trends and ecology of planktonic ciliates of the south-western Atlantic (35-63°S): a comparison between neritic and oceanic environments, J Plankton Res, 31(8), 837-851, doi:10.1093/plankt/fbp033, 2009.
- Sarau, C., et al.: Breeding success and traits of equal and unequal pairs of little penguins (*Eudyptula minor*) on Phillip Island during 2001-2008, doi:10.1594/PANGAEA.834281, Supplement to: Sarau, Claire; Chiaradia, André; Le Maho, Yvon; Ropert-Coudert, Yan: Everybody needs somebody: unequal parental effort in little penguins, Behav Ecol, 22(4), 837-845, doi:10.1093/beheco/arr049, 2011.
- Sasgen, I., et al.: Mass balance and acceleration of the Greenland ice sheet, doi:10.1594/PANGAEA.834956, Supplement to: Sasgen, Ingo; van den Broeke, Michiel R; Bamber, Jonathan L; Rignot, Eric; Sørensen, Louise Sandberg; Wouters, Bert; Martinec, Zdenek; Velicogna, Isabella; Simonsen, Sebastian B: Timing and origin of recent regional ice-mass loss in Greenland, Earth Planet Sci Lett, 333-334, 293-303, doi:10.1016/j.epsl.2012.03.033, 2012.
- Schirrneister, L., et al.: Chemistry of water during the Lena 2007 expedition, Appendix 6.4, doi:10.1594/PANGAEA.727690, Supplement to: Boike, Julia; Bolshiyarov, Dimitry Yu; Schirrneister, Lutz; Wetterich, Sebastian: Russian-German Cooperation SYSTEM LAPTEV SEA: The Expedition LENA - New Siberian Islands 2007 during the International Polar Year 2007/2008, Berichte zur Polar- und Meeresforschung = Reports on Polar and Marine Research, 583, 274 pp., 2008.
- Schirrneister, L., et al.: Pollen record and age determinations of a profile at Cape Mamontov Klyk, Siberia, doi:10.1594/PANGAEA.736029, Supplement to: Schirrneister, Lutz; Grosse, Guido; Kunitsky, Victor V; Magens, Diana; Meyer, Hanno; Dereviagin, Alexander Yu; Kuznetsova, Tatyana V; Andreev, Andrei A; Babiy, O; Kienast, Frank; Grigoriev, Mikhail N et al.: Periglacial landscape evolution and environmental changes of Arctic lowland areas for the last 60 000 years (western Laptev Sea coast, Cape Mamontov Klyk), Polar Res, 27(2), 249-272, doi:10.1111/j.1751-8369.2008.00067.x, 2008.
- Schlüter, L., et al.: Phytoplankton composition and biomass during leg 7 of Galathea 3 cruise across the southern Indian Ocean, doi:10.1594/PANGAEA.835238, Supplement to: Schlüter, Louise; Henriksen, Peter; Nielsen, Torkel Gissel; Jakobsen, Hans Henrik: Phytoplankton composition and biomass across the southern Indian Ocean, Deep Sea Res Part I Oceanogr Res Pap, 58(5), 546-556, doi:10.1016/j.dsr.2011.02.007, 2011.
- Sedwick, P., et al.: (Table 1) Concentration of iron, DIP and silicic acid in water samples taken during Nathaniel B. Palmer cruises NBP06-01 and NBP06-08 (CORSAKS I+II), Ross Sea, doi:10.1594/PANGAEA.836573, Supplement to: Sedwick, Peter; Marsay, Christopher M; Sohst, Bettina M; Aguilar-Islas, Ana M; Lohan, Maeve C; Long, Matthew C; Arrigo, Kevin R; Dunbar, Robert B; Saito, Mak A; Smith, Walker O Jr; DiTullio, Giacomo R: Early season depletion of dissolved iron in the Ross Sea polynya: Implications for iron dynamics on the Antarctic continental shelf, J Geophys Res, 116(C12), C12019, doi:10.1029/2010JC006553, 2011.
- Sheikh, N., et al.: Dietary patterns and body mass index of Canadian Inuit communities in 1999 and 2008, doi:10.1594/PANGAEA.836659, Supplement to: Sheikh, Nelofar; Egeland, Grace M; Johnson-Down, Louise; Kuhnlein, Harriet V: Changing dietary patterns and body mass index over

- time in Canadian Inuit communities, *Int J Circumpolar Health*, 70(5), 511-519, doi:10.3402/ijch.v70i5.17863, 2011.
- Sherman, LS., et al.: Mercury content and isotopic composition of frost flower, surface snow and brine samples near Barrow, Alaska, doi:10.1594/PANGAEA.809260, Supplement to: Sherman, Laura S; Blum, Joel D; Douglas, Thomas A; Steffen, Alexandra: Frost flowers growing in the Arctic ocean-atmosphere-sea ice-snow interface: 2. Mercury exchange between the atmosphere, snow, and frost flowers, *J Geophys Res*, 117(D3), D00R10, doi:10.1029/2011JD016186, 2012.
- Shiklomanov, NI., et al.: (Table 1) Active-layer thickness as measured by the Biocomplexity Experiment (BE) for the flooded, drained and control sections in Barrow, Alaska, doi:10.1594/PANGAEA.836769, Supplement to: Shiklomanov, Nikolay I; Streletskiy, Dmitry A; Nelson, Frederick E; Hollister, Robert D; Romanovsky, Vladimir E; Tweedie, Craig E; Bockheim, James G; Brown, Jerry: Decadal variations of active-layer thickness in moisture-controlled landscapes, Barrow, Alaska, *J Geophys Res*, 115, G00I04, doi:10.1029/2009JG001248, 2010.
- Shotyk, W., et al.: (Table 1) Water chemistry of groundwater and snow samples from three sites in Ontario, Canada, doi:10.1594/PANGAEA.836902, Supplement to: Shotyk, William; Krachler, Michael; Aeschbach-Hertig, Werner; Hillier, Stephen; Zheng, Jiancheng: Trace elements in recent groundwater of an artesian flow system and comparison with snow: enrichments, depletions, and chemical evolution of the water, *J Env Monit*, 12(1), 208, doi:10.1039/b909723f, 2010.
- Simon, A., et al.: *Toxoplasma gondii* seroprevalence in ringed seals (*Pusa hispida*) from the Canadian Arctic, doi:10.1594/PANGAEA.837021, Supplement to: Simon, A; Chambellant, M; Ward, BJ; Simard, Martin; Proulx, JF; Levesque, B; Bigras-Poulin, M; Rousseau, AN; Ogden, NH: Spatio-temporal variations and age effect on *Toxoplasma gondii* seroprevalence in seals from the Canadian Arctic, *Parasitology*, 138(11), 1362-1368, doi:10.1017/S0031182011001260, 2011.
- Sinnatamby, RN., et al.: Habitat preferences, fork lengths and isotopic ratios of Arctic charr (*Salvelinus alpinus*) in and around Lake Hazen, Ellesmere Island, doi:10.1594/PANGAEA.837055, Supplement to: Sinnatamby, R Niloshini; Babaluk, John A; Power, Geoff; Reist, James D; Power, Michael: Summer habitat use and feeding of juvenile Arctic charr, *Salvelinus alpinus*, in the Canadian High Arctic, *Ecol Freshw Fish*, 21(2), 309-322, doi:10.1111/j.1600-0633.2012.00552.x, 2012.
- Sjögersten, S., et al.: (Table 1) Carbon pools in different vegetation components in grazed and ungrazed plots near Ny-Ålesund, Spitzbergen, doi:10.1594/PANGAEA.837086, Supplement to: Sjögersten, Sofie; van der Wal, René; Loonen, Maarten JJE; Woodin, Sarah J: Recovery of ecosystem carbon fluxes and storage from herbivory, *Biogeochemistry*, 106(3), 357-370, doi:10.1007/s10533-010-9516-4, 2011.
- Sjögersten, S., et al.: Initial soil properties and biomass after experimental grazing and warming in mesic and wet sites, Adventdalen valley, Spitzbergen, doi:10.1594/PANGAEA.834744, Supplement to: Sjögersten, Sofie; van der Wal, René; Woodin, Sarah J: Habitat type determines herbivory controls over CO₂ fluxes in a warmer Arctic, *Ecology*, 89(8), 2103-2116, doi:10.1890/07-1601.1, 2008.
- Skoglund, EG., et al.: Fatty acid composition of tissue samples from Arctic walrus (*Odobenus rosmarus rosmarus*) and their prey, doi:10.1594/PANGAEA.837145, Supplement to: Skoglund, Eli G; Lydersen, Christian; Grahl-Nielsen, Otto; Haug, Tore; Kovacs, Kit Maureen: Fatty acid composition of the blubber and dermis of adult male Atlantic walrus (*Odobenus rosmarus rosmarus*) in Svalbard, and their potential prey, *Mar Biol Res*, 6(3), 239-250, doi:10.1080/17451000903233755, 2010.
- Slubowska-Woldengen, M., et al.: Relative abundances of foraminifera and radiocarbon ages of selected cores obtained from the Nordic and Barents Sea, doi:10.1594/PANGAEA.786604, Supplement to: Slubowska-Woldengen, Marta; Koç, Nalân; Rasmussen, Tine Lander; Klitgaard-Kristensen, Dorte; Hald, Morten; Jennings, Anne E: Time-slice reconstructions of ocean circulation changes on the continental shelf in the Nordic and Barents Seas during the last 16,000 cal yr B.P., *Quaternary Sci Rev*, 27(15-16), 1476-1492, doi:10.1016/j.quascirev.2008.04.015, 2008.
- Smith, SL., et al.: Active layer thickness and ground temperatures during 1991-2008 at permafrost sites in northern North America, doi:10.1594/PANGAEA.837173, Supplement to: Smith, SL;

- Romanovsky, Vladimir E; Lewkowicz, AG; Burn, CR; Allard, M; Clow, Gary D; Yoshikawa, Kenji; Throop, J: Thermal state of permafrost in North America: a contribution to the international polar year, *Permaf Periglac Process*, 21(2), 117-135, doi:10.1002/ppp.690, 2010.
- Sole, AJ., et al.: Site characteristics and ice speed at four sites on Kangiata Nunata Sermia glacier, southwest Greenland, doi:10.1594/PANGAEA.837202, Supplement to: Sole, AJ; Mair, DWF; Nienow, PW; Bartholomew, ID; King, MA; Burke, MJ; Joughin, Ian: Seasonal speedup of a Greenland marine-terminating outlet glacier forced by surface melt-induced changes in subglacial hydrology, *J Geophys Res*, 116(F3), F03014, doi:10.1029/2010JF001948, 2011.
- Sonne, C., et al.: (Table 3) Liver weight, blood liver parameters, and blood plasma PCB concentrations in 14 sledge dog bitches and their 14 pups in Aasiaat, west Greenland, doi:10.1594/PANGAEA.837324, Supplement to: Sonne, Christian; Leifsson, Pall S; Dietz, Rune; Kirkegaard, Maja; Jensen, A; Shahmiri, Soheila; Letcher, Robert J: Greenland sledge dogs (*Canis familiaris*) develop liver lesions when exposed to a chronic and dietary low dose of an environmental organohalogen cocktail, *Environ Res*, 106(1), 72-80, doi:10.1016/j.envres.2007.08.010, 2008.
- Sørreide, JE., et al.: Properties of water masses, taxa abundance, and isotopic ratios of samples obtained around Svalbard archipelago, doi:10.1594/PANGAEA.786713, Supplement to: Sørreide, Janne E; Falk-Petersen, Stig; Hegseth, Else Nøst; Hop, Haakon; Carroll, Michael L; Hobson, Keith A; Blachowiak-Samolyk, Katarzyna: Seasonal feeding strategies of *Calanus* in the high-Arctic Svalbard region, *Deep Sea Res Part II Top Stud Oceanogr*, 55(20-21), 2225-2244, doi:10.1016/j.dsr2.2008.05.024, 2008.
- Spares, AD., et al.: Water chemistry, and body temperature, swimming depth and stomach contents of Arctic char (*Salvelinus alpinus*) in inner Frobisher Bay, Canada, doi:10.1594/PANGAEA.837365, Supplement to: Spares, Aaron D; Stokesbury, Michael JW; O'Dor, Ronald K; Dick, Terry A: Temperature, salinity and prey availability shape the marine migration of Arctic char, *Salvelinus alpinus*, in a macrotidal estuary, *Mar Biol*, 159(8), 1633-1646, doi:10.1007/s00227-012-1949-y, 2012.
- Spée, M., et al.: (Table 1) Characteristics of breeding male Adélie penguins (*Pygoscelis adeliae*) treated with varying degrees of corticosterone, Adélie land, Antarctica, doi:10.1594/PANGAEA.837408, Supplement to: Spée, Marion; Marchal, Lorène; Lazin, David; Le Maho, Yvon; Chastel, Olivier; Beaulieu, Michaël; Raclot, Thierry: Exogenous corticosterone and nest abandonment: A study in a long-lived bird, the Adélie penguin, *Horm Behav*, 60(4), 362-370, doi:10.1016/j.yhbeh.2011.07.003, 2011.
- Speirs, JC., et al.: (Table 2) Foehn characteristics of station in the McMurdo Dry Valleys, Antarctica, doi:10.1594/PANGAEA.837426, Supplement to: Speirs, Johanna C; Steinhoff, Daniel F; McGowan, Hamish A; Bromwich, David H; Monaghan, Andrew J: Foehn Winds in the McMurdo Dry Valleys, Antarctica: The Origin of Extreme Warming Events, *J Climate*, 23(13), 3577-3598, doi:10.1175/2010JCLI3382.1, 2010.
- Spielhagen, RF., et al.: Planktic foraminiferal distribution and stable isotope ratios of sediment core MSM05/5_712-1 from the Arctic Ocean, doi:10.1594/PANGAEA.755114, Supplement to: Spielhagen, Robert F; Werner, Kirstin; Sørensen, Steffen Aagaard; Zamelczyk, Katarzyna; Kandiano, Evgeniya S; Budéus, Gereon; Husum, Katrine; Marchitto, Thomas M; Hald, Morten: Enhanced modern heat transfer to the Arctic by warm Atlantic water, *Science*, 331(6016), 450-453, doi:10.1126/science.1197397, 2011.
- Stafford, KM., et al.: Characteristics of acoustic recordings of narwhals (*Monodon monoceros*) north of Disko Island, April 2007 and 2009, doi:10.1594/PANGAEA.834845, Supplement to: Stafford, Kathleen M; Laidre, Kristin L; Heide-Jørgensen, Mads Peter: First acoustic recordings of narwhals (*Monodon monoceros*) in winter, *Mar Mammal Sci*, 28(2), E197-E207, doi:10.1111/j.1748-7692.2011.00500.x, 2012.
- Steffensen, JP., et al.: (Data D1) Annual climate proxy data from the NGRIP ice core, Greenland, doi:10.1594/PANGAEA.786474, Supplement to: Steffensen, Jørgen Peder; Andersen, Katrine K; Bigler, Matthias; Clausen, Henrik B; Dahl-Jensen, Dorthe; Fischer, Hubertus; Goto-Azuma, Kumiko; Hansson, Margareta E; Johnsen, Sigfus J; Jouzel, Jean et al.: High-resolution Greenland ice core

- data show abrupt climate change happens in few years, *Science*, 321(5889), 680-684, doi:10.1126/science.1157707, 2008.
- Strandberg, U., et al.: (Table 1) Age, sex, length, girth and blubber thickness and content of ringed seals (*Pusa hispida*) in Kongsfjorden in 2000, doi:10.1594/PANGAEA.837888, Supplement to: Strandberg, Ursula; Käkelä, Anne; Lydersen, Christian; Kovacs, Kit Maureen; Grahl-Nielsen, Otto; Hyvärinen, Heikki; Käkelä, Reijo: Stratification, Composition, and Function of Marine Mammal Blubber: The Ecology of Fatty Acids in Marine Mammals, *Physiol Biochem Zool*, 81(4), 473-485, doi:10.1086/589108, 2008.
- Stransky, B., et al.: Site characteristics, diversity indices and species abundance of peracarid crustaceans during Walther Herwig III cruise along the southern shelf of Greenland, doi:10.1594/PANGAEA.837930, Supplement to: Stransky, Bente; Brandt, Angelika: Occurrence, diversity and community structures of peracarid crustaceans (Crustacea, Malacostraca) along the southern shelf of Greenland, *Polar Biol*, 33(6), 851-867, doi:10.1007/s00300-010-0785-0, 2010.
- Street, L.E., et al.: (Table 3) Leaf area and leaf nitrogen for deciduous, evergreen, forb and graminoid species at Barrow, Svalbard and Zackenberg, doi:10.1594/PANGAEA.837943, Supplement to: Street, Lorna E; Shaver, Gaius R; Rastetter, Edward B; van Wijk, Mark T; Kaye, Brooke A; Williams, Mathew: Incident radiation and the allocation of nitrogen within Arctic plant canopies: implications for predicting gross primary productivity, *Glob Change Biol*, 18(9), 2838-2852, doi:10.1111/j.1365-2486.2012.02754.x, 2012.
- Su, Y., et al.: Air concentration of polybrominated diphenyl ethers around the Great Lakes and the Arctic, doi:10.1594/PANGAEA.786409, Supplement to: Su, Yushan; Hung, Hayley; Brice, Kenneth A; Su, Ky; Alexandrou, Nick; Blanchard, Pierrette; Chan, Elton; Sverko, Ed; Fellin, Phil: Air concentrations of polybrominated diphenyl ethers (PBDEs) in 2002-2004 at a rural site in the Great Lakes, *Atmos Environ*, 43(39), 6230-6237, doi:10.1016/j.atmosenv.2009.08.034, 2009.
- Swailethorp, R., et al.: Characteristics of eggs and female adults of *Calanus finmarchicus*, *C. glacialis* and *C. hyperboreus* from Disko Bay, western Greenland, doi:10.1594/PANGAEA.837965, Supplement to: Swailethorp, Rasmus; Kjellerup, Sanne; Dünweber, Michael; Nielsen, Torkel Gissel; Møller, Eva Friis; Rysgaard, Søren; Hansen, Benni Winding: Grazing, egg production, and biochemical evidence of differences in the life strategies of *Calanus finmarchicus*, *C. glacialis* and *C. hyperboreus* in Disko Bay, western Greenland, *Mar Ecol Prog Ser*, 429, 125-144, doi:10.3354/meps09065, 2011.
- Swanson, H.K., et al.: Life-history traits of two *Salvelinus* species and mercury concentrations in fish and prey in ten Canadian lakes (2006-2008), doi:10.1594/PANGAEA.837319, Supplement to: Swanson, Heidi K; Gantner, Nikolaus; Kidd, Karen A; Muir, Derek CG; Reist, James D: Comparison of mercury concentrations in landlocked, resident, and sea-run fish (*Salvelinus* spp.) from Nunavut, Canada, *Environ Toxicol Chem*, 30(6), 1459-1467, doi:10.1002/etc.517, 2011.
- Swanson, H.K., et al.: Growth characteristics and age at first migration of anadromous and resident Arctic char (*Salvelinus alpinus*) and lake trout (*Salvelinus namaycush*) in the Canadian Arctic (2006-2008), doi:10.1594/PANGAEA.838933, Supplement to: Swanson, Heidi K; Kidd, Karen A; Babaluk, John A; Wastle, Rick J; Yang, Panseok P; Halden, Norman M; Reist, James D: Anadromy in Arctic populations of lake trout (*Salvelinus namaycush*): otolith microchemistry, stable isotopes, and comparisons with Arctic char (*Salvelinus alpinus*), *Can J Fish Aquat Sci*, 67(5), 842-853, doi:10.1139/F10-022, 2010.
- Tarnocai, C., et al.: Morphological, chemical and physical characteristics of cryosolic soils from Arctic Canada, doi:10.1594/PANGAEA.838954, Supplement to: Tarnocai, Charles; Bockheim, James G: Cryosolic soils of Canada: Genesis, distribution, and classification, *Can J Soil Sci*, 91(5), 749-762, doi:10.4141/cjss10020, 2011.
- Tarroux, A., et al.: (Table 2) Carbon and nitrogen isotopic ratios in blood sampled from arctic foxes (*Vulpes lagopus*) on Bylot Island between 2003-2008, doi:10.1594/PANGAEA.838989, Supplement to: Tarroux, Arnaud; Bêty, Joël; Gauthier, Gilles; Berteaux, Dominique: The marine side of a terrestrial carnivore: Intra-population variation in use of allochthonous resources by arctic foxes, *PLoS ONE*, 7(8), e42427, doi:10.1371/journal.pone.0042427.s005, 2012.

- Tekeli, AE., et al.: Comparisons of observed ice properties and Envisat Advanced Synthetic Aperture Radar (ASAR) data during Nathaniel B. Palmer cruise NBP09-01 and Oden cruise OSO08/09, doi:10.1594/PANGAEA.839043, Supplement to: Tekeli, Ahmet E; Kern, Stefan; Ackley, Stephen F; Ozsoy-Cicek, Burcu; Xie, Hongjie: Summer Antarctic sea ice as seen by ASAR and AMSR-E and observed during two IPY field cruises: a case study, *Ann Glaciol*, 52(57), 327-336, doi:10.3189/172756411795931697, 2011.
- Therrien, J-F., et al.: (Table 1) Movement parameters of nine adult female snowy owls (*Bubo scandiacus*) tracked during the winter period 07/08 and 08/09 around Hudson Strait, Canada, doi:10.1594/PANGAEA.839058, Supplement to: Therrien, Jean-François; Gauthier, Gilles; Bêty, Joël: An avian terrestrial predator of the Arctic relies on the marine ecosystem during winter, *J Avian Biol*, 42(4), 363-369, doi:10.1111/j.1600-048X.2011.05330.x, 2011.
- Thierry, A-M., et al.: (Table 1) Breeding parameters for 60 male Adélie penguins (*Pygoscelis adeliae*) at station Dumont d'Urville (Antarctica) depending on treatment (control vs. CORT), doi:10.1594/PANGAEA.839226, Supplement to: Thierry, Anne-Mathilde; Massemin, Sylvie; Handrich, Yves; Raclot, Thierry: Elevated corticosterone levels and severe weather conditions decrease parental investment of incubating Adélie penguins, *Horm Behav*, 63(3), 475-483, doi:10.1016/j.yhbeh.2012.12.011, 2013.
- Thompson, GA., et al.: Density and biomass of two copepod size fractions and various species obtained during Almirante Irizar cruises to the Drake Passage and Scotia Sea (2000-2003), doi:10.1594/PANGAEA.839142, Supplement to: Thompson, Gustavo A; Dinofrio, Estela O; Alder, Viviana A: Interannual fluctuations in copepod abundance and contribution of small forms in the Drake Passage during austral summer, *Helgol Mar Res*, 66(2), 127-138, doi:10.1007/s10152-011-0253-4, 2011.
- Thuróczy, C-E., et al.: Average fluorescence and dissolved iron and Fe-binding ligand characteristics during POLARSTERN expedition ANT-XXIV/3 in 2008, doi:10.1594/PANGAEA.839219, Supplement to: Thuróczy, Charles-Edouard; Gerringa, Loes JA; Klunder, Maarten B; Laan, Patrick; de Baar, Hein JW: Observation of consistent trends in the organic complexation of dissolved iron in the Atlantic sector of the Southern Ocean, *Deep Sea Res Part II Top Stud Oceanogr*, 58(25-26), 2695-2706, doi:10.1016/j.dsr2.2011.01.002, 2011.
- Thuróczy, C-E., et al.: Dissolved and dissolvable iron concentrations and ligand characteristics in samples taken during POLARSTERN expedition ARK-XXII/2 to the Arctic Ocean, doi:10.1594/PANGAEA.839199, Supplement to: Thuróczy, Charles-Edouard; Gerringa, Loes JA; Klunder, Maarten B; Laan, Patrick; Le Guitton, M; de Baar, Hein JW: Distinct trends in the speciation of iron between the shallow shelf seas and the deep basins of the Arctic Ocean, *J Geophys Res*, 116(C10), C10009, doi:10.1029/2010JC006835, 2011.
- Todd, CE., et al.: Surface exposure ages of samples obtained from Reedy Glacier, Antarctica, doi:10.1594/PANGAEA.786188, Supplement to: Todd, Claire E; Stone, John O; Conway, Howard; Hall, Brenda L; Bromley, Gordon RM: Late Quaternary evolution of Reedy Glacier, Antarctica, *Quaternary Sci Rev*, 29(11-12), 1328-1341, doi:10.1016/j.quascirev.2010.02.001, 2010.
- Toyota, T., et al.: (Table 1) Sea ice and snow characteristics and heat fluxes observed during R/V Aurora Australis cruise to East Antarctica in September/October 2007, doi:10.1594/PANGAEA.839311, Supplement to: Toyota, Takenobu; Massom, Robert A; Tateyama, Kazu; Tamura, T; Fraser, Alexander: Properties of snow overlying the sea ice off East Antarctica in late winter, 2007, *Deep Sea Res Part II Top Stud Oceanogr*, 58(9-10), 1137-1148, doi:10.1016/j.dsr2.2010.12.002, 2011.
- Tremblay, J-E., et al.: Benthic carbon turnover, sediment pigment concentrations and sinking fluxes of POC in the southeastern Beaufort Sea during CCGS Amundsen cruise 2008, doi:10.1594/PANGAEA.837468, Supplement to: Tremblay, Jean-Eric; Bélanger, S; Barber, David G; Asplin, M; Martin, J; Darnis, Gerald; Fortier, Louis; Gratton, Y; Link, Heike; Archambault, Philippe; Sallon, Amélie; Michel, Christine; Williams, WJ; Philippe, Benoit; Gosselin, M: Climate forcing multiplies biological productivity in the coastal Arctic Ocean, *Geophys Res Lett*, 38(18), L18604, doi:10.1029/2011GL048825, 2011.

- Udisti, R., et al.: (Table 4) Seasonal variation of sea spray sodium concentrations during 2004-2007 at Concordia Station, Antarctica, doi:10.1594/PANGAEA.839332, Supplement to: Udisti, Roberto; Dayan, Uri; Becagli, Silvia; Busetto, Maurizio; Frosini, Daniele; Legrand, Michel R; Lucarelli, F; Preunkert, Susanne; Severi, Mirko; Traversi, Rita; Vitale, Vito: Sea spray aerosol in central Antarctica. Present atmospheric behaviour and implications for paleoclimatic reconstructions, *Atmos Environ*, 52, 109-120, doi:10.1016/j.atmosenv.2011.10.018, 2012.
- Urcelay, C., et al.: Initial vegetation, and spore density, diversity and evenness of different arbuscular mycorrhizal fungi morphotaxa 29,36 and 39 months after experimental vegetation removal, central Argentina, doi:10.1594/PANGAEA.837498, Supplement to: Urcelay, Carlos; Díaz, Sandra; Gurvich, Diego E; Chapin, F Stuart; Cuevas, Elvira; Domínguez, Laura S: Mycorrhizal community resilience in response to experimental plant functional type removals in a woody ecosystem, *J Ecol*, 97(6), 1291-1301, doi:10.1111/j.1365-2745.2009.01582.x, 2009.
- Väliranta, M., et al.: (Table 1) Radiocarbon ages of samples taken from five sites in north-eastern European Russia, doi:10.1594/PANGAEA.839895, Supplement to: Väliranta, Minna; Kaakinen, Anu; Kuhry, Peter; Kultti, Seija; Salonen, J Sakari; Seppä, Heikki: Scattered late-glacial and early Holocene tree populations as dispersal nuclei for forest development in north-eastern European Russia, *J Biogeogr*, 38(5), 922-932, doi:10.1111/j.1365-2699.2010.02448.x, 2011.
- Van Bogaert, R., et al.: Tree line shifts and disturbance events for sites studied in the Torneträsk area of sub-Arctic Sweden for the period 1800-2009, doi:10.1594/PANGAEA.841263, Supplement to: Van Bogaert, Rik; Haneca, Kristof; Hoogesteger, Jan; Jonasson, Christer; De Dapper, Morgan; Callaghan, Terry V: A century of tree line changes in sub-Arctic Sweden shows local and regional variability and only a minor influence of 20th century climate warming, *J Biogeogr*, 38(5), 907-921, doi:10.1111/j.1365-2699.2010.02453.x, 2011.
- Van Bogaert, R., et al.: Establishment, expansion and regeneration of aspen (*Populus tremula*) in the Torneträsk area, subarctic Sweden, doi:10.1594/PANGAEA.841218, Supplement to: Van Bogaert, Rik; Jonasson, Christer; De Dapper, Morgan; Callaghan, Terry V: Range expansion of thermophilic aspen (*Populus tremula* L.) in the Swedish Subarctic, *Arct Antarct Alp Res*, 42(3), 362-375, doi:10.1657/1938-4246-42.3.362, 2010.
- Van Den Brink, NW., et al.: Heavy metal concentrations in soils, vegetation, earthworms and wood mice from Heteren and Plateaux, The Netherlands, doi:10.1594/PANGAEA.840547, Supplement to: Van Den Brink, Nico W; Lammertsma, Dennis; Dimmers, Wim; Boerwinkel, Marie-Claire; van der Hout, Annemariet: Effects of soil properties on food web accumulation of heavy metals to the wood mouse (*Apodemus sylvaticus*), *Environ Pollut*, 158(1), 245-251, doi:10.1016/j.envpol.2009.07.013, 2010.
- Van der Putten, N., et al.: Rock magnetic properties and radiocarbon dates of samples obtained on Ile de Possession, South Indian Ocean, doi:10.1594/PANGAEA.786588, Supplement to: Van der Putten, Nathalie; Hébrard, Jean-Pierre; Verbruggen, Cyriel; Van de Vijver, Bart; Disnar, J R; Spassov, S; de Beaulieu, Jacques-Louis; De Dapper, M; Keravis, D; Hus, J; Thouveny, Nicolas; Frenot, Yves: An integrated palaeoenvironmental investigation of a 6200 year old peat sequence from Ile de la Possession, Iles Crozet, sub-Antarctica, *Palaeogeogr Palaeoclimatol Palaeoecol*, 270(1-2), 179-195, doi:10.1016/j.palaeo.2008.09.014, 2008.
- Verboven, N., et al.: (Table 1) Concentration of persistent organic pollutants in blood plasma of glaucous gulls (*Larus hyperboreus*) from Bjørnøya, doi:10.1594/PANGAEA.837541, Supplement to: Verboven, Nanette; Verreault, Jonathan; Letcher, Robert J; Gabrielsen, Geir W; Evans, Neil P: Adrenocortical function of Arctic-breeding glaucous gulls in relation to persistent organic pollutants, *Gen Comp Endocrinol*, 166(1), 25-32, doi:10.1016/j.ygcen.2009.11.013, 2010.
- Verboven, N., et al.: (Table 2) Concentrations of persistent organic pollutants in the yolk of glaucous gull eggs, Bjørnøya, Svalbard archipelago, doi:10.1594/PANGAEA.786482, Supplement to: Verboven, Nanette; Verreault, Jonathan; Letcher, Robert J; Gabrielsen, Geir W; Evans, Neil P: Maternally derived testosterone and 17beta-estradiol in the eggs of Arctic-breeding glaucous gulls in relation to persistent organic pollutants, *Comp Biochem Physiol Part C Toxicol Pharmacol*, 148(2), 143-151, doi:10.1016/j.cbpc.2008.04.010, 2008.

- Verboven, N., et al.: (Table 1) Body condition and plasma POP concentrations of glaucous gulls from Bjørnøya, Svalbard archipelago, doi:10.1594/PANGAEA.786510, Supplement to: Verboven, Nanette; Verreault, Jonathan; Letcher, Robert J; Gabrielsen, Geir W; Evans, Neil P: Nest temperature and parental behaviour of Arctic-breeding glaucous gulls exposed to persistent organic pollutants, *Anim Behav*, 77(2), 411-418, doi:10.1016/j.anbehav.2008.10.022, 2009.
- Verreault, J., et al.: (Table 1) Lipid content and organohalogen contaminant concentration in captive sledge dogs (*Canis familiaris*) and wild female polar bears (*Ursus maritimus*) from Greenland, doi:10.1594/PANGAEA.841347, Supplement to: Verreault, Jonathan; Dietz, Rune; Sonne, Christian; Gebbink, Wouter A; Shahmiri, Soheila; Letcher, Robert J: Comparative fate of organohalogen contaminants in two top carnivores in Greenland: Captive sledge dogs and wild polar bears, *Comp Biochem Physiol Part C Toxicol Pharmacol*, 147(3), 306-315, doi:10.1016/j.cbpc.2007.11.009, 2008.
- Verreault, J., et al.: (Table 1) Organohalogen contaminants in adipose tissue of captive sledge dogs (*Canis familiaris*) fed with whale blubber or pork fat, doi:10.1594/PANGAEA.842558, Supplement to: Verreault, Jonathan; Letcher, Robert J; Sonne, Christian; Dietz, Rune: Dietary, age and trans-generational effects on the fate of organohalogen contaminants in captive sledge dogs in Greenland, *Environ Int*, 35(1), 56-62, doi:10.1016/j.envint.2008.07.022, 2009.
- Verreault, J., et al.: (Table 1) Lipid content and organohalogen contaminant concentration in plasma of incubating glaucous gulls (*Larus hyperboreus*) from Bjørnøya, Norwegian Arctic in 2006, doi:10.1594/PANGAEA.841349, Supplement to: Verreault, Jonathan; Verboven, Nanette; Gabrielsen, Geir W; Letcher, Robert J; Chastel, Olivier: Changes in prolactin in a highly organohalogen contaminated Arctic top predator seabird, the glaucous gull, *Gen Comp Endocrinol*, 156(3), 569-576, doi:10.1016/j.ygcen.2008.02.013, 2008.
- Vieweg, I., et al.: Stable isotopic ratios, shell lengths and organochlorine compounds in four bivalve species collected in July 2009 around Svalbard, doi:10.1594/PANGAEA.841361, Supplement to: Vieweg, Ireen; Hop, Haakon; Brey, Thomas; Huber, Sandra; Ambrose jr, William G; Locke, William L; Gabrielsen, Geir W: Persistent organic pollutants in four bivalve species from Svalbard waters, *Environ Pollut*, 161, 134-142, doi:10.1016/j.envpol.2011.10.018, 2012.
- Villanger, GD., et al.: (Table 1) Circulating levels of TT3 and TT4, and age, length, girth, and estimated body mass in polar bears (*Ursus maritimus*) from East Greenland 1999-2001, doi:10.1594/PANGAEA.841460, Supplement to: Villanger, Gro D; Jenssen, Bjørn Munro; Fjeldberg, Rita R; Letcher, Robert J; Muir, Derek CG; Kirkegaard, Maja; Sonne, Christian; Dietz, Rune: Exposure to mixtures of organohalogen contaminants and associative interactions with thyroid hormones in East Greenland polar bears (*Ursus maritimus*), *Environ Int*, 37(4), 694-708, doi:10.1016/j.envint.2011.01.012, 2011.
- Vogedes, D., et al.: (Supplement Table 1) Individual measurements of prosome length, dry weight and lipid sacs (length, width, area) in arctic calanoid copepods, doi:10.1594/PANGAEA.837602, Supplement to: Vogedes, Daniel; Varpe, Øystein; Søreide, Janne E; Graeve, Martin; Berge, J; Falk-Petersen, Stig: Lipid sac area as a proxy for individual lipid content of arctic calanoid copepods, *J Plankton Res*, 32(10), 1471-1477, doi:10.1093/plankt/fbq068, 2010.
- Waldmann, N., et al.: Geochemical composition and radiocarbon ages of cores from Lago Fugnano, Tierra del Fuego, doi:10.1594/PANGAEA.840656, Supplement to: Waldmann, Nicolas; Ariztegui, Daniel; Anselmetti, Flavio S; Austin, James A Jr; Moy, Christopher M; Stern, C; Recasens, Cristina; Dunbar, Robert B: Holocene climatic fluctuations and positioning of the Southern Hemisphere westerlies in Tierra del Fuego (54° S), Patagonia, *J Quat Sci*, 25(7), 1063-1075, doi:10.1002/jqs.1263, 2010.
- Walker, DA., et al.: Vegetation, soil and site characteristics of samples taken along the Yamal Transect in 2007-2008, doi:10.1594/PANGAEA.842707, Supplement to: Walker, Donald A; Epstein, Howard E; Leibman, Marina O; Moskalenko, Nataliya G; Orekhov, Pavel; Kuss, Patrick; Matyshak, George V; Kaarlejärvi, Elina; Forbes, Bruce C; Barbour, EM; Gobroski, K: Data Report of the 2007 and 2008 Yamal Expeditions, Alaska Geobotany Center, Institute of Arctic Biology, University of Alaska Fairbanks, Fairbanks, AK, , 121 pp, , 2009.

- Walker, DA., et al.: Plant species, biomass and environmental characteristics of relevés along the North America Arctic bioclimate gradient, doi:10.1594/PANGAEA.837761, Supplement to: Walker, Donald A; Kuss, Patrick; Epstein, Howard E; Kade, Anja N; Vonlanthen, Corinne M; Raynolds, Martha K; Daniëls, Frederikus JA: Vegetation of zonal patterned-ground ecosystems along the North America Arctic bioclimate gradient, *Appl Veg Sci*, 14(4), 440-463, doi:10.1111/j.1654-109X.2011.01149.x, 2011.
- Walker, X., et al.: (Table 2) Survivorship of transplanted seedlings of *Picea glauca* inside and outside three tree islands in 1994, 1995, 2009 and after 15 years, doi:10.1594/PANGAEA.837803, Supplement to: Walker, Xanthe; Henry, Gregory HR; McLeod, Katherine; Hofgaard, Annika: Reproduction and seedling establishment of *Picea glauca* across the northernmost forest-tundra region in Canada, *Glob Change Biol*, 18(10), 3202-3211, doi:10.1111/j.1365-2486.2012.02769.x, 2012.
- Walkusz, W., et al.: Absolute and relative abundances of zooplankton taxa in Kongsfjorden during 2002, doi:10.1594/PANGAEA.840855, Supplement to: Walkusz, Wojciech; Kwasniewski, Slawek; Falk-Petersen, Stig; Hop, Haakon; Tverberg, Vigdis; Wieczorek, Piotr; Weslawski, Jan Marcin: Seasonal and spatial changes in the zooplankton community of Kongsfjorden, Svalbard, *Polar Res*, 28(2), 254-281, doi:10.1111/j.1751-8369.2009.00107.x, 2009.
- Wang, R., et al.: Sources and seasonality of polycyclic aromatic hydrocarbons transported to Alert, Canadian Arctic, doi:10.1594/PANGAEA.838011, Supplement to: Wang, Rong; Tao, Shu; Wang, Bin; Yang, Yu; Lang, Chang; Zhang, Yanxu; Hu, Jing; Ma, Jianmin; Hung, Hayley: Sources and pathways of polycyclic aromatic hydrocarbons transported to Alert, the Canadian High Arctic, *Environ Sci Technol*, 44(3), 1017-1022, doi:10.1021/es902203w, 2010.
- Ware, C., et al.: Number and type of seeds introduced by footwear of travelers to Svalbard and germination success in 2008, doi:10.1594/PANGAEA.840829, Supplement to: Ware, Chris; Bergstrom, Dana Michelle; Müller, Eike; Alsos, Inger Greve: Humans introduce viable seeds to the Arctic on footwear, *Biol Invasions*, 14(3), 567-577, doi:10.1007/s10530-011-0098-4, 2011.
- Warner, NA., et al.: Fish biometry and concentration of volatile siloxanes in liver of Atlantic cod (*Gadus morhua*) and shorthorn sculpin (*Myoxocephalus scorpius*) sampled during RV Lance cruise COPOL in 2009, doi:10.1594/PANGAEA.838246, Supplement to: Warner, Nicholas A; Evenset, Anita; Christensen, Guttorm; Gabrielsen, Geir W; Borgå, Katrine; Leknes, Henriette: Volatile Siloxanes in the European Arctic: Assessment of Sources and Spatial Distribution, *Environ Sci Technol*, 44(19), 7705-7710, doi:10.1021/es101617k, 2010.
- Weissling, BP., et al.: (Table 1) Summary statistics of in situ sea-ice characteristics of Ice Station Belgica sites Fabra, Patria/Liège and Brussels in October 2007, doi:10.1594/PANGAEA.841668, Supplement to: Weissling, Blake P; Ackley, Stephen F: Antarctic sea-ice altimetry: scale and resolution effects on derived ice thickness distribution, *Ann Glaciol*, 52(57), 225-232, doi:10.3189/172756411795931679, 2011.
- Weissling, BP., et al.: Sea ice characteristics at Ice Station Belgica sites Brussels, Patria and Fabra in October 2007, Bellingshausen Sea, doi:10.1594/PANGAEA.841786, Supplement to: Weissling, Blake P; Lewis, Michael J; Ackley, Stephen F: Sea-ice thickness and mass at Ice Station Belgica, Bellingshausen Sea, Antarctica, *Deep Sea Res Part II Top Stud Oceanogr*, 58(9-10), 1112-1124, doi:10.1016/j.dsr2.2010.10.032, 2011.
- Wen, J., et al.: (Table 3) Basal melting rates under the Amery Ice Shelf, East Antarctica, doi:10.1594/PANGAEA.841714, Supplement to: Wen, Jiahong; Wang, Yafeng; Wang, Weili; Jezek, Kenneth C; Liu, Hongxing; Allison, Ian: Basal melting and freezing under the Amery Ice Shelf, East Antarctica, *J Glaciol*, 56(195), 81-90, doi:10.3189/002214310791190820, 2010.
- Wendler, G., et al.: (Table 1) Seasonal sea ice concentration and the observed changes from 1972 to 2007 for the Southern Beaufort Sea, doi:10.1594/PANGAEA.841496, Supplement to: Wendler, Gerd; Shulski, M; Moore, B: Changes in the climate of the Alaskan North Slope and the ice concentration of the adjacent Beaufort Sea, *Theor Appl Climatol*, 99(1-2), 67-74, doi:10.1007/s00704-009-0127-8, 2009.
- Wiig, ., et al.: (Table 1) Observations of bowhead whales (*Balaena mysticetus*) in the Svalbard area 1940–2008, doi:10.1594/PANGAEA.841840, Supplement to: Wiig, Øystein; Bachmann, Lutz; Øien,

- Nils; Kovacs, Kit Maureen; Lydersen, Christian: Observations of bowhead whales (*Balaena mysticetus*) in the Svalbard area 1940-2009, *Polar Biol*, 33(7), 979-984, doi:10.1007/s00300-010-0776-1, 2010.
- Williams, GD., et al.: Bottom water properties observed during Nathaniel B. Palmer cruises NBP00-08 and NBP04-08 to the Southern Ocean, doi:10.1594/PANGAEA.841902, Supplement to: Williams, GD; Aoki, S; Jacobs, Stanley S; Rintoul, Stephen R; Tamura, T; Bindoff, Nathan L: Antarctic Bottom Water from the Adélie and George V Land coast, East Antarctica (140-149°E), *J Geophys Res*, 115(C4), C04027, doi:10.1029/2009JC005812, 2010.
- Wilson, LJ., et al.: Radiocarbon age, and sedimentation and accumulation rate of core JM05-G001 obtained during Jan Mayen cruise JM050704 to the Barents Sea, doi:10.1594/PANGAEA.841926, Supplement to: Wilson, Laurie J; Hald, Morten; Godtliebse, Fred: Foraminiferal faunal evidence of twentieth-century Barents Sea warming, *The Holocene*, 21(4), 527-537, doi:10.1177/0959683610385718, 2011.
- Winterfeld, M., et al.: (Table 1) Radiocarbon and OSL ages of sediment cores C1-C5 drilled during the COAST expedition to Cape Mamontov Klyk in April 2005, doi:10.1594/PANGAEA.841929, Supplement to: Winterfeld, Maria; Schirrmeister, Lutz; Grigoriev, Mikhail N; Kunitsky, Victor V; Andreev, Andrei A; Murray, Andrew S; Overduin, Pier Paul: Coastal permafrost landscape development since the Late Pleistocene in the western Laptev Sea, Siberia, *Boreas*, 40(4), 697-713, doi:10.1111/j.1502-3885.2011.00203.x, 2011.
- Wold, A., et al.: Diatom abundance and fatty acid composition of ice algae and of *Calanus glacialis* in samples obtained in 2008 in the eastern Beaufort Sea, doi:10.1594/PANGAEA.817986, Supplement to: Wold, Anette; Darnis, Gerald; Søreide, Janne E; Leu, Eva; Philippe, Benoit; Fortier, Louis; Poulin, Michel; Kattner, Gerhard; Graeve, Martin; Falk-Petersen, Stig: Life strategy and diet of *Calanus glacialis* during the winter-spring transition in Amundsen Gulf, south-eastern Beaufort Sea, *Polar Biol*, 34(12), 1929-1946, doi:10.1007/s00300-011-1062-6, 2011.
- Wold, A., et al.: Biometrics, fatty acid composition and stable isotopic ratios of five seabird species from Kongsfjorden, Svalbard, doi:10.1594/PANGAEA.818002, Supplement to: Wold, Anette; Jæger, Iris; Hop, Haakon; Gabrielsen, Geir W; Falk-Petersen, Stig: Arctic seabird food chains explored by fatty acid composition and stable isotopes in Kongsfjorden, Svalbard, *Polar Biol*, 34(8), 1147-1155, doi:10.1007/s00300-011-0975-4, 2011.
- Wong, F., et al.: Concentrations of natural and anthropogenic organohalogenes in water and air samples in the Canadian Arctic during IPY (2007-2008), doi:10.1594/PANGAEA.838339, Supplement to: Wong, Fiona; Jantunen, Liisa M; Pučko, Monika; Papakyriakou, Tim N; Staebler, Ralf M; Stern, Gary A; Bidleman, Terry F: Air-water exchange of anthropogenic and natural organohalogenes on International Polar Year (IPY) expeditions in the Canadian Arctic, *Environ Sci Technol*, 45(3), 876-881, doi:10.1021/es1018509, 2011.
- Worby, AP., et al.: (Table 2) Ice, snow and freeboard statistics from measurement transects at 11 ice stations during Aurora Australis cruise SIPEX in 2007, doi:10.1594/PANGAEA.841956, Supplement to: Worby, Anthony P; Steer, Adam; Lieser, Jan L; Heil, Petra; Yi, Donghui; Markus, Thorsten; Allison, Ian; Massom, Robert A; Galin, Natalia; Zwally, H Jay: Regional-scale sea-ice and snow thickness distributions from in situ and satellite measurements over East Antarctica during SIPEX 2007, *Deep Sea Res Part II Top Stud Oceanogr*, 58(9-10), 1125-1136, doi:10.1016/j.dsr2.2010.12.001, 2011.
- Wright, AP., et al.: (Table 1) Ice thickness of new subglacial lakes identified in the ICECAP RES data and of previously known subglacial lakes, doi:10.1594/PANGAEA.842053, Supplement to: Wright, Andrew P; Young, Duncan A; Roberts, Jason L; Schroeder, Dustin M; Bamber, Jonathan L; Dowdeswell, Julian A; Young, Neal W; Le Brocq, Anne M; Warner, Roland C; Payne, Antony J; Blankenship, Donald D et al.: Evidence of a hydrological connection between the ice divide and ice sheet margin in the Aurora Subglacial Basin, East Antarctica, *J Geophys Res*, 117(F1), F01033, doi:10.1029/2011JF002066, 2012.
- Würzberg, L., et al.: Fatty acid content of POM, sediment, foraminifer and peracarid samples obtained during POLARSTERN cruise ANT-XXIV/2 (PS71), doi:10.1594/PANGAEA.842204, Supplement to: Würzberg, Laura; Peters, Janna; Brandt, Angelika: Fatty acid patterns of Southern

- Ocean shelf and deep sea peracarid crustaceans and a possible food source, foraminiferans, *Deep Sea Res Part II Top Stud Oceanogr*, 58(19-20), 2027-2035, doi:10.1016/j.dsr2.2011.05.013, 2011.
- Würzberg, L., et al.: Gut filling, gut content and fatty acid composition of demersal fish species sampled during POLARSTERN cruise ANT-XXIV/2, doi:10.1594/PANGAEA.842210, Supplement to: Würzberg, Laura; Peters, Janna; Flores, Hauke; Brandt, Angelika: Demersal fishes from the Antarctic shelf and deep sea: A diet study based on fatty acid patterns and gut content analyses, *Deep Sea Res Part II Top Stud Oceanogr*, 58(19-20), 2036-2042, doi:10.1016/j.dsr2.2011.05.012, 2011.
- Würzberg, L., et al.: (Table 2) Fatty acid composition of polychaetes sampled during POLARSTERN cruise ANT-XXIV/2, doi:10.1594/PANGAEA.842442, Supplement to: Würzberg, Laura; Peters, Janna; Schüller, Myriam; Brandt, Angelika: Diet insights of deep-sea polychaetes derived from fatty acid analyses, *Deep Sea Res Part II Top Stud Oceanogr*, 58(1-2), 153-162, doi:10.1016/j.dsr2.2010.10.014, 2011.
- Wyant, KA., et al.: Epigeal spider occurrence, abundance and diversity in moist acidic and dry heath tundra at Toolik Lake, Alaska, doi:10.1594/PANGAEA.842542, Supplement to: Wyant, Karl A; Draney, Michael L; Moore, John C: Epigeal Spider (Araneae) Communities in Moist Acidic and Dry Heath Tundra at Toolik Lake, Alaska, *Arct Antarct Alp Res*, 43(2), 301-312, doi:10.1657/1938-4246-43.2.301, 2011.
- Xie, H., et al.: (Table 3) Details of field-based ice and snow profile measurements from the SIMBA 2007 experiment, doi:10.1594/PANGAEA.842546, Supplement to: Xie, Hongjie; Ackley, Stephen F; Yi, D; Zwally, H Jay; Wagner, P; Weissling, Blake P; Lewis, M; Ye, K: Sea-ice thickness distribution of the Bellingshausen Sea from surface measurements and ICESat altimetry, *Deep Sea Res Part II Top Stud Oceanogr*, 58(9-10), 1039-1051, doi:10.1016/j.dsr2.2010.10.038, 2011.
- Ye, Q., et al.: (Table 1) Ice thickness at lake Nam Co, Tibet, during 2008-2009, doi:10.1594/PANGAEA.842547, Supplement to: Ye, Qinghua; Wei, Qifang; Hochschild, Volker; Duguay, Claude R: Integrated observations of lake ice at Nam Co on the Tibetan Plateau from 2001 to 2009, *Geoscience and Remote Sensing Symposium (IGARSS)*, 2011 IEEE International, , 3217 - 3220, doi:10.1109/IGARSS.2011.6049904, 2011.
- Yochem, PK., et al.: Lesion, and haematologic and serum characteristics of Weddell seals (*Leptonychotes weddellii*) sampled in McMurdo Sound, Antarctica, doi:10.1594/PANGAEA.842553, Supplement to: Yochem, PK; Stewart, Brent S; Gelatt, TS; Siniff, D: Health assessment of Weddell Seals, *Leptonychotes weddellii*, in McMurdo Sound, Antarctica, In: Kerry, Knowles R; Riddle, Martin (eds), *Health of Antarctic Wildlife*, Springer Berlin Heidelberg, Berlin, Heidelberg, , 123-138, doi:10.1007/978-3-540-93923-8_8, 2009.
- Young, DA., et al.: (Supplement 3) Radar sounding observations including bedrock and surface elevation and ice thickness in the ASB region, Antarctica, doi:10.1594/PANGAEA.838935, Supplement to: Young, Duncan A; Wright, Andrew P; Roberts, Jason L; Warner, Roland C; Young, Neal W; Greenbaum, Jamin S; Schroeder, Dustin M; Holt, John W; Sugden, David E; Blankenship, Donald D; van Ommen, Tas D; Siegert, Martin J: A dynamic early East Antarctic Ice Sheet suggested by ice-covered fjord landscapes, *Nature*, 474(7349), 72-75, doi:10.1038/nature10114, 2011.
- Yu, J., et al.: Accumulation, velocities, fluxes and mass balance of glacial tributaries to the Lambert Glacier-Amery Ice Shelf system, Antarctica, doi:10.1594/PANGAEA.842718, Supplement to: Yu, Jaehyung; Liu, Hongxing; Jezek, Kenneth C; Warner, Roland C; Wen, Jiahong: Analysis of velocity field, mass balance, and basal melt of the Lambert Glacier-Amery Ice Shelf system by incorporating Radarsat SAR interferometry and ICESat laser altimetry measurements, *J Geophys Res*, 115(B11), B11102, doi:10.1029/2010JB007456, 2010.
- Yu, Q., et al.: (Table 1) Bioclimatic subzones and soil characteristics along the Yamal Arctic Transect, northwestern Siberia, doi:10.1594/PANGAEA.842562, Supplement to: Yu, Qin; Epstein, Howard E; Walker, Donald A: Simulating the effects of soil organic nitrogen and grazing on arctic tundra vegetation dynamics on the Yamal Peninsula, Russia, *Environ Research Lett*, 4(4), 45027, doi:10.1088/1748-9326/4/4/045027, 2009.

Zhang, G., et al.: (Table 1) Lake elevation change derived from 4 or more years of measurements, doi:10.1594/PANGAEA.842774, Supplement to: Zhang, Guoqing; Xie, Hongjie; Kang, Shichang; Yi, Donghui; Ackley, Stephen F: Monitoring lake level changes on the Tibetan Plateau using ICESat altimetry data (2003-2009), *Remote Sens Environ*, 115(7), 1733-1742, doi:10.1016/j.rse.2011.03.005, 2011.

Zhao, J., et al.: (Table 1) Attenuation coefficient of lateral propagating light in sea ice, southern Beaufort Sea, doi:10.1594/PANGAEA.786236, Supplement to: Zhao, Jinping; Li, Tao; Barber, David; Ren, Jingping; Pućko, Monika; Li, Shujiang; Li, Xiang: Attenuation of lateral propagating light in sea ice measured with an artificial lamp in winter Arctic, *Cold Reg Sci Technol*, 61(1), 6-12, doi:10.1016/j.coldregions.2009.12.006, 2010.