

## ***Interactive comment on “FerryBox Data in the North Sea from 2002 to 2005” by Wilhelm Petersen et al.***

**Wilhelm Petersen et al.**

gisbert.breitbach@hzg.de

Received and published: 25 July 2018

R2-1: This paper presents a simple data set, though perhaps with too few additional comments. I expect the data set would be useful for anyone considering installing a Ferry-Box system. I suggest returning the paper to the authors for minor revisions to improve the paper. There are two broad ways the paper can be improved:

First, if the goal is to present the system to other researchers who would be interested in using a similar setup or to present the dataset to people who might be interested in using the data, then a more complete and careful analysis of the uncertainties in the measurements would be useful. For example, the authors present their salinity calibration data as a figure, but don't seem to attempt to extract uncertainty estimates

Printer-friendly version

Discussion paper



from that calibration data. Similarly, the absence of underway O2 assessment data leaves the seemingly lab-calibration based estimates in doubt. The chlorophyll measurements were uncalibrated. The turbidity measurements are also a puzzle, as the other reviewer pointed out.

Second, a small amount of descriptive oceanography would be useful. Why does the salinity get so low near Cuxhaven (presumably near a river mouth?). It might also be worthwhile to describe the high chlorophyll event that led to oxygen supersaturation around June of 2005. Even if the authors are mostly interested in just demonstrating a FerryBox application rather than doing oceanographic research, river plumes and transient blooms are both features that the high temporal and spatial resolution of the FerryBox system would be well-suited to capture, so some notes on these features (and perhaps why they are important to capture) would help generate interest in the approach. However, the brevity of the current draft is nice, so I don't recommend adding too much new text. AA-1: A general description of the behavior of the different measured parameters has been added.

Specific comments L28: "events" âI J T L33: provide a range of typical example depths âI J T L49: "heavy seas" âI J T L50: suggested rephrase: "Water passes from a debub-  
bler to the different sensors through an internal water loop." âI J T L52: recommend:  
"Sensors for temperature and salinity are included (Table 1)."  
âI J T L63: Housekeeping  
-> "Diagnostic" âI J T L70: "Automatic" âI J T L74: suggested "Temperature measure-  
ments were spaced by approximately 100 m" (when the ferry was underway?) âI J T  
L78: What do you estimate the uncertainty of the salinity measurements is based on  
this calibration data? Quantify "very good." By eyeballing figure 2, it appears the salin-  
ity measurement had a standard error of \_0.15? see comments referee 3 L86: What  
is meant by "in the field" if the sensor was only being checked at port? How is the field  
accuracy assessed? Has been explained and phrase has been changed. L89: Too  
many spaces after "database" âI J T L90: COSYNA is an acronym. What does it stand  
for? âI J T L99: The Y label and the colorbar are hard to read. Longitude is missing a

[Printer-friendly version](#)[Discussion paper](#)

sign. Figures have been changed and improved. L108: DFDS is another acronym that should be spelled out. ⚡

---

Interactive comment on Earth Syst. Sci. Data Discuss., <https://doi.org/10.5194/essd-2018-12>, 2018.

**ESSDD**

---

Interactive  
comment

Printer-friendly version

Discussion paper

