The Global Methane Budget: 2000-2017

Saunois et al., ESSDD, 2019

Below are the detailed responses to the comments from the 2 referees and from Nunez Ramirez.
We acknowledge the 2 referees for their time spent on our long manuscript. Their numerous comments helped to shorten (by 8%) and improving and clarifying the text. One change was not required: Fig 2 showing inventories against SSPs has been modified from the first version, along with the corresponding text in the manuscript.

Detailed Response to Anonymous Referee #1

We acknowledge the referee for the time spent on reading and commenting on the paper. We thank him for his useful corrections and suggestions on the paper, which have helped clarifying and improving the manuscript. Below are the responses to his comments (in italics, blue). Changes in the text follow each response in bold font.
In particular, the text has been shortened by 5 pages (8%), from 61 to 56 pages in the ESSDD format.

General comments

Thank authors for massive compilation effort. Important product! One hopes a large community will see and use. Good product for ESSD.

We thank the reviewer for the compliment.

Push data out to 2008-2017 decade? Various valid reasons for this but scattered somewhat randomly through the narrative. Pull all of this information into a short clear statement very near the top of the manuscript to explain time span and time lag?

We included a subsection in the methodology – Sect.2.2 "Period of the budget and availability of data" to justify the analysis period to 2017. In this Section, we explain:

- Why some inventories were extrapolated to push the budget to 2017
- That surface models were runs over 2000-2017, covering the full period of the budget using dynamical wetland extent
- That inversions were also run until beginning 2018 to cover 2000-2017

I and many others will want to use this in classroom. We might assign paper as background reading. Students will loudly object - too long! This reviewer agrees. Too long by a factor of two, at least. Almost long enough to need an executive summary? See suggestion below.

Indeed, the manuscript is a long one. We reduced its length following the reviewer suggestions, and removed excessive details and repetitions. **A table of content** has also been added prior the introduction to help the reader to easily find his section of interest of the layout of this - long – paper.

In present organization, permafrost emissions sit within natural emissions. Technically, and increasingly so, permafrost emissions forced by permafrost thaw should instead account in the anthropogenic category? But if you move terrestrial permafrost sources then you also should move sub-marine permafrost emissions, boreal plant sinks or sources, etc. No easy solution but the current location will prove increasingly problematic.

Permafrost emissions sit within natural emissions. This is also the case for reservoirs, managed wetlands, or wetland changes that could be attributed to human activities. Attributing emissions to either "natural" or "anthropogenic category is challenging. Also, some – many – "natural" emissions of methane are/will be perturbed by anthropogenic climate change. In our study, we define *anthropogenic* as emissions caused by direct human activities since pre-industrial/pre-agricultural time and *natural* as all other sources, some of them being perturbed by climate change.

We agree (and the second reviewer as well) that some clear definition need to be given to what is called here "natural "and "anthropogenic ". We addressed this by splitting the former Section 2.3 (Definition of regions and source category), in two sections and creating a Section 2.4 "Definition of source categories". In particular we moved a paragraph from the beginning of Section 3 to Section 2.3 to better define the frontier between "anthropogenic" and "natural" sources.

After a short description of the different processes inducing methane emissions, the text shows the following definition of natural versus anthropogenic:

"**In the following, we present the different methane sources classified from anthropogenic or natural origin. "Natural sources" refer to pre-agricultural emissions even if they are perturbed by anthropogenic climate change, and "anthropogenic sources" are caused by direct human activities since pre-industrial/pre-agricultural time (3000-2000 BP, Nakasawa et al. (1993)) including agriculture, waste management and fossil fuel related activities. Natural emissions are split between "wetland" and "other natural" emissions (e.g., non-wetland inland waters, wild animals, termites, land geological sources, oceanic geological and biogenic sources, and terrestrial permafrost). Anthropogenic emissions contain: "agriculture and waste emissions", "fossil fuel emissions", "biomass and biofuel burning emissions", assuming that all types of fires cause anthropogenic sources, although they are partly of natural origin (Fig. 6, see also Table 3 and 6).**

Our definition of natural/anthropogenic sources does not correspond exactly to the definition used by UNFCCC following the IPCC guidelines (IPCC, 2006), where, for pragmatic reasons, all emissions from managed land are reported as anthropogenic, which is not the case here. For instance, we consider all wetlands as natural emissions, despite some wetlands being managed and their emissions being partly reported in UNFCCC national communications. The human induced perturbation of climate, atmospheric CO2, and nitrogen and sulfur deposition may cause changes in the sources we classified as natural. Following our definition, emissions from wetlands, inland water or thawing permafrost will be accountable in "natural" emissions, even though, we acknowledge that climate change – a human perturbation – may cause increasing emissions from these sources. Methane emissions from reservoirs are considered as natural even though reservoirs are human man-made, and since the 2019 refinement to the IPCC guidelines (IPCC, 2006; IPCC, 2019) emissions from reservoirs and other flooded lands are considered anthropogenic by UNFCCC.

"

Whether or not the authors intend, this reviewer concludes that we face a larger and more urgent geospatial rather chemical challenge. In short terms, we need to fix the wetland inland freshwater distribution and extent uncertainties as our highest priority, with understanding and quantification of atmospheric OH distributions, reactions and impacts as probably a second priority. If authors intend these priorities, they should state them explicitly? They can always revise in a subsequent version. If this reviewer developed a wrong impression, then authors need to reconsider information they presented and how.

The authors agree with the priorities. However, addressing them involves different communities. Accurate split between wetland and freshwater extent would allow a better estimate of the bottom up budget; quantifying OH burden and distributions would impact the top-down estimate of the

methane budget and the growth rate projected from bottom up estimates. Working on both issues should help reconciling bottom-up and top-down estimates. The last section – Section 6, has been revised to better highlights priorities and progresses needed on the methane budget.

Topical editor suggested that I do a full review. Finding the track-changes version somewhere between daunting and impenetrable, I agreed. After plowing through so much material, however, I almost wish I had tried instead to follow the track changes version. Fundamentally, this is way too much material. Removal of the regional details to separate papers helps a lot, but the present version still represents way too much material. You want strong interest and to serve many users, but at present the too-long, too-disorganized, too-detailed text represents a severe barrier to almost every reader and potential user. Amazing compilation effort, but you need to present it after and on the basis of an equally amazing editorial effort. The latter effort remains sadly missing.

The authors thank the reviewer for his honesty. We agree that many repetitions occurred throughout the text and some parts suffer from too many details. We have followed the reviewer's suggestions to improve the organization of the manuscript and shorten it by 8%.

Specific comments - long list and I know I missed some issues

Line 304: "the relatively small and variable number of studies" Do the authors mean a small number of studies with variable results? A variable number of studies covering small regions or sectors? Confusing.

This has been rephrased as follow: **"considering that the number of studies is relatively small for many individual source or sink estimates »**

Line 317: "processed in the same way" Does this phrase mean that monthly and annual emission data, from any source, were subjected to the identical spatial 1x1 gridding? But some source data exists at higher spatial resolution? E.g. would need some form of disaggregation? Later (lines 320, 321) a reader finds that calculations of monthly and annual means came from (came after?) gridding. Confusion between spatial and temporal averaging here?

The files were provided at monthly or yearly scale. First a spatial re-gridding was applied to have all fluxes on 1°x1° grid at the original temporal scale. Then, annual and decadal means were computed. It has been rephrased as follows:

"**Gridded emissions from atmospheric inversions, land-surface models for wetland or biomass burning were provided at the monthly scale. Emissions from anthropogenic inventories are usually available as yearly estimates. These monthly or yearly fluxes were provided on a 1°x1° grid or re-gridded to 1°x1°, then converted into units of Tg CH_4 per grid cell. Inversions with a resolution coarser than 1° were downscaled to 1° by each modeling group. Land fluxes in coastal pixels were reallocated to the neighbouring land pixel according to our 1° land-sea mask, and vice-versa for ocean fluxes. Annual and decadal means used for this study were computed from the monthly or yearly gridded 1°x1° maps."**

Line 332: "the regional budget presented in (Stavert, 2019)" should read as 'the regional budget presented by Stavert (2019)'? Proofreaders will not know what to do with these punctuation errors so authors must take care to express them correctly.

This has been corrected. A thorough reading has been performed to check the punctuation and hyperlinks related to each citation.

Line 336: In the version I read ("the TransCom inter-comparison map (Gurney et al., 2004)", the Gurney et al reference shows as a non-functional hot link, different to all other references?

This has been corrected. A thorough verifications has been performed to check the punctuation and hyperlink related to each citation. Hyperlinks were all removed.

Lines 358, 35: again some references as apparently hot links, others in standard (expected) format. Why?
This is due to the use of a former list of citation from the previous version completed manually with the new references instead of using the citation software. We have corrected this issue.

Line 359: "most of the inverse system the" Instead: inverse systems?
This has been corrected.

Line 373: "Methane sources and sinks" Because the (long and detailed) section 3 deals entirely with bottom-up (e.g. line 374) emissions, and because section 4 carries the explicit title of top-down (e.g. at line 1677: "Atmospheric observations and top-down inversions"), shouldn't the title of section 3 read as 'Bottom-up sources and sinks"? (By this point one hopes that most readers/users know that the discussion refers to CH4.) If section 3 does NOT deal solely with bottom-up sources and processes (like most readers, this reviewer loses track of bottom-up vs top-down deep in section 3, e.g. in the section on CH4 lifetimes) then the reference to bottom-up at line at 374, 375 needs to change?
Indeed Section 3 present the sources and sinks from the process perspectives and provide estimate from Bottom-up approaches. The title of Section has been changed to **"Methane sources and sinks: bottom-up estimates".** We keep methane in the title of section 3 but removed it in the sub-section. See the final Table of Content.

Line 395 to 400: good section on definitions used here vs those used by IPCC. This reviewer agrees with these choices but, more important, thanks authors for explaining the differences.
We thank the reviewer for the comment. The definition of the categories and how they are named here ("natural" versus "anthropogenic") are critical and challenging in our study. For clarity, we moved the whole paragraph (previously L 380 – L 400) to subsection 2.4 "Definition of source categories". Some explanations were added to explain that other emissions such as "permafrost" are classified in "natural", see response above.

Line 436: FAOSTAT is annual or every 5 years? Annual, evidently, from Table 1?
Yes. FAOSTAT provide annual values. This has been added in the text

Line 457: "Although, country emissions" Delete the comma?
This has been corrected.

Line 472: Here the reader finds FAO-CH4 at annual resolution so FAOSTAT (question above) must also provide annual data? Different to FAO land use inventories with 5-year update cycles?
Yes FAOSTAT, named here FAO-CH4, is at annual resolution.

Lines 475 to 503: Some deception here? None of the five sources provides actual 2017 data? Instead, authors have, by necessity, applied source-specific extrapolations to each of the five sources to reach 2017. So in fact we really only have valid bottom-up data to 2015 (perhaps, with a stretch, to 2016 for some sources) but for reasons we don't learn, authors advertise (e.g. through the title) coverage through 2017. I applaud the desire to update from Saunier 2016 but the definition of "the most recent available year" (e.g. on line 302) refers only to atmospheric concentrations but falls short on all bottom-up source data? Authors should make explicit mention of this discontinuity? Authors, knowing the UN systems, live with these inherent reporting delays but readers/ users may not understand? Earlier and later the authors refer to differences between top-down total CH4 emissions

numbers and bottom-up numbers. This extrapolation represents an additional uncertainty factor? This discontinuity, e.g. 2017 data in some cases but extrapolations from 2015 or earlier in many other cases, impacts Figure 3?

Indeed, the delay in updating inventories may not be well-known by the reader. We acknowledge that extrapolation of inventories is mentioned a bit late in text. We have added few sentences in the Methodology section to make this clearer. However, the extrapolations based on FAO and BP statistics are the best that could be done, waiting for updated inventories. EDGAR uses FAO data as activity data for agriculture, and data from IEA for energy related emissions. The EDGAR version v5.0 has been recently released but stops in 2015 for CH_4.

Besides inventories, top down and biogeochemical models have been run until 2017, and the most recent literature is used for other bottom-up sources and sinks. We have added the following text in the methodology, Sect.2.2 "Period of the budget and availability of data": **"The surface land models were run over the full period 2000-2017 using dynamical wetland areas (Sect. 3.2.1).**

For the top-down estimates, we use atmospheric inversions with atmospheric measurements covering 2000-2017…."

Also, Table 2, biogeochemical models for wetland CH4 emission all "were performed for the whole period 2000-2017" (Table 2) but forced with invariant wetland surface area maps? We know that wetland surface areas have changes substantially but do the data show changes specific to 2008-2017?

Biogeochemical models have been run over 2000-2017 using dynamic wetland surface area, that include satellite-derived wetland areas, as stated in Section 3.2.1." **The WAD2M dataset provides monthly global wetland areas over 2000-2017**."

Line 553: "agreement Despite the offset of the SSP scenarios compared to the recent inventories" Need a period between agreement and Despite. What does 'offset' mean in this context? Divergence? Divergence from SSP2.6 or 3.4 but tracking 8.5? Not clear what authors intend with this sentence.

Indeed, this was not clear, we intended to say that discrepancies in absolute estimates between inventories and SSPs scenarios in the year 2005 should be left aside in order to focus on differences of trends. This has been rephrased to: **"…agreement. In the future, it will be important to monitor trends from year 2015 estimated in inventories and compare them to SSP scenarios'."**

Line 560: "transport" here but "transportation" already mention above (line 557). In one case you mean the act or process of transportation and in the other case the actual transport of fossil fuel products (e.g. via pipeline)? For readers who do not know IPCC categories, we need clarification here.

The term "transport" has been changed to "**road or non-road transport",** which should be more obvious.

Line 606, 607: "applying "Tier 1" approaches for coal mine emissions is not accurate enough" ?are not accurate enough?

The subject here is "applying", as gerund, so the verb here is "is".

Line 649: "and, could lead to". Delete the comma?

This has been corrected

Lines 665 to 669: studies find emission underestimates due to inability to correctly account for CH4 from fracking? Otherwise, why does reader find this particular sentence in this particular location?

Indeed, this section was mishandled, and sentences on oil and gas general activities were attributed to the "shale gas" section. This section has been revised by:

- Deleting “conventional and “shale” splitting
- Reorganizing the text, to make clear that most of the discussion -including the underestimation in the inventories- concerns all type of gas production.
- Mentioning shale gas for two aspects: 1. The increase in shale gas production in the US 2. Potential differences in emissions factor between conventional and shale gas.

Line 672: “abnormal operating conditions” abnormal = fracking? Abnormal = fracking done not according to regulations or best practices? Abnormal = some other type of fossil fuel extraction?
While revising the text of this section (see response above), some sentences have been deleted to reduce the section. This one in particular.

Lines 675 to 683: how does this section contribute to the overall or fossil -fuel-specific budget calculations? The sentence following (lines 684 to 685) provides a short sufficient summary which could replace much of the prior text?
The text has been revised and shorten as explained above.

Lines 724, 725: “the volatile solids component” This reader does not know the chemical meaning of the term ‘volatile solid’?
A volatile solid is a substance that can easily transform from its solid phase to its vapor phase without going through a liquid phase. This term, whose definition is available in a dictionary, has been kept.

Lines 723 to 736: highly redundant. Could reduce to the sentence on lines 727 to 729: “Ambient temperature, moisture, and manure storage or residency time affect the amount of CH4 produced because they influence the growth of the microorganisms responsible for CH4 formation”. For budget purposes, we don’t need more than that?
We agree, this paragraph has been reduced. Three sentences have been deleted.

Line 751: Start here while deleting the prior paragraph?
Yes. Anaerobic conditions in rice have already been mentioned near the beginning of the text. Few sentences have been deleted here.

Line 775: “the work of (Carlson et al., 2016)” you mean ‘the work of Carlson et al. (2016). Please take care with punctuation, as proofreaders will not know what you want.
Yes. This has been corrected.

Line 779: “northward shift of rice cultivation”. Unless cultivation practices change with latitude, a latitudinal shift will not necessarily change or reduce emissions?
Indeed, the paper suggest that such a decrease could be partly due to shift of rice cultivated area from southern China (paddies) to northern China (dry rice).

Lines 837 to 905: way too much information here! Please only include what we need to know to understand this/these budget estimates. Also we seem to have lost the useful end-of-section summary of what this budget effort concludes for this source?
This section has been greatly reduced and unnecessary details and descriptions, removed. The authors do not include these changes here for the sake of length of the response.

Line 979: by this point the reader has encountered anaerobic conditions many times (waste water ponds, rice paddies, bovine guts, etc.). Do we really need a new definition and explanation of anaerobic metabolism at every point. Reduce, s.v.p.

The first sentence has been deleted. The processes related to methane transport in wetlands and non-wetland freshwaters are now mentioned once, at the beginning of Section3.2.

Line 980: "limit oxygen availability and creates suitable redox" create, not creates?
This has been corrected, then deleted. See comments above.

Line 987: are these processes diffusive or advective? This reader does not understand the phrase: "molecular diffusion limited advection"
This has part has been deleted – after correction, see comments above.

Line 992: "transportation and are further regulated by" What are 'further regulated'? The land-surface. models? The CH4 emissions? The model parameters? Very confusing, please re-write.
This has been rephrased to:
"… and transportation. The models are then forced with inputs accounting for changing environmental factors"

Line 995: "(Supplementary Material, Melton et al. (2013); Bohn et al., 2015)" Again, inconsistent and incorrect use of parentheses. Relying on bibliometrics software from various contributors evidently does not work. I have pointed out a few such errors, skipped over many, and anticipate many to come. A waste of this reviewer's time to point them all out. Assign one of your co-authors to search for, evaluate and correct every parenthesis. Authors must take this responsibility. Proofreaders will not find nor know how to correct all of them.
This has been corrected here and elsewhere.

Line 1008: "a monthly global wetland area dataset" Does wetland surface area vary only seasonally or does it also evolve with time over several years?
Here, it is both seasonal variation and dynamic over the 2000-2017 period. This has been rephrased as follows:
"WAD2M provides year to year varying monthly global wetland areas over 2000-2017."

Line 1056 to 1074: a hard-nosed editor could re-write this entire section in two sentences or perhaps even one sentence. How much of this is relevant to this current version of a CH4 budget?
This part has been reduced substantially as requested.

Line 1107: "south of 60°N) with. Tan and Zhuang" something wrong with punctuation here?
This has been corrected.

Lines 1165 to 1174: here we get expert opinion on what next and what needed for lakes and rivers. Good! But doesn't this section belong elsewhere/later?
As suggested, these lines have been removed from the budget Section, and used later in the discussion/perspectives.

Line 1234: why specify exact (and proprietary) GIS software here? Same scale up would have worked in any GIS environment?
Indeed, the detail on the software is not relevant here. The same scale up would be achieved with any GIS software. This has been removed.

Line 1341: "which allows very little methane; even from established". Punctuation error?
The sentence has been rewritten to:

“Aerobic oxidation is a very efficient sink process, which allows very little methane from reaching the atmosphere even from established and vigorous gas seep areas or below-water gas well blowouts.”

Line 1376, 1377: Authors already defined marine clathrates earlier (line 392). Reader does not need redundant definitions?
Indeed, two sentences defining again clathrates have been deleted.

Line 1398: In earlier sections readers found summaries first, then itemization of individual components following. Here we get the opposite: components first followed by summary. Chose one or the other but do not confuse us with both?
Indeed, for anthropogenic emissions we discussed emissions by broader to finer categories, while for natural emissions, we do the opposite. We discuss estimate for each fine category and then combine… This way to proceed is more convenient for natural emissions, as few studies assess the broad categories but rather look into some specific source or process. The authors feel that the reader can accommodate to this potential issue.

Line 1455: Many references in this section appear as (non-functional) hot links. Many other references do not. Please fix this!
Yes, we worked on correcting this.

Line 1511: Finding the (strange) unit here of “molec” and having earlier seen reference to mole fractions (strictly, in an SI units sense moles per mole but more casually expressed as ppb), one wishes the authors had provided a conversion table as in the global carbon budget. They have done a very good job of keep flux units consistent as Tg CH4 yr-1, but they could help readers by cross-referencing the various concentration units.
Methane emissions are given in Tg CH_4 yr^{-1}
Methane mixing ratios are usually expressed in ppb.
OH concentrations in the atmosphere are commonly given in molecules cm^{-3} in the literature as done here. The authors have not seen any occurrence of OH concentration in mole per mole unit in the literature.
In the CO2 global budget, they provide conversion factors for CO2 to C, and one conversion factor from carbon flux to carbon concentrations in the atmosphere (assuming many hypotheses, not valid here neither for CH_4 or OH).
As a result, the authors will keep the initial unit used in the paper. **“molec” has been replaced by “molecules”.**

Lines 1498 to 1558: do we need an extensive discussion of OH concentrations, reactions, hemispheric distributions and lifetimes to understand the magnitude and validity of the present CH4 budget? This review thinks not. One could summarize this entire section in two or three lines?
Well, the authors understand that the text was missing a direct relationship between OH and methane loss. A sentence has been added to address this. (“**Mass-weighted OH tropospheric concentrations do not directly represent methane loss, as the spatial and vertical distributions of OH affect this loss, through, in particular, the temperature dependency and the distribution of methane. However, estimating OH concentrations and, spatial and vertical distributions is a key step in estimating methane loss through OH**.”)
The authors also acknowledge that the discussion was too long and sometimes off-topic (not the right time period, top-down instead of bottom-up…). As a result, many parts of the text have been removed.

Line 1526: Pinatubo eruption represented a climate variation? Hardly.
Indeed, Pinatubo eruption is not a climatic variation, but it did impact the climate for the following years. This has been deleted to avoid misinterpretation.

Line 1530: "enhances CH4 consumption"? You mean 'enhances the CH4 sink' or 'enhances CH4 oxidation?
Yes. This has been rephrased to "**CH4 oxidation**".

Line 1548: "consistent, albeit lower, than the value deduced from"? Very sloppy wording, leaves a reader guessing at what you mean here.
Yes, this has been simplified to **" lower than the value deduced from**".

Lines 1577 to 1579: This sentence summarizes the entire stratospheric dynamics and photochemistry section. Why do we need all the rest of this?
The reviewer is right. This section has been substantially reduced to keep only whet is relevant to the stratospheric methane loss estimate.

Line 1590: Should CH4 sink terms use a different sign than source terms? I suspect carbon budget has already wrestled with this flux direction issue. What did they decide? Does GCP adhere to a consistent sink/source nomenclature convention?
Here both emissions and sinks are provided as absolute values (positive), as done in the CO_2 global budget, where all values given in the tables are positive.

Line 1606: "the KIE approach" KIE = kinetic isotope effect, but you haven't defined it yet?
Indeed, KIE is now defined near the beginning of the section, when it is first mentioned.

Line 1679: ~~The first~~ systematic atmospheric?
This has been corrected.

Line 1695: A couple TCCON sites, perhaps Australia or NZ or both, have published CH4 data in ESSD?
Yes? There is a Pollard et al. (2017) paper that has been published in ESSD. This citation has been added.
Pollard, D. F., Sherlock, V., Robinson, J., Deutscher, N. M., Connor, B., and Shiona, H.: The Total Carbon Column Observing Network site description for Lauder, New Zealand, Earth Syst. Sci. Data, 9, 977–992, https://doi.org/10.5194/essd-9-977-2017, 2017.

Lines 1699 to 1711, other data. If not useful or used for this global CH4 budget, why mention it/them?
Indeed, the previous manuscript has been already amended in this direction but not enough. The text on "other" data has been removed.

Lines 1713 to 1716: a reader just saw this identical list a few lines earlier. We don't need to see two mentions of the same information?
Indeed, this has been reduced to:
" **We use globally averaged CH_4 mole fractions at the Earth's surface from the four observational networks (NOAA/ESRL, AGAGE, CSIRO and UCI).** "

Line 1739: And you show GATM for the previous version of global CH4 budget (e.g. in Table 3) but not for this version. Why not?
We thank the reviewer for this important remark. We did forget to report the values in Table 3. This has been corrected in the revised version of the manuscript.

Line 1745: By definition, a growth rate can not be both positive and stable. Instead of stable, you mean consistent or persistent?

This has been corrected to "**positive persistent growth rates since 2007**"

Line 1751 to 1755: Here a reader finds the recent growth values, nicely documented with appropriate uncertainties. Why do these values not also appear in Table 3?

Indeed, this was a missing element in Table 3. The values have been integrated to Table 3.

Lines 1756 and following, Satellite data. Important to show command of this data for for budget purposes but way way too much information here. Why write four or five sentences of description about a source that you - for valid reasons - can not use? Is this a budget discussion or narrative about the history of SWIR sensors? You define SWIR at least twice in this section. Compilation - good - but not followed by tight budget-focussed editing - bad.

Indeed, such information is not relevant for the budget. This part has been removed.

Line 1778: "retrieval approaches, Proxy and Full Physics. The proxy method retrieves" ???. A former sub-heading now buried in this text? We do not need all this information?

This part has been modified to remove extra details. The text is now: "**Different retrievals of methane based on TANSO-FTS/GOSAT products are available: NIES (Yoshida et al., 2013), SRON (Schepers et al., 2012) and University of Leicester (Parker et al., 2011). The three retrievals are used by the top-down systems (Table S6)**."

Line 1792: "only inversions using GOSAT retrievals are used." After nearly 40 lines of text a reader finally finds this short conclusion. Please can someone apply a sharp red pencil to this manuscript - focus on the CH4 budget!

The details on instruments other than GOSAT have been removed, and the paragraph now focuses on GOSAT only. The authors have kept the last sentence (though reduced) because on the previous budget SCIAMACHY was used, but not anymore.

Line 1799: "ensemble of inversions gathering various chemistry transport" Why? To reduce uncertainties or provide independent validation for the CH4 budget terms (e.g. use top-down to constrain bottom-up) or to ensure that a long list of inversion modelers get their work listed and recognized via this global CH4 budget paper. I apologize if this reviewer's questions seem uniformed, irrelevant or even rude. But pity the poor readers/users. They want to use this product to understand CH4 budgets! Instead, they confront pages of tangential descriptions replete with (obscured by) more and more acronyms. Seriously, am I reading the CH4 budget or a narrative recount of every CH4 activity that has occurred?

The authors understand the reviewer's feeling after such a long review. We might have missed an explanation of why two budgets (bottom-up and then top-down).

From the bottom-up budget, estimates of emissions from the different sources are built independently, without confrontation to other studies, and especially without constraints from the atmosphere. Doing so, the reader understands that summing-up all this estimate brings to too high total global emissions.

Using the top-down estimates is a way to introduce atmospheric constraint. However, inversions have caveats as well (good for the total fluxes, less good for the sectoral partition; good for the total, less good for the regional sources). Confronting bottom-up with top-down has help to improve both approaches, and shows ways for next improvements. The GCP methane budget is also a platform of communication through the many different communities working on methane; communication, which was clearly missing few years ago, is the key to solve the main issues of the methane budget.

We acknowledge that Saunois et al. (2016) reports many activities with probably too much details, lying between a budget and a review. From now on, and to address most of the referees' comments,

the “review” part can be set aside and GCP will focus more on the budget, while reducing the review components (and also the co-author list).

Lines 1801, 1802: “assume that this model range is sufficient to cover the range of transport model errors in the estimate of methane fluxes”. You ‘assume’? This assembly of world experts on CH4 uses an ensemble approach because they can’t (or won’t) distinguish useful from not useful inversions? Again, does this approach help quality of the budget? If so, quantify that. Does it help users? If so, tell us. Show us! Did the inversions prove useful in the previous CH4 budget? If so, how? Although these authors claim (lines 1807, 1808) intention to do flux assessment rather than a MIP, the section in its present description looks, smells and sounds like a MIP to this reader.

First, this is not an inter-comparison study as the model set-ups differ and generally do not even use the same prior fluxes. This has been emphasized with the following sentence:” **This approach corresponds to a flux assessment, but not to a model inter-comparison as the protocol did not enforce the use of harmonized priors and inversion set-up, as well as the set of input atmospheric data.**”

Well, of course, some inverse systems may perform better than other. A model evaluation needs to be done to assess this (an on-going work beyond the scope of this publication). In the future, such evaluation criteria should be defined and evaluation would need to be done before the final analysis and discussed in the next update of the budget.

Waiting for this, including all the models is a conservative approach that allows to cover different unresolved uncertainties: model transport, set-up issues including prior set-up.

The mentioned sentence has been replaced by: “**Including these different systems is a conservative approach that allows to cover different potential uncertainties of the inversion, among them: model transport, set-up issues, and prior dependency.**”

Lines 1844 to 1846: Here, deep in the manuscript where few readers will notice, we finally read a justification of costs and benefits of time span and time lag of the current product. Good discussion! But we should have read it in the introduction? It sets out temporal goals that guide the entire product!

The reviewer is right. It has been moved accordingly, to the methodology section 2.2 (Period of the budget and data availability).

Lines 1850 and following: This is a good useful orderly section! But: a) it repeats a lot of material from earlier; and b) a reader needed to work through - or, more likely, skip through - an unusually large amount of text to get here. Authors could argue that this section depends on all the prior detail. This reader/reviewer asks authors to consider how to make the user’s ‘life’ easier rather than putting priority on including all details. Details can and should go in individual research papers. The budget should not replay, only summarize?

The aim of the methane budget paper is to produce an update of the different sources and sinks of methane. Despite the feeling of the reviewer, Section 3 is a summary of estimates of methane sources and sinks from bottom-up approaches. The organization of the paper is presented in the introduction, the reader has the possibility to skip Sections 3 and 4 to go directly to the budget, depending of his interest.

Line 1882: Introductory sentence implies treatment by the five source categories but discussion/summary that follows treats natural vs anthropogenic (with wetlands called out separately) but does not follow the five-category organization that you used earlier, for example. Revise this opening sentence to better convey what will follow?

The discussions on each anthropogenic sector are quite short here. So we did not follow the five categories organization. The first sentence has been modified accordingly as follows: “**The global methane emissions from natural and anthropogenic sources**…”.

Line 1914; "study derive significant changes in wetland emissions" derive? I think you mean 'identify' or 'reveal' or 'point to'?
Indeed. This has been changed to "**point to**".

Line 1919: We just read (lines 1875) that uncertainty ranges for, e.g. ocean, termites, geological sources have reduced (improved) in this version, but here the authors point to those same specific sources as plausible reasons for the top-down bottom-up discontinuity? Uncertainty goes down but discrepancy goes up? Mathematically I think that works but this discussion implies a substantial weakness in our understanding. This reader particularly wonders about permafrost in this regard (see opening comments above), not so much about the permafrost numbers but more about whether assigning permafrost emissions as natural emissions doesn't presently or won't in the future exacerbate this discrepancy?
This sentence has been deleted and replaced by "**This discrepancy comes from estimates in "other natural" emissions (non-wetland freshwaters, geological sources, termites, oceans, and permafrost)."**
Later in the text, we now include the permafrost, and state:" **Better constraining the estimation and partition of methane emissions between wetlands and non-wetland freshwater systems, including emissions from thawing permafrost, may be the key to reconcile top-down and bottom-up budget on natural sources**."

Line 1930: "Improved area estimates …" By this point reader has seen this recommendation at least twice. It really rather belongs in a summary or future work section, not here? This entire paragraph repeats earlier text and belongs instead in a summary section?
Indeed. This has been partly moved to the Section 6, which has been entirely re-organized…

Line 1948: "which is about 30% (23%) of global methane" What does the 23% indicate here? About 30% but actually 23%? 23% of global but 30% of anthropogenic? Some plus minus 23% uncertainty? I find the answer to my question in line 1949, 30% of top-down but only 23% of bottom-up. Readers should encounter definition before data, not the other way around?
This has been rephrased as follows: "**which is about 30% of the top-down global methane emissions, and 23% of the bottom-up total global estimate."**

Line 1958: "partition of methane emissions between wetlands and freshwater systems should still receive a high priority" this includes the thawing permafrost freshwater confusion?
The reviewer is right that the permafrost issue is not fully considered in the discussion, and that, potentially, methane emissions from permafrost are included either in the wetland estimate (if satellite wetland areas cover peatland or thermokarst in permafrost regions) or in non-wetland freshwater emissions, or both. The sentence has been reformulated as follows: "**the estimation and proper partition of methane emissions between wetlands and non-wetland freshwater systems, and emissions from permafrost ecosytems, should still receive a high priority**"

Lines 1982, 1983: Valid caution but a reader should have encountered it earlier?
The authors think that this statement needs to be kept here, following the results. However, we have added in Sect. 4.2 the following sentences: "**In poorly observed regions, top-down surface inversions may rely on the prior estimates. Further, inversions bring little or no additional information to constrain (often) spatially overlapping emissions (e.g. in India, China) even in well observed regions. We recall that many top-down systems solve for total fluxes at the surface or for some categories that may differ from the GCP categories."**

Lines 1997 to 1999: Very confusing here, again the source/sink flux direction problem. The text says 'model inputs somewhat higher' but what you mean is some models show a higher value for total sink

because they include a larger land sink term? For a known atmospheric CH4 concentration, that larger sink term must lead to a correspondingly larger source term! Here, we read about a larger central top-down estimate. Authors intend this phrase to refer to the larger sink term, or to a larger total CH4 emissions term? The authors, no doubt, know various sink, source and net terms, but here they fail to express themselves in clear language, leaving readers therefore confused. This statement occurs within the section on CH4 sinks, so one wonders …

Well, the paragraph sits in the "sink section". The authors agree that the meaning of the sentence was far from clear. It has been rewritten as: "**These sink estimates used as prior in the inversions are generally higher than the mean estimate of the soil sink calculated by bottom-up models (30 Tg CH_4 yr^{-1}, Sec. 3.3.4).**"

Line 2006: "chemical lifetime and to narrow it down in" Authors have addressed the issue of lifetime many times and in great detail prior to this statement. A reader knows at this point a lifetime of 9 years, plus or minus perhaps 0.5 years. How would refinement of this lifetime calculation improve the overall budget calculation, much less mitigation planning? E.g. does a lifetime of 8 years or 10 years really make a difference at this point? This reviewer suspects not. This section represents an(other) example of everyone's scientific priority gaining equal weight in the compiled budget. This (small, to this reviewer) remaining uncertainty has larger overall priority than fixing the distribution and extent uncertainties of freshwater (also mentioned numerous times)? Organizationally, this entire section (lines 2005 to 2012) belongs in a summary / future work section.

This part has been deleted from the text, and most of the ideas have been inserted, more clearly, in Section 6.

Line 2024: A reader has now seen this statement at least four times?

This sentence has been removed. The following sentence has also been removed to shorten the text.

Line 2033: Readers already know, at least twice, why SCIAMACHY data not used.

This has been removed.

Lines 2024 to 2053: Good knowledgeable expert discussion of impact of satellite vs in situ data on inversions and emissions. But, of what relevance, in specific plus/minus Tg CH4 terms, to the global CH4 budget? A reader sees "clearly show" but at the same time "not systematically consistent". I almost used a profane shorthand here: what do the authors want readers to learn, and how does it matter to the CH4 budget? No clue in this section. More "further investigation" ….

The text means to say: At the global scale, satellite and surface-based inversions give approximately the same global emission (consistent growth rate between surface and satellite observations). However, the regional distributions differ depending on the nature of the observations used (satellite or surface). Also the regional patterns of these differences are not consistent through the different inverse systems. Indeed, some systems suggest higher emissions in the tropics when using GOSAT instead of surface observations, while other suggest the opposite.

The "further investigation" part, has been removed from this section.

The text has been modified as follows: "**As expected, the regional distributions differ depending on the nature of the observations used (satellite or surface). The largest differences (satellite-based minus surface-based inversions) are observed over the tropical region, ranging between -13 and +26 Tg CH_4 yr^{-1} below 30°N, and over the northern mid-latitudes (between -20 and +15 Tg CH_4 yr^{-1}). Satellite data provide stronger constraints on fluxes in tropical regions than surface data, due to a much larger observational coverage. It is therefore not surprising that differences between these two types of observations are found in the tropical band, and consequently in the northern mid-latitudes to balance total emissions, thus affecting north-south gradient of emissions. However, the regional patterns of these differences are not consistent through the different inverse systems. Some systems**

suggest higher emissions in the tropics when using GOSAT instead of surface observations, while other suggest the opposite.
This difference may depend on whether or not a bias correction is applied to the satellite data based on surface observations, and the transport."

Line 2082: Section 6, developments, missing elements, remaining uncertainties. Important section. Readers will not disagree with topics raised here. But the section reads more as a recitation of the previous CH4 budget issues while omitting issues raised in this version. Ebullition, for example, mentioned repeatedly in the text, does not emerge here. The entire tension between spatial uncertainties and chemical uncertainties, a theme of this paper, does not emerge here, at least not in those recognizable terms. Pages of text on the need to improve distribution or lifetime of OH, but only one faint mention here, that basically repeats what we already read? We could get a list: previous but now resolved, previous but not yet resolved, new. Here a reader finds no sense of priority, just a large wish list not much changed from the prior budget. Use the GWP of CH4, find the largest or most tractable uncertainties, convert those to climate urgency: where should we put our efforts? If we know new satellites have recently or will soon come on line, what do we need for validation? Where will that data have most impact in this budget? More, more, more. More systematic. More integrated. Just another wish list. After all the work to compile this information, the world-wide experts then throw up their hands - they don't know what they need next? They need everything? Not helpful.
After working to assimilate all the details provided to this point, this reader basically glazed over this section. It seemed only vaguely related to what we just learned, a white -paper level of what we should do to better understand CH4 but not well connected to all that we just read about efforts and information need to assemble this budget.
Section 6 has been fully re-written in order to highlight the priorities and the time line of the needed measures to improve the budget and our understanding. The first item is on the wetland and freshwater issue, which emphasizes this point as number 1 priority. The authors feel that the newly written Section 6 resemble more a road-map than a wish-list from a white paper.

Line 2089: "Knox and al., 2019)" ??
This has been corrected.

Lines 2209 to 2219: a short clear paragraph of budget outcomes - thank you! Notable, unfortunately, because it differs so much in style, brevity and clarity from most of the preceding text.
This is a comment.

Lines 2226 to 2231: weaknesses and cautions about extracting regional information from satellites. Important, clear, useful. But link this to specific recommendations in Section 6, where now we just find a wish list for more of everything?
Section 6 now better presents the recommendations for this issue; the authors refer to Sect. 6.

Line 2237: a "clear priority"! Finally! First one? Does permafrost fit into this inland freshwater priority?
Line 2242: "also place importance in" Should a reader conclude here that authors consider improvements in OH distributions as second in importance to the freshwater extent problem?
Line 2246 to 2253: Short clear paragraph, contains a bit of the unhelpful 'need everything' philosophy, but if we have these topics listed here we could get rid of much of Section 6?
Lines 2254 to 2257: Good statement, good motivation, good summary of forward plans, but repeats almost verbatim what readers saw earlier (lines 1844 to 1846)? Some repeat expected in a good summary but not clear here why we need this detail twice?
Response to the 4 above comments:

Indeed, the conclusion included many repeats from Section 6. This part has been highly reduced to avoid this.

Line 2268: "a negative contribution (from biomass burning" You really do not want punctuation errors in such an important paragraph?
This has been corrected.

Line 2299 and following, Acknowledgements. Interesting section. I think global carbon budget does something like this but through a table instead? Nothing wrong with this approach but text includes several (perhaps many) punctuation and tense errors. Someone of the author team should read this carefully?
For the CO_2, budget the funding acknowledgement have been gathered in an appendix Table. We have done the same and put the acknowledgement to funding and support in Table A1.

Page 126, 127, Table 3. Cells need reformatting, presumably will happen during typesetting. Authors will need to check text wraps. Repeat the question raised above about why no GATM rate information for current version(s)?
GATM has been added. Table 3 formatting will be check during proofreading.

References:
Nakazawa, T., Machida, T., Tanaka, M., Fujii, Y., Aoki, S., and Watanabe, O.: Differences of the atmospheric CH4 concentration between the Arctic and Antarctic regions in pre-industrial/pre-agricultural era, Geophys. Res. Lett., 20, 10, doi:10.1029/93GL00776, 1993

Detailed Response to Michael Prather (Referee #2)

We acknowledge the work from Michael Prather for the time spent on reading and commenting on the paper. We thank him for his useful corrections and suggestions on the paper, which have helped clarifying and improving the manuscript. Below are the responses to his comments (in *italics, blue*). Changes in the text follow each response in **bold font**. Following both reviewers advices, the text has been shortened by 5 pages (8%), from 61 to 56 pages in the ESSDD format.

This is a very well written and thorough review of the methane budget. The abstract and introduction read easily and layout the scope of the work. The remaining 2000 lines are a bit harder to get through, but this paper is meant as a reference work and not a "beach read." For a paper on methane, it is great to see Ehhalt's original work as one of the prime references. I have two major suggestions and then several minor/editorial comments on my read-through.
We thank M. Prather for the compliment.

#1 As a reference work, it would be very useful to have a Table of Contents up front. The TOC should be as detailed as possible (e.g., add another level: 3.3.2.1. Lakes and Ponds) and possibly include a list of key words for each section. This would greatly help those looking for specific discussions.
A table of content has been added. Unfortunately, ESSD allows only 3 levels for the sectioning. We will add as much as possible details in the TOC, that fit ESSD style requirement.

#2 The Section 3.3.5 on CH4 Lifetime contains some serious errors in understanding. I am not sure how to fix it, but the authors should think about the purpose and what they want to get across. See details below.
Section 3.3.5 has been revised accordingly to the detailed comments. We have kept only the calculation of lifetime based on CCMI models and using the "budget" definitions: Total_burden/Tropo_loss for the

tropospheric lifetime and Total_burden/total_loss for the "total lifetime". The other definitions were removed from this section to avoid confusion.

L217: The Prather 10% is only 68% confidence interval, perhaps if the Saunois 15% is 90% confidence, they are consistent.

The Saunois et al. (2016) uncertainty is based on a min-max range using the different ACCMIP models. Some of the models have difficulties in well representing methane loss due to uncomplete chemical scheme. The uncertainty is larger but its conservative and includes all models…

L225: Probably more important here is not 'credible scenarios,' but credible mitigation strategies.

Yes. Mitigation strategies are more important. Though the future climate scenario should help in defining mitigation strategies… We have replaced "credible future climate scenario" by "**appropriate mitigation strate**gies".

L231: do you want to mention the Paris Accord's "stocktaking"?

This has been added in the sentence as: "**In order to verify such reductions, for example to help conducting Paris Agreement's stocktake,…"**

L243: This is a slight mis-direct. It is not the lack of some direct observations, but by my calculation, the number of OH "measurements" needed to integrate the loss of methane (1 km x 100 m parcels, every $\frac{1}{2}$ hour (clouds)) is of order 2x1014 per yr. I would put this as an impossible task without some modeling and other tricks.

Yes, several ideas were mixed there. This part has been reformulated to:" **The spatial and temporal distributions of OH are highly variable. Although OH can be measured locally, calculating CH_4 loss through OH measurements would require OH measurements every half on hour (to integrate cloud cover), in each small parcel (below 1km spatially to consider OH high reactivity and heterogeneity) of the atmosphere. As a result, such a calculation is currently possible only through modelling. However, simulated OH concentrations from chemistry climate models still show uncertain spatio-temporal distribution at regional to global scales (Zhao et al., 2019)."**

L290: Here and later, you cannot reference a work in prep as a real reference. You can describe ongoing work by Staevert and colleagues that will follow up this paper and come up with a shorthand notation for this work.

This paper is in preparation and should be submitted before the final proof-reading of our paper. In case it will not be submitted, we will change the phrasing.

L318-324: If you are being precise, please define where the edges of the 1-degree grid fall, one the 0.0, or 0.5, or? Also does what you describe mean that coastal boxes (<100% Land and <100% Ocean) have no emissions – you should definitely want to warn people as it will look funny when plotted. Also what do you do about large lakes (resolved at 1 degree)?

We have added information on the edges: "**The edges of the 1°x1° grid fall in 0.0**°." The land/sea (or lake) mask is an issue when estimating regional budget but not the global one. The reallocation of land emissions is based on the percentage of sea/land in the initial and final grid cells. Coastal boxes have then non-zero fluxes. The same treatment is reserved to the big lakes.

L383: This discussion of natural vs. anthropogenic intrigued me. We have a long history of trying to break emissions cleanly in these two camps. With natural often being ignored in the scenarios (RCP, SRES), such that in the IPCC SAR & TAR, I had to make up the natural sources to ensure a consistent budget and initial trajectory for the future scenarios. The other problem is that attribution is still not an exact science and thus declaring something like wildfires or wetland loss as "anthropogenic" is not trivial.

This issue has been raised by referee#1, and also by several co-authors, which would like specific treatment for some sources at the frontier between these two categories.

Let me propose that the sources be split into "pre-agricultural" and new "anthropogenic" types of sources (such as ag or industry). This allows us to work our best science on how wetland methane emissions have changed, without trying to ascribe cause. The changes in the "pre-ag" sources probably can be attributed in many cases to direct human intervention.

Thank you very much for this suggestion. This fits the definition the lead author has in mind, and the response provided to referee#1. Such a definition allows to sit permafrost emissions in the "natural" sources, while for sure, thawing permafrost will release more in the future due to climate warming, being an indirect anthropogenic source. The text in the Methodology section has been changed to:

"**In the following, we present the different methane sources classified from anthropogenic or natural origin. "Natural sources" refer to pre-agricultural emissions even if they are perturbed by anthropogenic climate change, and "anthropogenic sources" are caused by direct human activities since pre-industrial/pre-agricultural time (3000-2000 BP, Nakasawa et al. (1993)) including agriculture, waste management and fossil fuel related activities. Natural emissions are split between "wetland" and "other natural" emissions (e.g., non-wetland inland waters, wild animals, termites, land geological sources, oceanic geological and biogenic sources, and terrestrial permafrost). Anthropogenic emissions contain: "agriculture and waste emissions", "fossil fuel emissions", "biomass and biofuel burning emissions", assuming that all types of fires cause anthropogenic sources, although they are partly of natural origin (Fig. 6, see also Table 3 and 6).**

Our definition of natural/anthropogenic sources does not correspond exactly to the definition used by UNFCCC following the IPCC guidelines (IPCC, 2006), where, for pragmatic reasons, all emissions from managed land are reported as anthropogenic, which is not the case here. For instance, we consider all wetlands as natural emissions, despite some wetlands being managed and their emissions being partly reported in UNFCCC national communications. The human induced perturbation of climate, atmospheric CO2, and nitrogen and sulfur deposition may cause changes in the sources we classified as natural. Following our definition, emissions from wetlands, inland water or thawing permafrost will be accountable in "natural" emissions, even though, we acknowledge that climate change – a human perturbation – may cause increasing emissions from these sources. Methane emissions from reservoirs are considered as natural even though reservoirs are human man-made, and since the 2019 refinement to the IPCC guidelines (IPCC, 2006; IPCC, 2019) emissions from reservoirs and other flooded lands are considered anthropogenic by UNFCCC."

L529: can you make this simpler to read: "perhaps because AMAP analysed data from a wider range of inventories and projections, plus it was referenced to one year only (2005) rather than averaged over a decade, as done here."

Thank you very much for the suggestion. This has been corrected accordingly.

L552: "realized" in what? the scenarios or real life?

In the real life... This has been changed to: "… **current emissions appear to follow the higher-emission trajectories over the next decade**".

L660ff: In terms of shale gas emissions, is the DeCarlo work on the Marcellus Shale consistent with these? Goetz, J. D., et al., Analysis of local-scale background concentrations of methane and other gas-phase species in the Marcellus Shale, Elementa Science of the Anthropocene, 1–20, doi:10.1525/journal.elementa 182, 2017.

The "oil and gas" section has been revised accordingly to Referee#1's comments. The discussion focuses on the budget of oil and gas emissions. Shale gas emissions are included in the "oil and gas" estimate from inventories. Few sentences have been kept to discuss the uncertainty regarding shale gas

emissions – mainly through their different emissions factors. The authors looked at the Goetz et al. paper, they did not specifically discuss methane emission to compare to inventories such as EPA.

L1026: Is this really true? If we have all positive values but some far outliers, then you would reject a positive flux because the std dev exceeded the mean?
Here we use a simple diagnostic to roughly estimate the area over which land surface models agree on the emissions. Indeed, we did not do the calculation using a bootstrapping method (considering all but one model and looping over the models). This would indeed identify outlier model and provide an average area. However, we use the method as in the previous budget for consistency.

L1174: I am unsure what the "up scaling issues" means.
This includes the spatial and temporal uncertainty of the flux density used for a single class of ecosystems for example. This paragraph has been removed, belonging now to Section 6, following Referee#1's comment.

L1205ff: This sentence on the Petrenko work is a bit perjorative and full of inuendo ("If it is correct", "which is questionable"). There is nothing obviously wrong with the work, unless the 14C community is worried about it, and if so state why. The sentence on L1208 about the discrepancy is fine.
Indeed, we agree the wording was judgmental, and useless for the budget. The sentence has been removed.

L1233: I am not sure what 'termite' as a unit is?
We understand why the referee as difficulty with the unit. The density flux is given per biomass of termite, that is per 'gram of termite', which should be "(g termite)$^{-1}$" instead of "g^{-1} termite"
The unit has been corrected.

L1500-1507: I am a little worried about this section, but have no simple fix to recommend.
(1) the effect of CH4 oxidation on HOx depends on the pathway for H2CO, if it photolyzes on one path you get 2 HOx, otherwise, if OH is high, then OH-destruction it yields 0 net HOx. NOx plays a role in this, but HOx levels are also very important.
(2)The short lifetime of OH should go back to Levy or Logan, not a 2004 reference.
(3) "estimate"? One can estimate OH from models without observations.
(4) Many, many OH measurements are made in the free troposphere by Brune and others. I am beginning to think it best to stop at 'compounds.' on L1501 and jump to L1507 'Following. . .'
Indeed, we agree that a long review would be needed to discuss OH. And this is not the point of the budget paper. This part has been removed as suggested.

L1511: I think you have to recognize here that mass weighted OH concentrations are NOT a good measure of the methane loss. Since this is a methane paper, you should focus on the average methane loss rate from these models. I know this is a hobby of mine, but please look at the table in my 1990 paper (Prather & Spivakovsky, Tropospheric OH and the lifetimes of HCFCs, JGR: 95, 18723-18729, 1990), also reproduced by Mark Lawrence in 2000, and one can see that the average OH varies by 20-40% depending on how it is weighted. What is relevant here is when OH is weighted by mass and exp(-1800/T). In fact, the OH values do not tell you the methane lifetime unless you know the temperature weighting.
It is true that the mass weighted OH concentrations do not represent a measure of the methane loss directly. Even though, the discussion should focus on ethane loss directly, some explanations on OH range in concentrations and horizontal and vertical distributions are needed to explain – partly – the range in methane loss. The following text has been added prior the discussion on OH:

“**Mass-weighted OH tropospheric concentrations do not directly represent methane loss, as the spatial and vertical distributions of OH affect methane loss, through, in particular, the reaction temperature dependency and the distribution of methane. However, estimating OH concentrations and spatial and vertical distributions is a key step in estimating methane loss through OH.** »

L1527-1560: The Holmes et al paper (2013, Future methane, hydroxyl, and their un-certainties: key climate and emission parameters for future predictions, Atmos. Chem. Phys., 13, 285–302, doi:10.5194/acp-13-285-2013) really addresses recent OH variability and should be included with this discussion. (Sorry to push my own papers again, but it is a balanced survey of OH variations from cause [all those listed] to methylchloroform-derived variability.)

The Holmes et al. (2013) paper has been included as a reference in this discussion.

L1579: It is unclear if your 60 Tg is irreversible mixing (i.e., loss in strat) or the cross tropopause flux. The amount of CH4 entering the stratosphere is 10x or more larger than this number, most of which crosses into the lower stratosphere inn the sub-tropics and is then transported into the troposphere with little chemistry. I would drop this whole sentence as it does not say much.

This part has been removed, in agreement with referee#1 comment.

L1590: We have a much more accurate measure of the stratospheric loss from the Plumb & Ko relationship and the observed N2O-CH4 tracer slopes in the lower stratosphere. I do not know when this was last revisited, however.

The authors have searched for updated estimates using Plumb and Ko relationship, but without success, to the best of their knowledge…

L1654ff: This section 3.3.5 on CH4 Lifetime has some major problems. Excuse my didactic diversion here. "Lifetime" is a budgetary number since the standards and notation in the 1995/96 IPCC SAR through AR5. It is the burden divided any loss rate. Note that the total burden in the system must be used to take advantage of adding inverse lifetimes. Hence you will see the "lifetime of CH4 against trop OH loss" is the Tg (including stratosphere) divided by the Tg/yr lost to OH in the troposphere. If you use this definition carefully then inverse lifetimes can added and we can think of the lifetime due to stratospheric loss being about 160 yr as is recommended here. The OH lifetime should be noted and taken from the MIPs, it should be about 11 yr.

"Perturbation time, response time, e-fold time" are used to define the decay of a perturbation about any atmospheric state (again, steady-state does not matter for these definitions). Since 1994, for CH4 we have known that this time scale is about 1.4 times the total lifetime because of chemical feedbacks whereby CH4 suppresses OH. This is well known, consistently modeled and increases all the integrated impacts by this factor. With a budget lifetime of 9.1 yr, the time scale for CH4 perturbations is about 12 yr. Any perturbation to a chemically reactive species will excite a large number of chemical modes – each with its own pattern of species and its own decay time. Hence CO is an indirect greenhouse gas because it generates a CH4 perturbation that decays with a 12-yr e-fold. "Steady state" is not required for these numbers, but the steady-state lifetime does have some magic properties. It is the effective average over all the different chemical modes (their amplitudes and time scales) excited by a perturbation.

The rest of the lifetime numbers from the recent MIPS look to be OK, but make sure that these are calculated using the full burden.

We removed the sentence mentioning “Perturbation time, response time, e-fold time” from this section (bottom-up) and keep only the definition of lifetime as burden over loss.

The lifetimes were calculated using the total burden of methane from CCMI models – associated to the tropospheric methane loss to calculate lifetime with respect to OH removal. As a result, the numbers were correct. In this Section (bottom-up) we have removed the couples of sentences discussing lifetime from observation – considered as top-down estimates.

L1708: The references to Rigby 2017 and Turner 2017 really should include also the accompanying Prather and Holmes paper (Over-explaining or under-explaining methane's role in climate change, PNAS 114(21) 5324-5326, doi: 10.1073/pnas.1704884114, 2017) that points out the fundamental error in modeling CH4 perturbations for both papers (i.e., they did not include the chemical feedbacks).

This part of the text has been removed from the revised manuscript, following referee#1 comments – discussing with non-used data set in this budget…

L1750. Based on notes above, I might expect the time scale here to be 12 yr rather than 9 yr, but I think it is probably close enough for this simple analysis.

The commented approach is based on atmospheric methane concentrations recorded before and during the stabilization period. In this approach, we assumed no trend in emissions and in lifetime (so no trend in sinks). Such assumption can be criticized in regard with some literature explaining the stabilization period by decreasing emissions associated to increasing sink. We acknowledge that there are uncertainties associated with this calculation. Nevertheless, the result seems consistent with lifetime values from the literature. We have changed the text as follows:

"When a constant atmospheric lifetime is assumed, the decreasing growth rate from 1983 through 2006 may imply that atmospheric CH_4 was approaching steady state, with no trend in emissions. The NOAA global mean CH_4 concentration was fitted with a function that describes the approach to a first-order steady state ($_{SS}$ index): $[CH_4](t) = [CH_4]_{ss}-([CH_4]_{ss}-[CH_4]_0)e^{-t/\tau}$; solving for the lifetime, τ, gives 9.3 years, which is very close to current literature values (e.g., Prather et al., 2012, 9.1 ± 0.9 years). Such an approach includes uncertainties, especially due to the strong assumption of no trend in emissions and sinks, which does not agree with some study explaining the stabilization period by decreasing emissions associated to increasing sink (e.g. Bousquet et al., 2006). However, this value seems consistent albeit higher than the chemistry climate estimates (8.2 years, see Sect. 3.3.5)"

L1795ff: This is a good discussion of results, but I wonder how much these inversions depend on the a priori's for lifetime, etc. I do not see how you can cover this here, but can you comment? OK, see L1988.
L1988: Yes, if everyone uses the same trop OH, then the budget total is pretty well fixed (except for T biases, and maybe ITCZ gradients).

Indeed, this is one of the main caveats of the top-down budget.

L2154ff & L2200ff: Agreed. We continue to produce models with the same range in CH4 OH-lifetime and no means of differentiating them. I would not emphasize the vertical as our model failings include horizontal as well. We need to develop some key observational tests that reflect the reactivity of the air parcels. To start, we need to run the MIPS with some more focused diagnostics that tell us why the models CH4 lifetimes are so different. Even more interesting is that the historical trends and the scenario projections often go in different directions across the model ensemble. And we should not forget that our goal is accurately simulate CH4 loss, not just get OH correct.

We thank Michael Prather for his comments and point of view of the future directions to better estimate methane loss. This comment has been used to feed Section 6.

L2273: This is where you might want to look at the Holmes (2013 ACP) effort to model OH variability and match it to CH3CCL3 observations and CH4 lifetimes. It is multi-model and more physically based than these inversions.

We thank the reviewer for the reference. This has been included and we will look at this study carefully for the further study on methane change.

Detailed Response to Tonatiuh Guillermo Nuñez Ramirez

The authors thank Tonatiuh Guillermo Nunez Ramirez for his comments on some specifics part of the text that needed some clarification.
Below are the responses to his comments (in italics, blue). Changes in the text follow each response in bold font.

The emission estimates for the decade of 2000-2009 in Saunois 2016 have larger ranges than in Saunois 2019. I think, if the GCP condenses all information that exists, there should be at least a table explaining which studies were left out and why as supplementary information.
We thank Dr Nunez Ramirez for the suggestion. We will probably consider to do this for the next release to highlight the methodology changes between the different budget releases.

A major problem with the bottom-up budget is that it is so much larger than the top-down estimate. The border between wetlands and other fresh water systems is very fuzzy and more discussion is required. Historically wetlands have been classified as bogs, fens, swamps, floodplains, and shallow lakes (Bartlett 1993). For example lake Chapala, Mexico's largest lake, has a maximum depth of 2 m, is it a wetland or a lake? Is a floodplain to be considered a wetland or a freshwater system? For example, in the Amazon inundation can vary for several meters.
The definition of wetland as well as the boundaries between the different non-wetland inland water systems (lakes, reservoirs, ponds, …) is critical. The different definitions used within the scientific community make difficult the budget assessment and favors double counting issues. The issues raised by Dr Ramirez are emphasized in the wetland subsection as well as in the inland water subsection. Section 6 presents some recommendations to overcome these issues.

Furthermore, in the Eastern Amazon, emissions tend to be larger at as river flow starts to decrease in August and September (Devol 1988, Beck 2012, Ringeval 2014, Basso 2016). This seasonal maximum is not capture by any of the WETCHIMP models, which instead show a maximum between January and April (Ringeval 2014). Ringeval (2014) were able to reproduce a seasonal cycle of CH4 emissions from the Amazon mainstream that was more similar to observations by using output from a hydrology model to identify floodplains.
Specific behaviors of surface land models are not investigated in this budget and none of the models used included a hydrology model for floodplains, as they used satellite-based wetland (flooded area) data which may not capture inundated areas covered by trees such as the Amazon floodplains (see Hastie et al. 2019). However, further details will be provided in a side paper led by Ben Poulter.

Furthermore, from your description it seems you classify as wetlands as saturated soils and fresh water systems can be lakes, rivers, reservoirs. Early studies, e.g. Devol (1988, 1990), Bartlett (1988, 1990), Tathy 1992, Keller 1994 and Melack (2004) made measurements both over saturated soils, emergent plants and open water. These early studies were used to calibrate many models, for example, in Spahni (2011), the LPJ-Bern model was calibrated to match the seasonal cycle from an inverse modeling estimate.
The calibration (and evaluation) of wetland models remains difficult due the lack of appropriate observation data sets. As stated by Melton et al. (2013), model comparison to observations requires observations compatible with the spatial scale of the models (usually 0.5 degree). Some models use flux measurements to adjust their flux density, and others use atmospheric top-down estimate to calibrate their model –for example by latitudinal band in Sphani et al. (2011).

Furthermore, DelSontro et al. (2018) has very high emissions but is stratification and transport within a lake were not taken in consideration. For example, lakes in East Africa are highly stratified and anoxic

below the mixed layer but the amount of emissions estimated by DelSontro (2018) is difficult to bring in agreement with satellite CH_4 cartographies (e.g. Frankenberg, 2011). they do not emit high quantities of methane continuously due to the same stratification of the water column. Is the future of CH4 emission modeling the merging of dynamic vegetation models with hydrology models?

The DelSontro et al. (2018) study does not consider seasonal variations in stratification and transport, rather they use sample from the warm season and satellite-based product for Chl-a based on the growing season for phytoplankton apparently (see Sayers et al., 2015).

Yes, future developments need to integrate both wetlands and other inland waters systems together. This would avoid double counting and integrate flux transfer between systems. Recommendations for future development are suggested in Section 6, newly reformatted.

With respect to the soil sink, your estimates are based on published model estimates. However, in these models, the sink strength depends on atmospheric mixing ratio (of-ten a global constant value). For example, in the Curry (2007) model, the flux j is

$$j = C_0 * g_0 * r_w * r_c * \quad D * k$$

where C_0 [ppm] is the CH_4 mixing ratio and g_0 is a conversion factor from ppm to mass units. Taking this into account, the sink becomes much larger may become much larger and changes in time in proportion to the atmospheric abundance. Furthermore, both Ridgwell (1999) and Curry (2007) had use the ideal gas law to set the g0 parameter to 610 and 578 assuming a pressure of 100 kPa and temperatures of 0°C and 15°C respectively. By determine the g0 per gridcell based on monthly temperatures and pressure, the g0 ranges between 320 and 750.

Indeed, the soil sink depends on atmospheric methane concentration. Changes in the soil sink needs to be further investigated and in particular, included in the priors of top-down simulations, which is not systematically the case presently.

Regarding the conversion factor g0, this factor is inversely proportional to T (expressed in K), so that even for a temperature range of -10 C to 30 C (typical of a continental mid-latitude location), g0 changes by only 16%. g0 does not depend on pressure. Reviewer SC1 may be confounding the temperature dependence of g0 with the T and P dependence of CH_4 diffusivity in air (D_{air}); but this too is only weakly dependent on T, and in the opposite sense to g0—see, e.g., CRC Handbook of Chemistry & Physics, 20th Ed. (2016), p 6-259. More importantly, the error involved in assuming a global constant value of g0 and D_{air} in this parameterization is dwarfed by the uncertainty in the oxidation coefficient k0 which, as emphasized by Curry (2007), could change the derived uptake by a factor ~3 or more in either direction.

Additionally, there are important contribution from Hackstein (1994, 1996, 2006) concerning potentially large emissions from wild terrestrial vertebrates and three arthropod taxa apart from termites.

We thank Dr Nunez Ramirez for pointing this to us. We understand from this literature that the uncertainty is quite large.

In the future, it would be useful to also have estimates of the year-to-year variability for wetlands and OH in order to understand what drove the observed year-to-year variability of the growth rate.

Further study on the year to year variability from wetlands emissions or OH will be conducted in another paper as in Saunois et al. (2017). For the future budgets, we will consider if and how the IAV and changes in emissions and atmospheric methane can be discussed in the same paper without lengthening to much the manuscript.

References:

Hastie, A, Lauerwald, R, Ciais, P, Regnier, P. Aquatic carbon fluxes dampen the overall variation of net ecosystem productivity in the Amazon basin: An analysis of the interannual variability in the boundless carbon cycle. Glob Change Biol., 25, 2094– 2111, https://doi.org/10.1111/gcb.14620, 2019

Melton, J. R., Wania, R., Hodson, E. L., Poulter, B., Ringeval, B., Spahni, R., Bohn, T., Avis, C. A., Beerling, D. J., Chen, G., Eliseev, A. V., Denisov, S. N., Hopcroft, P. O., Lettenmaier, D. P., Riley, W. J., Singarayer, J. S., Subin, Z. M., Tian, H., Zürcher, S., Brovkin, V., van Bodegom, P. M., Kleinen, T., Yu, Z. C., and Kaplan, J. O.: Present state of global wetland extent and wetland methane modelling: conclusions from a model inter-comparison project (WETCHIMP), Biogeosciences, 10, 753–788, https://doi.org/10.5194/bg-10-753-2013, 2013.

Sayers, M.J., Amanda G. Grimm, Robert A. Shuchman, Andrew M. Deines, David B. Bunnell, Zachary B. Raymer, Mark W. Rogers, Whitney Woelmer, David H. Bennion, Colin N. Brooks, Matthew A. Whitley, David M. Warner & Justin Mychek-Londer: A new method to generate a high-resolution global distribution map of lake chlorophyll, International Journal of Remote Sensing, 36:7, 1942-1964, DOI: 10.1080/01431161.2015.1029099, 2015.

The Global Methane Budget 2000-2017

Marielle Saunois[1], Ann R. Stavert[2], Ben Poulter[3], Philippe Bousquet[1], Josep G. Canadell[2], Robert B. Jackson[4], Peter A. Raymond[5], Edward J. Dlugokencky[6], Sander Houweling[7,8], Prabir K. Patra[9,10], Philippe Ciais[1], Vivek K. Arora[11], David Bastviken[12], Peter Bergamaschi[13], Donald R. Blake[14], Gordon Brailsford[15], Lori Bruhwiler[6], Kimberly M. Carlson[16,17], Mark Carrol[3], Simona Castaldi[18,19,20], Naveen Chandra[9], Cyril Crevoisier[21], Patrick M. Crill[22], Kristofer Covey[23], Charles L. Curry[24], Giuseppe Etiope[25,26], Christian Frankenberg[27,28], Nicola Gedney[29], Michaela I. Hegglin[30], Lena Höglund-Isaksson[31], Gustaf Hugelius[32], Misa Ishizawa[33], Akihiko Ito[33], Greet Janssens-Maenhout[13], Katherine M. Jensen[34], Fortunat Joos[35],Thomas Kleinen[36], Paul B. Krummel[37], Ray L. Langenfelds[37], Goulven G. Laruelle[38], Licheng Liu[39], Toshinobu Machida[33], Shamil Maksyutov[33], Kyle C. McDonald[34], Joe McNorton[40], Paul A. Miller[41], Joe R. Melton[42], Isamu Morino[33], Jurek Müller[35], Fabiola Murguia-Flores[43], Vaishali Naik[44], Yosuke Niwa[33,45], Sergio Noce[20], Simon O'Doherty[46], Robert J. Parker[47], Changhui Peng[48], Shushi Peng[49], Glen P. Peters[50], Catherine Prigent[51], Ronald Prinn[52], Michel Ramonet[1], Pierre Regnier[38], William J. Riley[53], Judith A. Rosentreter [54], Arjo Segers[55], Isobel J. Simpson[14], Hao Shi[56], Steven J. Smith[57,58], L. Paul Steele[37], Brett F. Thornton[22], Hanqin Tian[56], Yasunori Tohjima[33], Francesco N. Tubiello[59], Aki Tsuruta[60] Nicolas Viovy[1], Apostolos Voulgarakis[61,62], Thomas S. Weber[63], Michiel van Weele[64], Guido R. van der Werf[8], Ray F. Weiss[65], Doug Worthy[66], Debra Wunch[67], Yi Yin[1,27], Yukio Yoshida[33], Wenxin Zhang[41], Zhen Zhang[68], Yuanhong Zhao[1], Bo Zheng[1], Qing Zhu[53], Qiuan Zhu[69], and Qianlai Zhuang[39]

[1]Laboratoire des Sciences du Climat et de l'Environnement, LSCE-IPSL (CEA-CNRS-UVSQ), Université Paris-Saclay 91191 Gif-sur-Yvette, France

[2]Global Carbon Project, CSIRO Oceans and Atmosphere, Aspendale, VIC 3195, and Canberra, ACT 2601, Australia

[3]NASA Goddard Space Flight Center, Biospheric Science Laboratory, Greenbelt, MD 20771, USA

[4]Department of Earth System Science, Woods Institute for the Environment, and Precourt

Supprimé: 2
Supprimé: 3
Supprimé: 4
Supprimé: 5
Supprimé: 6
Supprimé: 7
Supprimé: g
Supprimé: 8
Supprimé:

Institute for Energy, Stanford University, Stanford, CA 94305-2210, USA
[5]School of Forestry and Environmental Studies, Yale University, New Haven, CT 06511, USA.
[6]NOAA ESRL, 325 Broadway, Boulder, CO 80305, USA
[7]SRON Netherlands Institute for Space Research, Sorbonnelaan 2, 3584 CA Utrecht, the Netherlands
[8]Vrije Universiteit Amsterdam, Department of Earth Sciences, Earth and Climate Cluster, VU Amsterdam, Amsterdam, the Netherlands
[9]Research Institute for Global Change, JAMSTEC, 3173-25 Showa-machi, Kanazawa, Yokohama, 236-0001, Japan
[10] Center for Environmental Remote Sensing, Chiba University, Chiba, Japan
[11]Canadian Centre for Climate Modelling and Analysis, Climate Research Division, Environment and Climate Change Canada, Victoria, BC, V8W 2Y2, Canada
[12]Department of Thematic Studies – Environmental Change, Linköping University, 581 83 Linköping, Sweden
[13]European Commission Joint Research Centre, Via E. Fermi 2749, 21027 Ispra (Va), Italy
[14]Department of Chemistry, University of California Irvine, 570 Rowland Hall, Irvine, CA 92697, USA
[15]National Institute of Water and Atmospheric Research, 301 Evans Bay Parade, Wellington, New Zealand
[16] Institute on the Environment, University of Minnesota, Saint Paul, Minnesota 55108, USA
[17] Department of Natural Resources and Environmental Management, University of Hawai'i, Honolulu, Hawai'i 96822, USA.
[18]Dipartimento di Scienze Ambientali, Biologiche e Farmaceutiche, Università degli Studi della Campania Luigi Vanvitelli, via Vivaldi 43, 81100 Caserta, Italy
[19]Department of Landscape Design and Sustainable Ecosystems, RUDN University, Moscow, Russia
[20]Impacts on Agriculture, Forests, and Ecosystem Services Division, Centro Euro-Mediterraneo sui Cambiamenti Climatici, Via Augusto Imperatore 16, 73100 Lecce, Italy
[21]Laboratoire de Météorologie Dynamique, LMD-IPSL, Ecole Polytechnique, 91120 Palaiseau, France
[22]Department of Geological Sciences and Bolin Centre for Climate Research, Svante Arrhenius väg 8, 106 91 Stockholm, Sweden
[23]Program in Environmental Studies and Sciences, Skidmore College, Saratoga Springs, NY 12866, USA
[24]School of Earth and Ocean Sciences, University of Victoria, P.O. Box 1700 STN CSC, Victoria, BC, Canada V8W 2Y2
[25]Istituto Nazionale di Geofisica e Vulcanologia, Sezione Roma 2, via V. Murata 605 00143 Rome, Italy
[26] Faculty of Environmental Science and Engineering, Babes Bolyai University, Cluj-Napoca, Romania
[27] Division of Geological and Planetary Sciences, California Institute of Technology, Pasadena, CA, United States
[28]Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, United States
[29]Met Office Hadley Centre, Joint Centre for Hydrometeorological Research, Maclean Building, Wallingford OX10 8BB, UK
[30]Department of Meteorology, University of Reading, Earley Gate, Reading RG6 6BB, United

Kingdom
[31]Air Quality and Greenhouse Gases Program (AIR), International Institute for Applied Systems Analysis (IIASA), 2361 Laxenburg, Austria
[32]Department of Physical Geography and Bolin Centre for Climate Research, Stockholm University, 106 91 Stockholm, Sweden
[33]Center for Global Environmental Research, National Institute for Environmental Studies (NIES), Onogawa 16-2, Tsukuba, Ibaraki 305-8506, Japan
[34]Department of Earth and Atmospheric Sciences, City College of New York, City University of New York, New York, NY 10031, USA
[35]Climate and Environmental Physics, Physics Institute and Oeschger Centre for Climate Change Research, University of Bern, Sidlerstr. 5, 3012 Bern, Switzerland
[36]Max Planck Institute for Meteorology, Bundesstraße 53, 20146 Hamburg, Germany
[37]Climate Science Centre, CSIRO Oceans and Atmosphere, Aspendale, Victoria 3195, Australia
[38]Department Geoscience, Environment & Society, Université Libre de Bruxelles, 1050-Brussels, Belgium
[39]Department of Earth, Atmospheric, Planetary Sciences, Department of Agronomy, Purdue University, West Lafayette, IN 47907, USA
[40]Research Department, European Centre for Medium-Range Weather Forecasts, Reading, UK
[41]Department of Physical Geography and Ecosystem Science, Lund University, Sölvegatan 12, 223 62, Lund, Sweden
[42]Climate Research Division, Environment and Climate Change Canada, Victoria, BC, V8W 2Y2, Canada
[43]School of Geographical Sciences, University of Bristol, Bristol, BS8 1SS, UK
[44]NOAA/Geophysical Fluid Dynamics Laboratory (GFDL), 201 Forrestal Rd., Princeton, NJ 08540, USA
[45]Meteorological Research Institute (MRI), Nagamine 1-1, Tsukuba, Ibaraki 305-0052, Japan
[46]School of Chemistry, University of Bristol, Cantock's Close, Clifton, Bristol BS8 1TS, UK
[47]National Centre for Earth Observation, University of Leicester, Leicester, LE1 7RH, UK
[48]Department of Biology Sciences, Institute of Environment Science, University of Quebec at Montreal, Montreal, QC H3C 3P8, Canada
[49]Sino-French Institute for Earth System Science, College of Urban and Environmental Sciences, Peking University, Beijing 100871, China.
[50]CICERO Center for International Climate Research, Pb. 1129 Blindern, 0318 Oslo, Norway
[51]CNRS, Sorbonne Université, Observatoire de Paris, Université PSL, Lerma, Paris, France
[52]Department of Earth, Atmospheric and Planetary Sciences, Massachusetts Institute of Technology (MIT), Building 54-1312, Cambridge, MA 02139, USA
[53]Climate and Ecosystem Sciences Division, Lawrence Berkeley National Lab, 1 Cyclotron Road, Berkeley, CA 94720, US
[54]Centre for Coastal Biogeochemistry, School of Environment, Science and Engineering, Southern Cross University, Lismore, NSW 2480, Australia
[55]TNO, dep. of Climate Air & Sustainability, P.O. Box 80015, NL-3508-TA, Utrecht, The Netherlands
[56]International Center for Climate and Global Change Research, School of Forestry and Wildlife Sciences, Auburn University, 602 Duncan Drive, Auburn, AL 36849, USA

[57]Joint Global Change Research Institute, Pacific Northwest National Lab, College Park, MD, USA
[58]Department of Atmospheric and Oceanic Science, University of Maryland, College Park, MD, USA
[59]Statistics Division, Food and Agriculture Organization of the United Nations (FAO), Viale delle Terme di Caracalla, Rome 00153, Italy
[60]Finnish Meteorological Institute, P.O. Box 503, FI-00101, Helsinki, Finland
[61]Department of Physics, Imperial College London, London SW7 2AZ, UK
[62]School of Environmental Engineering, Technical University of Crete, Chania, Greece
[63]Department of Earth and Environmental Sciences, University of Rochester, Rochester, NY 14627, USA
[64]KNMI, P.O. Box 201, 3730 AE, De Bilt, the Netherlands
[65]Scripps Institution of Oceanography (SIO), University of California San Diego, La Jolla, CA 92093, USA
[66]Environnement Canada, 4905, rue Dufferin, Toronto, Canada
[67]Department of Physics, University of Toronto, 60 St. George Street, Toronto, Ontario, Canada
[68]Department of Geographical Sciences, University of Maryland, United States of America
[69]College of Hydrology and Water Resources, Hohai University, Nanjing, 210098, China

Correspondence to: Marielle Saunois (marielle.saunois@lsce.ipsl.fr)

Abstract. Understanding and quantifying the global methane (CH_4) budget is important for assessing realistic pathways to mitigate climate change. Atmospheric emissions and concentrations of CH_4 continue to increase, making CH_4 the second most important human-influenced greenhouse gas in terms of climate forcing, after carbon dioxide (CO_2). The relative importance of CH_4 compared to CO_2 depends on its shorter atmospheric lifetime, stronger warming potential, and variations in atmospheric growth rate over the past decade, the causes of which are still debated. Two major difficulties in reducing uncertainties in the atmospheric growth rate arise from the variety of geographically overlapping CH_4 sources and from the destruction of CH_4 by short-lived hydroxyl radicals (OH). To address these difficulties, we have established a consortium of multi-disciplinary scientists under the umbrella of the Global Carbon Project to synthesize and stimulate new research aimed at improving and regularly updating the global methane budget. Following Saunois et al. (2016), we present here the second version of the living review paper dedicated to the decadal methane budget, integrating results of top-down studies (atmospheric observations within an atmospheric inverse-modelling framework) and bottom-up estimates (including process-based models for estimating land surface emissions and atmospheric chemistry, inventories of anthropogenic emissions, and data-driven extrapolations).

For the 2008-2017 decade, global methane emissions are estimated by atmospheric inversions (a top-down approach) to be 576 Tg CH_4 yr^{-1} (range 550-594, corresponding to the minimum and maximum estimates of

Mis en forme : Police :10 pt
Supprimé: 2
Supprimé: 3
Supprimé: 4
Supprimé: 5
Supprimé: 6
Supprimé: 7
Supprimé: 8
Supprimé: are
Supprimé: ing
Supprimé: Assessing the
Supprimé: in
Supprimé: ison
Supprimé: is complicated by
Supprimé: variations
Supprimé: 2
Supprimé:
Supprimé: 38
Supprimé: 3

the model ensemble), of which 359 Tg CH_4 yr^{-1} or ~60% are attributed to anthropogenic sources, that is emissions caused by direct human activity (range 336-376 Tg CH_4 yr^{-1} or 50-65%). The updated total emission is 29 Tg CH_4 yr^{-1} larger than our estimate for the period 2000-2009 and 24 Tg CH_4 yr^{-1} larger than the one reported in the previous budget for 2003-2012 (Saunois et al., 2016). Since 2012, global CH_4 emissions have been tracking the warmest scenarios assessed by the Intergovernmental Panel on Climate Change. Bottom-up methods suggest almost 30% larger global emissions (737 Tg CH_4 yr^{-1}, range 594-881) than top-down inversion methods. Indeed, bottom-up estimates for natural sources such as natural wetlands, other inland water systems, and geological sources are higher than top-down estimates. The atmospheric constraints on the top-down budget suggest that at least some of these bottom-up emissions are overestimated. The latitudinal distribution of atmospheric observation-based emissions indicates a predominance of tropical emissions (~65% of the global budget, <30°N) compared to mid (~30%, 30°N-60°N) and high northern latitudes (~4%, 60°N-90°N). The most important source of uncertainty in the methane budget is attributable to natural emissions, especially those from wetlands and other inland waters.

Some of our global source estimates are smaller than those in previously published budgets (Saunois et al. 2016; Kirschke et al. 2013), particularly for wetland emissions that are about 35 Tg CH_4 yr^{-1} lower due to efforts to better partition wetlands and other inland waters. Emissions from geological sources are also found to be smaller by 7 Tg CH_4 yr^{-1}, and from wild animals by 8 Tg CH_4 yr^{-1}. However, the overall discrepancy between bottom-up and top-down estimates has been reduced by only 5% compared to Saunois et al. (2016), due to a higher estimate of non-vegetated wetland, i.e. inland waters, emissions resulting more detailed research on emission factors. Priorities for improving the methane budget include: i) a global, high-resolution map of water-saturated soils and inundated areas emitting methane based on a robust classification of different types of emitting habitats; ii) further development of process-based models for inland-water emissions; iii) intensification of methane observations at local scales (e.g., FLUXNET-CH_4 measurements and urban-scale monitoring to constrain bottom-up land surface models, and at regional scales (surface networks and satellites) to constrain atmospheric inversions; iv) improvements of transport models and the representation of photochemical sinks in top-down inversions, and v) development of a 3D variational inversion system using isotopic and/or co-emitted species such as ethane to improve source partitioning.

The data presented here can be downloaded from https://doi.org/10.18160/GCP-CH4-2019 (Saunois et al., 2019) and from the Global Carbon Project.

Table of content

1 Introduction 7

2 Methodology 11

Supprimé: 7
Supprimé:
Supprimé: is
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Police :12 pt, Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Supprimé: 7
Supprimé:
Supprimé: the value
Supprimé: d
Supprimé:
Supprimé:
Supprimé: the period
Supprimé: carbon intensive
Supprimé: developed
Supprimé: (Gidden et al., 2019)
Supprimé: 83
Supprimé: 0
Supprimé: ,
Supprimé: mostly because of larger
Supprimé: d natural emissions
Supprimé: rom
Supprimé: However the
Supprimé: strength of the
Supprimé: ,
Supprimé:
Supprimé: compared to the
Supprimé: vegetated
Supprimé: lower by
Supprimé: vegetated
Supprimé: However
Supprimé: fresh
Supprimé: from recent research and the integration of emissions from estuaries
Mis en forme : Indice
Supprimé: ICOS (
Supprimé: ;
Mis en forme : Police :Gras

2.1 Units used 11
2.2 Period of the budget and availability of data 11
2.3 Definition of regions 12
2.4 Definition of source categories 12
2.5 Processing of emission maps and box-plot representation of emission budgets 14
3 Methane sources and sinks: bottom-up estimates 15
3.1 Anthropogenic sources 15
3.1.1 Global inventories gathered 15
3.1.2 Total anthropogenic emissions 17
3.1.3 Fossil fuel production and use 19
3.1.4 Agriculture and waste sectors 22
3.1.5 Biomass and biofuel burning 25
3.1.6 Other anthropogenic sources (not explicitely included in this study) 27
3.2 Natural sources 28
3.2.1 Wetlands 28
3.2.2 Other inland water systems (lakes, ponds, reservoirs, streams, rivers) 30
3.2.3 Onshore and offshore geological sources 34
3.2.4 Termites 35
3.2.5 Wild animals 36
3.2.6 Oceanic sources 36
3.2.7 Terrestrial permafrost and hydrates 40
3.2.8 Vegetation 41
3.3 Methane sinks and lifetime 42
3.3.1 Tropospheric OH oxidation 42
3.3.2 Stratospheric loss 43
3.3.3 Tropospheric reaction with Cl 44

Supprimé: 18

Supprimé: 27

Supprimé: 33

Supprimé: 34

Supprimé: 41

3.3.4 Soil uptake 45
3.3.5 CH_4 lifetime 46
4 Atmospheric observations and top-down inversions 46
4.1 Atmospheric observations 46
4.1.1 In situ CH_4 observations and atmospheric growth rate at the surface 47
4.1.2 Satellite data of column average CH_4 49
4.2 Top-down inversions used in the budget 49
5 Methane budget: top-down and bottom-up comparison 50
5.1 Global methane budget 50
5.1.1 Global total methane emissions 50
5.1.2 Global methane emissions per source category 52
5.1.3 Global budget of total methane sinks 54
5.2 Latitudinal methane budget 55
5.2.1 Latitudinal budget of total methane emissions 55
5.2.2 Latitudinal methane emissions per source category 56
6 Future developments, missing elements, and remaining uncertainties 57
7 Conclusions 62
8 Data availability 64

Supprimé: 44

Supprimé: 48

Supprimé: 51

Supprimé: ¶ ... [1]

1 Introduction

The surface dry air mole fraction of atmospheric methane (CH_4) reached 1857 ppb in 2018 (Fig. 1), approximately 2.6 times greater than its estimated pre-industrial equilibrium value in 1750. This increase is attributable in large part to increased anthropogenic emissions arising primarily from agriculture (e.g., livestock production, rice cultivation, biomass burning), fossil fuel production and use, waste disposal, and alterations to natural methane fluxes due to increased atmospheric CO_2 concentrations and climate change (Ciais et al., 2013). Atmospheric CH_4 is a stronger absorber of Earth's emitted thermal infrared radiation than carbon dioxide (CO_2), as assessed by its global warming potential (GWP) relative to CO_2. For a 100-yr time

Supprimé: 0

Supprimé: 7

Supprimé: (Ciais et al., 2013)

Supprimé: expressed

Supprimé: the

Mis en forme : Indice

horizon and without considering climate feedbacks GWP(CH_4) = 28 (IPCC AR5, Myhre et al., 2013). Although global anthropogenic emissions of CH_4 are estimated at around 366 Tg CH_4 yr^{-1} (Saunois et al., 2016), representing only 3% of the global CO_2 anthropogenic emissions in units of carbon mass flux, the increase of atmospheric CH_4 concentrations has contributed ~23% (~0.62 $W.m^{-2}$) to the additional radiative forcing accumulated in the lower atmosphere since 1750 (Etminan et al., 2016). Changes in other chemical compounds (such as nitrogen oxides (NO_x) or carbon monoxide (CO)) also influence the forcing of atmospheric CH_4 through changes to its atmospheric lifetime. From an emission perspective, the total radiative forcing attributable to anthropogenic CH_4 emissions is currently about 0.97 W m^{-2} (Myhre et al., 2013). Emissions of CH_4 contribute to the production of ozone, stratospheric water vapour, and CO_2, and most importantly affect its own lifetime (Myhre et al., 2013; Shindell et al., 2012). CH_4 has a short lifetime in the atmosphere (about 9 years for the year 2010 (Prather et al., 2012)) hence a stabilization or reduction of CH_4 emissions leads rapidly, in a few decades, to a stabilization or reduction of its atmospheric concentration and therefore its radiative forcing. Reducing CH_4 emissions is therefore recognized as an effective option for rapid climate change mitigation, especially on decadal timescales (Shindell et al., 2012), because of its shorter lifetime than CO_2.

Of concern, the current anthropogenic methane emissions trajectory is estimated to lie between the two warmest IPCC-AR5 scenarios (Nisbet et al., 2016, 2019), i.e., the RCP8.5 and RCP6.0, corresponding to temperature increases above 3°C by the end of this century. This trajectory implies that large reductions of methane emissions are needed to meet the 1.5-2°C target of the Paris Agreement (Collins et al., 2013; Nisbet et al., 2019). Moreover, CH_4 is a precursor of important air pollutants such as ozone, and, as such, its emissions are covered by two international conventions: the United Nations Framework Convention on Climate Change (UNFCCC) and the Convention on Long Range Transport of Air Pollution (CLRTAP), another motivation to reduce its emissions.

Changes in the magnitude and temporal variation (annual to inter-annual) of methane sources and sinks over the past decades are characterized by large uncertainties (Kirschke et al., 2013; Saunois et al., 2017; Turner et al., 2019). Also, the decadal budget suggests relative uncertainties (hereafter reported as min-max ranges) of 20-35% for inventories of anthropogenic emissions in specific sectors (e.g., agriculture, waste, fossil fuels), 50% for biomass burning and natural wetland emissions, and reaching 100% or more for other natural sources (e.g. inland waters, geological sources). The uncertainty in the chemical loss of methane by OH, the predominant sink of atmospheric methane, is estimated around 10% (Prather et al., 2012) to 15% (from bottom-up approaches in Saunois et al. (2016)). This represents, for the top-down methods, the minimum relative uncertainty associated with global methane emissions, as other methane sinks (atomic oxygen and chlorine oxidations, soil uptake) are much smaller and the atmospheric growth rate is well-defined (Dlugokencky et al., 2009). Globally, the contribution of natural CH_4 emissions to total emissions can be

Supprimé: ₄)=
Supprimé: (IPCC AR5, Myhre et al., 2013)
Mis en forme ... [2]
Supprimé: (Saunois et al., 2016),
Supprimé: .
Supprimé: (Etminan et al., 2016)
Supprimé: point of view
Supprimé: (Myhre et al., 2013)
Supprimé: This is because
Supprimé: e
Supprimé: s
Supprimé: s
Supprimé: (Myhre et al., 2013; Shindell et al., 2012)
Mis en forme ... [3]
Mis en forme ... [4]
Mis en forme ... [5]
Mis en forme ... [6]
Mis en forme ... [7]
Mis en forme ... [8]
Mis en forme ... [9]
Supprimé: (Prather et al., 2012)
Supprimé:
Supprimé: shorter,
Supprimé: (Shindell et al., 2012)
Mis en forme ... [10]
Mis en forme ... [11]
Supprimé: high
Supprimé: (Kirschke et al., 2013; Saunois et al., 2017; Turner et ... [12]
Mis en forme ... [13]
Mis en forme ... [14]
Supprimé: with
Supprimé: between
Supprimé: (Prather et al., 2012)
Supprimé: and
Supprimé: (Saunois et al., 2016
Supprimé: ,
Supprimé: ing
Supprimé: in
Supprimé: relation to
Supprimé: (Dlugokencky et al., 2009)
Supprimé: is reasonably well

quantified by combining lifetime estimates with reconstructed pre-industrial atmospheric methane concentrations from ice cores (e.g. Ehhalt et al., 2001). Regionally, uncertainties in emissions may reach 40-60% (e.g. for South America, Africa, China and India, see Saunois et al. (2016)).

In order to verify future emission reductions, for example to help conduct Paris Agreement's stocktake, sustained and long-term monitoring of the methane cycle is needed to reach more precise estimation of trends, and reduced uncertainties in anthropogenic emissions (Bergamaschi et al., 2018a; Pacala, 2010). Reducing uncertainties in individual methane sources and thus in the overall methane budget is challenging for at least four reasons. Firstly, methane is emitted by a variety of processes, including both natural and anthropogenic sources, point and diffuse sources, and sources associated with three different emission classes (i.e., biogenic, thermogenic and pyrogenic). These multiple sources and processes require the integration of data from diverse scientific communities. The fact that anthropogenic emissions result from unintentional leakage from fossil fuel production or agriculture further complicates production of accurate bottom-up emission estimates. Secondly, atmospheric methane is removed by chemical reactions in the atmosphere involving radicals (mainly OH) that have very short lifetimes (typically ~1s). The spatial and temporal distributions of OH are highly variable. Although OH can be measured locally, calculating global CH_4 loss through OH measurements would require high resolution OH measurements (typically half an hour to integrate cloud cover, and 1 km spatially to consider OH high reactivity and heterogeneity). As a result, such a calculation is currently possible only through modelling. However, simulated OH concentrations from chemistry climate models still show uncertain spatio-temporal distribution at regional to global scales (Zhao et al., 2019). Thirdly, only the net methane budget (sources minus sinks) is constrained by precise observations of atmospheric growth rates (Dlugokencky et al., 2009), leaving the sum of sources and the sum of sinks more uncertain. One simplification for CH_4 compared to CO_2 is that the oceanic contribution to the global methane budget is small (~1-3%), making source estimation predominantly a continental problem (USEPA, 2010b). Finally, we lack observations to constrain 1) process models that produce estimates of wetland extent (Kleinen et al., 2012; Stocker et al., 2014) and wetland emissions (Melton et al., 2013; Poulter et al., 2017; Wania et al., 2013), 2) other inland water sources (Bastviken et al., 2011; Wik et al., 2016a), 3) inventories of anthropogenic emissions (Höglund-Isaksson, 2012, 2017; Janssens-Maenhout et al., 2019; USEPA, 2012), and 4) atmospheric inversions, which aim to estimate methane emissions from global to regional scales (Bergamaschi et al., 2013, 2018b; Bohn et al., 2015; Houweling et al., 2014; Kirschke et al., 2013; Saunois et al., 2016; Spahni et al., 2011; Thompson et al., 2017; Tian et al., 2016).

The global methane budget inferred from atmospheric observations by atmospheric inversions relies on regional constraints from atmospheric sampling networks, which are relatively dense for northern mid-latitudes, with a number of high-precision and high-accuracy surface stations, but are sparser at tropical latitudes and in the Southern Hemisphere (Dlugokencky et al., 2011). Recently the atmospheric observation

Supprimé: , for instance
Supprimé: (e.g. Ehhalt et al., 2001)
Supprimé: U
Supprimé: at regional scales
Supprimé: ,
Supprimé: Beyond the intrinsic value of characterizing the biogeochemical cycle of methane, understanding the evolution of the ... [15]
Supprimé: such
Supprimé: atmospheric
Supprimé: for
Supprimé: the
Supprimé: major
Supprimé: sources
Supprimé: also need to be reduced (
Supprimé: Pacala et al., 2010; Bergamaschi et al., 2018a)
Mis en forme ... [16]
Mis en forme ... [17]
Supprimé: not an easy task
Supprimé: that need to be understood and quantified separately
Supprimé: main
Supprimé: processes
Supprimé: its
Supprimé: remains uncertain
Supprimé: , in part because of a lack of direct measurements
Supprimé: (Dlugokencky et al., 2009)
Supprimé: (USEPA, 2010a)
Supprimé: (Stocker et al., 2014; Kleinen et al., 2012)
Supprimé: (Melton et al., 2013; Poulter et al., 2017; Wania et al. ... [18]
Supprimé: (Bastviken et al., 2011;Wik et al., 2016a),
Supprimé: (Höglund-Isaksson, 2012; Höglund-Isaksson, 2017; ... [19]
Supprimé: 4
Supprimé: represent or
Code de champ modifié ... [20]
Mis en forme ... [21]
Supprimé: (
Mis en forme ... [22]
Supprimé: Bergamaschi et al., 2013; Bergamaschi et al., 2018b; ... [23]
Mis en forme ... [24]
Mis en forme ... [25]
Supprimé: (Dlugokencky et al., 2011)

density has increased in the tropics due to satellite-based platforms that provide column-average methane mixing ratios. Despite continuous improvements in the precision and accuracy of space-based measurements (e.g. Buchwitz et al., 2016), systematic errors greater than several ppb on total column observations can still limit the usage of such data to constrain surface emissions (Alexe et al., 2015; Bousquet et al., 2018; Chevallier et al., 2017; Locatelli et al., 2015). The development of robust bias corrections on existing data can help overcome this issue (e.g. Inoue et al., 2016) and satellite-based inversions have been suggested to reduce global and regional flux uncertainties compared to surface-based inversions (e.g. Fraser et al., 2013).

The Global Carbon Project (GCP) seeks to develop a complete picture of the carbon cycle by establishing common, consistent scientific knowledge to support policy debate and actions to mitigate greenhouse gas emissions to the atmosphere (www.globalcarbonproject.org). The objective of this paper is to analyse and synthesize the current knowledge of the global methane budget, by gathering results of observations and models in order to better understand and quantify the main robust features of this budget, its remaining uncertainties, and to make recommendations. We combine results from a large ensemble of bottom-up approaches (e.g., process-based models for natural wetlands, data-driven approaches for other natural sources, inventories of anthropogenic emissions and biomass burning, and atmospheric chemistry models), and top-down approaches (including methane atmospheric observing networks, atmospheric inversions inferring emissions and sinks from the assimilation of atmospheric observations into models of atmospheric transport and chemistry). The focus of this work is on decadal budgets and on the update of the previous assessment made for the period 2003-2012 to the more recent 2008-2017 decade. More in-depth analysis of trends and year-to-year changes are left to future publications. The regional budget is further discussed in Stavert et al. (2020). Our current paper is a living review, published at about three-year intervals, to provide an update and new synthesis of available observational, statistical and model data for the overall CH_4 budget and its individual components.

Kirschke et al. (2013) was the first CH_4 budget synthesis and was followed by Saunois et al. (2016). Kirschke et al. (2013) reported decadal mean CH_4 emissions and sinks from 1980 to 2009 based on bottom-up and top-down approaches. Saunois et al. (2016) reported methane emissions for three time periods: 1) the last calendar decade (2000-2009), 2) the last available decade (2003-2012), and 3) the last available year (2012) at the time. Here, we update reporting methane emissions and sinks for 2000-2009 decade, for the most recent 2008-2017 decade where data are available, and for the year 2017, reducing the time lag between the last reported year and analysis. The methane budget is presented here at global and latitudinal scales and data can be downloaded from https://doi.org/10.18160/GCP-CH4-2019 (Saunois et al., 2019).

Five sections follow this introduction. Section 2 presents the methodology used in the budget: units, definitions of source categories, of regions, data analysis; and discusses the delay between the period of study of the budget and the release date. Section 3 presents the current knowledge about methane sources and sinks

Supprimé: (Buchwitz et al., 2016)
Supprimé: may
Mis en forme : Français
Code de champ modifié
Mis en forme : Français
Supprimé: (Alexe et al., 2015; Locatelli et al., 2015; Bousquet et al., 2018; Chevallier et al., 2017).
Supprimé: (e.g., Inoue et al., 2016),
Supprimé: satellite based
Supprimé: already proven useful
Supprimé: an
Supprimé: over
Supprimé:
Supprimé: (Fraser et al., 2013).
Supprimé: and
Supprimé: and
Supprimé: t
Supprimé: o
Supprimé: period
Supprimé: , while l
Supprimé: eaving i
Supprimé: other
Mis en forme : Non Surlignage
Supprimé: This
Supprimé: two- to
Supprimé: in order to refine state-of-the-art estimates of
Supprimé: Kirschke et al. (2013
Supprimé: this same approach
Supprimé: ,
Supprimé: preliminarily,
Supprimé: ICOS (
Supprimé: ; Saunois et
Supprimé: al., 2019
Supprimé:).¶
. Further insight into regional budgets will be provided in (Stavert et al., 2019).¶ ... [26]
Supprimé: methodology followed to treat and analyse the data streams

based on the ensemble of bottom-up approaches reported here (models, inventories, data-driven approaches). Section 4 reports atmospheric observations and top-down atmospheric inversions gathered for this paper. Section 5, based on Sections 3 and 4, provides the updated analysis of the global methane budget by comparing bottom-up and top-down estimates and highlighting differences. Finally, Section 6 discusses future developments, missing components, and the most critical remaining uncertainties based on our update to the global methane budget.

2 Methodology

2.1 Units used

Unless specified, fluxes are expressed in teragrams of CH_4 per year ($1Tg\ CH_4\ yr^{-1}=10^{12}\ gCH_4\ yr^{-1}$), while atmospheric concentrations are expressed as dry air mole fractions, in parts per billion (ppb), with atmospheric methane annual increases, G_{ATM}, expressed in ppb yr^{-1}. In the tables, we present mean values and ranges for the two decades 2000-2009, and 2008-2017, together with results for the most recent available year (2017). Results obtained from previous syntheses (i.e. Saunois et al., 2016) are also given for the decade 2000-2009. Following Saunois et al. (2016) and considering that the number of studies is often relatively small for many individual source and sink estimates, uncertainties are reported as minimum and maximum values of the available studies, in brackets. In doing so, we acknowledge that we do not consider the uncertainty of the individual estimates, and we express uncertainty as the range of available mean estimates, i.e., differences across measurements/methodologies considered. These minimum and maximum values are those presented in Section 2.5 and exclude identified outliers.

The CH_4 emission estimates are provided with up to three digits, for consistency across all budget flux components and to ensure the accuracy of aggregated fluxes. Nonetheless, given the values of the uncertainties in the methane budget, we encourage the reader to consider not more than two digits as significant.

2.2 Period of the budget and availability of data

The bottom-up estimates rely on global anthropogenic inventories, surface land models for wetlands emissions and published literature for other natural sources. The global gridded anthropogenic inventories are updated irregularly, generally every 3 to 5 years. The last reported years of available inventories were 2012, 2014 or 2016 when we started this study. For this budget, in order to cover the reported period (2000-2017), it was necessary to extrapolate some of these datasets as explained in Sect. 3.1.1. The surface land models were run over the full period 2000-2017 using dynamical wetland areas (Sect. 3.2.1).

Supprimé: .
Supprimé: this
Supprimé: relevant to the methane budget
Supprimé: methane
Supprimé: ,
Supprimé:)
Supprimé: e
Supprimé: and variable number of studies generally available for individual estimates
Supprimé: take into account
Supprimé: but rather
Supprimé: the standard error
Supprimé: This means that the actual uncertainty range may be larger than the range provided here.
Supprimé: calculated using the boxplot analysis
Supprimé: 2
Supprimé: thus
Supprimé: involved in the global budget do not justify the use of
Supprimé: significant

For the top-down estimates, we use atmospheric inversions covering 2000-2017. The simulations run until mid-2018, but the last year of reported inversion results is 2017, which represents a two and a half year lag with the present, a two-year shorter lag than for the last release (Saunois et al., 2016). Satellite observations are linked to operational data chains and are generally available days to weeks after the recording of the spectra. Surface observations can lag from months to years because of the time for flask analyses and data checks in (mostly) non-operational chains. The final six months of inversions are generally ignored (spin down) because the estimated fluxes are not constrained by as many observations as the previous periods.

2.3 Definition of regions

Geographically, emissions are reported globally and for three latitudinal bands (90°S-30°N, 30-60°N, 60-90°N, only for gridded products). When extrapolating emission estimates forward in time (see Sect. 3.1.1), and for the regional budget presented by (Stavert et al., 2020), a set of 19 regions (oceans and 18 continental regions, see supplementary Fig. S1) were used. As anthropogenic emissions are often reported by country, we define these regions based on a country list (Table S1). This approach was compatible with all top-down and bottom-up approaches considered. The number of regions was chosen to be close to the widely used TransCom inter-comparison map (Gurney et al., 2004) but with subdivisions to separate the contribution from important countries or regions for the methane cycle (China, South Asia, Tropical America, Tropical Africa, USA, and Russia). The resulting region definition is the same as used for the GCP N_2O budget (Tian et al., 2019).

2.4 Definition of source categories

Methane is emitted by different processes (i.e., biogenic, thermogenic, or pyrogenic) and can be of anthropogenic or natural origin. Biogenic methane is the final product of the decomposition of organic matter by methanogenic *Archaea* in anaerobic environments, such as water-saturated soils, swamps, rice paddies, marine sediments, landfills, sewage and wastewater treatment facilities, or inside animal digestive systems. Thermogenic methane is formed on geological time scales by the breakdown of buried organic matter due to heat and pressure deep in the Earth's crust. Thermogenic methane reaches the atmosphere through marine and land geological gas seeps. These methane emissions are increased by human activities, for instance the exploitation and distribution of fossil fuels. Pyrogenic methane is produced by the incomplete combustion of biomass and other organic material. Peat fires, biomass burning in deforested or degraded areas, wildfires and biofuel burning are the largest sources of pyrogenic methane. Methane hydrates, ice-like cages of trapped methane found in continental shelves and slopes and below sub-sea and land permafrost, can be of either biogenic or thermogenic origin. Each of these three process categories has both anthropogenic and natural components.

Supprimé: 2.1 Processing of emission maps¶
Common data analysis procedures have been applied to the different bottom-up models, inventories and atmospheric inversions whenever gridded products exist. The monthly or yearly fluxes (emissions and sinks) provided by different groups were processed in the same way. They were either provided on a 1°x1° grid or re-gridded to 1°x1°, before converting into the common unit of Tg CH_4 per grid cell. For land fluxes in coastal pixels, misallocation to the ocean was avoided by reallocating the land emissions to the neighbouring land pixel. The opposite was done for ocean fluxes. Monthly, annual and decadal means were computed from the gridded 1°x1° maps.¶
2.2 Definition of the boxplots¶
Most budgets are presented as boxplots, which have been created using routines in the IDL programming language using the classical convention of presenting quartiles (25%, median, 75%), outliers, and minimum and maximum values without outliers. Outliers were determined as values below the first quartile minus three times the inter-quartile range, or values above third quartile plus three times the inter-quartile range. Outliers were identified separately in relevant plots. The mean values reported in the tables are represented as "+" symbols in the corresponding figures.¶ ... [27]

Supprimé: 3

Supprimé: and source categories

Supprimé: were

Supprimé: in (Stavert, 2019)

Supprimé: (Gurney et al., 2004),

Supprimé: (Tian et al., 2019)

In the following, we present the different methane sources depending on their anthropogenic or natural origin, which is relevant for climate policy. Here, "natural sources" refer to pre-agricultural emissions even if they are perturbed by anthropogenic climate change, and "anthropogenic sources" are caused by direct human activities since pre-industrial/pre-agricultural time (3000-2000 BC, Nakazawa et al., 1993) including agriculture, waste management and fossil fuel related activities. Natural emissions are split between "wetland" and "other natural" emissions (e.g., non-wetland inland waters, wild animals, termites, land geological sources, oceanic geological and biogenic sources, and terrestrial permafrost). Anthropogenic emissions contain: "agriculture and waste emissions", "fossil fuel emissions", "biomass and biofuel burning emissions", assuming that all types of fires cause anthropogenic sources, although they are partly of natural origin (Fig. 6, see also Table 3 and 6).

Our definition of natural/anthropogenic sources does not correspond exactly to the definition used by UNFCCC following the IPCC guidelines (IPCC, 2006), where, for pragmatic reasons, all emissions from managed land are reported as anthropogenic, which is not the case here. For instance, we consider all wetlands as natural emissions, despite some wetlands being managed and their emissions being partly reported in UNFCCC national communications. The human induced perturbation of climate, atmospheric CO2, and nitrogen and sulfur deposition may cause changes in the sources we classified as natural. Following our definition, emissions from wetlands, inland water or thawing permafrost will be accountable in "natural" emissions, even though, we acknowledge that climate change – a human perturbation – may cause increasing emissions from these sources. Methane emissions from reservoirs are considered as natural even though reservoirs are human-made, and since the 2019 refinement to the IPCC guidelines (IPCC, 2006, 2019) emissions from reservoirs and other flooded lands are considered anthropogenic by UNFCCC.

Following Saunois et al. (2016), we report anthropogenic and natural methane emissions for five main source categories for both bottom-up and top-down approaches.

Bottom-up estimates of methane emissions for some processes are derived from process-oriented models (e.g., biogeochemical models for wetlands, models for termites), inventory models (agriculture and waste emissions, fossil fuel emissions, biomass and biofuel burning emissions), satellite-based models (large scale biomass burning), or observation-based upscaling models for other sources (e.g., inland water, geological sources). From these bottom-up approaches, it is possible to provide estimates for more detailed source sub-categories inside each main GCP category (see budget in Table 3). However, the total methane emission derived from the sum of independent bottom-up estimates remains unconstrained.

For atmospheric inversions (top-down approach) the situation is different. Atmospheric observations provide a constraint on the global total source and a reasonable constraint on the global sink derived from methyl chloroform (Montzka et al., 2011; Rigby et al., 2017). The inversions reported in this work solve either for a total methane flux (e.g. Pison et al., 2013), or for a limited number of source categories (e.g. Bergamaschi et

Supprimé: emissions depending on their
Supprimé: or
Supprimé: origin and
Supprimé: GCP
Supprimé: The natural emissions include two main GCP categories: "natural wetlands", and "other natural emissions" (e.g., other inland waters, wild animals, wildfires, termites, land geological sources, geological and biogenic oceanic sources and terrestrial permafrost). Anthropogenic emissions include three main GCP categories: "agriculture and waste emissions", "fossil fuel emissions", "biomass and biofuel burning emissions". In the summary tables (Tab. 3 and 6), all types of fires are included as anthropogenic sources, although they are partly of natural origin, as shown on the infographic Fig. 6 (Van der Werf et al., 2010).¶ ... [28]
Supprimé: ies
Supprimé: satellite based
Supprimé: product
Supprimé: observation based
Supprimé:
Supprimé: …
Supprimé: combination
Supprimé: is
Supprimé: the
Supprimé: approach
Supprimé: , given
Supprimé: fairly strong
Supprimé: (Montzka et al., 2011; Rigby et al., 2017)
Mis en forme : Anglais (E.U.)
Supprimé: (e.g. Pison et al., 2013)
Supprimé: flux

al., 2013). In most of the inverse systems the atmospheric oxidant concentrations are prescribed with pre-optimized or scaled OH fields, and thus the atmospheric sink is not solved. The assimilation of CH_4 observations alone, as reported in this synthesis, can help to separate sources with different locations or temporal variations but cannot fully separate individual sources as they often overlap in space and time in some regions. Top-down global and regional methane emissions per source category were obtained directly from gridded optimized fluxes, wherever an inversion had solved for the separate five main GCP categories. Alternatively, if an inversion only solved for total emissions (or for categories other than the main five described above), then the prior contribution of each source category at the spatial resolution of the inversion was scaled by the ratio of the total (or embedding category) optimized flux divided by the total (or embedding category) prior flux (Kirschke et al., 2013). In other words, the prior relative mix of sources at model resolution is kept while updating total emissions with atmospheric observations. The soil uptake was provided separately in order to report total gross surface emissions instead of net fluxes (sources minus soil uptake).

In summary, bottom-up models and inventories are presented for all source processes and for the five main categories defined above globally. Top-down inversions are reported globally and only for the five main emission categories.

2.5 Processing of emission maps and box-plot representation of emission budgets

Common data analysis procedures have been applied to the different bottom-up models, inventories and atmospheric inversions whenever gridded products exist. Gridded emissions from atmospheric inversions, land-surface models for wetland or biomass burning were provided at the monthly scale. Emissions from anthropogenic inventories are usually available as yearly estimates. These monthly or yearly fluxes were provided on a 1°x1° grid or re-gridded to 1°x1°, then converted into units of Tg CH_4 per grid cell. Inversions with a resolution coarser than 1° were downscaled to 1° by each modeling group. Land fluxes in coastal pixels were reallocated to the neighbouring land pixel according to our 1° land-sea mask, and vice-versa for ocean fluxes. Annual and decadal means used for this study were computed from the monthly or yearly gridded 1°x1° maps.

Budgets are presented as boxplots with quartiles (25%, median, 75%), outliers, and minimum and maximum values without outliers. Outliers were determined as values below the first quartile minus three times the inter-quartile range, or values above the third quartile plus three times the inter-quartile range. Mean values reported in the tables are represented as "+" symbols in the corresponding figures.

Supprimé: (e.g. Bergamaschi et al., 2013)

Supprimé: Indeed, t

Supprimé: G

Supprimé: the

Supprimé: relevant

Supprimé: the

Supprimé: different

Supprimé: five

Supprimé: GCP ones

Supprimé: (Kirschke et al., 2013)

Mis en forme : Indice

Supprimé: ¶
2. Definition of the boxplots¶
Most

Supprimé: b

Supprimé: , which have been created using routines in the IDL programming language

Supprimé: using

Supprimé: the classical convention of presenting

Supprimé: Outliers were identified separately in relevant plots.

Supprimé: The m

3 Methane sources and sinks: bottom-up estimates

For each source category, a short description of the relevant processes, original data sets (measurements, models) and related methodology are given. More detailed information can be found in original publication references and in the supplementary material of this study.

3.1 Anthropogenic sources

3.1.1 Global inventories gathered

The main bottom-up global inventory datasets covering anthropogenic emissions from all sectors (Table 1) are from the United States Environmental Protection Agency (USEPA, 2012), the Greenhouse gas and Air pollutant Interactions and Synergies (GAINS) model developed by the International Institute for Applied Systems Analysis (IIASA) (Gomez Sanabria et al., 2018; Höglund-Isaksson, 2012, 2017), and the Emissions Database for Global Atmospheric Research (EDGARv3.2.2, Janssens-Maenhout et al., 2019), compiled by the European Commission Joint Research Centre (EC-JRC) and Netherland's Environmental Assessment Agency (PBL). We also used the Community Emissions Data System for historical emissions (CEDS) (Hoesly et al., 2018), developed for climate modelling and the Food and Agriculture Organization (FAO) dataset emission database (Tubiello, 2019), which only covers emissions from agriculture and land use (including peatland and biomass fires).

These inventory datasets report emissions from fossil fuel production, transmission and distribution; livestock enteric fermentation; manure management and application; rice cultivation; solid waste and wastewater. Since the level of detail provided by country and by sector varies among inventories, the data were reconciled into common categories according to Table S2. For example, agricultural and waste burning emissions treated as a separate category in EDGAR, GAINS and FAO, are included in the biofuel sector in the USEPA inventory and in the agricultural sector in CEDS. The GAINS, EDGAR and FAO estimates of agricultural waste burning were excluded from this analysis (these amounted to 1-3 Tg CH_4 yr^{-1} in recent decades to prevent any inadvertent overlap with separate estimates of biomass burning emissions (e.g. GFEDv4.1s). In the inventories used here, emissions for a given region/country and a given sector are usually calculated following IPCC methodology (IPCC, 2006), as the product of an activity factor and an emission factor for this activity. An abatement coefficient is used additionally, to account for any regulations implemented to control emissions (see e.g. Höglund-Isaksson et al., 2015). These datasets differ in their assumptions and data used for the calculation; however, they are not completely independent because they follow the same IPCC guidelines (IPCC, 2006), and, at least for agriculture, use the same FAOSTAT activity data. While the USEPA inventory adopts emissions reported by the countries to the UNFCCC, other inventories (FAOSTAT, EDGAR and the GAINS model) produce their own estimates using a consistent

Supprimé: Here we provide a synthesis of methane sources and sinks based on an ensemble of bottom-up emission estimation methods: process-based models, statistical databases, and data-driven methods. …or each source category, a short description of the relevant emitting…processes, is given, together with a brief description of the …riginal data sets (measurements, models) and the…related methodology are given. Then, the estimate for the global source and its range is given and analysed. …ore detailed information descriptions of the data sets …an be found in original publication references elsewhere (see references of each component in the different subsections and tables) …nd in the supplementary material of this pape…tudyr… ... [29]

Supprimé: Methane sources can be organized by emitting process (i.e., biogenic, thermogenic, or pyrogenic) or by anthropogenic versus natural origin. Biogenic methane is the final product of the decomposition of organic matter by methanogenic *Archaea* in anaerobic environments, such as water-saturated soils, swamps, rice paddies, marine sediments, landfills, sewage and wastewater treatment facilities, or inside animal digestive systems. Thermogenic methane is formed on geological time scales by the breakdown of buried organic matter due to heat and pressure deep in the Earth's crust. Thermogenic methane reaches the atmosphere through marine and land geological gas seeps. These methane emissions are increased by human processes, for instance the exploitation and distribution of fossil fuels (e.g., coal mining, natural gas production, gas transmission and distribution, oil production and refinery). Pyrogenic methane is produced by the incomplete combustion of biomass and other organic material. Peat fires, biomass burning in deforested or degraded areas, wildfires and biofuel burning are the largest sources of pyrogenic methane. Methane hydrates, ice-like cages of trapped methane found in continental shelves and slopes and below sub-sea and land permafrost, can be of either biogenic or thermogenic origin. Each of the three process categories has both [30]

Supprimé: methane …ources ... [31]

Supprimé: ~~Various human activities emit methane to the atmosphere. Agricultural processes under anaerobic conditions, such as enteric fermentation in ruminant livestock, manure management and applications, and rice cultivation, emit biogenic CH_4, as does the decomposition of municipal solid waste. Methane is also emitted~~ [32]

Mis en forme ... [33]

Supprimé: Reported g…obal inventories gathered ... [34]

Supprimé: …he main bottom-up global inventory datasets covering anthropogenic emissions from all sectors (Table 1) are those from the United States Environmental Protection Agency,…(USEPA, 2012),USEPA (2012),…the Greenhouse gas and Air pollutant Interactions and Synergies (GAINS) model developed by the ... [35]

Supprimé: …hese inventory datasets report emissions from the major sources of anthropogenic methane emissions: …ossil fuel production, transmission and distribution; livestock enteric fermentation; livestock …anure management and application; rice cultivation; solid waste and wastewater. Since the level of detail ... [36]

Mis en forme ... [37]

Supprimé: the …ata used for the calculation……owever……they are not completely independent because……hey follow the same IPCC guidelines (IPCC, 2006)(IPCC, 2006)… and, at least for agriculture, use the same FAOSTAT activity data. While the USEPA inventory adopts the ... [38]

approach for all countries. These other inventories compile country-specific activity data and emission factor information or, if not available, adopt IPCC default factors (Höglund-Isaksson, 2012; Janssens-Maenhout et al., 2019; Tubiello, 2019). CEDS takes a different approach starting from pre-existing default emission estimates: for methane, a combination of EDGAR and FAO estimates is used, scaled to match other individual or region-specific inventory values when available. This process maintains the spatial information in the default emission inventories, while preserving consistency with country level data. The FAOSTATdataset (hereafter FAO-CH_4) was used to provide estimates of methane emissions at country level but is limited to agriculture (enteric fermentation, manure management, rice cultivation, energy usage, burning of crop residues and prescribed burning of savannahs) and land-use (biomass burning). FAO-CH_4 uses activity data mainly from the FAOSTAT crop and livestock production database, as reported by countries to FAO (Tubiello et al., 2013), and applies mostly the Tier 1 IPCC methodology for emissions factors (IPCC, 2006), which depend on geographic location and development status of the country. For manure, the necessary country-scale temperature was obtained from the FAO global agro-ecological zone database (GAEZv3. 0, 2012). Although country emissions are reported annually to the UNFCCC by annex I countries, and episodically by non-annex I countries, data gaps of those national inventories do not allow the inclusion of these estimates in this analysis.

In this budget, we use the following versions of these databases (see Table 1):

- EDGARv4.3.2 which provides yearly gridded emissions by sectors from 1970 to 2012 (Janssens-Maenhout et al., 2019),
- GAINS model scenario ECLIPSE v6 (Gomez Sanabria et al., 2018; Höglund-Isaksson, 2012, 2017), which provides both annual sectoral totals by country from 1990 to 2015 and a projection for 2020 (that assumes current emission legislation for the future) and an annual sectorial gridded product from 1990 to 2015,
- USEPA (USEPA, 2012), which provides 5-year sectorial totals by country from 1990 to 2020 (estimates from 2005 onward are a projection), with no gridded distribution available,
- CEDS version 2017-05-18 which provides both gridded monthly and annual country-based emissions by sectors from 1970 to 2014 (Hoesly et al., 2018),
- FAO-CH_4 (database accessed in February 2019, (FAO, 2019)), containing annual country level data for the period 1961-2016, for rice, manure, and enteric fermentation; and 1990-2016 for burning savannah, crop residue and non-agricultural biomass burning.

In order to report emissions for the period 2000-2017, we extended and interpolated some of the datasets as explained in Sect. 2.2. The USEPA dataset was linearly interpolated to provide yearly values. The FAO-CH_4 dataset, ending in 2016, was extrapolated to 2017 using a linear fit based on 2014-2016 data. The EDGARv4.3.2 was extrapolated to 2017 using the extended FAO-CH_4 emissions for enteric fermentation,

Supprimé: need large amounts of…ompile country-specific activity data and emission factor information or, if not available, may adopt IPCC default factors (Höglund-Isaksson, 2012; Janssens-Maenhout et al., 2019; Tubiello, 2019)or emission factors reported to UNFCCC (Höglund-Isaksson, 2012;Janssens-Maenhout et al., 2019; Olivier and Janssens-Maenhout, 2012; Tubiello et al., 2019)… CEDS takes a different approach starting from pre-existing default emission estimates……or …ethane……a combination of EDGAR and FAO estimates…are …s used… scaled to match other individual or region-specific inventory values when available. This process maintains the spatial information in the default emission inventories……hile…preserving consistency with the ... [39]

Mis en forme : Indice

Supprimé: the …ountry level but wa…ss.……imited to agriculture (enteric fermentation, manure management, rice cultivation, energy usage, burning of crop residues and prescribed burning of savannahs) and land-use (biomass burning). It will hereafter be referred as FAO-CH_4. …AO-CH_4 uses activity data mainly from the FAOSTAT crop and livestock production database, as reported by countries to FAO (Tubiello et al., 2013),(Tubiello et al., 2013),…and appliesy…mostly the Tier 1 IPCC methodology for emissions factors (IPCC, 2006)(IPCC, 2006)… which depend on geographic location and development status of the country. Finally, we note that, …f…r manure, the necessary country-scale temperature was obtained from the FAO global agro-ecological zone database (GAEZv3. 0, 2012)(GAEZv3.0, 2012)… Although,…country emissions are …eported …nnually …… the UNFCCC by annex I ... [40]

Supprimé: …n this budget, wW… use the following versions of these databases (see Table 1): ... [41]

Supprimé: …DGARv4.3.2 which provides yearly gridded emissions by sectors from 1970 to 2012 (Janssens-Maenhout et al., 2019)(Janssens-Maenhout et al., 2019)… ... [42]

Supprimé: the …AINS model scenario ECLIPSE v6 (Gomez Sanabria et al., 2018; Höglund-Isaksson, 2012, 2017)(Gómez-Sanabria et al., 2018;Höglund-Isaksson, 2012;Höglund-Isaksson, 2017)…which provides both annual sectori…l totals by country ... [43]

Supprimé: …SEPA (USEPA, 2012)(USEPA, 2012)… which provides 5-year sectorial totals by country for …rom 1990 to 2020 (estimates from 2005 onward are a projection), …ith …o gridded distribution available… ... [44]

Supprimé: the …EDS emission estimates …ersion 2017-05-18 which provides both gridded monthly and annual country based…ountry-based emissions by sectors fromor…1970 to 2014 (Hoesly et al., 2018)(Hoesly et al., 2018)… ... [45]

Supprimé: …AO-CH_4 (database accessed in February 2019, (FAO, 2019))FAO (2019))…containing annual country level data for the period 1961-2016, for rice, manure, and enteric ... [46]

Supprimé: …n order Further details of the datasets used in this study are provided in Table 1. ~~The recent expansion in the number of gridded data sets available, including EDGARv4.3.2, CEDS and GAINS, has greatly increased the input options for inverse and~~.. ... [47]

Mis en forme ... [48]

Supprimé: it was necessary to…e extended and interpolated some of the datasets to cover this period…s explained in Sect. 2.2. The estimates from …SEPA dataset wasere…linearly interpolated to provide yearly values. The FAO-CH_4 dataset, ending in 2016, was ... [49]

manure management and rice cultivation, and using BP statistical review of fossil fuel production and consumption (BP Statistical Review of World Energy, 2019) for emissions from coal, oil and gas sectors. In this extrapolated inventory, called EDGARv4.3.2$_{EXT}$, methane emissions for year t are set equal to the 2012 (last year) of EDGAR emissions ($E_{EDGARv4.3.2}$) times the ratio between FAO-CH_4 emissions (or BP statistics) of year t ($E_{FAO\text{-}CH4}(t)$) and FAO-CH_4 emissions (or BP statistics) of 2012 ($E_{FAO\text{-}CH4}(2012)$). For each emission sector, region-specific emissions of EDGARv4.3.2$_{EXT}$ in year t are estimated following Eq. (1):

$$E_{EDGARv4.3.2ext}(t) = E_{EDGARv4.3.2}(2012) \times E_{FAO-CH4}(t)/E_{FAO-CH4}(2012) \quad (1)$$

Transport, industrial, waste and biofuel sources were linearly extrapolated in EDGARv4.3.2$_{EXT}$ based on the last three years of data while other sources were kept constant at the 2012 level. To allow comparisons through 2017, the CEDS dataset has also been extrapolated in an identical method creating CEDS$_{EXT}$. However, in contrast to EDGARv4.3.2 dataset, CEDS dataset provides only a combined oil and gas sector; hence, we extended this sector using the sum of BP oil and gas emissions. The by-country GAINS dataset was linearly projected by sector for each country using the trend between the historical 2015 and projected 2020 values. These by-country projections were aggregated to the 19 global regions (Section 2.3 and Fig. S1) and used to extrapolate the GAINS gridded dataset in a similar manner to that described in Equation 1. Although we only use the extended inventories, in the following the "EXT" suffix will be dropped for clarity.

3.1.2 Total anthropogenic emissions

In order to avoid double counting and ensure consistency with each inventory, the range (min-max) and mean values of the total anthropogenic emissions were not calculated as the sum of the mean and range of the three anthropogenic categories ("Agriculture and waste", "Fossil fuels" and "Biomass burning & biofuels"). Instead, we calculated separately the total anthropogenic emissions for each inventory by adding its values for "Agriculture and waste", "Fossil fuels" and "biofuels" with the range of available large-scale biomass burning emissions. This approach was used for the EGDARv4.3.2, CEDS and GAINS inventories, but we kept the USEPA inventory as originally reported because it includes its own estimates of biomass burning emissions. FAO-CH_4 was only included in the range reported for the "Agriculture and waste" category. For the latter, we calculated the range and mean value as the sum of the mean and range of the three anthropogenic subcategory estimates "Enteric fermentation and Manure", "Rice", and "Landfills and Waste". The values reported for the upper-level anthropogenic categories ("Agriculture and waste", "Fossil fuels" and "Biomass burning & biofuels") are therefore consistent with the sum of their subcategories, although there might be small percentage differences between the reported total anthropogenic emissions and the sum of the three upper-level categories. This approach provides a more accurate representation of the range of emission estimates, avoiding an artificial expansion of the uncertainty attributable to subtle differences in the definition of sub-sector categorisations between inventories.

Supprimé: to update CH_4

Supprimé: CH_4

Supprimé: the

Supprimé: the

Supprimé: ($E_{EDGARv4.3.2ext}$)

Supprimé: (

Supprimé:)

Supprimé:

Supprimé: are

Supprimé: This extrapolation approach is necessary, and often performed by top-down approaches to define prior emissions because, up to now, global inventories such as sector-specific emissions in the EDGAR database are not updated on a regular basis.

Supprimé: the

Supprimé: the

Supprimé: it was necessary to

Supprimé: dataset

Supprimé: then

Supprimé:

Supprimé: For ease of reading, all further references in this paper will be to

Supprimé: CEDS$_{EXT}$, EDGARv4.3.2$_{EXT}$ and GAINS$_{EXT}$ although

Supprimé: hereafter

Supprimé: **methane**

Supprimé: upper-level

Supprimé: where as

Supprimé: As a result,

Supprimé: estimates are not included in the range derived for the total anthropogenic emissions, but they are

Supprimé: values

Based on the ensemble of databases detailed above, total anthropogenic emissions were 366 [349-393] Tg CH_4 yr^{-1} for the decade 2008-2017 (Table 3, including biomass and biofuel burning) and 334 [321-358] Tg CH_4 yr^{-1} for the decade 2000-2009. Our estimate for the preceding decade is statistically consistent with Saunois et al. (2016) (338 Tg CH4 yr-1 [329-342]) and Kirschke et al. (2013) (331 Tg CH_4 yr^{-1} [304-368]) for the same period. The slightly larger range reported herein with respect to previous estimates is mainly due to a larger range in the biomass burning estimates, as more biomass burning products are included in this update. The range associated with our estimates (~10-12%) is smaller than the range reported in Höglund-Isaksson et al. (2015) (~20%), perhaps because they analysed data from a wider range of inventories and projections, plus this study was referenced to one year only (2005) rather than averaged over a decade, as done here.

Figure 2 (top panels) summarizes global methane emissions of anthropogenic sources (including biomass and biofuel burning) by different datasets between 2000 and 2050. The datasets consistently estimate total anthropogenic emissions of ~300 Tg CH_4 yr^{-1} in 2000. The main discrepancy between the inventories is their trend after 2005, with the lowest emissions projected by GAINS and the largest by CEDS. For the Sixth Assessment report of the IPCC, seven main Shared Socioeconomic Pathways (SSPs) were defined for future climate projections in the Coupled Model Intercomparison Project 6 (CMIP6) (Gidden et al., 2019; O'Neill et al., 2016) ranging from 1.9 to 8.5 W m^{-2} radiative forcing by the year 2100 (as shown by the number in the SSP names). The trends in methane emissions from 2010 estimated by current inventories track the pathways with the highest radiative forcing in 2100 (based on the unharmonized scenarios developed by Integrated Assessment Models, top left panel). For the 1970-2015 period, historical emissions used in CMIP6 (Feng et al., 2019) combine anthropogenic emissions from CEDS (Hoesly et al., 2018) and a climatological value from the GFEDv4.1s biomass burning inventory (van Marle et al., 2017). The CEDS anthropogenic emissions estimates, based on EDGARv4.2, are 10-20 Tg higher than the more recent EDGARv4.3.2 (van Marle et al., 2017). Harmonized scenarios used for CMIP6 activities start in 2015 at 388 Tg CH_4 yr^{-1}. Since methane emissions continue to track scenarios that assume no or minimal climate policies, it may indicate that climate policies, when present, have not yet produced sufficient results to change the emissions trajectory substantially (Nisbet et al., 2019). After 2015, the SSPs span a range of possible outcomes, but current emissions appear likely to follow the higher emission trajectories over the next decade. This illustrates the challenge of methane mitigation that lies ahead to help reach the goals of the Paris agreement. In addition, estimates of methane atmospheric concentrations from the unharmonized scenarios (Riahi et al., 2017) indicate that observations of global methane concentrations fall well within the range of scenarios (Fig. 2 bottom). The methane concentrations are estimated using a simple exponential decay with inferred natural emissions (Meinshausen et al., 2011), and the emergence of any trend between observations and scenarios needs to be confirmed in the following years. In the future, it will be important to monitor the trends from

Supprimé: …ased on the ensemble of databases detailed above, total anthropogenic emissions were 366 [3498…3932… Tg CH_4 yr^{-1} for the decade 2008-2017 (Table 3, including biomass and biofuel burning) and 334 [3215…3587… Tg CH_4 yr^{-1} for the preceding decade 2000-2009. …ur estimate for the preceding decade…is statistically consistent with the findings of…Saunois et al. (2016)Saunois et al. (2016)…(338 Tg CH4 yr-1 [329-342]) and of Kirschke et al. (2013)… ADDIN ZOTERO_ITEM CSL_CITATION {"citationID":"adbgo2gsmm","properties":{"formattedCitation":"(2013)","plainCitation":"(2013)","noteIndex":0},"citationItems":[{"id":2198,"uris":["http://zotero.org/users/1029202/items/BJG2U4UW"],"uri":["http://zotero.org/users/1029202/items/BJG2U4UW"],"itemData":{"id":2198,"type":"article-journal","abstract":"Methane is an important greenhouse gas, responsible for about 20% of the warming induced by long-lived greenhouse gases since pre-industrial times. By reacting with hydroxyl radicals, methane reduces the oxidizing capacity of the atmosphere and generates ozone in the troposphere. Although most sources and sinks of methane have been identified, their relative contributions to atmospheric methane levels are highly uncertain. As such, the factors responsible for the observed stabilization of atmospheric methane levels in the early 2000s, and the renewed rise after 2006, remain unclear. Here, we construct decadal budgets for methane sources and sinks between 1980 and 2010, using a combination of atmospheric measurements and results from chemical transport models, ecosystem models, climate chemistry models and inventories of anthropogenic emissions. The resultant budgets suggest that data-driven approaches and ecosystem models overestimate total natural emissions. We build three contrasting emission scenarios - which differ in fossil fuel and microbial emissions - to explain the decadal variability in atmospheric methane levels detected, here and in previous studies[50]

Supprimé: …igure 2 … (top panels) summarizes the …lobal methane emissions of anthropogenic sources (including biomass and biofuel burning) estimated and projected …y the …ifferent datasets between 2000 and 2050. The datasets consistently estimate total anthropogenic emissions of ……00 Tg CH_4 yr^{-1} in 2000. The main discrepancy between the inventories is observed in …heir trend after 2005, with the lowest emissions projected by GAINS and the largest emissions estimated …y CEDS. Despite relatively good agreement between the inventories for total emissions from year 2000 onwards, large differences were found at the sector and country level (IPCC, 2014). Some of these discrepancies are detailed in the following sections and in (Stavert et al., 2019). …or the ……xth Assessment report…of the IPCC… seven main Shared Socioeconomic Pathways (SSPs) have been defined…ere defined for future to provide…climate projections in the Coupled Model Intercomparison Project 6 (CMIP6) (Gidden et al., 2019; O'Neill et al., 2016)(Gidden et al., 2019)…ranging from 1.9 to 8.5 W m^{-2} radiative forcing by the year 2100 (…s …how……y the number in the SSP names). The trends in methane emissions from 2010 estimated by current inventories track the pathways with the highest radiative forcing in 2100 (based on the unharmonized scenarios developed by Integrated Assessment Models, top left panel). For the 1970-20154…period, the historical emissions used in CMIP6 (Feng et al., 2019) combine anthropogenic emissions from CEDSHoesly et al.…(2018)… ADDIN ZOTERO_ITEM CSL_CITATION {"citationID":"a10pl780dd3","properties":{"formattedCitation":"(Hoesly et al., 2018)","plainCitation":"(Hoesly et al., 2018)","noteIndex":0},"citationItems":[{"id":1743,"uris":["http://zotero.org/users/1029202/items/HZ8HVN2F"],"uri":["http://zotero.org/users/1029202/items/HZ8HVN2F"],"itemData":{"id":1743,"type":"article-journal","container-title":"Geosci. Model ... [51]

year 2015 (the Paris agreement) estimated in inventories and from atmospheric observations, and compare them to various scenarios.

3.1.3 Fossil fuel production and use

Most anthropogenic methane emissions related to fossil fuels come from the exploitation, transportation, and usage of coal, oil, and natural gas. Additional emissions reported in this category include small industrial contributions such as production of chemicals and metals, fossil fuel fires (e.g., underground coal mine fires and the Kuwait oil and gas fires), and transport (road and non-road transport). Methane emissions from the oil industry (e.g. refining) and production of charcoal are estimated to be a few Tg CH_4 yr^{-1} only and are included in the transformation industry sector in the inventory. Fossil fuel fires are included in the sub-category "Oil & Gas". Emissions from industries and road and non-road transport are reported apart from the two main sub-categories "Oil & Gas" and "Coal", contrary to Saunois et al. (2016); each of theses amounts to about 5 Tg CH_4 yr^{-1} (Table 3). The large range (0-12 Tg CH_4 yr^{-1}) is attributable to difficulties in allocating some sectors to these sub-sectors consistently among the different inventories (See Table S2). The spatial distribution of methane emissions from fossil fuels is presented in Fig. 3 based on the mean gridded maps provided by CEDS, EDGARv4.3.2 and GAINS for the 2008-2017 decade; USEPA lacks a gridded product. Global mean emissions from fossil fuel related activities, other industries and transport are estimated from the four global inventories (Table 1) to be of 128 [113-154] Tg CH_4 yr^{-1} for the 2008-2017 decade (Table 3), but with large differences in the rate of change during this period across inventories. The sector accounts on average for 35% (range 30-42%) of total global anthropogenic emissions.

Coal mining.

During mining, methane is emitted primarily from ventilation shafts, where large volumes of air are pumped into the mine to keep the CH_4 mixing ratio below 0.5% to avoid accidental ignition, and from dewatering operations. In countries of the Organization for Economic Co-operation and Development (OECD), methane released from ventilation shafts is in principle used as fuel, but in many countries, it is still emitted into the atmosphere or flared, despite the efforts for coalmine recovery under the UNFCCC Clean Development Mechanisms (http://cdm.unfccc.int). Methane leaks also occur during post-mining handling, processing, and transportation. Some CH_4 is released from coal waste piles and abandoned mines; while emissions from these sources were believed to be low (IPCC, 2000), recent work has estimated these at 22 billion m^3 (against 103 billion m^3 from functioning coal mines) in 2010 with emissions projected to increase into the future (Kholod et al., 2020).

In 2017, almost 40% (IEA, 2019b) of the world's electricity is still produced from coal. This contribution grew in the 2000s at the rate of several per cent per year, driven by Asian economic growth where large reserves exist, but global coal consumption declined since 2014. In 2018, the top ten largest coal producing

Supprimé: the reported …nventories and from atmospheric observations, in the following years …nd compare them to the……arious SSP…cenarios's… ... [52]

Supprimé: **Methane emissions from f…ssil fuel production and use** ... [53]

Supprimé: …ost anthropogenic methane emissions related to fossil fuels come from the exploitation, transportation, and usage of coal, oil, and natural gas. Additional emissions reported in this category include small industrial contributions such as production of chemicals and metals, …ossil fuel fires (e.g., underground coal mine fires and the Kuwait oil and gas fires), and transport (road and non-road transport). Methane emissions from the oil industry (e.g. refining) and production of charcoal are estimated to be a few Tg CH_4 yr^{-1} only ((IPCC, 2000)EDGARv4.2, 2011) …nd are includ…d……n the transformation industry sector in the inventory. Fossil fuel fires are included in the sub-category "Oil & Gas". For our budget…E, e…issions from industries and road and non-road transport are reported apart from the two main sub-categories "Oil & Gas" and "Coal", contrary to . …aunois et al. (2016); eE ... [54]

Mis en forme ... [55]

Supprimé: …ttributable……o difficulties in allocating some sectors to these specific GCP …ub-categories …ectors consistently among the different inventories (See Table S2). In Saunois et al. (2016), these emissions were included in the sub-category "Oil & Gas" or "Coal". …he spatial distribution of methane emissions from fossil fuels is presented in Fig. 3 based on the mean gridded maps provided by CEDS, EDGARv4.3.2 and GAINS …or……he 2008-2017 decade……USEPA …acks…… gridded product… ... [56]

Supprimé: …lobal mean emissions of methane …rom fossil fuel related activitiess… other industries and transport are estimated from the four global inventories (Table 1) to be of yielding 1287…[1131…154] Tg CH_4 yr^{-1} for the 2008-2017 decade (Table 3), but with large differences in the rate of change during this period …cross……nventories. …he sector……ccounts on average for 35% (range 30-42%) of the …otal global anthropogenic emissions. ... [57]

Supprimé: …uring mining, methane is emitted primarily from ventilation shafts, where large volumes of air are pumped into the mine to keep the CH_4 mixing ratio below 0.5% to avoid accidental ignition… …nd attributable t…romo…dewatering operations… In countries of the Organization for Economic Co-operation and Development (OECD), methane released from ventilation shafts is in principle used as fuel, but in many countries…ountries, it is still emitted into the atmosphere or flared, despite the efforts for coalmine recovery under the UNFCCC Clean Development Mechanisms (http://cdm.unfccc.int). Methane emissions …eaks also occur during post-mining handling, processing, and transportation. Some CH_4 is released from coal waste piles and abandoned mines;,…however emissions from these sources are believed to be low (IPCC, 2000)… ... [58]

Mis en forme ... [59]

Mis en forme : Anglais (E.U.)

Supprimé: …n 2017, …A…most 40% (IEA, 2019b)(IEA, 2018)…of the world's electricity is …till …roduced from coal. This contribution indeed …rew in the 2000s at the rate of several per cent per year, driven by Asian …conomic growth……here large reserves exist, but …lobal coal consumption has been fairly stable…eclined since……0141……In 201… ... [60]

nations accounted for ~90% of total world methane emissions for coal mining; among them, the top three producers (China, USA and India) produced almost two thirds (64%) of the world's coal (IEA, 2019a).

Global estimates of CH_4 emissions from coal mining show a large range of 29-61 Tg CH_4 yr^{-1} for 2008-2017, in part due to the lack of comprehensive data from all major producing countries. The highest value of the range comes from the CEDS inventory while the lowest comes from USEPA. CEDS seems to have overestimated coal mining emissions from China by almost a factor of 2, most likely due to its dependence on the EDGARv4.2 emission inventory. As highlighted by Saunois et al. (2016), a county-based inventory of Chinese methane emissions also confirms the overestimate of about +38% with total anthropogenic emissions estimated at 43±6 Tg CH_4 yr^{-1} (Peng et al., 2016). EDGARv4.2 inventory follows the IPCC guidelines and uses European averaged emission factor for CH_4 from coal production to substitute missing data for China, which appears to be overestimated by a factor of approximately two. These differences highlight significant errors resulting from the use of emission factors, and that applying "Tier 1" approaches for coal mine emissions is not sufficiently accurate as stated by the IPCC guidelines. The newly released version of EDGARv4.3.2 used here has revised China coal methane emission factors downwards and distributed them to more than 80 times more coal mining locations in China. Coal mining emission factors depend strongly on the type of coal extraction (underground mining emits up to 10 times more than surface mining), the geological underground structure (region-specific), history (basin uplift), and the quality of the coal (brown coal emits more than hard coal). Finally, coal mining is the main source explaining the differences between inventories globally (Fig. 2).

For the 2008-2017 decade, methane emissions from coal mining represent 33% of total fossil fuel related emissions of methane (42 Tg CH_4 yr^{-1}, range of 29-61). An additional very small source corresponds to fossil fuel fires (mostly underground coal fires, ~0.15 Tg yr^{-1} in 2012, EDGARv4.3.2).

Oil and natural gas systems.

This sub-category includes emissions from both conventional and shale oil and gas exploitation. Natural gas is comprised primarily of methane, so both fugitive and planned emissions during the drilling of wells in gas fields, extraction, transportation, storage, gas distribution, end use, and incomplete combustion of gas flares emit methane (Lamb et al., 2015; Shorter et al., 1996). Persistent fugitive emissions (e.g., due to leaky valves and compressors) should be distinguished from intermittent emissions due to maintenance (e.g. purging and draining of pipes). During transportation, fugitive emissions can occur in oil tankers, fuel trucks and gas transmission pipelines, attributable to corrosion, manufacturing and welding faults. According to Lelieveld et al. (2005), CH_4 fugitive emissions from gas pipelines should be relatively low, however distribution networks in older cities may have higher rates, especially those with cast-iron and unprotected steel pipelines (Phillips et al., 2013). Measurement campaigns in cities within USA and Europe revealed that significant emissions occur in specific locations (e.g. storage facilities, city gates, well and pipeline

Supprimé: (CIA, 2016; BP 2019)
Supprimé: variation
Supprimé: The range of coal mining emissions is estimated at 29-60 Tg of methane for 2008-2017, the
Supprimé: coming
Supprimé: and
Supprimé: ¶
As outlined in Sect. 3.1.2,
Supprimé:
Supprimé: ~~Indeed, these differences are explained mainly by the different CH_4 emission factors used for calculating fugitive emissions from coal mining in China~~. Coal mining emission factors depend strongly on the type of coal extraction (underground mining emitting up to 10 times more than surface mining), the geological underground structure, which is region-specific, history (basin uplift), and the quality of the coal (brown coal emitting more than hard coal). ~~CEDS seems to have overestimated coal mining emissions from China by almost a factor of 2, most likely due to its dependence on the EDGARv4.2 emission inventory. As highlighted by Saunois et al. (2016) a county-based inventory of Chinese methane emissions also confirms the overestimate of about +38% with total anthropogenic emissions estimated at 43±6 Tg CH_4 yr^{-1} (Peng et al., 2016). A study using $^{13}CH_4$ data by (Thompson et al., 2015) showed that their prior (based on EDGARv4.2FT2010) also overestimated the Chinese methane emissions by 30%, however they found no significant~~ ... [61]
Mis en forme : Barré
Mis en forme : Barré
Mis en forme : Barré
Mis en forme : Barré
Mis en forme : Barré
Mis en forme : Barré
Supprimé: are estimated at
Supprimé: 0
Supprimé: and from shale gas exploitation
Supprimé: (Lamb et al., 2015; Shorter et al., 1996)
Supprimé: ¶ ... [62]
Mis en forme : Barré
Supprimé: due
Supprimé: ,
Supprimé: ,
Supprimé: etc
Supprimé: Lelieveld et al. (2005
Supprimé: 20)
Supprimé: the
Supprimé: the
Supprimé: also

pressurization/depressurization points) along the distribution networks (e.g. Jackson et al., 2014a; McKain et al., 2015; Wunch et al., 2016). However, methane emissions vary significantly from one city to another depending, in part, on the age of city infrastructure and the quality of its maintenance, making urban emissions difficult to scale-up. In many facilities, such as gas and oil fields, refineries and offshore platforms, venting of natural gas is now replaced by flaring with almost complete conversion to CO_2; these two processes are usually considered together in inventories of oil and gas industries. Also, single-point failure of natural gas infrastructure can leak methane at high rate for months, such as at the Aliso Canyon blowout in the Los Angeles, CA, basin (Conley et al., 2016) or the recent shale gas well blowout in Ohio (Pandey et al., 2019), thus hampering emission control strategies. Production of natural gas from the exploitation of hitherto unproductive rock formations, especially shale, began in the 1970s in the US on an experimental or small-scale basis, and then, from early 2000s, exploitation started at large commercial scale. The shale gas contribution to total dry natural gas production in the United States reached 62% in 2017, growing rapidly from 40% in 2012, with only small volumes produced before 2005 (EIA, 2019). The possibly larger emission factors from the shale gas as compared to the conventional ones, have been widely debated (e.g. Cathles et al., 2012; Howarth, 2019; Lewan, 2020). However, the latest studies tend to infer similar emission factors in a narrow range of 1-3% (Alvarez et al., 2018; Peischl et al., 2015; Zavala-Araiza et al., 2015), different from the widely spread rates of 3-17% from previous studies (e.g. Caulton et al., 2014; Schneising et al., 2014).

Methane emissions from oil and natural gas systems vary greatly in different global inventories (72 to 97 Tg yr^{-1} in 2017, Table 3). The inventories generally rely on the same sources and magnitudes for activity data, with the derived differences therefore resulting primarily from different methodologies and parameters used, including emission factors. Those factors are country- or even site-specific and the few field measurements available often combine oil and gas activities (Brandt et al., 2014) and remain largely unknown for most major oil- and gas-producing countries. Depending on the country, the reported emission factors may vary by two orders of magnitude for oil production and by one order of magnitude for gas production (Table SI-5.1 of Höglund-Isaksson (2017)). The GAINS estimate of methane emissions from oil production, for instance, is twice as high as EDGARv4.3.2. For natural gas, the uncertainty is of a similar order of magnitude. During oil extraction, natural gas generated can be either recovered (re-injected or utilized as an energy source) or not recovered (flared or vented to the atmosphere). The recovery rates vary from one country to another (being much higher in the USA, Europe and Canada than elsewhere), and from one type of oil to another: flaring is less common for heavy oil wells than for conventional ones (Höglund-Isaksson et al., 2015). Considering recovery rates could lead to two-times-higher methane emissions accounting for country-specific rates of generation and recovery of associated gas than when using default values (Höglund-Isaksson, 2012). This difference in methodology explains, in part, why GAINS estimates are higher than those of EDGARv4.3.2.

Mis en forme : Français

Code de champ modifié

Supprimé: (e.g. Jackson et al., 2014a; McKain et al., 2015; Wunch et al., 2016)

Mis en forme : Français

Mis en forme : Français

Supprimé: can

Supprimé: ,

Supprimé: thus hampering emission control strategies (Conley et al., 2016)

Supprimé: ¶ ... [63]

Supprimé: also

Supprimé: 69

Supprimé: the

Supprimé: both emission and

Supprimé: (Brandt et al., 2014)

Supprimé: (

Supprimé: ,

Supprimé: 2017

Supprimé: the estimate from

Supprimé: the

Supprimé: and,

Supprimé: an amount of gas released into the atmosphere during oil production

Supprimé:

Supprimé:

Supprimé: (Höglund-Isaksson, 2012)

Supprimé: Another challenge lies in determining the amount of flared or vented unrecovered gas, as venting emits CH_4 whereas flaring converts all or most methane (usually >99%) to CO_2. The balance of flaring and venting also depends on the type of oil: flaring is less common for heavy oil wells than for conventional ones (Höglund-Isaksson et al., 2015). Satellite images can detect flaring (Elvidge et al., 2009; 2016) and may be used to verify country estimates, but such satellites can not currently be used to estimate the efficiency of CH_4 conversion to CO_2.

Most studies (Alvarez et al., 2018; Brandt et al., 2014; Jackson et al., 2014b; Karion et al., 2013; Moore et al., 2014; Olivier and Janssens-Maenhout, 2014; Pétron et al., 2014; Zavala-Araiza et al., 2015), albeit not all (Allen et al., 2013; Cathles et al., 2012; Peischl et al., 2015), suggest that methane emissions from oil and gas industry are underestimated by inventories and agencies, including the USEPA. Zavala-Araiza et al. (2015) showed that a few high-emitting facilities, i.e., super-emitters, neglected in the inventories, dominated USA emissions. These high emitting points, located on the conventional part of the facility, could be avoided through better operating conditions and repair of malfunctions. As USA production increases, absolute methane emissions almost certainly increase, as well USA crude oil production doubled over the last decade and natural gas production rose more than 50% (EIA, 2019). However, global implications of the rapidly growing shale gas activity in the US remains to be determined precisely.

For the 2008-2017 decade, methane emissions from upstream and downstream oil and natural gas sectors are estimated to represent about 63% of total fossil CH_4 emissions (80 Tg CH_4 yr^{-1}, range of 68-92 Tg CH_4 yr^{-1}, Table 3), with a lower uncertainty range than for coal emissions for most countries.

3.1.4 Agriculture and waste sectors

This main category includes methane emissions related to livestock production (i.e., enteric fermentation in ruminant animals and manure management), rice cultivation, landfills, and wastewater handling. Of these, globally and in most countries, livestock is by far the largest source of CH_4, followed by waste handling and rice cultivation. Conversely, field burning of agricultural residues is a minor source of CH_4 reported in emission inventories. The spatial distribution of methane emissions from agriculture and waste handling is presented in Fig. 3 based on the mean gridded maps provided by CEDS, EDGARv4.3.2 and GAINS over the 2008-2017 decade.

Global emissions from agriculture and waste for the period 2008-2017 are estimated to be 206 Tg CH_4 yr^{-1} (range 191-223, Table 3), representing 56% of total anthropogenic emissions.

Livestock: Enteric fermentation and manure management. Domestic ruminants such as cattle, buffalo, sheep, goats, and camels emit methane as a by-product of the anaerobic microbial activity in their digestive systems (Johnson et al., 2002). The very stable temperatures (about 39°C) and pH (6.5-6.8) values within the rumen of domestic ruminants, along with a constant plant matter flow from grazing (cattle graze many hours per day), allow methanogenic *Archaea* residing within the rumen to produce methane. Methane is released from the rumen mainly through the mouth of multi-stomached ruminants (eructation, ~87% of emissions) or absorbed in the blood system. The methane produced in the intestines and partially transmitted through the rectum is only ~13%.

The total number of livestock continues to grow steadily. There are currently (2017) about 1.5 billion cattle globally, 1 billion sheep, and nearly as many goats (http://www.fao.org/faostat/en/#data/GE). Livestock

Supprimé: b. **Shale gas.** Production of natural gas from the exploitation of hitherto unproductive rock formations, especially shale, began in the 1980s in the US on an experimental or small-scale basis, then, from early 2000s, exploitation started at large commercial scale. Two techniques developed and often applied together are horizontal drilling and hydraulic fracturing. The shale gas contribution to total dry natural gas production in the United States reached 62% in 2017, growing rapidly from 40% in 2012, with only small volumes produced before 2005 (EIA, 2019). Indeed, the practice of high-volume hydraulic fracturing (fracking) for oil and gas extraction is a growing sector of methane and other hydrocarbon production, especially in the U.S.

Mis en forme : Français

Code de champ modifié

Mis en forme : Français

Supprimé: (Alvarez et al., 2018; Brandt et al., 2014; Howarth et al., 2011b; Jackson et al., 2014b; Karion et al., 2013; Moore et al., 2014; Olivier and Janssens-Maenhout, 2014; Pétron et al., 2014; Zavala-Araiza et al., 2015)

Code de champ modifié

Supprimé: (Peischl et al., 2015; Allen et al., 2013; Cathles et al., 2012)

Supprimé: For instance, the recent synthesis of (Alvarez et al., 2018) suggests that methane emissions from the U.S. oil and gas supply chain are ~60% higher than the USEPA estimate (13±2 Tg yr-1 against 8±2 Tg yr-1), corresponding to 2.3% of US gas production. They propose that existing inventory methods are most likely missing emissions released during abnormal operating conditions, such as those observed across the rapidly expanding shale gas sector.

Supprimé: (2015)

Supprimé: For instance, they estimate that 2% of the facilities of the Barnett region are responsible for 50% of the methane emissions.

Supprimé:

Supprimé: Their result also suggests that the emission factors of conventional and non-conventional gas facilities might not be as different as originally thought by Howarth et al. (2011a,b). Indeed, the possibly larger emission factors from the unconventional gas as compared to the conventional one have been widely debated (e.g. Cathles et al., 2012; Howarth et al., 2011a,b). However, the latest studies tend to infer similar emission factors in a narrow range of 1-3% (Alvarez et al.; 2018; Zavala-Araiza, 2015; Peischl et al., 2015). ... [64]

Supprimé: countries

Supprimé:

Supprimé: at

Supprimé: This total is ~60% greater than the estimated 127 Tg yr-1 emitted through fossil fuel production and use (see Section 3.1.3). ... [65]

Supprimé: large amounts of

Supprimé: (Johnson et al., 2002)

Supprimé: in

Supprimé: 4

numbers are linearly related to CH_4 emissions in inventories using the Tier 1 IPCC approach such as FAOSTAT. In practice, some non-linearity may arise due to dependencies of emissions on total weight of the animals and their diet, which are better captured by Tier 2 and higher approaches. Cattle, due to their large population, large individual size, and particular digestive characteristics, account for the majority of enteric fermentation CH_4 emissions from livestock worldwide (Tubiello, 2019), particularly in intensive agricultural systems in wealthier and emerging economies, including the United States (USEPA, 2016). Methane emissions from enteric fermentation also vary from one country to another as cattle may experience diverse living conditions that vary spatially and temporally, especially in the tropics (Chang et al., 2019). Anaerobic conditions often characterize manure decomposition in a variety of manure management systems globally (e.g., liquid/slurry treated in lagoons, ponds, tanks, or pits), with the volatile solids in manure producing CH_4. In contrast, when manure is handled as a solid (e.g., in stacks or dry-lots) or deposited on pasture, range, or paddock lands, it tends to decompose aerobically and to produce little or no CH_4. However aerobic decomposition of manure tends to produce nitrous oxide (N_2O), which has a larger warming impact than CH_4. Ambient temperature, moisture, energy contents of the feed, manure composition, and manure storage or residency time affect the amount of CH_4 produced. Despite these complexities, most global datasets used herein apply a simplified IPCC Tier 1 approach, where amounts of manure treated depend on animal numbers and simplified climatic conditions by country.

Global methane emissions from enteric fermentation and manure management are estimated in the range of 99-115 Tg CH_4 yr^{-1}, for the year 2010, in the GAINS model and CEDS, USEPA, FAO-CH_4 and EDGARv4.3.2 inventories. These values are slightly higher than the IPCC Tier 2 estimate of Dangal et al. (2017) (95.7 Tg CH_4/yr for 2010) and the IPCC Tier 3 estimates of Herrero et al. (2013) (83.2 Tg CH_4 yr^{-1} for 2000), but in agreement with the recent IPCC Tier 2 estimate of Chang et al. (2019) (99± 12 Tg CH_4 yr^{-1} for 2012).

For the period 2008-2017, we estimated total emissions of 111 [106-116] Tg CH_4 yr^{-1} for enteric fermentation and manure management, about one third of total global anthropogenic emissions.

Rice cultivation. Most of the world's rice is grown in flooded paddy fields (Baicich, 2013). The water management systems, particularly flooding, used to cultivate rice are one of the most important factors influencing CH_4 emissions and one of the most promising approaches for CH_4 emission mitigation: periodic drainage and aeration not only cause existing soil CH_4 to oxidize, but also inhibit further CH_4 production in soils (Simpson et al., 1995; USEPA, 2016; Zhang, 2016). Upland rice fields are not typically flooded, and therefore are not a significant source of CH_4. Other factors that influence CH_4 emissions from flooded rice fields include fertilization practices (i.e. the use of urea and organic fertilizers), soil temperature, soil type (texture and aggregated size), rice variety and cultivation practices (e.g., tillage, seeding, and weeding practices) (Conrad et al., 2000; Kai et al., 2011; USEPA, 2011; Yan et al., 2009). For instance, methane

Supprimé: …sing…the Tier 1 IPCC approach such as FAOSTAT. In practice, some non-linearity may arise due to dependencies of emissions on total weight of the animals and their diet, which are better captured by Tier 2 and higher approaches. Cattle, due to their large population, large individual size, and particular digestive characteristics, account for the majority of enteric fermentation CH_4 emissions from livestock worldwide (Tubiello, 2019)(Tubiello et al., 2019)……particularly in intensive agricultural systems in developed wealthier and emerging economies, including the United States (USEPA, 2016)(USEPA, 2016)… Methane emissions from enteric fermentation also vary from one country to another as cattle may experience diverse living conditions that vary spatially and temporally, especially in the tropics (Chang et al., 2019)(Chang and al., 2019)… ... [66]

Supprimé: …naerobic conditions often characterize manure decomposition in a variety of manure management systems throughout the world…lobally (e.g., liquid/slurry treated in lagoons, ponds, tanks, or pits), with the volatile solids component …n manure producing CH_4 as a result ... [67]

Mis en forme : Indice

Supprimé: because they influence the growth of the microorganisms responsible for CH_4 formation… For non-liquid-based manure systems, moist conditions (which can be induced by rainfall and humidity) can promote CH_4 production. Manure composition, which varies with animal diet, growth rate, and type, including the animal's digestive system, also affects the amount of CH_4 produced. In general, the potential for CH_4 emissions grows with the energy contents of the feed. However, some higher-energy feeds also are more digestible than lower quality forages, which can result in less overall waste excreted from the animal (USEPA, 2006). Despite these complexities, most global datasets used herein apply a simplified IPCC Tier 1 approach, where amounts of manure treated depend on animal numbers and simplified climatic conditions by country. ... [68]

Supprimé: …lobal methane emissions from enteric fermentation and manure management are estimated in the range of 99-115 Tg CH_4 yr^{-1}, for the year 2010, in the GAINS model and CEDS, USEPA, FAO-CH_4 and EDGARv4.3.2 inventories. These values are slightly higher than the IPCC Tier II … estimates…of Dangal et al. (2017)(2017)…(i.e., 87.5 and …5.7 Tg CH_4/yr for 2000 and…or ... [69]

Supprimé: …or the period 2008-2017, we estimated total emissions of 111 [106-116] Tg CH_4 yr^{-1} for enteric fermentation and ... [70]

Supprimé: …ice cultivation. Most of the world's rice is grown in flooded paddy fields (Baicich, 2013)(Baicich, 2013)… ~~Under these shallow flooded conditions, aerobic decomposition of organic matter~~ ... [71]

Mis en forme ... [72]

Supprimé: is …ne of the most promising approaches for CH_4 emission mitigation: (e.g.…periodical…drainage and aeration not only cause…s…existing soil CH_4 to oxidize, but also ... [73]

Mis en forme : Anglais (E.U.)

Code de champ modifié

Mis en forme : Français

Supprimé: (USEPA, 2011, 2016; Kai et al., 2011; Yan et al., 2009; Conrad et al., 2000)

Mis en forme ... [74]

emissions from rice paddies increase with organic amendments (Cai et al., 1997) but can be mitigated by applying other types of fertilizers (mineral, composts, biogas residues) or using wet seeding (Wassmann et al., 2000).

The geographical distribution of rice emissions has been assessed by global (e.g. Janssens-Maenhout et al., 2019; Tubiello, 2019; USEPA, 2012) and regional (e.g. Castelán-Ortega et al., 2014; Chen et al., 2013; Chen and Prinn, 2006; Peng et al., 2016; Yan et al., 2009; Zhang and Chen, 2014) inventories or land surface models (Li et al., 2005; Pathak et al., 2005; Ren et al., 2011; Spahni et al., 2011; Tian et al., 2010, 2011; Zhang, 2016). The emissions show a seasonal cycle, peaking in the summer months in the extra-tropics associated with monsoons and land management. Similar to emissions from livestock, emissions from rice paddies are influenced not only by extent of rice field area (analogous to livestock numbers), but also by changes in the productivity of plants (Jiang et al., 2017) as these alter the CH_4 emission factor used in inventories. Nonetheless, the inventories considered herein are largely based on IPCC Tier 1 methods, which largely scale with cultivated areas but include regional specific emission factors.

The largest emissions from rice cultivation are found in Asia accounting for 30 to 50% of global emissions (Fig. 3). The decrease of CH_4 emissions from rice cultivation over recent decades is confirmed in most inventories, because of the decrease in rice cultivation area, changes in agricultural practices, and a northward shift of rice cultivation since the 1970s, as in China (e.g. Chen et al., 2013). Based on the global inventories considered in this study, global methane emissions from rice paddies are estimated to be 30 [25-38] Tg CH_4 yr^{-1} for the 2008-2017 decade (Table 3), or about 8% of total global anthropogenic emissions of methane. These estimates are consistent with the 29 Tg CH_4 yr^{-1} estimated for the year 2000 by Carlson et al. (2017).

Waste management. This sector includes emissions from managed and non-managed landfills (solid waste disposal on land), and wastewater handling, where all kinds of waste are deposited. Methane production from waste depends on the pH, moisture, and temperature of the material. The optimum pH for methane emission is between 6.8 and 7.4 (Thorneloe et al., 2000). The development of carboxylic acids leads to low pH, which limits methane emissions. Food or organic waste, leaves and grass clippings ferment quite easily, while wood and wood products generally ferment slowly, and cellulose and lignin even more slowly (USEPA, 2010a). Waste management was responsible for about 11% of total global anthropogenic methane emissions in 2000 (Kirschke et al., 2013). A recent assessment of methane emissions in the U.S. found landfills to account for almost 26% of total U.S. anthropogenic methane emissions in 2014, the largest contribution of any single CH_4 source in the United States (USEPA, 2016). In Europe, gas control has been mandatory on all landfills since 2009, following the ambitious objective raised in the EU Landfill Directive (1999) to reduce landfilling of biodegradable waste to 65% below the 1990 level by 2016. This mitigation is attempted through source separation and treatment of separated biodegradable waste in composts, bio-digesters, and paper recycling.

Supprimé: (Cai et al., 1997)…but can be mitigated by applying other types of fertilizers (mineral, composts, biogas residues) or using,…wet seeding)…(Wassmann et al., 2000)(Wassmann et al., 2000)… ... [75]

Supprimé: …he geographical distribution of rice emissions has been assessed by global (e.g. Janssens-Maenhout et al., 2019; Tubiello, 2019; USEPA, 2012)(e.g., Tubiello, 2019; USEPA, 2006, 2012; Janssens-Maenhout et al., 2019)…and regional (e.g. Castelán-Ortega et al., 2014; Chen et al., 2013; Chen and Prinn, 2006; Peng et al., 2016; Yan et al., 2009; Zhang and Chen, 2014)(e.g. Peng et al., 2016; Chen et al., 2013; Chen and Prinn, 2006; Yan et al., 2009; Castelán-Ortega et al., 2014; Zhang and Chen, 2014) ... [76]

Mis en forme : Français

Code de champ modifié

Supprimé: (Spahni et al., 2011; Zhang et al., 2016a; Ren et al., 2011; Tian et al., 2010; Tian et al., 2011; Li et al., 2005; Pathak et al., 2005)

Mis en forme ... [77]

Supprimé: the …onsoons and with …and management. Similar to emissions from livestock, emissions from rice paddies are influenced not only by extent of rice field area (equivalent …nalogous to the number of …ivestock numbers), but also by changes in the productivity of plants (Jiang et al., 2017)(Jiang et al., 2017)…as these alter the CH_4 emission factor used in inventories. Nonetheless, the inventoriesdatabases…considered herein are largely based on IPCC Tier 1 methods, which largely scale with cultivated areas but include regional specificities in…emission factors. ... [78]

Supprimé: …he largest emissions from rice cultivation are found in Asia (Hayashida et al., 2013), with China (5-11 Tg CH_4 yr^{-1}, Chen et al., 2013; Zhang et al., 2016a) and India (~3-5 Tg CH_4 yr^{-1}, Bhatia et al., 2013) …ccounting for 30 to 50% of global emissions (Fig. 3). This contrasts with the work of (Carlson et al., 2016) who suggested that India contributed a larger flux, 7.4 Tg CH_4/yr, than China, 6.2 Tg CH_4/yr around the year 2000. The lower emissions in China were linked to paddy drainage practises.…The decrease of CH_4 emissions from rice cultivation over the past…ecent decades is confirmed in most inventories, because of the decrease in rice cultivation area, the changes in agricultural practices, and a northward shift of rice ... [79]

Mis en forme ... [80]

Mis en forme : Anglais (E.U.)

Supprimé: …ased on the global inventories considered in this study, global methane emissions from rice paddies are estimated to be 30 [25-38] Tg CH_4 yr^{-1} for the 2008-2017 decade (Table 3), or ... [81]

Supprimé: …aste management. This sector includes emissions from managed and non-managed landfills (solid waste disposal on land), and wastewater handling, where all kinds of waste are ... [82]

Mis en forme : Barré

Supprimé: (Thorneloe et al., 2000)… The development of carboxylic acids leads to low pH, which limits methane emissions. Food or organic waste, leaves and grass clippings ferment quite ... [83]

Supprimé: …aste management wai… responsible for about 11% of total global anthropogenic methane emissions in 2000 (Kirschke et al., 2013)at global scale (Kirschke et al., 2013)… A recent ... [84]

Mis en forme ... [85]

Wastewater from domestic and industrial sources is treated in municipal sewage treatment facilities and private effluent treatment plants. The principal factor in determining the CH_4 generation potential of wastewater is the amount of degradable organic material in the wastewater. Wastewater with high organic content is treated anaerobically, which leads to increased emissions (André et al., 2014). Excessive and rapid urban development worldwide, especially in Asia and Africa, could enhance methane emissions from waste unless adequate mitigation policies are designed and implemented rapidly.

The GAINS model and CEDS and EDGAR inventories give robust emission estimates from solid waste in the range of 29-41 Tg CH_4 yr^{-1} for the year 2005, and more uncertain wastewater emissions in the range 14-33 Tg CH_4 yr^{-1}1.

In our study, the global emission of methane from waste management is estimated in the range of 60-69 Tg CH_4 yr^{-1} for the 2008-2017 period with a mean value of 65 Tg CH_4 yr^{-1}, about 12% of total global anthropogenic emissions.

3.1.5 Biomass and biofuel burning

This category includes methane emissions from biomass burning in forests, savannahs, grasslands, peats, agricultural residues, as well as, from the burning of biofuels in the residential sector (stoves, boilers, fireplaces). Biomass and biofuel burning emits methane under incomplete combustion conditions (i.e., when oxygen availability is insufficient for complete combustion), for example in charcoal manufacturing and smouldering fires. The amount of methane emitted during the burning of biomass depends primarily on the amount of biomass, burning conditions, and the specific material burned.

In this study, we use large-scale biomass burning (forest, savannah, grassland and peat fires) from five biomass burning inventories (described below) and the biofuel burning contribution from anthropogenic emission inventories (EDGARv4.3.2, CEDS, GAINS and USEPA). The spatial distribution of emissions from the burning of biomass and biofuel over the 2008-2017 decade is presented in Fig. 3 based on data listed in Table 1.

At the global scale, during the period of 2008-2017, biomass and biofuel burning generated methane emissions of 30 [26-40] Tg CH_4 yr^{-1} (Table 3), of which 30-50 % is from biofuel burning.

Biomass burning. Fire is an important disturbance event in terrestrial ecosystems globally (van der Werf et al., 2010), and can be of either natural (typically ~10% of fires, ignited by lightning strikes or started accidentally) or anthropogenic origin (~90%, human initiated fires) (USEPA (2010b), chapter 9.1). Anthropogenic fires are concentrated in the tropics and subtropics, where forests, savannahs and grasslands may be burned to clear land for agricultural purposes or to maintain pastures and rangelands. Small fires

Supprimé: and that
Supprimé: (André et al., 2014)
Supprimé: The large and fast
Supprimé: and
Supprimé: in
Supprimé: this
Supprimé: ,
Supprimé: e
Supprimé: that is
Supprimé: the
Supprimé: being
Supprimé: At the global scale, during the period 2008-2017, biomass and biofuel burning generated methane emissions of 30 [26-40] Tg CH_4 yr^{-1} (Table 3), of which 30-50 % is biofuel burning.¶ [86]
Supprimé: the
Supprimé: specific
Supprimé: GFEDv4.1s, QFEDv2.5, GFASv1.3, FINNv1.5, FAO-CH_4
Supprimé: see
Supprimé: for details
Supprimé: ¶ ... [87]
Supprimé: methane
Supprimé: burning
Supprimé: and is based on the mean gridded maps provided by CEDS, EDGARv4.3.2 and GAINS for biofuel burning, and the mean gridded maps provided by the biomass burning inventories presented thereafter
Supprimé: ¶
Supprimé:
Supprimé: the most
Supprimé: at the
Supprimé: scale (van der Werf et al., 2010)
Supprimé: (2010a)

associated with agricultural activity, such as field burning and agricultural waste burning, are often not well detected by remote sensing methods and are instead estimated based on cultivated area.

Emission rates of biomass burning vary with biomass loading (depending on the biomes) at the location of the fire, the efficiency of the fire (depending on the vegetation type), the fire type (smoldering or flaming) and emission factor (mass of the considered species / mass of biomass burned). Depending on the approach, these parameters can be derived using satellite data and/or biogeochemical model, or through simpler IPCC default approaches.

In this study, we use five products to estimate biomass burning emissions. The Global Fire Emission Database (GFED) is the most widely used global biomass burning emission dataset and provides estimates from 1997. Here, we use GFEDv4.1s (van der Werf et al., 2017), based on the Carnegie-Ames-Stanford-Approach (CASA) biogeochemical model and satellite derived estimates of burned area (from MODerate resolution Imaging Sensor, MODIS), fire activity and plant productivity. GFEDv4.1s (with small fires) is available at a 0.25° resolution and on a daily basis from 1997 to 2017. One characteristic of the GFEDv4.1s burned area is that small fires are better accounted compared to GFEDv4.1 (Randerson et al., 2012), increasing carbon emissions by approximately 35% at the global scale.

The Quick Fire Emissions Dataset (QFED) is calculated using the fire radiative power (FRP) approach, in which the thermal energy emitted by active fires (detected by MODIS) is converted to an estimate of methane flux using biome specific emissions factors and a unique method of accounting for cloud cover. Further information related to this method and the derivation of the biome specific emission factors can be found in Darmenov and da Silva (Darmenov and da Silva, 2015). Here we use the historical QFEDv2.5 product available daily on a 0.1x0.1 grid for 2000 to 2017.

The Fire Inventory from NCAR (FINN, Wiedinmyer et al., 2011) provides daily, 1km resolution estimates of gas and particle emissions from open burning of biomass (including wildfire, agricultural fires and prescribed burning) over the globe for the period 2002-2018. FINNv1.5 uses MODIS satellite observations for active fires, land cover and vegetation density.

We use v1.3 of the Global Fire Assimilation System (GFAS, Kaiser et al., 2012), which calculates emissions of biomass burning by assimilating Fire Radiative Power (FRP) observations from MODIS at a daily frequency and 0.5° resolution and is available for 2000-2016.

The FAO-CH_4 yearly biomass burning emissions are based on the most recent MODIS 6 burned area products, coupled with a pixel level (500m) implementation of the IPCC Tier 1 approach, and are available from 1990 to 2016 (Table 1).

The differences in emission estimates for biomass burning arise from specific geographical and meteorological conditions and fuel composition, which strongly impact combustion completeness and emission factors. The latter vary greatly according to fire type, ranging from 2.2 g CH_4 kg^{-1} dry matter burned

Supprimé: …ften…not well detected by remote sensing methods and are …nstead……stimated based on cultivated area. ~~As it is among the species emitted during biomass burning, carbon monoxide is a pertinent tracer for biomass burning emissions (Yin et al., 2015;Pechony et al., 2013).~~ ... [88]

Mis en forme : Barré

Supprimé: …mission rates of Usually …the b…omass burning emissions …ary with biomass loading (depending on the biomes) at the location of the fire, the efficiency of the fire (depending on the vegetation type), the fire type (smoldering or flaming) and emission factor (mass of the considered species / mass of biomass burned).are estimated using IPCC methodology, as:¶
$E(x,t) = A(x,t,) * B(x) * FB * EF$ (2)¶
where *A(x,t)* is the area burned, *B(x)* the biomass loading (depending on the biomes) at the location, *FB* the fraction of the area burned (or the efficiency of the fire depending on the vegetation type and the fire type) and *EF* the emissions factor (mass of the considered species / mass of biomass burned). ... [89]

Supprimé: ,…IPCC default approaches. ... [90]

Supprimé: …n this study, we use five products to estimate biomass burning emissions. The Global Fire Emission Database (GFED) is the most widely used global biomass burning emission dataset and provides estimates from 1997. In this review…ere, we use GFEDv4.1s (van der Werf et al., 2017)(van der Werf et al., 2017)… . GFED is …ased on the Carnegie-Ames-Stanford-Approach (CASA) biogeochemical model and satellite derived estimates of burned area (from MODerate resolution Imaging Sensor, MODIS), fire activity and plant productivity. From November 2000 onwards, these three parameters are inferred from the MODerate resolution Imaging ... [91]

Mis en forme ... [92]

Supprimé: …he Quick Fire Emissions Dataset (QFED) is calculated using the fire radiative power (FRP) approach, in which the thermal energy emitted by active fires (detected by MODIS) is ... [93]

Mis en forme : Barré

Supprimé: (…armenov and da Silva,…(Darmenov and da Silva, 2015)2015)… Here we use the histori……l QFEDv2.5 product available daily on a 0.1x0.1 grid for 2000 to 2017. ~~Comparisons of~~ ... [94]

Mis en forme ... [95]

Supprimé: …he Fire Inventory from NCAR (FINN, Wiedinmyer et al., 2011… ADDIN ZOTERO_ITEM CSL_CITATION {"citationID":"a16j7cif0sa","properties":{"formattedCitation":"(FIN ... [96]

Mis en forme ... [97]

Supprimé: …e use v1.3 of tT…e Global Fire Assimilation System (GFAS, Kaiser et al., 2012)(GFAS, Kaiser et al., 2012) … which calculates emissions of biomass burning emissions …y assimilating ... [98]

Mis en forme ... [99]

Supprimé: …he FAO-CH_4 yearly biomass burning emissions are based on the most recent MODIS 6 burned area products, coupled with a pixel level (500m) implementation of the IPCC Tier 1 ... [100]

Mis en forme ... [101]

Supprimé: …he differences in emission estimates for the …iomass burning emission estimates …rise from from various difficulties, among them the ability to represent and know…pecific geographical ... [102]

for savannah and grassland fires up to 21 g CH_4 kg^{-1} dry matter burned for peat fires (van der Werf et al., 2010).

In this study, based on the five aforementioned products, biomass burning emissions are estimated at 17 Tg CH_4 yr^{-1} [14-26] for 2008-2017, representing about 5% of total global anthropogenic methane emissions.

Biofuel burning. Biomass that is used to produce energy for domestic, industrial, commercial, or transportation purposes is hereafter called biofuel burning. A largely dominant fraction of methane emissions from biofuels comes from domestic cooking or heating in stoves, boilers and fireplaces, mostly in open cooking fires where wood, charcoal, agricultural residues, or animal dung are burned. It is estimated that more than two billion people, mostly in developing countries, use solid biofuels to cook and heat their homes daily (André et al., 2014), and yet methane emissions from biofuel combustion have received relatively little attention. Biofuel burning estimates are gathered from the CEDS, USEPA, GAINS and EDGAR inventories. Due to the sectoral breakdown of the EDGAR and CEDS inventories the biofuel component of the budget has been estimated as equivalent to the "RCO - Energy for buildings" sector as defined in Worden et al. (2017) and Hoesly et al. (2018) (See Table S2). This is equivalent to the sum of the IPCC 1A4a_Commercial-institutional, 1A4b_Residential, 1A4c_Agriculture-forestry-fishing and 1A5_Other-unspecified reporting categories. This definition is consistent with that used in Saunois et al. (2016) and Kirschke et al. (2013). While this sector incorporates biofuel use it also includes the use of other combustible materials (e.g. coal or gas) for small scale heat and electricity generation within residential and commercial premises. Data provided by the GAINS inventory suggests that this approach may overestimate biofuels emissions by between 5 and 50%.

In our study, biofuel burning is estimated to contribute 12 Tg CH_4 yr^{-1} [10-14] to the global methane budget, about 3% of total global anthropogenic methane emissions for 2008-2017.

3.1.6 Other anthropogenic sources (not explicitly included in this study)

Other anthropogenic sources not included in this study are related to agriculture and land-use management. In particular, increases in global palm oil production have led to the clearing of natural peat forests, reducing natural peatland area and associated natural CH_4 emissions. While studies have long suggested that CH_4 emissions from peatland drainage ditches are likely to be significant (e.g. Minkkinen and Laine, 2006), CH_4 emissions related to palm oil plantations have yet to be properly quantified. Taylor et al. (2014) have quantified global palm oil wastewater treatment fluxes to be 4 ± 32 Tg CH_4 yr^{-1} for 2010-2013. This currently represents a small and highly uncertain source of methane but one potentially growing in the future.

Supprimé: (van der Werf et al., 2010)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Supprimé: ~~Tian et al. (2016) estimated that CH_4 emissions from biomass burning during the 2000s were 23±11 Tg CH_4 yr^{-1} (top-down) and 20±7 Tg CH_4 yr^{-1} (bottom-up). Based on a combination of bottom-up estimates for fire emissions, of burnt area measurements, and of observationally-constrained top-down emissions of CO, (Worden et al., 2017) estimated lower fire emissions at 12.9 ± 3.3 CH_4 yr^{-1} for the time period 2001-2014.~~
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré
Supprimé: the decade
Supprimé:
Supprimé: t
Supprimé: on a
Supprimé: basis (André et al., 2014)
Supprimé: not yet
Supprimé: full
Supprimé: ¶ ... [103]
Supprimé: i
Supprimé: (
Supprimé: ,
Supprimé: 2017)
Supprimé: .
Supprimé: 2018
Supprimé: within
Supprimé: this
Supprimé: 11
Mis en forme : Non Surlignage
Supprimé: the budget
Mis en forme : Non Surlignage
Supprimé: yet directly accounted for here
Supprimé: the
Supprimé: (e.g., Minkkinen and Laine, 2006),
Supprimé: remain
Supprimé: Page et al. (2011) and
Supprimé: (2014)
Supprimé: as 2 ± 21 Tg CH_4 yr^{-1} for 2000-2009 and

3.2 Natural sources

Natural methane sources include vegetated wetland emissions and inland water systems (lakes, small ponds, rivers), land geological sources (gas-oil seeps, mud volcanoes, microseepage, geothermal manifestations and volcanoes), wild animals, wildfires, termites, thawing terrestrial and marine permafrost and oceanic sources (biogenic, geological and hydrate). In water-saturated or flooded ecosystems, the decomposition of organic matter gradually depletes most of the oxygen in the soil, resulting in anaerobic conditions and methane production. Once produced, methane can reach the atmosphere through a combination of three processes: (1) diffusive loss of dissolved CH_4 across the air-water boundary; (2) ebullition flux from sediments and (3) flux mediated by emergent aquatic macrophytes and terrestrial plants (plant transport). On its way to the atmosphere, in the soil or water columns, methane can be partly or completely oxidized by a group of bacteria called methanotrophs, which use methane as their only source of energy and carbon (USEPA, 2010b). Concurrently, methane from the atmosphere can diffuse into the soil column and be oxidized (See Sect. 3.3.4 on soil uptake).

3.2.1 Wetlands

Wetlands are generally defined as ecosystems in which soils or peats are water saturated or where surface inundation (permanent or not) dominates the soil biogeochemistry and determines the ecosystem species composition (USEPA, 2010b). In order to refine such overly broad definition for methane emissions, we define wetlands as ecosystems with inundated or saturated soils or peats where anaerobic conditions lead to methane production (Matthews and Fung, 1987; USEPA, 2010b). Brackish water emissions are discussed separately in Sect. 3.2.6. Our definition of wetlands includes peatlands (bogs and fens), mineral soil wetlands (swamps and marshes), and seasonal or permanent floodplains. It excludes exposed water surfaces without emergent macrophytes, such as lakes, rivers, estuaries, ponds, and reservoirs (addressed in the next section), as well as rice agriculture (see Sect. 3.1.4, rice cultivation paragraph), and wastewater ponds. It also excludes coastal vegetated ecosystems (mangroves, seagrasses, salt marshes) with salinities usually >0.5 psu (See Sect. 3.2.6). Even with this definition, some wetlands could be considered as anthropogenic systems, being affected by human land-use changes such as impoundments, drainage, or restoration (Woodward et al., 2012). In the following we retain the generic denomination "wetlands" for natural and human-influenced wetlands, as discussed in Sect. 2.2.

The three most important factors influencing methane production in wetlands are the spatial and temporal extent of anoxia (linked to water saturation), temperature and substrate availability (Valentine et al., 1994; Wania et al., 2010; Whalen, 2005).

Déplacé vers le bas [5]: The emission pathways are the same as those described for inland waters below (diffusive flux, ebullition and plant-mediated flux), plus reservoir specific pathways including degassing of CH_4 from turbines (hydropower reservoirs only) and elevated diffusive emissions in rivers downstream of the reservoir - these latter emissions are enhanced if the water outlet comes from anoxic CH_4-rich hypolimnion waters in the reservoir ((e.g. Minkkinen and Laine, 2006)Bastviken et al., 2004; Guérin et al., 2006; 2016).

Supprimé: Anthropogenic flooded land, including reservoirs, artificial ponds, canals, and ditches, emit CH_4 to the atmosphere. The emission pathways are the same as those described for inland waters below (diffusive flux, ebullition and plant-mediated flux), plus reservoir specific pathways including degassing of CH_4 from turbines (hydropower reservoirs only) and elevated diffusive emissions in rivers downstream of the reservoir - these latter emissions are enhanced if the water outlet comes from anoxic CH_4-rich hypolimnion waters in the reservoir ((e.g. Minkkinen and Laine, 2006)Bastviken et al., 2004; Guérin et al., 2006; 2016). Methane emissions from reservoirs (mostly larger ones) are estimated along with the natural inland water system (Sect 3.2.2), despite their anthropogenic origin. Small artificial water-bodies have a high ... [104]

Supprimé: methane

Supprimé: Many sources have been recognized but their ... [105]

Supprimé: ¶ ... [106]

Supprimé: (USEPA, 2010a)

Supprimé: (USEPA, 2010a; Matthews and Fung, 1987)

Supprimé: as well as

Supprimé: parts of the

Supprimé: -driven

Supprimé: or even losses due to

Supprimé: (Woodward et al., 2012)

Supprimé: keep

Supprimé: ~~Anaerobic conditions are required for acetoclastic pr~~ ... [107]

Mis en forme : Barré

Mis en forme : Barré

Mis en forme : Barré

Mis en forme : Barré

Mis en forme : Barré

Mis en forme : Barré

Mis en forme : Barré

Mis en forme : Barré

Supprimé: (Wania et al., 2010; Valentine et al., 1994; Whalen ... [108]

Supprimé: Once produced, methane can reach the atmosphere ... [109]

Mis en forme : Surlignage

Mis en forme : Surlignage

Mis en forme : Surlignage

Land surface models estimate CH_4 emissions through a series of processes, including CH_4 production, oxidation and transport. The models are then forced with inputs accounting for changing environmental factors (Melton et al., 2013; Poulter et al., 2017; Tian et al., 2010; Wania et al., 2013; Xu et al., 2010). Methane emissions from wetlands are computed as the product of an emission flux density and a methane producing area or surface extent (see Supplementary Material; Bohn et al., 2015; Melton et al., 2013). Wetland extent appears to be a primary contributor to uncertainties in the absolute flux of methane emissions from wetlands, with meteorological response the main source of uncertainty for seasonal and interannual variability (Bohn et al., 2015; Desai et al., 2015; Poulter et al., 2017).

In this work, thirteen land surface models computing net CH_4 emissions (Table 2) were run under a common protocol with a 30-year spin-up (1901-1930) followed by a simulation through the end of 2017 forced by CRU-JRA reconstructed climate fields (Harris, 2019). Of the 13 models, 10 previoulsy contributed to Saunois et al. (2016), three models were new to this release (JSBACH, LPJ-GUESS and TEM-MDM) (Table S3). Atmospheric CO_2 influencing wetland Net Primary Production (NPP) was also prescribed in the models. In all models, the same remote sensing-based wetland area and dynamics dataset called WAD2M (Wetland Area Dynamics for Methane Modeling) was prescribed. WAD2M provides year to year varying monthly global wetland areas over 2000-2017, partly addressing known issues, such as separation between wetlands and other inland waters (Poulter et al., 2017). WAD2M combines microwave remote sensing data from Schroeder et al. (2015) with various regional inventory datasets to develop a monthly global wetland area dataset, which will be further presented in the near future by Poulter and colleagues. Non-vegetated wetland inland waters (i.e., lakes, rivers and ponds) were subtracted using the Global Surface Waters dataset of Pekel et al. (2016), assuming that permanent waters were those that were present > 50% of the time within a 32-year observing period. Then, wetland inventories for the tropics (Gumbricht et al., 2017), high-latitudes (Hugelius et al., 2014; Widhalm et al., 2015) and temperate regions (Lehner and Döll, 2004) were used to set the long-term annual mean wetland area, to which a seasonal cycle of fractional surface water was added using data from the Surface WAter Microwave Product Series Version 3.2 (SWAMPS) (Jensen and Mcdonald, 2019; Schroeder et al., 2015). Rice agriculture was removed using the MIRCA2000 dataset from circa 2000, as a fixed distribution. The combined remote-sensing and inventory WAD2M product leads to a maximum wetland area of 14.9 Mkm^2 during the peak season (8.4 Mkm^2 on annual average, with a range of 8.0 to 8.9 Mkm^2 from 2000-2017, about 5.5% of the global land surface). The largest wetland areas in WAD2M are in Amazonia, the Congo Basin, and the Western Siberian Lowlands, which in previous studies were underestimated by inventories (Bohn et al., 2015).

The average emission map from wetlands for 2008-2017 built from the 13 models is plotted in Fig. 3. The zones with the largest emissions are the Amazon basin, equatorial Africa and Asia, Canada, western Siberia, eastern India, and Bangladesh. Regions where methane emissions are robustly inferred (defined as regions

Supprimé: …and……urface models estimate CH_4 emissions through a series of processes, including CH_4 production, CH_4 oxidation and transportation… The models are then forced with inputs accounting for and are further regulated by ... [110]

Supprimé: (Tian et al., 2010; Xu et al., 2010; Melton et al., 2013;Wania et al., 2013; Poulter et al., 2017)

Code de champ modifié

Mis en forme : Français

Mis en forme ... [111]

Supprimé: originating …rom wetlands to the atmosphere …re computed as the product of an emission flux density…and a …ethane producing area or …urface extent…(see Supplementary Material; Bohn et al., 2015; Melton et al., 2013)(Supplementary Material, Melton et al. (2013); Bohn et al., 2015)… Wetland extent appears to be a primary contributor to uncertainties in …he absolute flux of …ethane emissions from wetlands, with…climate …eteorological response the main source of uncertainty for seasonal and interannual variability…(Bohn et al., 2015; Desai et al., 2015; Poulter et al., 2017)(Bohn et al., 2015; Desai et al., 2015; Poulter et al., 2017) ... [112]

Mis en forme : Anglais (E.U.)

Mis en forme : Anglais (E.U.)

Supprimé: …n this work, following Melton et al. (2013) and Poulter et al. (2017), ... [113]

Déplacé (insertion) [1]

Supprimé: previously …revioulsy contributed to Saunois et al. (2016), three models were new to…ere new to this release (JSBACH, LPJ-GUESS and TEM-MDM) (Table S3). Atmospheric CO_2 influencing wetland Net Primary Production (NPP) was also prescribed in the models. In all models, the same remote sensing-based wetland area and dynamics dataset called , which we refer to as WAD2M ;… …etland Area Dynamics for Methane Modeling) was prescribed. The …AD2M dataset is a monthly global wetland area dataset, …rovides year to year varying monthly global wetland areas over 2000-2017, partly addressing which has been developed to address some …nown…issues of previous work… such as inclusion separation between wetlands andof…other inland waters…(Poulter et ... [114]

Mis en forme ... [115]

Supprimé: Poulter et al., 201…9)… Non-…egetated …etland inland waters (i.e., lakes, rivers and ponds……ere subtracted using ... [116]

Mis en forme : Français

Supprimé: (Hugelius et al., 2014) and (Widhalm et al., 2015)

Mis en forme : Anglais (E.U.)

Supprimé: (Lehner and Döll, 2004)…were used to set the long-term annual mean wetland area, to which a seasonal cycle of ... [117]

Code de champ modifié

Mis en forme : Non Exposant/ Indice

Supprimé: the…WAD2M are in Amazonia, the Congo Basin, and the Western Siberian Lowlands, which in previous studies have ... [118]

Supprimé: …he average emission map from wetlands for 2008-2017 built from the 13 models is plotted in Fig. 3. The zones with the ... [119]

where mean flux is larger than the standard deviation of the models) represent 61% of the total methane flux due to natural wetlands. This contribution is 80% lower than found in Saunois et al. (2016) probably due to the different ensemble of models gathered here and the more stringent exclusion of inland waters. The main primary emission zones are consistent between models, which is clearly favoured by the prescribed common wetland extent. However, the different sensitivities of the models to temperature, vapour pressure, precipitation, and radiation can generate substantially different patterns, such as in India. Some secondary (in magnitude) emission zones are also consistently inferred between models: Scandinavia, Continental Europe, Eastern Siberia, Central USA, and tropical Africa.

The resulting global flux range for natural wetland emissions is 101-179 Tg CH_4 yr^{-1} for the 2000-2017 period, with an average of 148 Tg CH_4 yr^{-1} and a one-sigma standard deviation of 25 Tg CH_4 yr^{-1}. For the last decade, 2008-2017, the average ensemble emissions were 149 Tg CH_4 yr^{-1} with a range of 102-182 (Table 3). Using a prognostic set of simulations, where models used their own internal approach to estimate wetland area and dynamics, the average ensemble emissions were 161 Tg CH_4 yr^{-1} with a range of 125-218 for the 2008-2017 period. The greater range of uncertainty from prognostic area models is due to unconstrained wetland area, but generally the magnitude and interannual variability agree between diagnostic and prognostic area approaches. Wetland emissions represent about 20% of the total (natural plus anthropogenic) methane sources estimated by bottom-up approaches. The large range in the estimates of wetland CH_4 emissions results from difficulties in defining wetland CH_4 producing areas as well as in parameterizing terrestrial anaerobic conditions that drive sources and the oxidative conditions leading to sinks (Melton et al., 2013; Poulter et al., 2017; Wania et al., 2013). The ensemble mean emission using diagnostic wetland extent in the models is lower by ~35 Tg CH_4 yr^{-1} than the one previously reported (see Table 3, for 2000-2009 with comparison to Saunois et al., 2016). This difference results from a reduction in double counting due to i) decreased wetland area in WAD2M, especially for high-latitude regions where inland waters, i.e., lakes, small ponds and lakes, were removed, and ii) to some extent, an improved removal of rice agriculture area using the MIRCA-2000 database.

For the last decade, 2008-2017, the average ensemble emissions were 149 Tg CH_4 yr^{-1} with a range of 102-182.

3.2.2 Other inland water systems (lakes, ponds, reservoirs, streams, rivers)

This category includes methane emissions from freshwater systems (lakes, ponds, reservoirs, streams and rivers). To date, very few process-based models exist for these fluxes, relying on data driven approaches and extrapolations. Meta-data analyses are hampered for methane due to a mix of methodological approaches, which capture different components of emissions, and different scales in space and time, depending on method and time of deployment and data processing (Stanley et al., 2016). Altogether, this inconsistency in

Déplacé vers le haut [1]: Over the 13 models, 10 contributed to
Supprimé: . Using improved regional methane emission data sets [120]
Mis en forme ... [121]
Mis en forme ... [122]
Mis en forme ... [123]
Mis en forme ... [124]
Mis en forme ... [125]
Mis en forme ... [126]
Mis en forme ... [127]
Mis en forme ... [128]
Mis en forme ... [129]
Mis en forme ... [130]
Supprimé: the
Supprimé: These
Supprimé: 30
Supprimé: (Poulter et al., 2017; Melton et al., 2013; Wania et al., ... [131]
Mis en forme ... [132]
Mis en forme ... [133]
Mis en forme ... [134]
Mis en forme ... [135]
Mis en forme ... [136]
Mis en forme ... [137]
Mis en forme ... [138]
Supprimé: the
Supprimé:
Supprimé: rivers,
Mis en forme ... [144]
Mis en forme ... [145]
Mis en forme ... [146]
Mis en forme ... [147]
Mis en forme ... [148]
Mis en forme ... [149]
Mis en forme ... [150]
Mis en forme ... [151]
Déplacé (insertion) [3]
Supprimé: Methane emissions to the atmosphere from freshwaters ... [139]
Mis en forme ... [140]
Mis en forme ... [141]
Mis en forme ... [142]
Mis en forme ... [143]
Supprimé: (Stanley et al., 2016)
Supprimé: The different methods and study designs used also ... [152]

the data collection makes detailed modelling of fluxes highly uncertain. For many lakes, particularly smaller shallower lakes and ponds, it is established that ebullition and plant fluxes (in lakes with substantial emergent macrophyte communities) can make up a substantial contribution to fluxes, potentially accounting for 50% to more than 90% of the flux from these water bodies. While contributions from ebullition appear lower from rivers, there are currently insufficient measurements from these systems to determine its role (Crawford et al., 2014; Stanley et al., 2016). Ebullition fluxes are very challenging to measure, due to the high degree of spatiotemporal variability with very high fluxes occurring in parts of an ecosystem over the time frames of seconds followed by long periods without ebullition.

Streams and rivers. Freshwater methane fluxes from streams and rivers were first estimated to be 1.5 Tg CH_4 yr^{-1} (Bastviken et al., 2011). However, this study had measurements from only 21 sites globally. More recently, Stanley et al. (2016) compiled a data set of 385 sites and estimated a diffusive emission of 27 Tg CH_4 yr^{-1} (5th–95th percentiles: 0.01–160 Tg CH_4 yr^{-1}). Detailed regional studies in the tropics and temperate watersheds (Borges et al., 2015; Campeau and del Giorgio, 2014) support a flux in the range of 27 Tg CH_4 yr^{-1} as opposed to the initial ~1.5 Tg CH_4 yr^{-1}. However, the low number of measurements, the lack of clarity on ebullitive fluxes, and the large degree of variance in measurements have precluded an accurate spatial representation of stream and river methane fluxes. Canals and ditches have recently been highlighted as high areal emitters (e.g. Stanley et al., 2016), and their contribution to large-scale emission is typically included in estimates for overall running waters so far. No new global estimates have been published since Stanley et al. (2016) and Saunois et al. (2016). As a result, we use here the same estimate for stream and rivers as in Saunois et al. (2016): 27 Tg CH_4 yr^{-1}.

Lakes and ponds. Methane emissions from lakes were first estimated to be 1-20 Tg CH_4 yr^{-1} based on measurements in two systems (Great Fresh Creek, Maryland and Lake Erie; Ehhalt (1974)). A subsequent global emission estimate was 11-55 Tg CH_4 yr^{-1} based on measurements from three Arctic lakes and a few temperate and tropical systems (Smith and Lewis, 1992), and 8-48 Tg CH_4 yr^{-1} using extended data from different latitudes (73 lakes, Bastviken et al. (2004)). Based on data from 421 lakes and ponds, Bastviken et al. (2011) updated their values to 71.6 Tg CH_4 yr^{-1}, including emissions from non-saline lakes and ponds. High-latitude lakes have received a large amount of attention in the last decade. They include both post-glacial and thermokarst lakes (small water bodies formed when peat over melting permafrost collapse), the latter having larger emissions per m^2 but smaller regional emissions than the former because of their smaller areal extent (Wik et al., 2016b). Water body depth, sediment type, and eco-climatic region are the key factors explaining variation in methane fluxes from lakes (Wik et al., 2016b). Small artificial water-bodies (ponds) have a high surface area to volume ratio, and shallow depth, and are likely to be a notable source of methane, at least at the regional scale (Grinham et al., 2018; Ollivier et al., 2019). These studies found that emissions varied by pond type (for example: livestock rearing farm dams vs. cropping farm dams vs. urban ponds vs.

Déplacé vers le haut [3]: To date, very few process-based models exist for these fluxes, relying on data driven approaches and extrapolations.

Supprimé: (Stanley et al., 2016; Crawford et al., 2014)

Supprimé: (Bastviken et al. 2011)

Supprimé: (2016)

Supprimé: (Borges et al., 2015;Campeau and del Giorgio, 2014)

Supprimé: ,

Supprimé: h

Supprimé: (2016)

Supprimé: (2016)

Supprimé: (2016)

Supprimé: Ehhalt (1974

Supprimé:)

Supprimé: (Smith and Lewis, 1992)

Supprimé: a series of

Supprimé: latitudinal bands

Supprimé: ,

Supprimé: (2004)

Supprimé: (2011)

Supprimé: by thermokarst

Supprimé: square meter

Mis en forme : Exposant

Supprimé: (Wik et al., 2016b)

Supprimé: (Wik et al., 2016b)

Mis en forme : Anglais (E.U.)

weirs). A rough estimate of the global impact of this emission source is globally significant, between 3 and 8 Tg CH_4 yr^{-1} (calculated using the mean emission rates from Grinham et al. (2018) and Ollivier et al. (2019)) and an estimate of global farm impoundment surface area of 77,000 km^2 (Downing et al., 2006). This rough estimate does emphasise the potential significance of these sources, although double counting with current uncertain estimates from natural inland water systems is possible (Thornton et al., 2016a).

A regional estimate for latitudes above 50° North (Wik et al., 2016b) estimated lake and pond methane emissions to be 16.5 Tg CH_4 yr^{-1} (compared to 13.4 Tg CH_4 yr^{-1} in Bastviken et al. (2011), above 54 °N). Tan et al. (2016) used atmospheric inversion approaches and estimated that the current pan-Arctic (north of 60 °N) lakes emit 2.4-14.2 Tg CH_4 yr^{-1}, while a process-based lake biogeochemistry model (bLake4Me) estimated the emissions at 11.9 [7.1-17.3] Tg CH_4 yr^{-1} (Tan and Zhuang, 2015). These numbers for northern or Arctic lakes need to be considered with regard to the latitudinal area encompassed which differ among studies (Thornton et al., 2016a). Saunois et al. (2016) estimates for emissions from natural lakes and ponds were based on Bastviken et al. (2011) using the emissions from the northern high latitudes above 50°N from Wik et al. (2016b) leading to a rounded mean value of 75 Tg CH_4 yr^{-1}. Based on the bLake4Me gridded map from Tan and Zhuang (2015), we calculate lake and pond emissions of 5.2 Tg CH_4 yr^{-1} above 66°N, close to the 6.8 Tg CH_4 yr^{-1} found by Bastviken et al.(2011). Averaging these two values for the emissions above 66°N and combining with Bastviken et al. (2011) estimates south of 66°N (64.8 Tg CH_4 yr^{-1}) leads to a rounded mean global estimate of 71 Tg CH_4 yr^{-1} close to Bastviken et al. (2011) (71.6 Tg CH_4 yr^{-1} at the global scale).

Reservoirs. On top of emissions pathways described for inland waters, reservoirs have specific ones including degassing of CH_4 from turbines (hydropower reservoirs only) and elevated diffusive emissions in rivers downstream of the reservoir - these latter emissions are enhanced if the water outlet comes from anoxic CH_4-rich hypolimnion waters in the reservoir (Bastviken et al., 2004; Guérin et al., 2006, 2016). In Saunois et al. (2016), methane emissions from reservoirs were estimated to be 20 Tg CH_4 yr^{-1} using Bastviken et al. (2011), which was based on data from 32 systems. A more recent and extensive review estimated total reservoir emissions to be 18 Tg CH_4 yr-1 (95% confidence interval 12-30 Tg CH_4 yr-1; n = 75 (Deemer et al., 2016)), and is used to revise our estimate in this study.

Combination (lakes, ponds, reservoirs, streams and rivers). Combining emissions from lakes and ponds from Bastviken et al. (2011) (71.6 Tg CH_4 yr^{-1}) with the recent estimate of Deemer et al. (2016) for reservoirs and the streams and river estimates from Stanley et al. (2016) leads to total inland freshwater emissions of 117 Tg CH_4 yr^{-1}. Recently, using a new up scaling approach based on size weighting productivity and chlorophyll-A, DelSontro et al. (2018) provided a combined lake and reservoir estimates of 104 (5th–95th percentiles: 67-165), 149 (5th–95th percentiles: 95-236) and 185 (5th–95th percentiles: 119-295) Tg CH_4 yr^{-1}, using the lake size distributions from Downing et al. (2006), Messager et al. (2016) and Verpooter et al.

Supprimé: … regional estimate for latitudes above 50° North (Wik et al., 2016b)(Wik et al., 2016b)…estimated lake and pond methane emissions to be 16.5 Tg CH_4 yr^{-1} (compared to 13.4 Tg CH_4 yr^{-1} in Bastviken et al. (2011)(2011)… above 54 °N). Tan et al. (2016)(2016)…used atmospheric inversion approaches and estimated that the current pan-Arctic (north of 60 °N) lakes emit 2.4-14.2 Tg CH_4 yr^{-1}, while a process-based lake biogeochemistry model (bLake4Me) estimated the emissions at 11.9 [7.1-17.3] Tg CH_4 yr^{-1} (Tan and Zhuang, 2015)(Tan et al., 2015)… These numbers for northern or Arctic lakes need to be considered with regard to the latitudinal area encompassed which differ among studies (Thornton et al., 2016a)(Thornton et al. 2016b)… Saunois et al. (2016) estimates for emissions from natural lakes and ponds were based on Bastviken et al. (2011)(2011)… using the emissions from the northern high latitudes above 50°N from Wik et al.,…(2016b)(2016b) … [153]

Mis en forme … [154]

Supprimé: Thus emissions between 50°N and 54°N were double counted in this previous estimate. Roughly re-distributing Bastviken et al. (2011) latitudinal values over different latitudinal bands leads to lake emissions at 18.8 Tg CH_4 yr^{-1} and 10.1 Tg CH_4 yr^{-1} north of 50°N and north of 60°N respectively, higher than Wik et al. (2016b) and lower than Tan and Zhuang (2015). Combining Bastviken et al. (2011) south of 50°N with the estimate from Wik et al. (2016b) and Bastviken et al. (2011) south of 60°N) with. Tan and Zhuang, 2015 … [155]

Mis en forme : Non Surlignage

Supprimé: …ounded mean global estimate of 71 Tg CH_4 yr^{-1} close to Bastviken et al. (2011) (2011) … [156]

Mis en forme : Police :10 pt

Mis en forme : Police :(Par défaut) Times New Roman

Supprimé: …eservoirs… … [157]

Déplacé (insertion) [5]

Supprimé: The emission pathways are the same as those described for inland waters below (diffusive flux, ebullition and plant-mediated … [158]

Supprimé: Methane emissions from reservoirs may be considered anthropogenic sources as humans build them. However, reservoir … [160]

Mis en forme … [161]

Code de champ modifié

Mis en forme : Français

Mis en forme … [159]

Supprimé: (

Mis en forme : Français

Supprimé: Bastviken et al., 2004; Guérin et al., 2006; 2016).

Supprimé: … ADDIN ZOTERO_ITEM CSL_CITATION {"citationID":"a1p706d8ltp","properties":{"formattedCitation":"(20 … [162]

Mis en forme : Police :Italique

Supprimé: (Deemer et al., 2016)…… which …nd is used to revise our estimate in this study. … [163]

Supprimé: …ombination (lakes, ponds, reservoirs, streams and rivers). …ombining emissions from lakes and ponds from Bastvik… [164]

(2014), respectively. These estimates are higher (by 10%, 57% and almost 100%, respectively) than previously reported in Saunois et al. (2016) (ie, 95 Tg CH_4 yr^{-1} for lakes, ponds and reservoirs). Previously, Kirschke et al. (2013) reported a range of 8-73 Tg CH4 yr-1 for this ensemble of emissions and Saunois et al. (2016) a mean value of 122 Tg CH_4 yr^{-1} (75 Tg CH_4 yr^{-1} for lakes and ponds, adding 20 Tg CH_4 yr^{-1} for reservoirs (Bastviken et al., 2011) and 27 Tg CH_4 yr^{-1} for streams and rivers (Stanley et al., 2016)). This mean value reported by Saunois et al. (2016) was based on a single set of estimates, to which a 50% uncertainty was associated as a range (60-180 Tg CH_4 yr^{-1}). Here the new estimates of DelSontro et al. (2018) lead to a mean estimate of all inland freshwaters at 159 Tg CH_4 yr^{-1} associated with the range 117-212 Tg CH_4 yr^{-1} that reflects the minimum and maximum values of the available studies (see Methodology, Sect. 2). However, it should be noted that this range does not consider the uncertainty of individual studies. Importantly, these current estimates do not include the smallest size class of lakes or ephemeral streams resulting in a possible misallocation of freshwater fluxes to wetland ecosystems in spite of the attempts to discount open water emissions from the wetland estimate (see above). The present data indicate that lakes or natural ponds, flooded land/reservoirs and streams/rivers account for 70%, 13% and 17% of the average inland water fluxes, respectively (given the large uncertainty, the percentages should be seen as approximate relative magnitudes only). The anthropogenic part of the inland water fluxes is best constrained for larger reservoirs, but remains less clear for other human-made flooded land. It should be noted that issues regarding spatiotemporal variability are not considered in consistent ways at present (Natchimuthu et al., 2015; Wik et al., 2016a). Given the inconsistencies in the areal flux data and in area estimates, the aim to make frequent updates of the methane emissions is presently not possible for inland water emissions. Even more than for other emission categories, differences in inland water flux values used to estimate emissions, as well as how the data were processed, are more likely to represent differences between data, rather than reflecting real temporal trends in the environment.

The improvement in quantifying inland water fluxes is highly dependent on the availability of more accurate assessments of their surface area. For streams and rivers, the 355,000 km^2 used in Bastviken et al. (2011) were re-evaluated to 540,000 km^2 by Stanley et al. (2016) due to new surface area estimate from Raymond et al. (2013). Regarding lakes and reservoirs, the three current inventories (Downing et al., 2006; Messager et al., 2016; Verpoorter et al., 2014) show typical differences of a factor of 2 to 5 by size-class. Also, it was noted that small ponds, which were not included in either Downing et al. (2006) or Verpoorter et al. (2014) have a diffusive flux higher than any other size class of lakes (Holgerson and Raymond, 2016). Further analysis, and possibly more refined process-based models, are still necessary and urgent to evaluate these global up scaled estimates against regional specific approaches such as in Wik et al. (2016a) for the northern high latitude lakes.

Supprimé:
Supprimé: (2014)
Supprimé: Adding the streams and river estimates from Stanley et al. (2016) to DelSontro et al. (2018) yields total freshwater estimates of 131, 176 and 212 Tg CH_4 yr^{-1}.
Supprimé: (2013)
Supprimé: (2016)
Supprimé: (Bastviken et al., 2011)
Supprimé: (Stanley et al., 2016)
Supprimé: (2018) allows to calculate
Supprimé: to
Supprimé:
Supprimé: take into account
Supprimé:
Supprimé:
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Police :12 pt, Anglais (E.U.)
Supprimé: ¶ ... [165]
Supprimé: Yet despite new estimates of surface areas, there are still important discrepancies between published studies that prevent us from stabilizing estimates of freshwater methane emissions in this update of the global methane budget.
Supprimé: (2011)
Supprimé: (2016)
Supprimé:
Supprimé: (2013)
Supprimé: (Downing et al., 2006;Messager et al., 2016;Verpoorter et al., 2014)
Code de champ modifié
Mis en forme : Français
Mis en forme : Français
Supprimé: (2006)
Supprimé:
Mis en forme : Français
Supprimé: (2014)
Mis en forme : Français
Code de champ modifié
Mis en forme : Français
Supprimé: (Holgerson and Raymond, 2016)
Mis en forme : Français
Supprimé: (2016b)

In this budget, we report a mean value of 159 Tg CH_4 yr^{-1} from freshwater systems (lakes, ponds, reservoirs, streams and rivers), with a range of 117-212 Tg CH_4 yr^{-1}. This range shows the minimum and maximum estimates but excludes the uncertainty from each single estimate, which is expected to be large.

3.2.3 Onshore and offshore geological sources

Significant amounts of methane, produced within the Earth's crust, naturally migrate to the atmosphere through tectonic faults and fractured rocks. Major emissions are related to hydrocarbon production in sedimentary basins (microbial and thermogenic methane), through continuous or episodic exhalations from onshore and shallow marine hydrocarbon seeps and through diffuse soil microseepage (Etiope, 2015). Specifically, five source categories have been considered. Four are onshore sources: gas-oil seeps, mud volcanoes, diffuse microseepage and geothermal manifestations including volcanoes. One source is offshore: submarine seepage, which may include the same types of gas manifestations occurring on land. Etiope et al. (2019) have produced the first gridded maps of geological methane emissions and their isotopic signature for these five categories, with a global total of 37.4 Tg CH_4 yr^{-1} (reproduced in Fig. 4). According to them, the grid maps do not represent, however, the actual global geological-CH_4 emission because the datasets used for the spatial gridding (developed for modelling purposes) were not complete or did not contain the information necessary for improving all previous estimates. Combining the best estimates for the five categories of geological sources (from grid maps or from previous statistical and process-based models), the breakdown by category reveals that onshore microseepage dominate (24 Tg CH_4 yr^{-1}), the other categories having similar smaller contributions: as average values, 4.7 Tg CH_4 yr^{-1} for geothermal manifestations, about 7 Tg CH_4 yr^{-1} for submarine seepage and 9.6 Tg CH_4 yr^{-1} for onshore seeps and mud volcanoes. These values lead to a global bottom-up geological emission mean of 45 [27-63] Tg CH_4 yr^{-1} (Etiope and Schwietzke, 2019).

While all bottom-up and some top-down estimates, following different and independent techniques from different authors, consistently suggest a global geo-CH_4 emission in the order of 40-50 Tg yr-1, the radiocarbon (^{14}C-CH_4) data in ice cores reported by Hmiel et al. (2020) appear to lower the estimate, with a minimum of about 1.6 Tg CH_4 yr^{-1} and a maximum estimated value of 5.4 Tg CH_4 yr^{-1} (95 percent confidence) for the pre-industrial period. The discrepancy between Hmiel et al. (2020) and all other estimates continue to feed the debate. Eastern Siberian Arctic Shelf (ESAS) emissions have been estimated at ~3 Tg CH_4 yr^{-1} based on current atmospheric surface observations (Thornton et al., 2020), corresponding to the same order of magnitude of the estimate from Hmiel et al. (2020) for global geological emissions. However, ESAS emissions are likely from both thermogenic and biogenic origins (e.g. Berchet et al., 2019). More investigation and confrontation between top-down and bottom-up results are needed to reduce this discrepancy.

Supprimé: It is important to note that the above estimates of all inland water fluxes are not independent. Instead, they represent updates from increasing data quantity and quality. Altogether, these studies consider data from about 1000 systems, of which ~750 are located north of 50°N. In this context we only consider fluxes from open waters assuming that plant-mediated fluxes (estimated at 10.2 Tg CH_4 yr^{-1} in Bastviken et al., 2011) are included in the wetland emission term. It should also be noted that issues regarding spatiotemporal variability are not considered in consistent ways at present (Wik et al., 2016a; Natchimuthu et al., 2015). Given the inconsistencies in the areal flux data and in area estimates, the aim to make frequent updates of the methane emissions is presently not possible for inland water emissions. Even more than for other emission categories, differences in inland water flux values between updates of this paper are more likely to represent differences in what data are used and how the data is processed, rather than reflecting real temporal trends in the environment. …n this budget, we report a mean value of 159 Tg CH_4 yr^{-1} from freshwater systems (lakes, ponds, reservoirs, streams and rivers), with a range of 117-212 Tg CH_4 yr^{-1}. This range shows the minimum and maximum estimates but excludes the uncertainty from each single estimate, which is expected to be large. ... [166]

Supprimé: Several aspects will need consideration to reduce the remaining uncertainty in the freshwater fluxes including generating flux measurements that are more representative in time and space, updating surface area databases (e.g. GLOWABO, Verpoorter et al. (2014), HydroLAKES, Messager et al., 2016), and refining our understanding of ebullitive fluxes. Furthermore, it is clear that double accounting between inland waters and wetlands is occuring (Thornton et al., 2016b). As a result, new frontiers include i) concluding the ongoing effort to develop high resolution (further <30m) classification of saturated and inundated continental surfaces, ii) developing systematic flux data collection efforts, capturing spatiotemporal variability, and in turn (iii) the development of ... [167]

Mis en forme ... [168]

Supprimé: …ignificant amounts of methane, produced within the Earth's crust, naturally migrate to the atmosphere through tectonic faults and fractured rocks. Major emissions are related to hydrocarbon production in sedimentary basins (microbial and thermogenic methane), through continuous or episodic exhalations ... [169]

Mis en forme ... [170]

Supprimé: et al., … ADDIN ZOTERO_ITEM CSL_CITATION {"citationID":"aggqcdcn10","properties":{"formattedCitation":"(2019)","plainCitation":"(2019)","noteIndex":0},"citationItems":[{"id":1223,"uris":["http://zotero.org/users/1029202/items/MH9Q79EE"],"uri":["http://zotero.org/users/1029202/items/MH9Q79EE"],"itemData" ... [171]

Supprimé: ~~This bottom-up estimate is compatible with top-down estimates derived by combining radiocarbon (^{14}C) and ethane concentrations data in the atmosphere and polar ice-cores and related modelling (Lassey et al., 2007a,b; (Nicewonger et al., 2016)).~~ ... [172]

Mis en forme ... [173]

Supprimé: …ome …op-down estimates, following different and independent techniques from different authors,……onsistently suggest…a global geo-CH_4 emission in the order of 40-50 Tg yr-1, the radiocarbon (^{14}C-CH_4) data in ice cores reported by Hmiel et al. (2020)(Petrenko… et al., 2017) …ppear to lower the estimate, with ... [174]

Mis en forme : Anglais (E.U.)

Waiting for further investigation on this topic, we decided to keep the best estimates from Etiope and Shwietzke (2019) for the mean values, and associate it to the lowest estimates reported in Etiope et al. (2019). Thus, we report a total global geological emission of 45 [18-63] Tg CH_4 yr^{-1}, with a breakdown between offshore emissions of 7 [5-10] Tg CH_4 yr^{-1} and onshore emissions of 38 [13-53] Tg CH_4 yr^{-1}. The updated bottom-up estimate is slightly lower than the previous budget mostly due to a reduction of estimated emissions of onshore and offshore seeps (see Sect. 3.2.6 for more offshore contribution explanations).

3.2.4 Termites

Termites are an infraorder of insects (isoptera), which occur predominantly in the tropical and subtropical latitudes (Abe et al., 2000). CH_4 is released during the anaerobic decomposition of plant biomass in their gut (Sanderson, 1996). The uncertainty related to this CH_4 source is very high as CH_4 emissions from termites in different ecosystem types can vary and are driven by a range of factors, while the number of field measurements, both of termite biomass and emissions, are relatively scarce (Kirschke et al., 2013). In Kirschke et al. (2013) (see their supplementary material), a re-analysis of CH_4 emissions from termites at the global scale was proposed. Their CH_4 emissions per unit of area were estimated as the product of termite biomass, termite CH_4 emissions per unit of termite mass, and a scalar factor expressing the effect of land use/cover change, the latter two terms were estimated from published literature re-analysis. For tropical climates, termite biomass was estimated by a simple regression model representing its dependence on gross primary productivity (GPP), whereas for forest and grassland ecosystems of the warm temperate climates and for shrub lands of the Mediterranean sub-climate termite biomass was estimated from data reported by Sanderson (1996). The CH_4 emission factor per unit of termite biomass ($g_{termite}$) was estimated as 2.8 mg CH_4 $(g_{termite})^{-1}$ h^{-1} for tropical ecosystems and Mediterranean shrublands (Kirschke et al., 2013), and 1.7 mg CH_4 $(g_{termite})^{-1}$ h^{-1} for temperate forests and grasslands (Fraser et al., 1986). Emissions were scaled-up and annual CH_4 fluxes were computed for the three periods 1982-1989, 1990-1999 and 2000-2007 representative of the 1980s, 1990s and 2000s, respectively.

The re-analysis of termite emissions proposed in Saunois et al. (2016) maintained the same approach, but the data was calculated using climate zoning (following the Koppen-Geiger classification) applied to updated climate datasets by Santini and di Paola (2015), and was adapted to consider different combinations of termite biomass per unit area and CH_4 emission factor per unit of termite biomass.

Here, this analysis is extended to cover the periods 2000-2007 and 2010-2016. This latest estimate follows the approach outlined above for Saunois et al. (2016). However, in order to extend the analysis to 2016, an alternative MODIS based measure of GPP from Zhang at al. (2017) rather than from Jung et al. (2009) and Jung et al. (2011) was used to estimate termite biomass. To have coherent datasets of GPP and land use, the latter variable, previously derived from Ramankutty and Foley (1999), was substituted for MODIS maps

Supprimé: …aiting for further investigation on this topic, we decided to keep the best estimates from Etiope and Shwietzke,…(2019)(2019)…for the mean values, and associate it to the lowest estimates reported in Etiope et al. (2019)(2019)… Thus, we report a total global geological emission of 45 [18-63] Tg CH_4 yr^{-1}, with the following… breakdow…reakdown betweenn:…offshore emissions of 7 [5-10] Tg CH_4 yr^{-1} and onshore emissions of 38 [13-53] Tg CH_4 yr^{-1}. The updated bottom-up estimate is slightly lower than the previous budget mostly due to a reduction of estimated emissions of onshore and offshore seeps (see Sect. 3.2.6 for more offshore contribution explanations). … [175]

Supprimé: …ermites are an infraorder of insects (isoptera), which occur predominantly in the tropical and subtropical latitudes (Abe et al., 2000)(Abe et al., 2000)… Thanks to their metabolism they play an important role in the decomposition of plant material and C cycling, CO_2 and …H_4 being …s released during the anaerobic decomposition of plant biomass in their gut (Sanderson, 1996)(Sanderson, 1996) … [176]

Mis en forme : Français

Supprimé: (Kirschke et al. 2013)

Mis en forme : Français

Code de champ modifié

Mis en forme : Français

Mis en forme … [177]

Supprimé: (2013) …see their supplementary material), a re-analysis of CH_4 emissions from termites at the global scale was proposed. Theirre…CH_4 emissions per unit of surface …rea were estimated as the product of termite biomass, termite CH_4 emissions per unit of termite mass, and a scalar factor expressing the effect of land use/cover change, the latter two terms were estimated from published literature re-analysis (Kirschke et al., 2013, supplementary)… For tropical climates, termite biomass was estimated by a simple regression model representing its dependence on gross primary productivity (GPP) (Kirschke et al., 2013, supplementary)… whereas termite biomass …or forest and grassland ecosystems of the warm temperate climates and for shrub lands of the Mediterranean sub-climate termite biomass wasere…estimated from data reported by Sanderson (1996)(1996) … [178]

Mis en forme : Indice

Supprimé: -1

Mis en forme : Indice

Supprimé: (Kirschke et al., 2013)…and 1.7 mg CH_4 $(g^{-1}$ … [179]

Mis en forme : Indice

Supprimé: (Fraser et al., 1986)… Emissions were scaled-up in ESRI ArcGIS environment …nd annual CH_4 fluxes were computed for the three periods 1982-1989, 1990-1999 and 2000-2007 representative of the 1980s'… 1990s…'…and 2000s'… respectively … [180]

Supprimé: …he re-analysis of termite emissions proposed in Saunois et al. (2016)(2016),…maintained the same approach, but the data wasere…calculated using climate zoning (following the … [181]

Supprimé: …ere……this analysis is extended to cover the periods 2000-2007 and 2010-2016. This latest estimate follows the approach outlined above for Saunois et al. (2016)(2016)… However…owever … [182]

(Channan et al., 2014; Friedl et al., 2010). These new estimates covered 2000-2007 and 2010-2016 using 2002 and 2012 MODIS data as an average reference year for each period, respectively.

Termite CH_4 emissions show only little inter-annual and inter-decadal variability (0.1 Tg CH_4 yr^{-1}), whereas there is strong regional variability, with tropical South America and Africa being the main sources (23 and 28% of the total emissions, respectively) due to the extent of their natural forest and savannah ecosystems (Fig. 4). Changing the GPP and land use dataset sources had only a minimal impact on the 2000-2007 global termite flux, increasing it from 8.7 Tg CH_4 yr^{-1} as found in the first two re-analyses (Kirschke et al., 2013; Saunois et al., 2016) to 9.9 Tg CH_4 yr^{-1} (present data), well within the estimated uncertainty (8.7±3.1 Tg CH_4 yr^{-1}). However, it had a noticeable effect on the spatial distribution of the flux (Fig. S2). The most obvious of these changes is a halving of the Southeast Asian flux, aligned with shifts in the underlying GPP product. Previous studies (Mercado et al., 2009; Zhang et al., 2017) had linked these GPP shifts to a methodological issue with light-use efficiency that drove an underestimation of evergreen broadleaf and evergreen needleleaf forest GPP, biomes which are prevalent in the tropics. This value is close to the average estimate derived from previous up-scaling studies, which report values spanning from 2 to 22 Tg CH_4 yr^{-1} (Ciais et al., 2013). In this study, we report a decadal value of 9 Tg CH_4 yr^{-1} (range [3-15] Tg CH_4 yr^{-1}, Table 3).

3.2.5 Wild animals

Wild ruminants emit methane through the microbial fermentation process occurring in their rumen, similarly to domesticated livestock species (USEPA, 2010b). Using a total animal population of 100-500 million, Crutzen et al. (1986) estimated the global emissions of CH_4 from wild ruminants to be in the range of 2-6 Tg CH_4 yr^{-1}. More recently, Pérez-Barbería (2017) lowered this estimate to 1.1-2.7 Tg CH_4 yr^{-1} using a total animal population estimate of 214 million (range of 210-219), arguing that the maximum number of animals (500 million) used in Crutzen et al. (1986) was poorly justified. Moreover Pérez-Barbería (2017) also stated that the value of 15 Tg CH_4 yr^{-1} found in the last IPCC reports is much higher than their estimate because this value comes from an extrapolation of Crutzen's work for the last glacial maximum when the population of wild animals was much larger, as originally proposed by Chappellaz et al. (1993). Based on these findings, the range adopted in this updated methane budget is 2 [1-3] Tg CH_4 yr^{-1} (Table 3).

3.2.6 Oceanic sources

Oceanic sources comprise coastal ocean and open ocean methane release. Possible sources of oceanic CH_4 include: (1) production from marine (bare and vegetated) sediments or thawing sub-sea permafrost; (2) in situ production in the water column, especially in the coastal ocean because of submarine groundwater discharge (USEPA, 2010b); (3) leaks from geological marine seepage (see also Sect. 3.2.3); and (4) emission from the destabilisation of marine hydrates. Once at the seabed, methane can be transported through the water

Supprimé: (Friedl et al., 2010;Channan et al., 2014.).
Supprimé: but
Supprimé: a
Supprimé: global
Supprimé: (Kirschke et al., 2013, Saunois et al. 2016)
Supprimé: But
Supprimé: s
Supprimé: e
Supprimé: , most obviously
Supprimé: E
Supprimé: (Zhang et. Al 2017a, Mercado et. Al 2009)
Supprimé: e
Supprimé: (Ciais et al., 2013)
Supprimé: (USEPA, 2010a)
Supprimé: (
Supprimé: ,
Supprimé: 1986)
Supprimé: (
Supprimé: ,
Supprimé: 2017)
Supprimé: number of
Supprimé: millions
Supprimé: [
Supprimé:]
Supprimé: (1986)
Supprimé: only
Supprimé: e
Supprimé: ri
Supprimé: (2017)
Supprimé: (
Supprimé: ,
Supprimé: 1993)
Supprimé: (USEPA, 2010a)

column by diffusion in a dissolved form (especially in the upwelling zones), or by ebullition (gas bubbles, e.g. from geological marine seeps), for instance, in shallow waters of continental shelves. In coastal vegetated habitats methane can also be transported to the atmosphere through the *aerenchyma* of emergent aquatic plants (Ramachandran et al., 2004).

Biogenic emissions from open and coastal ocean. The most common biogenic ocean emission value found in the literature is 10 Tg CH_4 yr^{-1} (Rhee et al., 2009b). It appears that most studies rely on the work of Ehhalt (1974), where the value was estimated on the basis of the measurements done by Swinnerton and co-workers (Lamontagne et al., 1973; Swinnerton and Linnenbom, 1967) for the open ocean, combined with purely speculated emissions from the continental shelf. Based on basin-wide observations using updated methodologies, three studies found estimates ranging from 0.2 to 3 Tg CH_4 yr^{-1} (Bates et al., 1996; Conrad and Seiler, 1988; Rhee et al., 2009b), associated with super-saturations of surface waters that are an order of magnitude smaller than previously estimated, both for the open ocean (saturation anomaly ~0.04, see Rhee et al.(2009a), equation 4) and for continental shelf (saturation anomaly ~0.2). In their synthesis, indirectly referring to the original observations from Lambert and Schmidt (1993), Wuebbles and Hayhoe (2002), they use a value of 5 Tg CH_4 yr^{-1}. Proposed explanations for discrepancies regarding sea-to air methane emissions in the open ocean rely on experimental biases in the former studies of Swinnerton and Linnenbom (Rhee et al., 2009b). This may explain why the Bange et al. (1994) compilation cites a global source of 11-18 Tg CH_4 yr^{-1} with a dominant contribution of coastal regions. Here, we report a range of 0-5 Tg CH_4 yr^{-1}, with a mean value of 2 Tg CH_4 yr^{-1} for biogenic emissions from open and coastal ocean (excluding estuaries).

Biogenic emissions from brackish waters (estuaries, coastal wetlands) were not reported in the previous budget (Saunois et al., 2016). Methane emissions from estuaries were originally estimated by Bange et al. (1994), Upstill-Goddard et al. (2000) and Middelburg et al. (2002) to be comprised between 1 and -3 Tg CH_4 yr^{-1}. This range was later revised upwards by Borges and Abril (2011) to about 7 Tg CH_4 yr^{-1} based on a methodology distinguishing between different estuarine types and accounting for the contribution of tidal flats, marshes and mangroves, for a total of 39 systems and a global "inner" estuarine surface area of $1.1\ 10^6$ km^2 (Laruelle et al., 2013). The same methodology as in Laruelle et al. (2013) has been applied here to the same systems using an expanded database of local and regional measurements (72 systems) and suggests however that global estuarine CH_4 emissions were overestimated and may actually not surpass 3-3.5 Tg CH_4 yr^{-1}. Despite this overall reduction, the specific contribution of sediment and water emissions from mangrove ecosystems is however higher and contributes <0.1 to 1.7 Tg CH_4 yr^{-1} globally (Rosentreter et al., 2018). This estuarine estimate does not include the uncertain contribution from large river plumes protruding onto the shelves. Their surface area reaches about $3.7\ 10^6$ km^2 (Kang et al., 2013) but because of significantly lower CH_4 concentration (e.g. Osudar et al., 2015; Zhang et al., 2008) than in inner estuaries, the outgassing associated with these plumes likely does not exceed 1-2 Tg CH_4 yr^{-1}. Seagrass meadows are also not included

Supprimé:
Supprimé: (Rhee et al., 2009)
Supprimé: Ehhalt (1974
Supprimé:)
Supprimé: (Lamontagne et al., 1973; Swinnerton and Linnenbom, 1967)
Supprimé: (Conrad and Seiler, 1988; Bates et al., 1996; Rhee et al., 2009)
Supprimé: Rhee et al. (2009
Supprimé:)
Supprimé: Lambert and Schmidt (1993
Supprimé:)
Supprimé: Wuebbles and Hayhoe (2002
Supprimé:)
Supprimé: (Rhee et al., 2009)
Supprimé: Bange et al. (1994
Supprimé:)
Supprimé: (Saunois et al., 2016)
Supprimé: (1994)
Supprimé: (2000)
Supprimé: (2002)
Supprimé: (2011)
Supprimé:
Supprimé:
Supprimé:
Supprimé: (Laruelle et al., 2013)
Supprimé: (2013)
Supprimé: 0.03
Supprimé: (Rosentreter et al., 2018)
Supprimé:
Supprimé:
Supprimé: (Kang et al., 2013)
Supprimé: (e.g. Zhang et al., 2008; Osudar et al., 2015)

although they might release <0.1 to 2.7 Tg CH_4 yr^{-1} (Garcias-Bonet and Duarte, 2017). These methane emissions from vegetated coastal ecosystems can partially offset (Rosentreter et al., 2018) their "blue carbon" sink (e.g. Mcleod et al., 2011; Nellemann et al., 2009). Note that the latter two contributions might partly overlap with oceanic (open and coastal) sources estimates. The total (inner and outer) estuarine emission flux, which is based on only about 80 systems is thus in the range 4-5 Tg CH_4 yr^{-1} (including marshes and mangrove). High uncertainties in coastal ocean emission estimates can be reduced by better defining the various coastal ecosystem types and their boundaries to avoid double-counting (e.g. estuaries, brackish wetlands, freshwater wetlands), updating the surface area of each of these coastal systems, and better quantifying methane emission rates in each ecosystem type.

As a result, here we report a range of 4-10 Tg CH_4 yr^{-1} for emissions from coastal and open ocean (including estuaries), with a mean value of 6 Tg CH_4 yr^{-1}.

Geological emissions. The production of methane at the seabed is known to be significant. For instance, marine seepages emit up to 65 Tg CH_4 yr^{-1} globally at seabed level (USEPA, 2010b). What is uncertain is the flux of oceanic methane reaching the atmosphere. For example, bubble plumes of CH_4 from the seabed have been observed in the water column, but not detected in the Arctic atmosphere (Fisher et al., 2011; Westbrook et al., 2009). There are several barriers preventing methane to be expelled to the atmosphere (James et al., 2016). From below the seafloor to the seas surface, gas hydrates and permafrost serve as a barrier to fluid and gas migration towards the seafloor, microbial activity around the seafloor can strongly oxidise methane releases or production, further oxidation occurs in the water column, the oceanic pycnocline acts as a physical barrier towards the surface waters, including efficient dissolution of bubbles, and finally, surface oceans are aerobic and contribute to the oxidation of dissolved methane. However, surface waters can be more supersaturated than the underlying deeper waters, leading to a methane paradox (Sasakawa et al., 2008). Possible explanations involve i) upwelling in areas with surface mixed layers covered by sea-ice (Damm et al., 2015), ii) the release of methane by the degradation of dissolved organic matter phosphonates in aerobic conditions (Repeta et al., 2016), iii) methane production by marine algae (Lenhart et al., 2016), or iv) methane production within the anoxic centre of sinking particles (Sasakawa et al., 2008), but more work is still needed to be conclusive about this apparent paradox.

For geological emissions, the most used value has long been 20 Tg CH_4 yr^{-1}, relying on expert knowledge and literature synthesis proposed in a workshop reported in Kvenvolden et al. (2001), the author of this study recognising that this was a first estimation and needs revision. Since then, oceanographic campaigns have been organized, especially to sample bubbling areas of active seafloor gas seep bubbling. For instance, Shakhova et al. (2010, 2014) infers 8-17 Tg CH_4 yr^{-1} in emissions just for the Eastern Siberian Arctic Shelf (ESAS), based on the extrapolation of numerous but local measurements, and possibly related to thawing subseabed permafrost (Shakhova et al., 2015). Because of the highly heterogeneous distribution of dissolved

Supprimé: 0.09
Supprimé: (Garcias-Bonet and Duarte, 2017)
Supprimé: (Rosentreter et al. 2018)
Mis en forme : Français
Mis en forme : Anglais (E.U.)
Code de champ modifié
Supprimé: (e.g., Nellemann et al., 2009; McLeod et al., 2011)
Mis en forme : Anglais (E.U.)
Supprimé:
Supprimé: (USEPA, 2010a)
Supprimé: (Westbrook et al., 2009; Fisher et al., 2011).
Mis en forme : Non Surlignage
Mis en forme : Non Surlignage
Supprimé: . Firstly, starting f
Mis en forme : Non Surlignage
Supprimé: the bottom,
Mis en forme : Non Surlignage
Supprimé:
Mis en forme : Non Surlignage
Mis en forme : Non Surlignage
Supprimé: (James et al., 2016). On centennial to millennial timescales, trapped gases may be released when permafrost is perturbed and cracks, or through Pingo-like features. Secondly, and most importantly microbial processes control methane emissions from the seabed. Anaerobic methane oxidation, first described by Reeburgh and Heggie (1977), coupled to sulfate reduction controls methane losses from sediments to the overlying water (Reeburgh, 2007; Egger et al., 2018). Methane only escapes marine sediments in significant amounts from rapidly accumulating sedimentary environments or *via* advective processes such as ebullition or groundwater flow in shallow shelf regions. Anaerobic methane oxidation was demonstrated to be able to keep up with the thaw front of thawing permafrost in a region that had been inundated within the past 1000 years (Overduin et al., 2015). Thirdly, a large part of the seabed CH_4 production and emission is oxidised in the water column and does not reach the atmosphere (James et al., 2016). Aerobic [183]
Supprimé: (Sasakawa et al., 2008)
Supprimé: (Damm et al., 2015)
Supprimé: (Repeta et al., 2016)
Supprimé: (Lenhart et al., 2016)
Supprimé: (Sasakawa et al., 2008)
Supprimé: Kvenvolden et al. (2001
Supprimé:)
Supprimé: (2010; 2014)
Supprimé: (Shakhova et al., 2015)

CH_4 in coastal regions, where bubbles can most easily reach the atmosphere, extrapolation of in situ local measurements to the global scale can be hazardous and lead to biased global estimates. Indeed, using very precise and accurate continuous land shore-based atmospheric methane observations in the Arctic region, Berchet et al. (2016) found a range of emissions for ESAS of ~2.5 Tg CH_4 yr^{-1} (range [0-5]), 4-8 times lower than Shakhova's estimates. Such a reduction in ESAS emission estimate has also been inferred from oceanic observations by Thornton et al. (2016b) with a maximum sea-air CH_4 flux of 2.9 Tg CH_4 yr^{-1} for this region. Etiope et al. (2019) suggested a minimum global total submarine seepage emission of 3.9 Tg CH_4 yr^{-1} simply summing published regional emission estimates for 15 areas for identified emission areas (above 7 Tg CH_4 yr^{-1} when extrapolated to include non-measured areas). These recent results, based on different approaches, suggest that the current estimate of 20 Tg CH_4 yr^{-1} is too large and needs revision.

Therefore, as discussed in Section 3.2.2, we report here a reduced range of 5-10 Tg CH_4 yr^{-1} for marine geological emissions compared to the previous budget, with a mean value of 7 Tg CH_4 yr^{-1}

Hydrate emissions. Among the different origins of oceanic methane, hydrates have attracted a lot of attention. Methane hydrates (or clathrates) are ice-like crystals formed under specific temperature and pressure conditions (Milkov, 2005). Methane hydrates can be either of biogenic origin (formed in situ at depth in the sediment by microbial activity) or of thermogenic origin (non-biogenic gas migrated from deeper sediments and trapped due to pressure/temperature conditions or due to some capping geological structure such as marine permafrost). The total stock of marine methane hydrates is large but uncertain, with global estimates ranging from hundreds to thousands of Pg CH_4 (Klauda and Sandler, 2005; Wallmann et al., 2012). Concerning more specifically atmospheric emissions from marine hydrates, Etiope (2015) points out that current estimates of methane air-sea flux from hydrates (2-10 Tg CH_4 yr^{-1} in e.g. Ciais et al. (2013) or Kirschke et al. (2013)) originate from the hypothetical values of Cicerone and Oremland (1988). No experimental data or estimation procedures have been explicitly described along the chain of references since then (Denman et al., 2007; IPCC, 2001; Kirschke et al., 2013; Lelieveld et al., 1998). It was estimated that ~473 Tg CH_4 have been released in the water column over 100 years (Kretschmer et al., 2015). Those few Tg per year become negligible once consumption in the water column has been accounted for. While events such as submarine slumps may trigger local releases of considerable amounts of methane from hydrates that may reach the atmosphere (Etiope, 2015; Paull et al., 2002), on a global scale, present-day atmospheric methane emissions from hydrates do not appear to be a significant source to the atmosphere, and at least formally, we should consider 0 (<0.1) Tg CH_4 yr^{-1} emissions.

Combination (biogenic and geological) of open and coastal oceanic emissions. Summing biogenic, geological and hydrate emissions from open and coastal ocean (excluding estuaries) leads to a total of 9 Tg CH_4 yr-1 (range 5-17). A recent work (Weber et al., 2019) suggests a new robust estimate of the climatological oceanic flux: the diffusive flux was estimated as 2-6 Tg CH_4 yr^{-1} and the ebullitive flux as 2-

Supprimé: Berchet et al. (2016…erchet et al. (2016))…found a range of emissions for ESAS of ~2.5 Tg CH_4 yr^{-1} (range [0-5]), 4-8 times lower than Shakhova's estimates. Such a reduction in ESAS emission estimate has also been inferred from oceanic observations by Thornton et al. (2016b)(2016a)…with a maximum sea-air CH_4 flux of 2.9 Tg CH_4 yr^{-1} for this region. Etiope et al. (2019)(2019)…suggested a minimum global total submarine seepage emissions…inimum global total submarine seepage emission of 3.9 Tg CH_4 yr^{-1} simply summing published regional emission estimates for 15 areas for identified emission areas (above 7 Tg CH_4 yr^{-1} when extrapolated to include non-measured areas). These recent results, based on different approaches, suggest that the current estimate of 20 Tg CH_4 yr^{-1} is too large and needs revision. ... [184]

Supprimé: …herefore, as discussed in Section 3.2.2, we report here a reduced range of 5-10 Tg CH_4 yr^{-1} for marine geological emissions compared to the previous budget, with a mean value of 7 Tg CH_4 yr^{-1}. ... [185]

Supprimé: …ydrate emissions… …mong the different origins of oceanic methane, hydrates have attracted a lot of attention. Methane hydrates (or sometimes called …lathrates) are ice-like crystals formed under specific temperature and pressure conditions (Milkov, 2005)(Milkov, 2005)… ~~The stability zone for methane hydrates (high pressure, ambient temperatures) can be found in the shallow lithosphere (i.e. <2,000 m depth), either in the continental sedimentary rocks of polar regions, or in the oceanic sediments at water depths greater than 300 m (continental shelves, sediment-water interface) (Kvenvolden and Rogers, 2005; Milkov, 2005).~~ ... [186]

Mis en forme ... [187]

Supprimé: (Klauda and Sandler, 2005; Wallmann et al., 2012) [188]

Supprimé: …oncerning more specifically atmospheric emissions from marine hydrates, Etiope (2015…tiope (2015))…points out that current estimates of methane air-sea flux from hydrates (2-10 Tg CH_4 yr^{-1} in e.g. Ciais et al. (2013…iais et al. (2013))…or Kirschke et al.,…(2013)2013… originate from the hypothetical values of Cicerone and Oremland (1988…icerone and Oremland (1988)) [189]

Mis en forme : Français

Supprimé: (Lelieveld et al., 1998; Denman et al., 2007; Kirschke et al., 2013; IPCC, 2001)

Mis en forme ... [190]

Code de champ modifié

Supprimé: (Kretschmer et al., 2015)… Those few Tg per year become negligible once consumption in the water column has been accounted for. While events such as submarine slumps may trigger local releases of considerable amounts of methane from hydrates that may reach the atmosphere (Etiope, 2015; Paull et al., 2002)(Etiope, 2015; Paull et al., 2002)… on a global scale, present-day atmospheric methane emissions from hydrates do not appear to be a significant source to the atmosphere, and at least formally, we should consider 00…(<0.1) Tg CH_4 yr^{-1} emissions. ... [191]

Supprimé: Estimates of total…ombination (biogenic and geological) of open and coastal oceanic emissions… ... [192]

Mis en forme : Indice

Supprimé: … recent work (Weber et al., 2019)(Weber et al, 2019)…suggests a new robust estimate of the climatological oceanic flux: based on the statistical mapping of methane supersaturation ... [193]

11 Tg CH_4 yr^{-1}, giving a total (open and coastal) oceanic flux estimate of 6-15 Tg CH_4 yr^{-1} (90% confidence interval) when the probability distributions for the two pathways are combined. Distribution of open and coastal oceanic fluxes from Weber et al. (2019) is shown in Fig. 4. This more robust estimate took benefit from synthesis of in situ measurements of atmospheric and surface water methane concentrations and of bubbling areas, and of the development of process-based models for oceanic methane emissions. Another recent estimate based on the biogeochemistry model PlankTOM10 (Le Quéré et al., 2016) calculates an open and coastal ocean methane flux (excluding estuaries) of 8 [-13/ +19] Tg CH_4 yr^{-1} (Buitenhuis et al., 2019), with a coastal contribution of 44%. Our estimate (9 [5-17] Tg CH_4 yr^{-1}) agrees well with the estimates of 6-15 Tg CH_4 yr^{-1} by Weber et al. (2019) and 8 Tg CH_4 yr^{-1} (Buitenhuis et al., 2019). Methane emissions from brackish water were not estimated in Saunois et al. (2016) and additional 4 Tg CH_4 yr^{-1} are reported in this budget. As a result, including estuaries in the oceanic budget, we report a range of 9-22 Tg CH_4 yr^{-1}, with a mean value of 13 Tg CH_4 yr^{-1}, leading to similar total oceanic emissions despite a reduced estimate in geological off shore emissions compared to Saunois et al. (2016).

3.2.7 Terrestrial permafrost and hydrates

Permafrost is defined as frozen soil, sediment, or rock having temperatures at or below 0°C for at least two consecutive years (Harris et al., 1988). The total extent of permafrost in the Northern Hemisphere is about 14 million km^2 or 15% of the exposed land surface (Obu et al., 2019). As the climate warms, large areas of permafrost are also warming, and if soil temperatures pass 0°C, thawing of the permafrost occurs. Permafrost thaw is most pronounced in southern and spatially isolated permafrost zones, but also occurs in northern continuous permafrost (Obu et al., 2019). Thaw occurs either as a gradual, often widespread, deepening of the active layer or as more rapid localised thaw associated to loss of massive ground ice (thermokarst) (Schuur et al., 2015). A total of 1035 ± 150 Pg of carbon can be found in the upper 3 meters of permafrost regions, or ~1300 (1100 to 1500) Pg C for all permafrost (Hugelius et al., 2014).

The thawing permafrost can generate direct and indirect methane emissions. Direct methane emissions rely on the release of methane contained in the thawing permafrost. This flux to the atmosphere is small and estimated to be a maximum of 1 Tg CH_4 yr^{-1} at present (USEPA, 2010b). Indirect methane emissions are probably more important. They rely on: 1) methanogenesis induced when the organic matter contained in thawing permafrost is released; 2) the associated changes in land surface hydrology possibly enhancing methane production (McCalley et al., 2014); and 3) the formation of more thermokarst lakes from erosion and soil collapse. Such methane production is probably already significant today and is likely to become more important in the future associated with climate change and strong positive feedback from thawing permafrost (Schuur et al., 2015). However, indirect methane emissions from permafrost thawing are difficult to estimate at present, with very few data to refer to, and in any case largely overlap with wetland and

Supprimé: (Le Quéré et al., 2016)
Supprimé: (Buitenhuis et al., in prep, 2019),
Mis en forme : Surlignage
Supprimé: ¶ ... [194]
Supprimé: (2019)
Supprimé: (
Supprimé: Buitenhuis et al., in prep, 2019)
Mis en forme : Surlignage
Supprimé: Distribution of open and coastal oceanic fluxes from Weber et al. (2019) is shown in Fig. 4. This more robust estimate took benefit from synthesis of in situ measurements of atmospheric and surface water methane concentrations and of bubbling areas, and of the development of process-based models for oceanic methane emissions.
Supprimé: (2016)
Déplacé vers le bas [4]: , leading to similar total oceanic emissions despite a reduced estimate in geological off shore emissions compared to Saunois et al. (2016).
Supprimé: ¶
Déplacé (insertion) [4]
Supprimé: (2016)
Supprimé: (Harris et al., 1988)
Supprimé: ,
Supprimé: (Obu et al., 2019)
Supprimé: ,
Supprimé: (Obu et al., 2019)
Supprimé: (Schuur et al., 2015)
Supprimé: r
Supprimé: Pg of carbon
Supprimé: (Hugelius et al., 2014)
Supprimé: t
Supprimé: (USEPA, 2010a)
Supprimé: (McCalley et al., 2014)
Supprimé: ing
Supprimé: could be
Supprimé: a
Supprimé: to climate change
Supprimé: (Schuur et al., 2015)

freshwater emissions occurring above or around thawing areas. For instance, based on lake and soil measurements(Walter Anthony et al., 2016) found that methane emissions (~4 Tg CH_4 yr^{-1}) from thermokarst lakes that have expanded over the past 60 years were directly proportional to the mass of soil carbon inputs to the lakes from the erosion of thawing permafrost.

Here, we choose to report only the direct emission range of 0-1 Tg CH_4 yr^{-1}, keeping in mind that current wetland, thermokarst lakes and other freshwater methane emissions already likely include a significant indirect contribution originating from thawing permafrost.

3.2.8 Vegetation

Three distinct pathways for the production and emission of methane by living vegetation are considered here (see Covey and Megonigal (2019) for an extensive review). Firstly, plants produce methane through an abiotic photochemical process induced by stress (Keppler et al., 2006). This pathway was initially criticized (e.g. Dueck et al., 2007; Nisbet et al., 2009), and although numerous studies have since confirmed aerobic emissions from plants and better resolved its physical drivers (Fraser et al., 2015), global estimates still vary by two orders of magnitude (Liu et al., 2015). This plant source has not been confirmed in-field however, and although the potential implication for the global methane budget remains unclear, emissions from this source are certainly much smaller than originally estimated in Keppler et al. (2006) (Bloom et al., 2010; Fraser et al., 2015). Second, and of clearer significance, plants act as "straws", drawing up and releasing microbially produced methane from anoxic soils (Cicerone and Shetter, 1981; Rice et al., 2010). For instance, in the forested wetlands of Amazonia, tree stems are the dominant ecosystem flux pathway for soil-produced methane, therefore, including stem emissions in ecosystem budgets can reconcile regional bottom-up and top-down estimates (Pangala et al., 2017). Third, the stems of both living trees (Covey et al., 2012) and dead wood (Covey et al., 2016) provide an environment suitable for microbial methanogenesis. Static chambers demonstrate locally significant through-bark flux from both soil- (Pangala et al., 2013, 2015), and tree stem-based methanogens (Pitz and Megonigal, 2017; Wang et al., 2016). A recent synthesis indicates stem CH_4 emissions significantly increase the source strength of forested wetlands, and modestly decrease the sink strength of upland forests (Covey and Megonigal, 2019). The scientific activity covering CH_4 emissions in forested ecosystems reveals a far more complex story than previously thought, with an interplay of, productive/consumptive, aerobic/anaerobic, biotic/abiotic, processes occurring between upland/wetland soils, trees, and atmosphere. Understanding the complex processes that regulate CH_4 source–sink dynamics in forests and estimating their contribution to the global methane budget requires cross-disciplinary research, more observations, and new models that can overcome the classical binary classifications of wetland versus upland forest and of emitting versus uptaking soils (Barba et al., 2019; Covey and Megonigal, 2019). Although we recognize these emissions are potentially large (particularly tree transport from inundated soil),

Supprimé: (Walter Anthony et al., 2016)
Supprimé: areas of
Supprimé: ~~For the next century, it is estimated that 5-15% of the terrestrial permafrost carbon pool is vulnerable to release in the form of greenhouse gases, corresponding to 130-160 Pg C (Koven et al., 2015). The likely progressive release in the atmosphere of such an amount of carbon as carbon dioxide and methane may have a significant impact on climate change trajectory (Schuur et al., 2015). The underlying methane hydrates represent a substantial reservoir of methane, estimated up to 530 000 Tg of CH_4 (Ciais et al., 2013)~~ ...[195]
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Surlignage
Supprimé: (
Supprimé: ,
Supprimé: 2019)
Supprimé: (Keppler et al., 2006)
Supprimé: (
Supprimé: e.g., Dueck et al., 2007; Nisbet et al., 2009)
Supprimé: (Fraser et al. 2015)
Supprimé: (Liu et al., 2015)
Supprimé: (2006)
Supprimé: (Bloom et al., 2010; Fraser et al., 2015)
Mis en forme : Anglais (E.U.)
Supprimé: (Rice et al., 2010; Cicerone and Shetter, 1981)
Supprimé: because
Supprimé: (Pangala et al., 2017)
Supprimé: (Covey et al., 2012)
Supprimé: (Covey et al., 2016)
Supprimé: (Pangala et al., 2013; 2015)
Supprimé: (Wang et al., 2016; Pitz and Megonigal, 2017)
Supprimé: (Covey and Megonigal, 2019)
Supprimé: recent but sustained
Supprimé: about
Supprimé: dynamics
Supprimé: the
Supprimé: (Barba et al., 2019) ; Covey and Megonigal, 2019)

global estimates for each of these pathways remain highly uncertain and/or are currently ascribed here to other flux categories sources (e/g. inland waters, wetlands, upland soils).

3.3 Methane sinks and lifetime

Methane is the most abundant reactive trace gas in the troposphere and its reactivity is important to both tropospheric and stratospheric chemistry. The main atmospheric sink of methane (~90% of the total sink mechanism) is oxidation by the hydroxyl radical (OH), mostly in the troposphere (Ehhalt, 1974). Other losses are by photochemistry in the stratosphere (reactions with chlorine atoms (Cl) and excited atomic oxygen ($O(^1D)$), oxidation in soils (Curry, 2007; Dutaur and Verchot, 2007), and by photochemistry in the marine boundary layer (reaction with Cl; Allan et al. (2007), Thornton et al. (2010)). Uncertainties in the total sink of methane as estimated by atmospheric chemistry models are in the order of 20-40% (Saunois et al., 2016). It is much less (10-20%) when using atmospheric proxy methods (e.g. methyl chloroform, see below) as in atmospheric inversions (Saunois et al., 2016). In the present release of the global methane budget, we estimate bottom-up methane chemical sinks and lifetime mainly based on global model results from the Chemistry Climate Model Initiative (CCMI) (Morgenstern et al., 2017).

3.3.1 Tropospheric OH oxidation

OH radicals are produced following the photolysis of ozone (O_3) in the presence of water vapour. OH is destroyed by reactions with CO, CH_4, and non-methane volatile organic compounds. Following the Atmospheric Chemistry and Climate Model Intercomparison Project (ACCMIP), which studied the long-term changes in atmospheric composition between 1850 and 2100 (Lamarque et al., 2013), a new series of experiments was conducted by several chemistry-climate models and chemistry-transport models participating in the Chemistry-Climate Model Initiative (CCMI) (Morgenstern et al., 2017). Mass-weighted OH tropospheric concentrations do not directly represent methane loss, as the spatial and vertical distributions of OH affect this loss, through, in particular, the temperature dependency and the distribution of methane (e.g. Zhao et al., 2019). However, estimating OH concentrations and, spatial and vertical distributions is a key step in estimating methane loss through OH. Over the period 2000-2010, the multi-model mean (11 models) global mass-weighted OH tropospheric concentration was $11.7\pm1.0 \times 10^5$ molecules cm^{-3} (range 9.9-14.4 x 10^5 molecules cm^{-3}, Zhao et al. (2019)) consistent with the previous estimates from ACCMIP ($11.7\pm1.0 \times 10^5$ molecules cm^{-3}, with a range of 10.3-13.4 x 10^5 molecules cm^{-3}, Voulgarakis et al. (2013) for year 2000) and the estimates of Prather et al. (2012) at $11.2\pm1.3 \times 10^5$ molecules cm^{-3}. Nicely et al. (2017) attribute the differences in OH simulated by different chemistry transport models to, in decreasing order of importance, different chemical mechanisms, various treatment of the photolysis rate of ozone, and modeled ozone and carbon monoxide. Besides the uncertainty on global OH concentrations, there is an

Supprimé:
Supprimé: (Ehhalt, 1974)
Supprimé: (Curry, 2007; Dutaur and Verchot, 2007)
Supprimé: Allan et al. (2007
Supprimé:)
Supprimé: Thornton et al. (2010
Supprimé:)
Supprimé:
Supprimé: (Kirschke et al., 2013)
Supprimé: (Kirschke et al., 2013)
Supprimé: ~~Methane is a significant source of water vapor in the middle to upper stratosphere, and influences stratospheric ozone concentrations by converting reactive chlorine to less reactive hydrochloric acid (HCl).~~
Mis en forme : Barré, Surlignage
Supprimé: Chemistry
Supprimé: (Morgenstern et al., 2017)
Supprimé: ~~but since OH exists in photochemical equilibrium with HO_2, the net effect of CH_4 oxidation on the HO_x budget also depends on the level of NO_x (Lelieveld et al., 2002) and other competitive oxidants. Considering its very short lifetime (up to a few seconds; Lelieveld et al., 2004), it is not possible to estimate global OH~~. [196]
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Mis en forme : Barré, Surlignage
Supprimé: (Lamarque et al., 2013)
Supprimé: (Morgenstern et al., 2017)
Supprimé: (
Supprimé: ,
Supprimé: 2019
Supprimé: Voulgarakis et al. (2013
Supprimé:)
Supprimé: Prather et al. (2012
Supprimé:)
Supprimé: ~~Indeed Lelieveld et al. (2016) suggest that tropospheric~~ [197]
Mis en forme : Barré, Surlignage
Supprimé: ,
Supprimé: 2017)

uncertainty in the spatial and temporal distribution of OH. Models often simulate higher OH in the northern hemisphere leading to a NH/SH OH ratio greater than 1 (Naik et al., 2013; Zhao et al., 2019). However, there is evidence for parity in inter-hemispheric OH concentrations (Patra et al., 2014), which needs to be confirmed by other observational and model-derived estimates.

OH concentrations and their changes can be sensitive to climate variability (Dlugokencky et al., 1996; Holmes et al., 2013; Turner et al., 2018), biomass burning (Voulgarakis et al., 2015), and anthropogenic activities. For instance, the increase of the oxidizing capacity of the troposphere in South and East Asia associated with increasing NOx emissions (Mijling et al., 2013) and decreasing CO emissions (Yin et al., 2015), possibly enhances CH_4 oxidation and therefore limits the atmospheric impact of increasing emissions (Dalsøren et al., 2009). Despite such large regional changes, the global mean OH concentration was suggested to have changed only slightly over the past 150 years (Naik et al., 2013). This is due to the compensating effects of the concurrent increases of positive influences on OH (water vapour, tropospheric ozone, nitrogen oxides (NOx) emissions, and UV radiation due to decreasing stratospheric ozone), and of OH sinks (methane burden, carbon monoxide and non-methane volatile organic compound emissions and burden). CCMI models show OH inter-annual variability ranging from 0.4% to 1.8% (Zhao et al., 2019) over 2000-2010, lower than the value deduced from methyl chloroform measurements (proxy, top-down approach). However, these simulations consider meteorology variability but not emission interannual variability (e.g., from biomass burning) and thus are expected to simulate lower OH inter annual variability than in reality. Using an empirical model constrained by global observations of ozone, water vapor, methane, and temperature as well as the simulated effects of changing NOx emissions and tropical expansion, Nicely et al. (2017) found an inter-annual variability in OH of about 1.3-1.6% between 1980 and 2015, in agreement with methyl chloroform proxy (Montzka et al., 2011).

We report here a climatological range for the tropospheric loss of methane by OH oxidation of 553 [476-677] Tg CH_4 yr^{-1} derived from the seven models that contributed to CCMI for the total tropospheric loss of methane by OH oxidation over the period 2000-2009 (tropopause height at 200 hPa), which is slightly higher than the one from the ACCMIP models (528 [454-617] Tg CH_4 yr^{-1} reported in Kirschke et al. (2013) and Saunois et al. (2016).

3.3.2 Stratospheric loss

In the stratosphere, CH_4 is lost through reactions with excited atomic oxygen $O(^1D)$, atomic chlorine (Cl), atomic fluorine (F), and OH (Brasseur and Solomon, 2005; le Texier et al., 1988). Uncertainties in the chemical loss of stratospheric methane are large, due to uncertain inter-annual variability in stratospheric transport as well as its chemical interactions and feedbacks with stratospheric ozone (Portmann et al., 2012). Particularly, the fraction of stratospheric loss due to the different oxidants is still uncertain, with possibly 20-

Supprimé: …ncertainty in the spatial and temporal distribution of OH. Models often simulate higher OH in the northern hemisphere leading to a NH/SH OH ratio greater than 1 (Naik et al., 2013; Zhao et al., 2019)(Naik et al., 2013; Zhao et al., 2019) ... [198]

Supprimé: ~~A methane inversion using a NH/SH OH ratio higher than 1 infers higher methane emissions in the Northern hemisphere and lower in the tropics and in the Southern hemisphere (Patra et al., 2014).~~

Mis en forme : Anglais (E.U.)

Mis en forme : Anglais (E.U.), Barré

Supprimé: (Patra et al., 2014)… which needs to be confirmed by other observational and model-derived estimates. ... [199]

Supprimé: …H concentrations and their changes can be sensitive to climate variability (Dlugokencky et al., 1996; Holmes et al., 2013; Turner et al., 2018)(e.g. Pinatubo eruption, Dlugokencky et al., 1996 ,Turner et al., 2018) ... [200]

Supprimé: ……iomass burning (Voulgarakis et al., 2015)(Voulgarakis et al., 2015)… and anthropogenic activities. For instance, the increase of the oxidizing capacity of the troposphere in South and East Asia associated with increasing NO_X emissions (Mijling et al., 2013)(Mijling et al., 2013)…and decreasing CO emissions (Yin et al., 2015)(Yin et al., 2015)… possibly enhances CH_4 consumption ….xidation and therefore limits the atmospheric impact of increasing emissions (Dalsøren et al., 2009)(Dalsøren et al., 2009)… Despite such large regional changes, the global mean OH concentration was suggested to have changed only slightly over the past 150 years (Naik et al., 2013)(Naik et al., 2013)… This is due to the compensating effects of the concurrent increases of positive influences on OH (water vapour, tropospheric ozone, nitrogen oxides (NOx) emissions, and UV radiation due to decreasing stratospheric ozone), and of OH sinks (methane burden, carbon monoxide and non-methane volatile organic compound emissions and burden). ~~However the sign and integrated magnitude (from 1850 to 2000) of OH changes is uncertain, varying from -13% to +15% among the ACCMIP models (mean of -1%, Naik et al., 2013). Dentener et al. (2003) found a positive trend in global OH concentrations of 0.3%~~ ... [201]

Mis en forme : Surlignage

Mis en forme ... [202]

Supprimé: (Zhao et al., 2019)…over 2000-2010, lower consistent, albeit lower, …han the value deduced from methyl chloroform ... [203]

Mis en forme ... [204]

Supprimé: …e report here a climatological range for the tropospheric loss of methane by OH oxidation of 553 [476-677] Tg ... [205]

Supprimé: ~~CH_4 enters the stratosphere primarily via slow ascent through the tropical tropopause region and reaches higher altitudes~~ ... [206]

Mis en forme : Barré

Supprimé: (le Texier et al., 1988; Brasseur and Solomon, 2006)

Mis en forme : Anglais (E.U.)

Supprimé: ~~The combined effects of transport and chemical loss lead to the typical CH_4 distributions observed in the stratosphere~~ ... [207]

Mis en forme ... [208]

Supprimé: (Portmann et al., 2012)

35% due to halons, about 25% due to O(^{1}D) mostly in the high stratosphere and the rest due to stratospheric OH (McCarthy et al., 2003).

In this study, seven chemistry climate models from the CCMI project (Table S4) are used to provide estimates of methane chemical loss, including reactions with OH, O(^{1}D), and Cl; CH_4 photolysis is also included but occurs only above the stratosphere. Considering a 200 hPa tropopause height, the CCMI models suggest an estimate of 31 [12-37] Tg CH_4 yr^{-1} for the methane stratospheric sink for the period 2000-2010 (Table S4). The 20 Tg difference compared to the mean value reported by Kirschke et al. (2013) and Saunois et al. (2016) for the same period (51 [16-84] Tg CH_4 yr^{-1}), is probably due to the plausible double-counting of O(^{1}D) and Cl oxidations in our previous calculation, as the chemistry-climate models usually report the total chemical loss of methane (not OH oxidation only).

We report here a climatological range of 12-37 Tg CH_4 yr^{-1} associated to a mean value of 31 Tg CH_4 yr^{-1}.

3.3.3 Tropospheric reaction with Cl

Halogen atoms can also contribute to the oxidation of methane in the troposphere. Allan et al. (2005) measured mixing ratios of methane and δ^{13}C-CH_4 at two stations in the southern hemisphere from 1991 to 2003, and found that the apparent kinetic isotope effect (KIE) of the atmospheric methane sink was significantly larger than that explained by OH alone. A seasonally varying sink due to atomic chlorine (Cl) in the marine boundary layer of between 13 and 37 Tg CH_4 yr^{-1} was proposed as the explanatory mechanism (Allan et al., 2007; Platt et al., 2004). This sink was estimated to occur mainly over coastal and marine regions, where NaCl from evaporated droplets of seawater react with NO_2 to eventually form Cl_2, which then UV-dissociates to Cl. However significant production of nitryl chloride ($ClNO_2$) at continental sites has been recently reported (Riedel et al., 2014) and suggests the broader presence of Cl, which in turn would expand the significance of the Cl sink in the troposphere. Recently, using a chemistry transport model, Hossaini et al. (2016) suggest a chlorine sink in the lower range of Allan et al. (2007), ~12-13 Tg CH_4 yr^{-1} (about 2.5 % of the tropospheric sink). They also estimate that $ClNO_2$ yields a 1 Tg yr^{-1} sink of methane. Another modelling study (Wang et al., 2019b) produced a more comprehensive analysis of global tropospheric chlorine chemistry and found a chlorine sink of 5 Tg yr^{-1}, representing only 1% of the total methane tropospheric sink. Both the KIE approach and chemistry transport model simulations carry uncertainties (extrapolations based on only a few sites and use of indirect measurements, for the former; missing sources, coarse resolution, underestimation of some anthropogenic sources for the latter). However, Gromov et al. (2018) found that chlorine can contribute only 0.23% the tropospheric sink of methane (about 1 Tg CH_4 yr^{-1}) in order to balance the global ^{13}C(CO) budget.

Supprimé: (McCarthy et al., 2003)
Supprimé:
Supprimé: (2013)
Supprimé: (2016)
Supprimé: Allan et al. (2005
Supprimé:)
Supprimé: (Allan et al., 2007; Platt et al., 2004)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Supprimé: (Riedel et al., 2014)
Supprimé: (
Supprimé: ,
Supprimé: 2016)
Supprimé: (2007)
Supprimé: of (Wang et al., 2019a)
Supprimé: (
Supprimé: ,
Supprimé: 2018)

Awaiting further work to better assess the magnitude of the chlorine sink in the methane budget, we suggest a lower estimate but a larger range than in Saunois et al. (2016) and used the following climatological value for the 2000s: 11 [1-35] Tg CH_4 yr^{-1}.

3.3.4 Soil uptake

Unsaturated oxic soils are sinks of atmospheric methane due to the presence of methanotrophic bacteria, which consume methane as a source of energy. Dutaur and Verchot (2007) conducted a comprehensive meta-analysis of field measurements of CH_4 uptake spanning a variety of ecosystems. Extrapolating to the global scale, they reported a range of 36 ± 23 Tg CH_4 yr^{-1}, but also showed that stratifying the results by climatic zone, ecosystem and soil type led to a narrower range (and lower mean estimate) of 22 ± 12 Tg CH_4 yr^{-1}. Modelling studies, employing meteorological data as external forcing, have also produced a considerable range of estimates. Using a soil depth-averaged formulation based on Fick's law with parameterizations for diffusion and biological oxidation of CH_4, Ridgwell et al. (1999) estimated the global sink strength at 38 Tg CH_4 yr^{-1}, with a range 20-51 Tg CH_4 yr^{-1} reflecting the model structural uncertainty in the base oxidation parameter. Curry (2007) improved on the latter by employing an exact solution of the one-dimensional diffusion-reaction equation in the near-surface soil layer (i.e., exponential decrease in CH_4 concentration below the surface), a land surface hydrology model, and calibration of the oxidation rate to field measurements. This resulted in a global estimate of 28 Tg CH_4 yr^{-1} (9-47 Tg CH_4 yr^{-1}), the result reported by Zhuang et al. (2013), Kirschke et al. (2013) and Saunois et al. (2016). Ito and Inatomi (2012) used an ensemble methodology to explore the variation in estimates produced by these parameterizations and others, which spanned the range 25-35 Tg CH_4 yr^{-1}. Murguia-Flores et al. (2018) further refined the Curry (2007) model's structural and parametric representations of key drivers of soil methanotrophy, demonstrating good agreement with the observed latitudinal distribution of soil uptake (Dutaur and Verchot, 2007). Their model simulated a methane soil sink of 32 Tg CH_4 yr^{-1} for the period 2000-2017 (Fig. 4), compared to 38 and 29 Tg CH_4 yr^{-1} using the Ridgwell et al. (1999) and Curry (2007) parameterizations, respectively, under the same meteorological forcing. As part of a more comprehensive model accounting for a range of methane sources and sinks, Tian et al. (2010, 2015, 2016) computed vertically-averaged CH_4 soil uptake including the additional mechanisms of aqueous diffusion and plant-mediated (*aerenchyma*) transport, arriving at the estimate 30±19 Tg CH_4 yr^{-1} (Tian et al., 2016). The still more comprehensive biogeochemical model of Riley et al. (2011) included vertically resolved representations of the same processes considered by Tian et al. (2016), in addition to grid cell fractional inundation and, importantly, the joint limitation of uptake by both CH_4 and O_2 availability in the soil column. Riley et al. (2011) estimated a global CH_4 soil sink of 31 Tg CH_4 yr^{-1} with a structural uncertainty of 15-38 Tg CH_4 yr^{-1} (a higher upper limit resulted from an elevated gas diffusivity to mimic convective transport; as this is not usually considered, we adopt the lower upper bound

Supprimé: ,
Supprimé: (2016)
Supprimé: report
Supprimé: Dutaur and Verchot (2007
Supprimé:)
Supprimé: (1999)
Supprimé: Curry (2007
Supprimé:)
Supprimé: (
Supprimé: ,
Supprimé: 2013)
Supprimé: (2013)
Supprimé: (2016)
Supprimé: (2012)
Supprimé: (
Supprimé: ,
Supprimé: 2018)
Supprimé: (2007)
Supprimé: (Dutaur and Verchot, 2007)
Supprimé: (1999)
Supprimé: (2007)
Supprimé: (2010, 2015, 2016)
Supprimé: (Tian et al., 2016)
Supprimé: (2011)
Supprimé: (2016)
Supprimé: (2011)

associated with no limitation of uptake at low soil moisture). A model of this degree of complexity is required to explicitly simulate situations where the soil water content increases enough to inhibit the diffusion of oxygen, and the soil becomes a methane source (Lohila et al., 2016). This transition can be rapid, thus creating areas (for example, seasonal wetlands) that can be either a source or a sink of methane depending on the season.

The previous Curry (2007) estimate can be revised upward based on subsequent work and the increase in CH_4 concentration since that time, which gives a central estimate of 30.1 Tg CH_4 yr^{-1}. Considering structural uncertainty in the various models' assumptions and parameters, we report here the median and range of Tian et al. (2016): 30 [11-49] Tg CH_4 yr^{-1} for the periods 2000-2009 and 2008-2017.

3.3.5 CH_4 lifetime

The atmospheric lifetime of a given gas in steady state may be defined as the global atmospheric burden (Tg) divided by the total sink (Tg/yr) (IPCC, 2001). Global models provide an estimate of the loss of the gas due to individual sinks, which can then be used to derive lifetime due to a specific sink. For example, methane's tropospheric lifetime is determined as global atmospheric methane burden divided by the loss from OH oxidation in the troposphere, sometimes called "chemical lifetime". Methane total lifetime corresponds to the global burden divided by the total loss including tropospheric loss from OH oxidation, stratospheric chemistry and soil uptake. The CCMI models (described in Morgenstein et al. (2017)) estimate the tropospheric methane lifetime at about 9 years (average over years 2000-2009), with a range of 7.2-10.1 years (see Table S4). While this range agrees with previous values found in ACCMIP (9.3 [7.1-10.6] years, Voulgarakis et al. (2013)), the mean value reported here is lower than previously reported, probably due to a smaller and different ensemble of climate models. Adding 30 Tg to account for the soil uptake to the total chemical loss of the CCMI models, we derive a total methane lifetime of 7.8 years (average over 2000-2009 with a range of 6.5-8.8 years). These updated model estimates of total methane lifetime agree with the previous estimates from ACCMIP (8.2 [6.4-9.2] years for year 2000, Voulgarakis et al. (2013)). Reducing the large spread in methane lifetime (between models, and between models and observation-based estimates) would 1) bring an improved constraint on global total methane emissions, and 2) ensure an accurate forecast of future climate.

4 Atmospheric observations and top-down inversions

4.1 Atmospheric observations

Systematic atmospheric CH_4 observations began in 1978 (Blake et al., 1982) with infrequent measurements from discrete air samples collected in the Pacific at a range of latitudes from 67°N to 53°S. Because most of

Supprimé: (Lohila et al., 2016)
Supprimé: (2007)
Supprimé: might
Supprimé:
Supprimé: (IPCC, 2001)
Supprimé: ~~At steady state the atmospheric lifetime equals the decay time (e-folding time) of a perturbation. As methane is not in steady state at present, we fit a function that approaches steady state when calculating methane lifetime using atmospheric measurements (Sect. 4.1.1).~~
Mis en forme : Barré, Surlignage
Supprimé: While its
Supprimé: ,
Supprimé: 2017
Supprimé: Voulgarakis et al. (2013
Supprimé:); Kirschke et al., 2013
Supprimé: 35
Supprimé: Voulgarakis et al., 2013Voulgarakis et al., 2013
Supprimé: The model results for total methane lifetime are consistent with, though smaller than, the value estimated by Prather et al. (2012) derived from observations (9.1 ± 0.9 years) and most commonly used in the literature (Ciais et al., 2013), and the steady-state calculation from atmospheric observations (9.3 yr, Sect. 4.1.1).
Mis en forme : Surlignage
Mis en forme : Surlignage
Mis en forme : Surlignage
Mis en forme : Non Barré
Supprimé: This
Supprimé:
Mis en forme : Non Surlignage
Supprimé: needs to be better understood and reduced to 1) close the present-day methane budget and past changes
Supprimé: The first s
Supprimé: (Blake et al., 1982)

these air samples were from well-mixed oceanic air masses and the measurement technique was precise and accurate, they were sufficient to establish an increasing trend and the first indication of the latitudinal gradient of methane. Spatial and temporal coverage was greatly improved soon after (Blake and Rowland, 1986) with the addition of the Earth System Research Laboratory from US National Oceanic and Atmospheric Administration (NOAA/ESRL) flask network (Steele et al. (1987), Fig. 1), and of the Advanced Global Atmospheric Gases Experiment (AGAGE) (Cunnold et al., 2002; Prinn et al., 2000), the Commonwealth Scientific and Industrial Research Organisation (CSIRO, Francey et al. (1999)), the University of California Irvine (UCI, Simpson et al. (2012)), and in situ and flask measurements from regional networks, such as ICOS (Integrated Carbon Observation System) network in Europe (https://www.icos-ri.eu/). The combined datasets provide the longest time series of globally averaged CH_4 abundance. Since the early-2000s, CH_4 column-averaged mole fractions have been retrieved through passive remote sensing from space (Buchwitz et al., 2005a, 2005b; Butz et al., 2011; Crevoisier et al., 2009; Frankenberg et al., 2005; Hu et al., 2018). Ground-based Fourier transform infrared (FTIR) measurements at fixed locations also provide time-resolved methane column observations during daylight hours, and a validation dataset against which to evaluate the satellite measurements such as TCCON network (e.g. Pollard et al., 2017; Wunch et al., 2011), or Network for Detection of Atmospheric Composition Change (NDACC) (e.g. Bader et al., 2017).

In this budget, in-situ observations from the different networks were used in the top-down atmospheric inversions to estimate methane sources and sinks over the period 2000-2017. Satellite observations from TANSO/FTS instrument on board the satellite GOSAT were used to estimate methane sources and sinks over the period 2009-2017. Other atmospheric data (FTIR, airborne measurements, AirCore, isotopic measurements…) have been used for validation by some groups, but not specifically in this study. However, further information is provided in the Supplementary Material and a more comprehensive validation of the inversions is planned to use some of these data.

4.1.1 In situ CH_4 observations and atmospheric growth rate at the surface

We use globally averaged CH_4 mole fractions at the Earth's surface from the four observational networks (NOAA/ESRL, AGAGE, CSIRO and UCI). The data are archived at the World Data Centre for Greenhouse Gases (WDCGG) of the WMO Global Atmospheric Watch (WMO-GAW) program, including measurements from other sites that are not operated as part of the four networks. The CH_4 in-situ monitoring network has grown significantly over the last decade due to the emergence of laser diode spectrometers which are robust and accurate enough to allow deployments with minimal maintenance enabling the development of denser networks in developed countries (Stanley et al., 2018; Yver Kwok et al., 2015), and new stations in remote environment (Bian et al., 2015; Nisbet et al., 2019).

Supprimé: (Blake and Rowland, 1986)…with the addition of the Earth System Research Laboratory from US National Oceanic and Atmospheric Administration (NOAA/ESRL) flask network (Steele et al. (1987…teele et al. (1987))… Fig. 1), and of the Advanced Global Atmospheric Gases Experiment (AGAGE) (Cunnold et al., 2002; Prinn et al., 2000)(Prinn et al, 2000; Cunnold et al., 2002)… the Commonwealth Scientific and Industrial Research Organisation (CSIRO, Francey et al., 1999…rancey et al. (1999)), the University of California Irvine (UCI, Simpson et al., 2012…impson et al. (2012)) …and other …n situ and flask measurements from regional networks, such as (e.g. …COS (Integrated Carbon Observation System) …etwork in Europe,…(https://www.icos-ri.eu/). The combined datasets provide the longest time series of globally averaged CH_4 abundance. Since the early-2000s, CH_4 column-averaged mole fractions have been retrieved through …assive… [209]

Code de champ modifié

Mis en forme : Français

Supprimé: (Buchwitz et al., 2005a,b; Frankenberg et al., 2005; Butz et al., 2011; Crevoisier et al., 2009; Hu et al., 2016)

Mis en forme … [210]

Supprimé: (

Mis en forme … [211]

Supprimé: e.g. Wunch et al., 2011; Bader et al., 2017)

Mis en forme … [212]

Mis en forme : Anglais (E.U.)

Supprimé: …n this budget, in-situ observations from the different networks were used in the top-down atmospheric inversions to estimate methane sources and sinks over the period 2000-2017. Satellite observations from TANSO/FTS instrument on board the satellite GOSAT were used to estimate methane sources and sinks over the period 2009-2017. Other atmospheric data (FTIR, airborne measurements, AirCore, isotopic measurements…) exist …ave been used for validation by some groups, but are …ot specifically used in this study,… h…owever, further information is provided in the Supplementary Material and a more comprehensive validation of the inversions is planned to use some of these data. ~~These data are not commonly used to infer fluxes from global inversions (yet), but are used to verify their performance, see e.g. Bergamaschi et al. (2013). Isotopic atmospheric measurements of $\delta^{13}CH_4$ can help to partition the different methanogenic processes of methane and δD-CH_4 provides valuable information on the oxidation by the OH radicals (Röckmann et al., 2011) due to a fractionation of about 300‰. Integrating isotopic information is important to improve our understanding of the methane budget. While box-model studies~~ [213]

Mis en forme … [214]

Supprimé: …e use globally averaged CH_4 mole fractions at the Earth's surface from the fF…ur observational networks … [215]

Mis en forme : Français

Supprimé: (Bian et al., 2016; Nisbet et al., 2019)

Mis en forme : Anglais (E.U.)

Mis en forme : Anglais (E.U.)

Code de champ modifié

The networks differ in their sampling strategies, including the frequency of observations, spatial distribution, and methods of calculating globally averaged CH_4 mole fractions. Details are given in the supplementary material of Kirschke et al. (2013). The global average values of CH_4 concentrations presented in Fig. 1 are computed using long-time series measurements through gas chromatography with flame ionization detection (GC/FID), although chromatographic schemes vary among the labs. Because GC/FID is a relative measurement method, the instrument response must be calibrated against standards. The current WMO reference scale, maintained by NOAA/ESRL, WMO-X2004A (Dlugokencky et al., 2005), was updated in July 2015. NOAA and CSIRO global means are on this scale. AGAGE uses an independent standard scale maintained by Tohoku University (Aoki et al., 1992), but direct comparisons of standards and indirect comparisons of atmospheric measurements show that differences are below 5 ppb (Tans and Zwellberg, 2014; Vardag et al., 2014). UCI uses another independent scale that was established in 1978 and is traceable to NIST (Flores et al., 2015; Simpson et al., 2012), but has not been included in standard exchanges with other networks so differences with the other networks cannot be quantitatively defined. Additional experimental details are presented in the supplementary material from Kirschke et al. (2013), and references therein.

In Fig. 1, (a) globally averaged CH_4 and (b) its growth rate (derivative of the deseasonalized trend curve) through to 2017 are plotted for the four measurement programs using a procedure of signal decomposition described in Thoning et al. (1989). We define the annual G_{ATM} as the increase in the atmospheric concentrations from Jan. 1 in one year to Jan. 1 in the next year. Agreement among the four networks is good for the global growth rate, especially since ~1990. The large differences observed mainly before 1990 reflect probably the different spatial coverage of each network. The long-term behaviour of globally averaged atmospheric CH_4 shows a decreasing but positive growth rate (defined as the derivative of the deseasonalized mixing ratio) from the early-1980s through 1998, a near-stabilization of CH_4 concentrations from 1999 to 2006, and a renewed period with positive persistent growth rates since 2007, slightly larger after 2014. When a constant atmospheric lifetime is assumed, the decreasing growth rate from 1983 through 2006 may imply that atmospheric CH_4 was approaching steady state, with no trend in emissions. The NOAA global mean CH_4 concentration was fitted with a function that describes the approach to a first-order steady state ($_{SS}$ index): $[CH_4](t) = [CH_4]_{ss}-([CH_4]_{ss}-[CH_4]_0)e^{-t/\tau}$; solving for the lifetime, τ, gives 9.3 years, which is very close to current literature values (e.g. Prather et al. (2012), 9.1 ± 0.9 years). Such an approach includes uncertainties, especially due to the strong assumption of no trend in emissions and sinks, which does not agree with some study explaining the stabilization period by decreasing emissions associated to increasing sink (e.g. Bousquet et al., 2006). However, this value seems consistent albeit higher than the chemistry climate estimates (8.2 years, see Sect. 3.3.5)

From 1999 to 2006, the annual increase of atmospheric CH_4 was remarkably small at 0.6±0.1 ppb yr^{-1}. After 2006, the atmospheric growth rate has recovered to a level similar to that of the mid-1990s (~5 ppb yr^{-1}), or

Supprimé: (2013)
Supprimé: here
Supprimé: (Dlugokencky et al., 2005),
Supprimé: (Aoki et al., 1992)
Supprimé: (Vardag et al., 2014;Tans and Zellweger, 2014)
Mis en forme : Anglais (E.U.)
Supprimé: (Simpson et al., 2012; Flores et al., 2015)
Supprimé: (2013)
Supprimé: Thoning et al. (1989
Supprimé:)
Supprimé: increase
Supprimé: growth rate
Supprimé: and stations
Supprimé: but stable
Mis en forme : Non Surlignage
Supprimé: ies
Mis en forme : Non Surlignage
Supprimé: ,
Supprimé: Prather et al., 2012
Mis en forme : Non Surlignage
Mis en forme : Anglais (E.U.), Non Surlignage
Mis en forme : Non Surlignage
Mis en forme : Non Surlignage
Déplacé (insertion) [2]

even to that of the 1980s for 2014 and 2015 (>10 ppb yr^{-1}). On decadal timescales, the annual increase is on average 2.1±0.3 ppb yr^{-1} for 2000-2009, 6.6±0.3 ppb yr^{-1} for 2008-2017 and 6.1±1.0 ppb yr^{-1} for the year 2017.

4.1.2 Satellite data of column average CH_4

In this budget, we use satellite data from the JAXA satellite Greenhouse Gases Observing SATellite (GOSAT) launched in January 2009 (Butz et al., 2011; Morino et al., 2011) containing the TANSO-FTS instrument, which observes in the shortwave infrared (SWIR). Different retrievals of methane based on TANSO-FTS/GOSAT products are made available to the community: from NIES (Yoshida et al., 2013), from SRON (Schepers et al., 2012) and from University of Leicester (Parker et al., 2011). The three retrievals are used by the top-down systems (Table 4 and S6). Although GOSAT retrievals still show significant unexplained biases and limited sampling in cloud covered regions and in the high latitude winter, it represents an important improvement compared to the first satellite measuring methane from space, SCIAMACHY (Scanning Imaging Absorption spectrometer for Atmospheric CartograpHY) both for random and systematic observation errors (see Table S2 of Buchwitz et al. (2016)).

Atmospheric inversions based on SCIAMACHY and GOSAT CH_4 retrievals were reported in Saunois et al. (2016). Here, only inversions using GOSAT retrievals are used.

4.2 Top-down inversions used in the budget

An atmospheric inversion is the optimal combination of atmospheric observations, of a model of atmospheric transport and chemistry, of a prior estimate of methane sources and sinks, and of their uncertainties, in order to provide improved estimates of the sources and sinks, and their uncertainty. The theoretical principle of methane inversions is detailed in the Supplementary Material (ST2) and an overview of the different methods applied to methane is presented in Houweling et al. (2017).

We consider here an ensemble of inversions gathering various chemistry transport models, differing in vertical and horizontal resolutions, meteorological forcing, advection and convection schemes, and boundary layer mixing. Including these different systems is a conservative approach that allows to cover different potential uncertainties of the inversion, among them: model transport, set-up issues, and prior dependency. General characteristics of the inversion systems are provided in Table 4. Further details can be found in the referenced papers and in the Supplementary Material. Each group was asked to provide gridded flux estimates for the period 2000-2017, using either surface or satellite data, but no additional constraints were imposed so that each group could use their preferred inversion setup. A set of prior emission distributions was built from the most recent inventories or model-based estimates (see Supplementary Material), but its use was not mandatory (Table S6). This approach corresponds to a flux assessment, but not to a model inter-comparison

Déplacé vers le haut [2]: From 1999 to 2006, the annual increase of atmospheric CH_4 was remarkably small at 0.6±0.1 ppb yr^{-1}.

Supprimé: After 2006, the atmospheric growth rate has recovered to a level similar to that of the mid-1990s (~5 ppb yr^{-1}), or even to that of the 1980s for 2014 and 2015 (>10 ppb yr^{-1}).

Supprimé: ~~In the 2000s, two space-borne instruments sensitive to atmospheric methane in the lower troposphere were put in orbit and have provided atmospheric methane column-averaged dry air mole fraction (XCH_4), using shortwave Infrared spectrometry (SWIR). Satellite data of XCH_4 have been primarily evaluated against the Total Carbon Column Observing Network (TCCON) data (e.g., Butz et al., 2011; Morino et al., 2011). The first space-borne instrument was the Scanning Imaging Absorption spectrometer for Atmospheric CartograpHY (SCIAMACHY). SCIAMACHY was operated on board the ESA ENVIronmental SATellite (ENVISAT) between 2003 and 2012 (Burrows et al., 1995; Buchwitz et al., 2006; Dils et al., 2006; Frankenberg et al., 2011). The use of SCIAMACHY in top-down approaches necessitates important bias correction, especially after 2005. As the mission ended in 2012, we do not report any estimates based on SCIAMACHY data in this budget. In 2006, 2012 and 2018, the Infrared Atmospheric Sounding Interferometer (IASI) on board the European MetOp A, B and C satellites have started to operate. Measuring the thermal radiation from Earth and the atmosphere in the TIR, they provide mid-to-upper troposphere columns of methane (representative of the 5-15 km layer) over the tropics using an infrared sounding interferometer (Crevoisier et al., 2009). Despite their sensitivity being limited to the mid-to-upper troposphere, their use in flux inversions has shown consistent results in the tropics with surface and other satellite-based inversions (Cressot et al., 2014). However these satellite data, limited to the~~ ... [216]

Mis en forme ... [217]

Supprimé: In January 2009, …he JAXA satellite Greenhouse Gases Observing SATellite (GOSAT) was …aunched in January 2009 (Butz et al., 2011; Morino et al., 2011)(Butz et al., 2011; Morino et al., 2011)…containing the TANSO-FTS instrument, which ... [218]

Mis en forme ... [219]

Supprimé: Buchwitz et al., 2016…uchwitz et al. (2016)). GOSAT-2 was launched in October 2018 with expected improved precision and accuracy (JAXA, 2019). ... [220]

Mis en forme ... [221]

Supprimé: …tmospheric inversions based on SCIAMACHY GOSAT CH_4 retrievals ~~have been carried out by different research groups (Fraser et al., 2013; Cressot et al., 2014; Alexe et al., 2015~~ ... [222]

Mis en forme ... [223]

Supprimé: a…e reported in S……nois et al. (2016)(2016)……Here, only inversions using GOSAT retrievals are used. ... [224]

Supprimé: …n atmospheric inversion is the optimal combination of atmospheric observations, of a model …f…atmospheric transport and chemistry, and …f of … prior estimate of methane sources and sinks, and of their uncertainties, in order to provide improved ... [225]

Supprimé: …e consider here an ensemble of inversions gathering …arious…chemistry transport models, …iffering…in vertical and horizontal resolutions, meteorological forcings… advection and convection schemes, and boundary layer mixing. Including these ... [226]

as the protocol was not too stringent. Estimating posterior uncertainty is time and computer resource consuming, especially for the 4D-var approaches and Monte Carlo methods. Posterior uncertainties have been provided by only two groups and are found to be lower than the ensemble spread. Indeed, chemistry transport models differ in inter-hemispheric transport, stratospheric methane profiles and OH distribution, which limitations are not fully considered in the individual posterior uncertainty. As a result, we do not use the posterior uncertainties provided by these two groups but report the minimum-maximum range among the different top-down approaches.

Nine atmospheric inversion systems using global Eulerian transport models were used in this study compared to eight in Saunois et al. (2016). Each inversion system provided one or several simulations, including sensitivity tests varying the assimilated observations (surface or satellite) or the inversion setup. This represents a total of 22 inversion runs with different time coverage: generally, 2000-2017 for surface-based observations, and 2010-2017 for GOSAT-based inversions (Table 4 and Table S6). In poorly observed regions, top-down surface inversions may rely on the prior estimates and bring little or no additional information to constrain (often) spatially overlapping emissions (e.g. in India, China). Also, we recall that many top-down systems solve for the total fluxes at the surface only or for some categories that may differ from the GCP categories. When multiple sensitivity tests were performed, the mean of this ensemble was used not to overweight one particular inverse system. It should also be noticed that some satellite-based inversions are in fact combined satellite and surface inversions as they use satellite retrievals and surface measurements simultaneously (Alexe et al., 2015; Bergamaschi et al., 2013; Houweling et al., 2014). Nevertheless, these inversions are still referred to as satellite-based inversions.

Each group provided gridded monthly maps of emissions for both their prior and posterior total and for sources per category (see the categories Sect. 2.3). Results are reported in Sect. 5. Atmospheric sinks from the top-down approaches have been provided for this budget, and are compared with the values reported in Kirschke et al. (2013). Not all inverse systems report their chemical sink; as a result, the global mass imbalance for the top-down budget is derived as the difference between total sources and total sinks for each model when both fluxes were reported.

5 Methane budget: top-down and bottom-up comparison

5.1 Global methane budget

5.1.1 Global total methane emissions

Top-down estimates. At the global scale, the total emissions inferred by the ensemble of 22 inversions is 576 Tg CH_4 yr^{-1} [550-594] for the 2008-2017 decade (Table 3), with the highest ensemble mean emission of

Supprimé: P…osterior uncertainty is time and computer resource consuming, especially for the 4D-var approaches that use…nd Monte Carlo methods. Consequently, p…osterior uncertainty …ncertainties has …ave been provided by only two groups and is …re found to be lower than the ensemble spread. Indeed, chemistry transport models differ in inter-hemispheric transport, stratospheric methane profiles and OH distribution, which limitations are not fully taken into account…onsidered in the individual posterior uncertainty. As a result, the …e do not use the posterior uncertainties provided by these two groups but report the minimum-maximum reported …ange for among the different top-down approaches is narrower than expected when fully accounting for the individual estimates uncertainty. In other words, the range minimum is higher than the lowest estimate less its uncertainty, and the range maximum lower than the highest estimate plus its uncertainty… ... [227]

Mis en forme : Anglais (E.U.)

Supprimé: …ine atmospheric inversion systems using global Eulerian transport models were used in this study compared to eight in Saunois et al. (2016)(2016)… Each inversion system provided one or several simulations, including sensitivity tests varying the assimilated observations (surface or satellite) or the inversion setup. This represents a total of 22 inversion runs with different time coverage: generally ... [228]

Mis en forme ... [229]

Supprimé: we used …he mean of this ensemble was used as to not to…to overweight one particular inverse system. It should also be noticed that some satellite-based inversions are in fact combined satellite and surface inversions as they use satellite retrievals and surface measurements simultaneously (Alexe et al., 2015; Bergamaschi et al., 2013; Houweling et al., 2014)(Bergamaschi et al., 2013; Alexe et al., 2015; Houweling et al., 2014)… Nevertheless, these inversions are still referred to as satellite-based inversions. ~~Bias correction procedures have been developed to assimilate GOSAT data (Monteil et al., 2013; Cressot et al., 2014; Houweling et al., 2014; Locatelli et al., 2015; Alexe et al., 2015). Although partly due to transport model errors, significant to large corrections applied to the satellite total column CH_4 data question the comparably low systematic errors reported in satellite validation studies using TCCON (Dils et al., 2014; CCI Report, 2016).~~ ... [230]

Mis en forme ... [231]

Supprimé: …ach group provided gridded monthly maps of emissions for both their prior and posterior total and for sources per category (see the categories Sect. 2.3). Results are reported in Sect. 5. Atmospheric sinks from the top-down approaches have been provided for this budget, and are compared with the values reported in Kirschke et al. (2013)(2013)… Not all inverse systems report their chemical sink; as a result, the global mass imbalance for the top[232]

Supprimé: The last year of reported inversion results is 2017 (inversions until mid 2018), which represents a two year-lag with the present, which is a two-year shorter lag than for the last release (Saunois et al., 2016). Satellite observations are linked to operational data chains and are generally available days to weeks after the. [233]

Mis en forme ... [234]

Supprimé: budget of …otal methane emissions ... [235]

Supprimé: …op-down estimates. At the global scale, the total emissions inferred by the ensemble of 22 inversions is 5762…Tg CH_4 yr^{-1} [55038…5943 ... [236]

596 Tg CH_4 yr^{-1} [572-614] for 2017. Global emissions for 2000-2009 (547 Tg CH_4 yr^{-1}) are consistent with Saunois et al. (2016) and the range for global emissions, 524-560 Tg CH_4 yr^{-1} is in line with range in Saunois et al. (2016) (535-569), although the ensemble of inverse systems contributing to this budget is different than for Saunois et al. (2016). Indeed, only six inverse systems of the nine examined here (Table S7) contributed previously to the Saunois et al. (2016) budget. The range reported gives the minimum and maximum values among studies and do not reflect the individual full uncertainties. Also, most of the top-down models use the same OH distribution from the TRANSCOM experiment (Patra et al., 2011), leading to a global budget quite constrained, probably explaining the rather low range (10 %) compared to bottom-up estimates (see below).

Bottom-up estimates. The estimates made via the bottom-up approaches considered here are quite different from the top-down results, with global emissions almost 30% larger, at 737 Tg CH_4 yr^{-1} [594-881] for 2008-2017 (Table 3). Moreover, the range estimated using bottom up approaches does not overlap with that of the top-down estimates. The bottom-up estimates are given by the sum of individual anthropogenic and natural processes, without any constraint on the total. For the period 2000-2009, the discrepancy between bottom-up and top-down was 30% of the top-down estimates in Saunois et al. (2016) (167 Tg CH_4 yr^{-1}); this has been reduced only slightly (now 156 Tg CH_4 yr^{-1} for the same 2000-2009 period). This reduction is due to 1) a better agreement in the anthropogenic emissions (top-down and bottom-up difference reducing from 19 Tg CH_4 yr^{-1} to 2 Tg CH_4 yr^{-1}), 2) a reduction in the estimates of some natural sources other than wetlands based on recent literature (by 7 Tg CH_4 yr^{-1} from geological sources, by 8 Tg CH_4 yr^{-1} from wild animals, and by 3 Tg CH_4 yr^{-1} from allocation of wildfires to biomass & biofuel burning, see Table 3), and 3) a reduction of 35 Tg CH_4 yr^{-1} in the bottom-up estimates of wetland emissions by models when excluding lakes and paddies as wetlands (see Sect. 5.1.2 below). These reductions (-70 Tg CH_4 yr^{-1}) in the bottom-up budget are partially offset by revised freshwater emissions with higher values (+ 37 Tg CH_4 yr^{-1}) resulting from the integration of a recent study on lake, pond and reservoir emissions (DelSontro et al. (2018), see Sect. 3.2.2) and the integration of estuary emissions in this budget (+4 Tg CH_4 yr^{-1}). Overall, the uncertainty range of some natural emissions has decreased in this study compared to Kirschke et al. (2013) and Saunois et al. (2016), for example for oceans, termites, wild animals, and geological sources. However, the uncertainty in the global budget remains high because of the large range reported for emissions from freshwater systems. Still, as noted in Kirschke et al. (2013), such large global emissions from the bottom-up approaches are not consistent with top-down estimates that rely on OH burden constrained by methylchlorform atmospheric observations, and are very likely overestimated. This overestimation likely results from errors related to up-scaling local measurements and double counting of some natural sources (e.g. wetlands, other inland water systems, see Sect. 5.1.2).

Supprimé: 1
Supprimé: 52
Supprimé: 5
Supprimé: (2016)
Supprimé: of uncertainties
Supprimé: 2
Supprimé: 59
Supprimé: (2016)
Supprimé: (2016)
Supprimé: (2016)
Supprimé:
Supprimé: are
Supprimé: about
Supprimé: 25
Supprimé: 3
Supprimé: 0
Supprimé: no
Supprimé: to
Supprimé:
Supprimé: (2016)
Supprimé: by
Supprimé: 5 %
Supprimé: 8
Supprimé: 3
Supprimé: ;
Supprimé:)
Supprimé: 69
Supprimé: negated
Supprimé: to
Supprimé: ,
Supprimé: 2018
Supprimé: Also
Supprimé: (2013)
Supprimé: (2016)
Supprimé: is still
Supprimé: (2013)
Supprimé: atmospheric
Supprimé: constraints brought by OH optimization and
Supprimé: /or

5.1.2 Global methane emissions per source category

The global methane emissions from natural and anthropogenic sources (see Sect. 2.3) for 2008-2017 are presented in Fig. 5, Fig. 6, and Table 3. Top-down estimates attribute about 60% of total emissions to anthropogenic activities (range of 55-70 %), and 40% to natural emissions. As natural emissions estimated from bottom-up approaches are much larger, the anthropogenic versus natural emission ratio is nearly 1, not consistent with ice core data. A current predominant role of anthropogenic sources of methane emissions is consistent with and strongly supported by available ice core and atmospheric methane records. These data indicate that atmospheric methane varied around 700 ppb during the last millennium before increasing by a factor of 2.6 to ~1800 ppb since pre-industrial times. Accounting for the decrease in mean-lifetime over the industrial period, Prather et al. (2012) estimated from these data a total source of 554±56 Tg CH_4 in 2010 of which about 64% (352±45 Tg CH_4) was of anthropogenic origin, consistent with the range in our top-down estimates.

Wetlands. For 2008-2017, the top-down and bottom-up derived estimates of 181 Tg CH_4 yr^{-1} (range 159-200) and 149 Tg CH_4 yr^{-1} (range 102-182), respectively, are statistically consistent. Bottom-up mean wetland emissions for the 2000-2009 period are smaller in this study than those of Saunois et al. (2016). Conversely, the current 2000-2009 mean top-down wetland estimates are larger than those of Saunois et al. (2016) (Table 3). The reduction in wetland emissions from bottom-up models is related to an updated wetland extent data set (WAD2M, see Sect. 3.2.1). Top-down wetlands emissions estimates are higher on average but the range is reduced by 50% compared to Saunois et al. (2016) for 2000-2009. In the bottom-up estimates, the amplitude of the range of emissions of 102-179 is similar to that in Saunois et al. (2016) (151-222 for 2000-2009), and narrowed by a third compared to the previous estimates from Melton et al. (2013) (141-264) and from Kirschke et al. (2013) (177-284). Here and in Saunois et al. (2016), the land surface models were forced with the same wetland extent and climate forcing (see Sect 3.2.1) contrary to Melton et al. (2013) and Kirschke et al. (2013). This suggests that differences in wetland extent explain about a third (30-40%) of the former range of the emission estimates of global natural wetlands. The remaining range is due to differences in model structures and parameters. Bottom-up and top-down estimates for wetland emissions differ more in this study (~30 Tg yr^{-1} for the mean) than in Saunois et al. (2016) (~17 Tg yr^{-1}), due to reduced estimates from the bottom-up models and increased estimates from the top-down models. Natural emissions from freshwater systems are not included in the prior fluxes entering the top-down approaches. However, emissions from these non-wetland systems may be accounted for in the posterior estimates of the top-down models, as these two sources are close and probably overlap at the rather coarse resolution of the top-down models. In the top-down budget, natural wetlands represent 30% on average of the total methane emissions

Supprimé: budget for five source categories
Mis en forme : Surlignage
Supprimé: is
Supprimé: [
Supprimé:]
Supprimé: models
Supprimé: more balanced in the bottom-up budget (~50% each)
Supprimé: Prather et al. (2012
Supprimé:)
Supprimé:
Supprimé: -
Supprimé: -
Supprimé: of
Supprimé: synthesis
Supprimé:
Supprimé: 178
Supprimé: 5
Supprimé: (2016)
Supprimé: (2016)
Supprimé:
Supprimé: Interestingly, while t
Supprimé: than in
Supprimé: (2016)
Supprimé: ,
Supprimé: the range has been reduced by about 50 %. As reported in Saunois et al. (2016), all biogeochemical wetland models were forced with the same wetland extent and climate forcing (see Sect 3.2.1), with the result that
Supprimé: (2016)
Supprimé: Melton et al. (2013
Supprimé:)
Supprimé: (2013)
Supprimé: (2016)

but only 22% in the bottom-up budget (because of higher total emissions inferred). Neither bottom-up nor top-down approaches included in this study point to significant changes in wetland emissions between the two decades 2000-2009 and 2008-2017 at the global scale.

Other natural emissions. The discrepancy between top-down and bottom-up budgets is the largest for the natural emission total, which is 371 Tg CH_4 yr^{-1} [245-488] for bottom-up and only 218 Tg CH_4 yr^{-1} [183-248] for top-down over the 2008-2017 decade. This discrepancy comes from the estimates in "other natural" emissions (freshwater systems, geological sources, termites, oceans, and permafrost). Indeed, for the 2008-2017 decade, top-down inversions infer non-wetland emissions of 37 Tg CH_4 yr^{-1} [21-50], whereas the sum of the individual bottom-up emissions is 222 Tg CH_4 yr^{-1} [143-306]. Atmospheric inversions infer about the same amount over the decade 2000-2009 as over 2008-2017, which is almost half of the value reported in Saunois et al. (2016) (168 [21-130] Tg CH_4 yr^{-1}). This reduction is either due to 1) a more consistent way of considering other natural emissions in the various inverse systems or 2) a difference in the ensemble of top-down inversions reported here. It is worth noting that lacking gridded products to use in their prior, most of the top-down models include only ocean and termite emissions in their prior scenarios. Some of them now include geological sources, but none include freshwater or permafrost emissions in their prior fluxes, and thus in their posterior estimates. Regarding the bottom-up budget, the two main contributors to the larger bottom-up total are freshwaters (~75%) and geological emissions (~15%), both of which have large uncertainties and lack of spatially explicit representation with gridded products available to date, for freshwaters for example. Because of the discrepancy, the category "other natural" represents 7% of total emissions in the top-down budget, but up to 25% in the bottom-up budget.

Geological emissions are associated with relatively large uncertainties, and marine seepage emissions are still widely debated (Thornton et al., 2020). However, summing up all bottom-up fossil-CH_4 related sources (including the anthropogenic emissions) leads to a total of 173 Tg CH_4 yr^{-1} [131-219] in 2008-2017, which is about 30% of the top-down global methane emissions, and 23% of the bottom-up total global estimate. These results agree with the value inferred from ^{14}C atmospheric isotopic analyses of 30% contribution of fossil-CH_4 to global emissions (Etiope et al., 2008; Lassey et al., 2007b). This total fossil fuel emissions from bottom-up approaches agrees well with the ^{13}C-based estimate of Schwietzke et al. (2016) at 192 ± 32 Tg CH_4 yr^{-1}. Uncertainties on bottom-up estimates of natural emissions lead to probably overestimated total methane emissions resulting in a lower contribution compared to Lassey et al. (2007b). All non-geological and non-freshwater land source categories (wild animals, termites, permafrost) have been evaluated at a lower level than in Kirschke et al. (2013) and Saunois et al. (2016), and contribute only 13 Tg CH_4 yr^{-1} [4-19] to global emissions. From a top-down point of view, the sum of all the natural sources is more robust than the partitioning between wetlands and other natural sources. Better constraining the partitioning of methane emissions between wetlands and freshwater systems, including emissions from thawing permafrost, may be

Supprimé: …d…in this study derive …oint to significant changes in wetland emissions between the two decades 2000-2009 and 2008-2017 at the global scale. ... [237]

Supprimé: …ther natural emissions. The discrepancy between top-down and bottom-up budgets is the largest for the natural emission total, which is 371 Tg CH_4 yr^{-1} [245-488] for bottom-up and only 2185…Tg CH_4 yr^{-1} [18376…248] for top-down over the 2008-2017 decade. This discrepancy comes from the estimates in "other natural" emissions (Sources other than wetlands (Fig. 5 and 6), namely …reshwater systems, geological sources, termites, oceans, wild animals, …nd permafrost). Indeed, , are more likely to explain this large discrepancy. ….F…r the 2008-2017 decade, top-down inversions infer non-wetland emissions of 37 Tg CH_4 yr^{-1} [21-50]……whereas the sum of the individual bottom-up emissions is 199 …22 Tg CH_4 yr^{-1} [64…43-306-284…. ….tmospheric…inversions infer about the same amount over the decade 2000-2009 as over 2008-2017, which is almost half of the value reported in Saunois et al. (2016) (2016) …64 …8 [21-132…30] Tg CH_4 yr^{-1}). This reduction is either due to 1) a more consistent way of considering other natural emissions in the various inverse systems or…2) a difference in the ensemble of top-down …nversions reported here… It is worth noting that lacking gridded products to use in their prior, most of the top-down models include only ocean and termite emissions in their prior scenarios. Some of them now include geological sources, but none include freshwater or permafrost emissions in their prior fluxes, and thus in their posterior estimates. Regarding the bottom-up budget, the two main contributors to th……large……bottom-up total are freshwaters (~75%) and geological emissions (~15%), both of which have large uncertainties and lack of spatially explicit representation with gridded products available to date, (…or freshwaters)…or example. Because of the discrepancy, theis…category "other natural" represents 7% of total emissions in the top-down budget, but up to 25% in the bottom-up budget. ... [238]

Mis en forme : Surlignage

Supprimé: Improved area estimates of the different freshwater systems would be beneficial. For example, stream fluxes are difficult to assess because of the high-expected spatial and temporal variability (Natchimuthu et al., 2017) and very uncertain areas of headwater streams where methane-rich groundwater may be rapidly degassed. There are also uncertainties in the geographical distinction between wetlands, small lakes (e.g. thermokarst lakes), and ... [239]

Mis en forme ... [240]

Supprimé: For g…ological emissions are associated with , relatively large uncertainties, come from the extrapolation of only a subset of direct measurements to estimate the global fluxes. Moreover…nd,…marine seepage emissions are still widely debated (Thornton et al., 2020)(Berchet et al., 2016), and particularly diffuse ... [241]

Mis en forme ... [242]

Supprimé:

Mis en forme : Anglais (E.U.)

Supprimé: Lassey et al. (2007b…assey et al. (2007b))… All non-geological and non-wetland …reshwater land source categories (wild animals, termites, permafrost) have been evaluated at a lower level than in Kirschke et al. (2013)(2013)…and Saunois et al. (2016)(2016)… and contribute only 13 Tg CH_4 yr^{-1} [4-19] to global ... [243]

Mis en forme ... [244]

the key to reconcile top-down and bottom-up budget on natural sources. Also, including all known spatio-temporal distributions of natural emissions in top-down prior fluxes would be a step forward to consistently compare natural versus anthropogenic total emissions between top-down and bottom-up approaches.

Anthropogenic emissions. Total anthropogenic emissions for the period 2008-2017 were assessed to be statistically consistent between top-down (359 Tg CH_4 yr^{-1}, range 336-376) and bottom-up approaches (366 Tg CH_4 yr^{-1}, range 349-393). The partitioning of anthropogenic emissions between agriculture and waste, fossil fuels extraction and use, and biomass and biofuel burning, also shows good consistency between top-down and bottom-up approaches, though top-down approaches suggest less fossil fuel and more agriculture and waste emissions than bottom-up estimates (Table 3 and Fig. 5 and 6). For 2008-2017, agriculture and waste contributed an estimated 217 Tg CH_4 yr^{-1} [207-240] for the top-down budget and 206 Tg CH_4 yr^{-1} [191-223] for the bottom-up budget. Fossil fuel emissions contributed 111 Tg CH_4 yr^{-1} [81-131] for the top-down budget and 128 Tg CH_4 yr^{-1} [113-154] for the bottom-up budget. Biomass and biofuel burning contributed 30 Tg CH_4 yr^{-1} [22-36] for the top-down budget and 29 Tg CH_4 yr^{-1} [25-39] for the bottom-up budget. Biofuel methane emissions rely on very few estimates currently (Wuebbles and Hayhoe, 2002). Although biofuel is a small source globally (~12 Tg CH_4 yr^{-1}), more estimates are needed to allow a proper uncertainty assessment. Overall for top-down inversions the global fraction of total emissions for the different source categories is 38% for agriculture and waste, 19% for fossil fuels, and 5% for biomass and biofuel burning. With the exception of biofuel emissions, the uncertainty associated with global anthropogenic emissions appears to be smaller than that of natural sources but with an asymmetric uncertainty distribution (mean significantly different than median). The relative agreement between top-down and bottom-up approaches may indicate the limited capability of the inversion to separate the emissions and should therefore be treated with caution. Indeed, in poorly observed regions, top-down inversions rely on the prior estimates and bring little or no additional information to constrain (often) spatially overlapping emissions (e.g. in India, China). Also, as many top-down systems solve for the total fluxes at the surface or for some categories that may differ from the GCP categories, their posterior partitioning relies on the prior ratio between categories that are prescribed using bottom-up inventories.

5.1.3 Global budget of total methane sinks

Top-down estimates. The CH_4 chemical removal from the atmosphere is estimated to 518 Tg CH_4 yr^{-1} over the period 2008-2017, with an uncertainty of about ±5% (range 474-532 Tg CH_4 yr^{-1}). All the inverse models account for CH_4 oxidation by OH and $O(^1D)$, and some include stratospheric chlorine oxidation (Table S6). In addition, most of the top-down models use OH distribution from the TRANSCOM experiment (Patra et al., 2011), probably explaining the rather low range of estimates compared to bottom-up estimates (see below). Differences between transport models affect the chemical removal of CH_4, leading to different

Supprimé: should still receive a high priority
Supprimé: .
Mis en forme : Surlignage
Supprimé: ing
Supprimé: 7
Supprimé: [
Supprimé: 4
Supprimé: 5]
Supprimé: [
Supprimé: 8
Supprimé: 2]
Supprimé: 9
Supprimé: 175
Supprimé: 39
Supprimé: 09
Supprimé: 79
Supprimé: 68
Supprimé: 7
Supprimé: 1
Supprimé: at the moment
Supprimé: (Wuebbles and Hayhoe (2002), GAINS model)
Supprimé: s
Supprimé:
Mis en forme : Non Surlignage
Supprimé: I
Supprimé: Therefore,
Mis en forme : Non Surlignage
Mis en forme : Non Surlignage
Mis en forme : Non Surlignage
Mis en forme : Non Surlignage
Supprimé: the relative agreement between top-down and bottom-up approaches may indicate the limited capability of the inversion to separate the emissions, and should therefore be treated with caution.
Mis en forme : Surlignage
Supprimé: (Patra et al., 2011)
Supprimé: uncertainty

chemical loss rates, even with the same OH distribution. However, uncertainties in the OH distribution and magnitude (Zhao et al., 2019) are not considered in our study, while it could contribute to a significant change in the chemical sink, and then in the derived posterior emissions through the inverse process (Zhao et al., 2020). The chemical sink represents more than 90% of the total sink, the rest being attributable to soil uptake (38 [27-45] Tg CH_4 yr^{-1}). Half of the top-down models use the climatological soil uptake magnitude (37-38 Tg CH_4 yr^{-1}) and distribution from Ridgwell et al. (1999), while half of the models use an estimate from the biogeochemical model VISIT (Ito and Inatomi, 2012), which calculates varying uptake between 31 and 38 Tg CH_4 yr^{-1} over the 2000-2017 period. These sink estimates used as prior in the inversions are generally higher than the mean estimate of the soil sink calculated by bottom-up models (30 Tg CH_4 yr^{-1}, Sec. 3.3.4).

Bottom-up estimates. The total chemical loss for the 2000s reported here is 595 Tg CH_4 yr^{-1} with an uncertainty of 22% (~130 Tg CH_4 yr^{-1}). Differences in chemical schemes (especially in the stratosphere) and in the volatile organic compound treatment probably explain most of the discrepancies among models (Zhao et al., 2019).

5.2 Latitudinal methane budget

5.2.1 Latitudinal budget of total methane emissions

The latitudinal breakdown of emissions inferred from atmospheric inversions reveals a dominance of tropical emissions at 368 Tg CH_4 yr^{-1} [337-399], representing 64% of the global total (Table 5). 32% of the emissions are from the mid-latitudes (186 Tg CH_4 yr^{-1} [166-204]) and 4% from high latitudes (above 60°N). The ranges around the mean latitudinal emissions are larger than for the global methane sources. While the top-down uncertainty is about ±5% at the global scale, it increases to ±10% for the tropics and the northern mid-latitudes to more than ±25% in the northern high-latitudes (for 2008-2017, Table 5). Both top-down and bottom-up approaches consistently show that methane decadal emissions have increased by about 20 Tg CH_4 yr^{-1} in the tropics, and by 7-18 Tg CH_4 yr^{-1} in the northern mid-latitudes between 2000-2009 and 2008-2017, but not in the northern high latitudes.

Over 2010-2017, at the global scale, satellite-based inversions infer almost identical emissions to ground-based inversions (difference of 3 [0-7] Tg CH_4 yr-1), when comparing consistently surface versus satellite-based inversions for each system. This difference is much lower than the range derived between the different systems (range of 20 Tg CH_4 yr^{-1} using surface- or satellite-based inversions). This result reflects that differences in atmospheric transport among the systems probably have more impact than the types of observations assimilated on the estimated global emissions. In Saunois et al. (2016), satellite-based inversions reported 12 Tg higher global methane emissions compared to surface-based inversions. Differences in the

Supprimé: (Zhao et al., 2019)…are not fully taken into account…onsidered here…n our study, while it could contribute to a significant change in the chemical sink, (…nd then in the derived posterior emissions)…through the inverse process (Zhao et al., 2020). The chemical sink represents more than 90% of the total sink, the rest being due …ttributable to soil uptake (38 [27-45] Tg CH_4 yr^{-1}). Half of the top-down models use the climatological soil uptake magnitude (37-38 Tg CH_4 yr^{-1}) and distribution from Ridgwell et al. (1999)(1999)… while …alf of the models…use……n …stimate from the biogeochemical model VISIT (Ito and Inatomi, 2012)(Ito and Inatomi, 2012)… which calculates varying uptake between 31 and 38 Tg CH_4 yr^{-1} over the 2000-2017 period. … [245]

Mis en forme : Non Surlignage

Supprimé: model input

Mis en forme : Non Surlignage

Supprimé: somewhat

Mis en forme : Non Surlignage

Supprimé: central value

Mis en forme : Non Surlignage

Supprimé:

Mis en forme : Non Surlignage

Supprimé: for

Mis en forme … [246]

Supprimé: estimates of the soil sink cited in

Mis en forme : Non Surlignage

Supprimé: , leading to a correspondingly larger top-down central estimate… ~~For overall consistency in the CH_4 budget, future top-down estimates should take the updated range of bottom-up estimates into consideration.~~ … [247]

Mis en forme : Barré, Surlignage

Supprimé: **…ottom-up estimates.** The total chemical loss for the 2000s …eported here is …95 Tg CH_4 yr^{-1} with an uncertainty of 22% (~130 Tg CH_4 yr^{-1}). The chemistry climate models show an uncertainty of about 20% on the CH_4 chemical sink (tropospheric OH plus stratospheric loss)….Differences in chemical schemes (especially in the stratosphere) and in the volatile organic compound treatment probably explain most of the discrepancies among models (… ADDIN ZOTERO_ITEM CSL_CITATION {"citationID":"a3fugfkrpa","properties":{"formattedCitation":"(Zhao et al., 2019)","plainCitation":"(Zhao et al., … [248]

Mis en forme : Barré, Surlignage

Supprimé: …he latitudinal breakdown of emissions inferred from … [249]

Supprimé: ~~For the 2008-2017 budget, different inversions~~ … [250]

Mis en forme … [251]

Supprimé: A…t the global scale, satellite-based inversions …nfer almost identical …missions …o …round-based inversions … [252]

Mis en forme : Indice

Supprimé: … when comparing consistently surface versus satellite-based inversions for each system. This difference is much … [253]

ensemble, the use of only GOSAT data and the treatment of satellite data within each system compared to Saunois et al. (2016) explain the contrasting results.

As expected, the regional distributions of inferred emissions differ depending on the nature of the observations used (satellite or surface). The largest differences (satellite-based minus surface-based inversions) are observed over the tropical region, between -13 and +26 Tg CH_4 yr^{-1} (90°S to 30°N), and the northern mid-latitudes (between -20 and +15 Tg CH_4 yr^{-1}). Satellite data provide stronger constraints on fluxes in tropical regions than surface data, due to a much larger spatial coverage. It is therefore not surprising that differences between these two types of observations are found in the tropical band, and consequently in the northern mid-latitudes to balance total emissions, thus affecting the north-south gradient of emissions. However, the regional patterns of these differences are not consistent through the different inverse systems. Indeed, some systems found higher emissions in the tropics when using GOSAT instead of surface observations, while others found the opposite. This difference between the systems may depend on whether or not a bias correction is applied to the satellite data based on surface observations, and also on the modelled horizontal and vertical model transports, in the troposphere and in the stratosphere.

5.2.2 Latitudinal methane emissions per source category

The analysis of the latitudinal methane budget per source category (Fig. 7) can be performed both for bottom-up and top-down approaches but with limitations. On the bottom-up side, some natural emissions are not (yet) available at regional scale (mainly inland waters). Therefore, for freshwater emissions, we applied the latitudinal distribution of Bastviken et al. (2011) to the global reported value. Further details are provided in the Supplement to explain how the different bottom-up sources were handled. On the top-down side, as already noted, the partitioning of emissions per source category has to be considered with caution. Indeed, using only atmospheric methane observations to constrain methane emissions makes this partitioning largely dependent on prior emissions. However, differences in spatial patterns and seasonality of emissions can be utilized to constrain emissions from different categories by atmospheric methane observations (for those inversions solving for different sources categories, see Sect. 2.3).

Agriculture and waste are the largest sources of methane emissions in the tropics (130 [121-137] Tg CH_4 yr^{-1} for the bottom-up budget and 139 [127-157] Tg CH_4 yr^{-1} for the top-down budget, about 38% of total methane emissions in this region). However, wetland emissions are nearly as large with 116 [71-146] Tg CH_4 yr^{-1} for the bottom-up budget and 135 [116-155] Tg CH_4 yr^{-1} for the top-down budget. One top-down model suggests lower emissions from agriculture and waste compared to the ensemble but suggests higher emissions from fossil fuel: this recalls the necessary caution when discussing sectorial partitioning when using top-down inversions. Anthropogenic emissions dominate in the northern mid-latitudes, with the highest contribution from agriculture and waste emissions (42% of total emissions), closely followed by fossil fuel

Supprimé: (no SCIAMACHY retrieval used here)

Supprimé: (2016)

Supprimé: Averaged across the inversions, the global difference between satellite and surface-based inversions (3 [0-7] Tg CH_4 yr^{-1}) is not significant compared to the range derived from the different systems (range of 20 Tg CH_4 yr^{-1} using surface or satellite observations only).

Supprimé: At the latitudinal scale, emissions vary between the satellite-based and surface-based inversions. Large absolute differences (satellite-based minus surface-based inversions) are observed over the tropical region, between -13 and +26 Tg CH_4 yr^{-1} below 30°N, and in the northern mid-latitudes (between -20 and +15 Tg CH_4 yr^{-1}). Satellite data provide stronger constraints on fluxes in tropical regions than surface data, due to a much larger spatial coverage. It is therefore not surprising that differences between these two types of observations are found in the tropical band, and consequently in the northern mid-latitudes to balance total emissions, thus affecting north-south gradient of emissions. The results presented here clearly show that the models differ in the regional attribution of methane emissions when using satellite observations compared to surface-based inversions.

Supprimé: However, the differences are not systematically consistent in sign among the different systems (some showing positive/negative differences for the Tropics and the opposite in the northern mid-latitudes), and

Supprimé: f

Supprimé: ~~Also, the way the stratosphere is treated in the atmospheric models used to produce atmospheric methane columns from remote sensing measurements (e.g. GOSAT or TCCON) also~~ [254]

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Mis en forme : Barré, Surlignage

Supprimé: contribution

Supprimé: (2011)

Supprimé: ary

Supprimé: Although

Supprimé: 5

Supprimé: 2

Supprimé: 02

Supprimé: a

emissions (31% of total emissions). Boreal regions are largely dominated by wetland emissions (60% of total emissions).

The uncertainty for wetland emissions is larger in the bottom-up models than in the top-down models, while uncertainty in anthropogenic emissions is larger in the top-down models than in the inventories. The large uncertainty in tropical wetland emissions (65%) results from large regional differences between the bottom-up land-surface models. Although they are using the same wetland extent, their responses in terms of flux density show different sensitivities to temperature, water vapour pressure, precipitation, and radiation.

More regional discussions were developed in Saunois et al. (2016) and have been updated in Stavert et al. (2020).

6 Future developments, missing elements, and remaining uncertainties

In this budget, uncertainties on sources and sinks estimated by bottom-up or top-down approaches have been highlighted as well as discrepancies between the two budgets. Limitations of the different approaches have also been highlighted. Four shortcomings of the methane budget were already identified in Kirschke et al. (2013) and Saunois et al. (2016). Although progress has been made, they are still relevant, and actions are needed. However, these actions fall into different timescales and parties. In the following, we revisit the four shortcomings, or axis of research, of the current methane budget; how each weakness has been corrected since Saunois et al. (2016), followed by a list of recommendations, from higher to lower priority, associated with the involved parties.

1. *Towards a decrease of the high uncertainty in the amount of methane emitted by wetland and inland water systems, and a weakened double counting issue.*

The remaining large uncertainties strongly suggest the need to develop more studies integrating the different systems (wetlands, ponds, lakes, reservoirs, streams, rivers, estuaries, and marine systems), to avoid double counting issues, to associate proper emission to each category, but also to account for lateral fluxes. Since Saunois et al. (2016), several workshops (e.g. Turner et al., 2019) and publications (e.g. Knox et al., 2019; Thornton et al., 2016a) contributed to implement previous recommendations and strategies to reduce uncertainties of methane emissions due to wetlands and other freshwater systems. One achievement is the reduced estimate (by ~20%, i.e. 35 Tg CH_4 yr^{-1}) of the global wetland emissions, due to a refined wetland extent analysis and modifications of land surface model calibration.

Methodology changes that could be integrated into the next methane budget releases include:

- Calibrating land surface models independently from top-down estimates;
- Evaluating land surface models against in-situ observations such as FLUXNET-CH_4 (Knox et al., 2019); and

Supprimé: on

Supprimé: a heterogeneous

Supprimé: spread among

Supprimé: y

Supprimé: (2016)

Supprimé: are

Supprimé: 19

Mis en forme : Français

Mis en forme : Français

Mis en forme : Français

Mis en forme : Français

Mis en forme : Français

Code de champ modifié

Mis en forme : Anglais (E.U.)

Mis en forme : Anglais (E.U.)

Mis en forme : Anglais (E.U.)

- Using different wetland extent products to infer wetland emissions (e.g. WAD2M, GIEMS-2 (Prigent et al., 2020)).

Next steps, in the short term, for modelling, can be addressed by the land biogeochemistry community:

- Finalizing a global high-resolution (typically tens of meters) classification of saturated soils and inundated surfaces based on satellite data (visible and microwave), surface inventories, and expert knowledge. This improved area distribution will prevent double counting between wetlands and other freshwater systems, when used by land surface models;
- Finalizing ongoing efforts to develop process–based modelling approaches to estimate freshwater methane emissions, including lateral fluxes, and avoiding upscaling issues, as recently done by e.g. Maavara et al. (2019) for N_2O; and
- Using the collected flux measurements within the FLUXNET-CH_4 activity (Knox et al., 2019) to provide global flux maps based on machine learning approaches (Peltola et al., 2019).

Over the long run, developing measurement systems will help to improve estimates of wetland and inland water sources, and further reduce uncertainties:

- More systematic measurements from sites reflecting the diverse lake morphologies will allow us to better understand the short-term biological control on ebullition variability, which remains poorly known (Wik et al., 2014, 2016a); and
- Extending monitoring of methane fluxes year round from the different natural sources (wetlands, freshwaters) complemented with environmental meta-data (e.g., soil temperature and moisture, vegetation types, water temperature, acidity, nutrient concentrations, NPP, soil carbon density) will allow us to enrich the FLUXNET- CH_4 observation dataset, and to better constrain methane fluxes and their isotopic signatures in land-surface models (Glagolev et al., 2011; Turetsky et al., 2014).

2. Towards a better assessment of uncertainties for global methane sinks in top-down and bottom-up budgets.

The inverse systems used here have the same caveats as described in Saunois et al. (2016) (same OH field, same kind of proxy method to optimize it) leading to quite constrained atmospheric sink and therefore total global methane sources. Although we have used a state-of-the-art ensemble of Chemistry Transport Models (CTM) and Climate Chemistry Models (CCM) simulations from the CCMI (Chemistry-Climate Model Initiative, Morgenstern et al. (2017)), the uncertainty of derived CH_4 chemical loss from the chemistry climate models remains at the same (large) level compared to the previous intercomparison project ACCMIP (Lamarque et al., 2013). Nicely et al. (2017) found that the main cause of the large differences in the CTM representation of CH_4 lifetime is variations in the chemical mechanisms implemented in the models. Using the ensemble of CTMs and CCMs from the CCMI experiment, Zhao et al. (2019) quantified the range of CH_4

Mis en forme : Non souligné

loss induced by the ensemble of OH fields to be equivalent up to about half of the discrepancies between CH_4 observations and simulations as forced by the current anthropogenic inventories. These results emphasize the need to first assess, and then improve, atmospheric transport and chemistry models, especially vertically, and to integrate robust representation of OH fields in atmospheric models.

Methodology changes that could be integrated into the next methane budget include:

- Integrating sensitivity tests on the prior fluxes (use of updated fluxes for natural sources, soil uptake); and
- Integrating sensitivity tests on chemical sinks (different OH fields, including interannual variability).

Next steps, in the short term, could include developments by the atmospheric modelling community in:

- Assessing the impact of using updated and varying soil uptake estimates, especially considering a warmer climate. Indeed, for top-down models resolving for the net flux of CH_4 at the surface integrating a larger estimate of soil uptake would allow larger emissions, and then reduce the uncertainty with the bottom-up estimates of total CH_4 sources;
- Further studying the reactivity of the air parcels in the chemistry climate models and defining new diagnostics to assess modelled CH_4 lifetimes;
- Developing robust representation of 3D OH fields to be used in the inverse models: based on chemistry climate models and using correction from measurements, on multi-species assimilating systems (e.g. Gaubert et al., 2017; Miyazaki et al., 2015), or on simple parametrization applied at grid scales; and
- Integrating the aforementioned different potential OH chemical fields, including also inter-annual variability, to assess the impact on the methane budget following Zhao et al. (2020).

Over the long run, other parameters should be (better) integrated into top-down approaches, among them:

- The magnitude of the CH_4 loss through oxidation by tropospheric chlorine, a process debated in the recent literature. More modeling (Thanwerdas et al., 2019) and instrumental studies should be devoted to reducing the uncertainty of this potential additional sink before integrating it in top-down models.

3. Towards a better partitioning of methane sources and sinks by region and process using top-down models

In this work, we report inversions assimilating satellite data from GOSAT, which bring more constraints than provided by surface stations alone, especially over tropical continents. However, we found that satellite- and surface-based inversions, and the different inversions systems do not consistently infer the same regional flux distribution.

Mis en forme : Police :Non Italique
Mis en forme : Police :Non Italique
Mis en forme : Police :Non Italique
Mis en forme : Police :Non Italique
Mis en forme : Police :Non Italique, Indice
Mis en forme : Police :Non Italique

Methodology changes that could be integrated into the next methane budget releases include:

- Integrating GOSAT and GOSAT-2 (launched in October 2018, with expected improved precision and accuracy (JAXA, 2019)) for the satellite inversion; and
- Investigating the reasons for the regional differences derived by the inverse systems based on the model evaluation and more detailed questionnaire to the modelers on the treatment of satellite data (bias correction) and stratospheric profiles.

Next steps, in the short term, could integrate developments to be made by the top-down community:

- Evaluating the benefits of using new satellite missions with high spatial resolution and "imaging capabilities" (Crisp et al., 2018) at the global scale, such as the TROPOMI instrument on Sentinel 5P, launched in October 2017 (Hu et al., 2018);
- Integrating the newly available updated gridded products for the different natural sources of CH_4 in their prior fluxes to reach a full spatial description of sources and sinks, and to be able to better compare the top-down budget with the bottom-up budget;
- Releasing more regular updates and intercomparison of emission inventories in order to improve prior scenarios of inverse studies and reduce the need for extending them beyond their available coverage;
- Developing 4D variational inversion system using isotopic and/or co-emitted species in the top-down budget. Indeed methane isotopes can provide additional constraints to partition the different CH_4 sources and sinks, if isotopic signatures can be better known spatially and temporally (Ganesan et al., 2018). Radiocarbon can help for fossil / non-fossil emissions (Lassey et al., 2007b, 2007a; Petrenko et al., 2017), $^{13}CH_4$ and CH_3D for biogenic / pyrogenic / thermogenic emissions, and OH loss (Röckmann et al., 2011), and emerging clumped isotope measurements for biogenic/thermogenic emissions (Stolper et al., 2014) and OH loss (Haghnegahdar et al., 2017). Also, carbon monoxide (e.g. Fortems-Cheiney et al., 2011) can provide useful constraints for biomass burning emissions, and ethane for fugitive emissions (e.g. Simpson et al., 2012; Turner et al., 2019).
- Improving the availability of in-situ data for the scientific community, especially ones covering poorly documented regions such as China (Fang et al., 2015), India (Lin et al., 2015; Tiwari and Kumar, 2012) and Siberia (Sasakawa et al., 2010; Winderlich et al., 2010), which are not delivered so far to international databases.

Over the long run, integrating more measurements and regional studies will help to improve the top-down systems, and further reduce the uncertainties:

- Integrating global data from future satellite instruments with intrinsic low-bias, such as active LIDAR techniques with MERLIN (Ehret et al., 2017), that are promising to overcome issues of

Mis en forme : Non Surlignage

Mis en forme : Non Surlignage

Mis en forme : Non souligné

Mis en forme : Français

systematic errors (Bousquet et al., 2018) and should provide measurements over the Arctic, contrary to the existing and planned passive missions;

- Extending the CH_4 surface networks to poorly observed regions (e.g. Tropics, China, India, high latitudes) and to the vertical dimension: aircraft regular campaigns (e.g. Paris et al., 2010; Sweeney et al., 2015); Aircore campaigns (e.g. Andersen et al., 2018; Membrive et al., 2017) ; TCCON observations (e.g. Wunch et al., 2011, 2019). These observations are still critical to complement satellite data that do not observe well in cloudy regions and at high latitudes, and also to evaluate and eventually correct satellite biases (Buchwitz et al., 2016);
- Extending and developing continuous isotopic measurements of methane using laser-based instruments to help partitioning methane sources and to be integrated in 4D variational isotopic inversions;
- Developing regional components of the CH_4 budget to improve global totals by feeding them with regional top-down and bottom-up approaches; for example, regional inversions using regional measurements and high resolution models (such as the INGOS project (Bergamaschi et al., 2018b) or the VERIFY project (https://verify.lsce.ipsl.fr) with the European ICOS network (https://www.icos-ri.eu/home). The RECCAP-2 project should also provide a scientific framework to further refine GHG budgets, including methane, at regional scales (https://www.reccap2-gotemba2019.org/).

4. Towards reducing uncertainties in the modelling of atmospheric transport in the models used in the top-down budget

The TRANSCOM experiment synthesized in Patra et al. (2011) showed a large sensitivity of the representation of atmospheric transport on methane concentrations in the atmosphere. In particular, the modelled CH_4 budget appeared to depend strongly on the troposphere-stratosphere exchange rate and thus on the model vertical grid structure and circulation in the lower stratosphere. Also, regional changes in the methane budget depends on the characteristics of the atmospheric transport models used in the inversion (Bruhwiler et al., 2017; Locatelli et al., 2015). This axis of research is demanding important development from the atmospheric modelling community. Waiting for future improvements (finer horizontal and vertical resolutions, more accurate physical parameterization, increase in computing resources…), assessing atmospheric transport error and the impact on the top-down budget remains crucial.

Methodology changes that could be integrated into the next methane budget releases include:

- Evaluating the inversions provided against independent measurements such as aircraft regular campaigns (e.g. Paris et al., 2010; Sweeney et al., 2015); Aircore campaigns (e.g. Andersen et al.,

Supprimé: Kirschke et al. (2013) and Saunois et al. (2016) identified four main shortcomings in the assessment of regional to global CH_4 budgets. Although progress has been made, they are still relevant and we revisit them here. ¶

¶

Annual to decadal CH_4 emissions from natural sources (wetlands, freshwater, geological) are highly uncertain. Since Saunois et al., (2016), several workshops (e.g. Turner et al., 2019) and publications (e.g. Thornton et al., 2016b; Knox and al., 2019) contributed to develop previous recommendations and strategies to reduce uncertainties of methane emissions due to wetlands and other freshwater systems. ~~The main outcomes of these activities include i) the reduced estimate (by ~ 20%, i.e. 35 Tg CH_4 yr^{-1}) of the global wetland emissions, due to a refined wetland extent analysis and modifications of land surface model calibration, ii) the initiation of international efforts to develop a high-resolution (typically tens of meters) classification of saturated soils and inundated surfaces based on satellite data (visible and microwave), surface inventories, and expert knowledge, avoiding double counting between wetlands and other freshwater systems, iii) further development of an on-going effort to collect flux measurements within the FLUXNET activity (FLUXNET-CH_4; Knox et al., 2019) and use them to provide global flux maps based on machine learning approaches and to constrain land surface models. More flux measurements in the tropics and measurements of the isotopic atmospheric composition of the various ecosystems (bogs/swamps, C3/C4 vegetation…) will also help to better constrain methane fluxes as well as their isotopic signature in wetland models. Together with FLUXNET-CH_4 data, it will allow further refinement of parameterizations of the land surface models (Turetsky et al., 2014; Glagolev et al., 2011). There is still a need for more systematic measurements from sites reflecting the diversity of lake morphologies to better understand the short-term biological control on ebullition variability, which remains poorly known (Wik et al., 2014, 2016).~~ Similarly, more local measurements of CH_4 and its isotopes, using continuous laser based techniques, would allow confirmation of the estimation of geological methane emissions. Further efforts are still needed in: i) ~~extending the monitoring of the methane emissions all-year round from the different natural sources (wetlands, freshwaters and geological) complemented with key environmental variables to allow proper interpretation (e.g. soil temperature and moisture, vegetation types, water temperature, acidity, nutrient concentrations, NPP, soil carbon density);~~ ii) ~~finalizing the on-going efforts to develop process-based modelling approaches to estimate freshwater emissions instead of data-driven up-scaling of unevenly-distributed and local flux observations~~; and iii) ~~again~~ … [255]

Mis en forme … [256]

Mis en forme : Anglais (E.U.)

Code de champ modifié

Mis en forme … [257]

Code de champ modifié

Mis en forme : Anglais (E.U.)

Mis en forme : Anglais (E.U.)

Mis en forme : Anglais (E.U.)

Code de champ modifié

Mis en forme : Français

2018; Membrive et al., 2017) ; TCCON observations (e.g. Wunch et al., 2011, 2019), and use this evaluation to weight the different models used in the methane budget

Next steps, in the short term, could include some development to be addressed by the top-down community to reduce atmospheric transport errors:

- Developing further methodologies to extract stratospheric partial column abundances from observations such as TCCON data (Saad et al., 2014; Wang et al., 2014), Aircore or, even ACE-FTS or MIPAS satellite data, and use them to replace erroneous simulated stratospheric profiles.

In the long run, developments within atmospheric transport models such as the implementation of hybrid vertical coordinates (Patra et al., 2018) or of hexagonal-icosaedric grid with finer resolution (Dubos et al., 2015; Niwa et al., 2017a), and improvements in the simulated boundary layer dynamics are promising to reduce atmospheric transport errors.

7 Conclusions

We have built a global methane budget by using and synthesizing a large ensemble of published methods and results using a consistent and transparent approach, including atmospheric observations and inversions (top-down models), process-based models for land surface emissions and atmospheric chemistry, and inventories of anthropogenic emissions (bottom-up models and inventories). For the 2008-2017 decade, global CH_4 emissions are 576 Tg CH_4 yr^{-1} (range of 550-594 Tg CH_4 yr^{-1}), as estimated by top-down inversions. About 60% of global emissions are anthropogenic (range of 50-70%). Bottom-up models and inventories suggest much larger global emissions (737 Tg CH_4 yr^{-1} [594-881]) mostly because of larger and more uncertain natural emissions from inland water systems, natural wetlands and geological leaks, and some likely unresolved double counting of these sources. It is also likely that some of the individual bottom-up emission estimates are too high, leading to larger global emissions from the bottom-up perspective than the atmospheric constraints suggest.

The latitudinal breakdown inferred from top-down approaches reveals a dominant role of tropical emissions (~64%) compared to mid (~32%) and high (~4%) northern latitudes (above 60°N) emissions.

Our results, including an extended set of atmospheric inversions, are compared with the previous budget syntheses of Kirschke et al. (2013) and Saunois et al. (2016), and show overall good consistency when comparing the same decade (2000-2009) at the global and latitudinal scales, although estimation methods and reported studies have evolved between the three budgets. While, a comparison of top-down emissions estimates determined with and without satellite data agrees well globally they differ significantly at the latitudinal scale. Most worryingly, these differences were not even consistent in sign with some models showing notable increases in a given latitudinal flux and others decreases. This suggests that while the

Code de champ modifié
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Supprimé: ¶
The partitioning of CH_4 emissions and sinks by region and process is not sufficiently constrained by atmospheric observations in top-down models. In this work, we report inversions assimilating satellite data from GOSAT, which bring more constraints than surface stations, especially over tropical continents. Future satellite instruments, if their systematic errors can be as low as few ppb, will significantly enhance the capabilities to monitor CH_4 emissions from space and will largely extend the spatial coverage of the atmospheric monitoring system. Particularly promising are new satellite missions with high spatial resolution and "imaging capabilities" (Crisp et al., 2018), such as the TROPOMI instrument on Sentinel 5P, launched in October 2017 (Hu et al., 2018). With a relatively high spatial resolution (7km x 7km), TROPOMI promises to provide much more methane data than GOSAT or GOSAT-2, reducing the impact of random errors on the retrieval of methane emissions. TROPOMI has already proven to be useful by detecting large and isolated CH_4 enhancements in South Sudan pointing to emissions from tropical wetlands (Hu et al., 2018), but still has to evaluate the magnitude of its systematic errors. In this context, intrinsic low-bias observation systems from space, such as active LIDAR techniques (Ehret et al., 2017), are promising to overcome issues of systematic errors (Bousquet et al., 2018). The extension of the CH_4 surface networks to poorly observed regions (e.g. Tropics, China, India, high latitudes) and to the vertical dimension (Aircraft regular campaigns, e.g. Sweeney et al. (2015), Paris et al. (2010); Aircore campaigns, (e.g. Membrive et al., 2017; Andersen et al., 2018); TCCON observations, e.g. (Wunch et al., 2019; Wunch et al., 2011) are still critical ... [258]
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Supprimé: *Uncertainties in the modelling of atmospheric transport and chemistry limit the optimal assimilation of atmospheric* ... [259]
Supprimé: with
Supprimé: es
Supprimé: 2
Supprimé: 38
Supprimé: 3
Supprimé: 3
Supprimé: 0
Supprimé: (2013)
Supprimé: (2016)
Supprimé: .
Supprimé: d
Supprimé: ed

inclusion of satellite data may, in the future, significantly increase our ability to attribute fluxes regionally this is not currently the case due to their existing inherent biases along with the inconsistent application of methods to account for these biases, but also differences in model transport, especially in the stratosphere (see recommendations in Sect. 6).

Among the different uncertainties raised in Kirschke et al. (2013), Saunois et al. (2016) estimated that 30-40% of the large range associated with modelled wetland emissions in Kirschke et al. (2013) was due to the estimation of wetland extent. Here, wetland emissions are 35 Tg CH_4 yr^{-1} smaller than previous estimates due to a refinement of wetland extent. The magnitude and uncertainty of all other natural sources have been revised and updated, leading to smaller emission estimates for oceans, geological sources, and wild animals, but higher emission estimates associated to larger range for non-wetland freshwater systems. This result places a number one priority on reducing uncertainties in emissions from inland water systems by better quantifying the emission factors of each contributing sub-systems (streams, rivers, lakes, ponds) and reducting both uncertain up-scaling and likely double counting with wetland emissions. As a second priority, the uncertainty on the chemical loss of methane need to be better assessed in both the top-down and the bottom-up budgets. Our work also suggests the need for more interactions among groups developing emission inventories in order to clarify the definition of the sectoral breakdown in inventories. Such an approach would allow easier comparisons at the sub-category scale.

Building on the improvement of the points detailed in Sect. 6, our aim is to update this budget synthesis as a living review paper regularly (~every two/three years). Each update will produce a more recent decadal CH_4 budget, highlight changes in emissions and trends, and incorporate newly available data and model improvements.

In addition to the decadal CH_4 budget presented in this paper, and following former studies (e.g. Bousquet et al., 2006), trends and year-to-year changes in the methane cycle continues to be thoroughly discussed in the recent literature (e.g. Nisbet et al., 2019; Turner et al., 2019). After almost a decade of stagnation in the late 1990s and early 2000s (Dlugokencky et al., 2011; Nisbet et al., 2016), a sustained atmospheric growth rate of more than +5 ppb yr^{-1} has been observed since 2007, with a further acceleration after 2014 (Nisbet et al., 2019), and several years with a 2-digit atmospheric growth as in the 1980s. To date, no consensus has yet been reached in explaining the CH_4 trend since 2007. A likely explanatory scenario, already introduced in Saunois et al. (2017) and further investigated by some other studies since then, includes, by decreasing order of certainty, a positive contribution from microbial and fossil sources (e.g. Nisbet et al., 2019; Schwietzke et al., 2016), a negative contribution from biomass burning emissions before 2014 (Giglio et al., 2013; Worden et al., 2017), a downward revision of Chinese emissions, a negligible role of Arctic emission changes (e.g. Nisbet et al., 2019; Saunois et al., 2017), a tropical dominance of the increasing emissions (e.g. Saunois et al., 2017). Changes in atmospheric OH concentrations, the largest methane sink, may have contributed to the

Supprimé: and
Supprimé: stratospheric
Supprimé: Kirschke et al. (2013), Saunois et al. (2016)
Supprimé: (2013)
Supprimé: and
Supprimé: and
Supprimé: their
Supprimé: clear
Mis en forme : Non Surlignage
Supprimé: eliminating
Supprimé: The development of process-based models for inland water emissions, constrained by local observations, remains a priority to reduce present uncertainties for inland water emissions. We also place importance in reducing uncertainties of the magnitude, regional distribution, inter-annual variability, and decadal trends of OH radicals in the troposphere and stratosphere, which have improved only marginally since Kirschke et al. (2013) (Zhao et al, 2019). [260]
Mis en forme : Surlignage
Supprimé: i
Supprimé: We would also strongly benefit from on-going efforts to expand the network of atmospheric measurement stations into key tropical regions, including vertical profiles and atmospheric columns (e.g. TCCON). Finally, additional tracers (methane isotopes, ethane) [261]
Supprimé: above
Supprimé: ,
Supprimé: have been thoroughly
Supprimé: (e.g. Nisbet et al., 2019; Turner et al., 2019)
Mis en forme : Anglais (E.U.)
Supprimé: (Dlugokencky et al., 2011, Nisbet et al., 2016)
Supprimé: (Nisbet et al., 2019)
Supprimé: The last budget presented in Saunois et al. (2016) has [262]
Supprimé: discussed
Supprimé: (2017),
Supprimé: increasing
Supprimé: un
Supprimé: (e.g. Nisbet et al., 2019; Schwietzke et al., 2016)
Supprimé: (
Supprimé: 2012
Supprimé: (Giglio et al., 2013; Worden et al., 2017)
Supprimé: (e.g. Peng et al., 2016)
Supprimé: (e.g. Saunois et al., 2017)
Supprimé: (e.g. Saunois et al., 2017)
Mis en forme : Anglais (E.U.)

recent increase in methane concentrations (e.g. Dalsøren et al., 2016; Holmes et al., 2013; McNorton et al., 2016, 2018; Morgenstern et al., 2018; Rigby et al., 2017; Turner et al., 2017), but considerable uncertainty in OH interannual variability and trends need to be further investigated.

The challenging and sustained increase of atmospheric CH_4 during the past decade still needs additional research to be fully understood (Nisbet et al., 2019; Turner et al., 2019). The GCP will continue to take its part in analysing and synthesizing recent changes in the global to regional methane cycle based on the ensemble of top-down and bottom-up studies gathered for the budget analysis presented here.

8 Data availability

The data presented here are made available in the belief that their dissemination will lead to greater understanding and new scientific insights on the methane budget and changes to it, and helping to reduce its uncertainties. The free availability of the data does not constitute permission for publication of the data. For research projects, if the data used are essential to the work to be published, or if the conclusion or results largely depend on the data, co-authorship should be considered. Full contact details and information on how to cite the data are given in the accompanying database.

The accompanying database includes one Excel file organized in the following spreadsheets and two netcdf files defining the regions used to extend the anthropogenic inventories.

The file Global_Methane_Budget_2000-2017_v2.0.xlsx includes (1) a summary, (2) the methane observed mixing ratio and growth rate from the four global networks (NOAA, AGAGE, CSIRO and UCI), (3) the evolution of global anthropogenic methane emissions (including biomass burning emissions) used to produce Fig. 2, (4) the global and latitudinal budgets over 2000–2009 based on bottom-up approaches, (5) the global and latitudinal budgets over 2000–2009 based on top-down approaches, (6) the global and latitudinal budgets over 2008–2017 based on bottom-up approaches, (7) the global and latitudinal budgets over 2008– 2017 based on top-down approaches, (8) the global and latitudinal budgets for year 2017 based on bottom-up approaches, (9) the global and latitudinal budgets for year 2017 based on top-down approaches, and (10) the list of contributors to contact for further information on specific data.

This database is available from ICOS (https://doi.org/10.18160/GCP-CH4-2019, Saunois et al., 2019) and the Global Carbon Project (http://www.globalcarbonproject.org).

Author contributions.

MS, AS and BP gathered the bottom-up and top data sets and performed the post processing and analysis. MS, AS, BP, PB, PeC, and RJ coordinated the global budget. MS, AS, BP, PB, PeC, RJ, SH PP and PCi contribute to the update of the full text and all coauthors appended comments. MS, ED and GP produced the

Déplacé (insertion) [6]
Code de champ modifié
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Supprimé: , and an ambiguous role of OH changes that cannot explain all the observed trend but could have limited the required emission change to explain the observed atmospheric trend after 2010-2012 (2018b, 2018a)(e.g. Dalsøren et al., 2016; Holmes et al., 2013; McNorton et al., 2016, 2018; Morgenstern et al., 2018; Rigby et al., 2017; Turner et al., 2017)(e.g. Turner al., 2017; Rigby et al., 2017; Dalsøren et al., 2016; McNorton et al., 2016, 2018).
Déplacé vers le haut [6]: (e.g. Dalsøren et al., 2016; Holmes et al., 2013; McNorton et al., 2016, 2018; Morgenstern et al., 2018; Rigby et al., 2017; Turner et al., 2017)
Mis en forme : Français
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Mis en forme : Anglais (E.U.)
Supprimé: (Nisbet et al., 2019; Turner et al., 2019)
Mis en forme : Anglais (E.U.)
Supprimé:
Supprimé:
Supprimé:
Mis en forme : Police :Gras

figures. VA, NG, AI, FJ, TK, LL, KMcD, PM, JMe, JMu, CP, SP, WR, HS, HT, WZ, ZZ, Qing Z, Qiuan Z and Qianlai Z performed surface land model simulations to compute wetland emissions. DB, MC, PC, SC, KC, GE, GH, KMJ, GL, SN, CP, PRa, Pre, BT, NV, TW provided data sets usefull for natural emission estimates and/or contribute to text on bottom-up natural emissions. LHI, GJM, FT, GvW, KMC, provided anthropogenic data sets and contribute to the text for this section. PP, BP, NC, MI, SM, JMcN, YN, AS, AT, YY, and BZ performed atmospheric inversions to compute top-down methane emission estimates. DRB, GB, CCr, CF, PK, RL, TM, IM, SO'D, RJP, RP, MR, IJS, PS, YT, RFW, DWo, DWu, YYo are PI of atmospheric observations used in top-down inversions and/or contributed the text describing atmospheric methane observations. YZ, MvW, AV, VN, MIH contribute to the chemical sink section by providing data set, processing data and/or contribute to the text. FMF and CCu provided data for the soil sink and contributed to the text of this section.

Competing interests. The authors declare that they have no conflict of interest.

Acknowledgements.

This paper is the result of a collaborative international effort under the umbrella of the Global Carbon Project, a project of Future Earth and a research partner of the World Climate Research Programme. We acknowledge all the people and institutions who provided the data used in the global methane budget as well as the institutions funding parts of this effort (see Table A1). We acknowledge the modelling groups for making their simulations available for this analysis, the joint WCRP SPARC/IGAC Chemistry-Climate Model Initiative (CCMI) for organising and coordinating the model data analysis activity, and the British Atmospheric Data Centre (BADC) for collecting and archiving the CCMI model output. We acknowledge Adrian Gustafson for his contribution to prepare the simulations of LPJ-GUESS. Paul A. Miller, Adrian Gustafson and Wenxin Zhang acknowledge this work as a contribution to the Strategic Research Area MERGE. FAOSTAT data collection, analysis and dissemination is funded through FAO regular budget funds. The contribution of relevant experts in member countries is gratefully acknowledged. We acknowledge Juha Hatakka (FMI) for making methane measurements at the Pallas station and sharing the data with the community.

References

Abe, Y., Bignell, D. E. and Higashi, T., Eds.: Termites: Evolution, Sociality, Symbioses, Ecology, Springer Netherlands, Dordrecht., 2000.

Alexe, M., Bergamaschi, P., Segers, A., Detmers, R., Butz, A., Hasekamp, O., Guerlet, S., Parker, R., Boesch, H., Frankenberg, C., Scheepmaker, R. A., Dlugokencky, E., Sweeney, C., Wofsy, S. C. and Kort, E. A.:

Mis en forme : Anglais (G.B.)

Mis en forme ... [263]

Supprimé: ...cknowledgements ... [264]

Supprimé: …his paper is the result of a collaborative international effort under the umbrella of the Global Carbon Project, a project of Future Earth and a research partner of the World Climate Research Programme. We acknowledge all the people and institutions who provided the data used in the global methane budget as well as the institutions funding parts of this effort (see Table A1). We acknowledge primary support for the methane budget from the Gordon and Betty Moore Foundation through Grant GBMF5439 "Advancing Understanding of the Global Methane Cycle" to Stanford University (P.I. Rob Jackson; co-P.I.s Philippe Bousquet, Marielle Saunois, Josep Canadell, Gustaf Hugelius, and Ben Poulter).¶ Josep G. Canadell thanks the support from the Australian National Environmental Science Program-Earth Systems and Climate Hub. Marielle Saunois and Philippe Bousquet acknowledge the computing power of LSCE for data analyses. Marielle Saunois and Philippe Bousquet ... [265]

Mis en forme ... [266]

Supprimé: Ben Poulter acknowledges NASA support through their Terrestrial Ecology program. Peter A. Raymond acknowledges NASA award NNX17AI74G for the work on inland water systems. ... [267]

Mis en forme ... [268]

Supprimé: Thomas Kleinen acknowledges support by the German Federal Ministry of Education and Research (BMBF) under the PalMod programme. Fortunat Joos and Jurek Mueller acknowledge support by the Swiss National Science Foundation (#200020_172476). William J. Riley and Qing Zhu acknowledge support by the US Department of Energy, BER, RGCM, RUBISCO project under contract #DE-AC02-05CH11231. Qianlai Zhuang and Licheng Liu are supported by a NASA project #NNX17AK20G). Paul A. Miller and Marielle Saunois acknowledge

Mis en forme ... [269]

Supprimé: and acknowledge financial support from the Swedish Research Council (VR) and Formas project no. 2016-01201. The LPJ-GUESS simulations were performed on the Aurora resource of the Swedish National Infrastructure for Computing (SNIC) at the Lund University Centre for Scientific and Technical Computing (Lunarc), project no. 2017/1-423. Changhui Peng acknowledges the support by National Science and Engineering Research Council of Canada (NSERC) discovery grant. Nicolas Gedney acknowledges support from the Newton Fund through the Met Office Climate ... [270]

Mis en forme ... [271]

Supprimé: ¶ ... [272]

Mis en forme ... [273]

Supprimé: s…Juha Hatakka (FMI) for making methane measurements at the Pallas station and sharinge…the data ... [274]

Supprimé:

Mis en forme : Anglais (E.U.)

Mis en forme : Anglais (E.U.)

Code de champ modifié

Inverse modelling of CH_4 emissions for 2010–2011 using different satellite retrieval products from GOSAT and SCIAMACHY, Atmos Chem Phys, 15(1), 113–133, doi:10.5194/acp-15-113-2015, 2015.

Allan, W., Lowe, D. C., Gomez, A. J., Struthers, H. and Brailsford, G. W.: Interannual variation of ^{13}C in tropospheric methane: Implications for a possible atomic chlorine sink in the marine boundary layer, J. Geophys. Res.-Atmospheres, 110(D11), doi:10.1029/2004JD005650, 2005.

Allan, W., Struthers, H. and Lowe, D. C.: Methane carbon isotope effects caused by atomic chlorine in the marine boundary layer: Global model results compared with Southern Hemisphere measurements, J. Geophys. Res.-Atmospheres, 112(D4), D04306, doi:10.1029/2006jd007369, 2007.

Allen, D. T., Torres, V. M., Thomas, J., Sullivan, D. W., Harrison, M., Hendler, A., Herndon, S. C., Kolb, C. E., Fraser, M. P., Hill, A. D., Lamb, B. K., Miskimins, J., Sawyer, R. F. and Seinfeld, J. H.: Measurements of methane emissions at natural gas production sites in the United States, Proc Natl Acad Sci USA, 110(44), 17,768-17,773, doi:10.1073/pnas.1304880110, 2013.

Alvarez, R. A., Zavala-Araiza, D., Lyon, D. R., Allen, D. T., Barkley, Z. R., Brandt, A. R., Davis, K. J., Herndon, S. C., Jacob, D. J., Karion, A., Kort, E. A., Lamb, B. K., Lauvaux, T., Maasakkers, J. D., Marchese, A. J., Omara, M., Pacala, S. W., Peischl, J., Robinson, A. L., Shepson, P. B., Sweeney, C., Townsend-Small, A., Wofsy, S. C. and Hamburg, S. P.: Assessment of methane emissions from the U.S. oil and gas supply chain, Science, 361(6398), 186–188, doi:10.1126/science.aar7204, 2018.

Andersen, T., Scheeren, B., Peters, W. and Chen, H.: A UAV-based active AirCore system for measurements of greenhouse gases, Atmospheric Meas. Tech., 11(5), 2683–2699, doi:10.5194/amt-11-2683-2018, 2018.

André, J.-C., Boucher, O., Bousquet, P., Chanin, M.-L., Chappellaz, J. and Tardieu, B.: Le méthane : d'où vient-il et quel est son impact sur le climat ?, EDP Sciences, Académie des Sciences et Technologies, Paris., 2014.

Aoki, S., Nakazawa, T., Murayama, S. and Kawaguchi, S.: Measurements of atmospheric methane at the Japanese Antarctic Station. Syowa., Tellus, 44B(4), 273–281, doi:10.1034/j.1600-0889.1992.t01-3-00005.x., 1992.

Arora, V. K., Melton, J. R. and Plummer, D.: An assessment of natural methane fluxes simulated by the CLASS-CTEM model, Biogeosciences, 15(15), 4683–4709, doi:10.5194/bg-15-4683-2018, 2018.

Bader, W., Bovy, B., Conway, S., Strong, K., Smale, D., Turner, A. J., Blumenstock, T., Boone, C., Collaud Coen, M., Coulon, A., Garcia, O., Griffith, D. W. T., Hase, F., Hausmann, P., Jones, N., Krummel, P., Murata, I., Morino, I., Nakajima, H., O'Doherty, S., Paton-Walsh, C., Robinson, J., Sandrin, R., Schneider, M., Servais, C., Sussmann, R. and Mahieu, E.: The recent increase of atmospheric methane from 10 years of ground-based NDACC FTIR observations since 2005, Atmospheric Chem. Phys., 17(3), 2255–2277, doi:10.5194/acp-17-2255-2017, 2017.

Baicich, P.: The Birds and Rice Connection, Bird Watch. Dig. [online] Available from:

Mis en forme : Français

http://www.greatbirdingprojects.com/images/BWD_J-A_13_BIRDS_N_RICE.pdf, 2013.

Bange, H. W., Bartell, U. H., Rapsomanikis, S. and Andreae, M. O.: Methane in the Baltic and North Seas and a reassessment of the marine emissions of methane, Glob. Biogeochem. Cycles, 8(4), 465–480, doi:10.1029/94gb02181, 1994.

Barba, J., Bradford, M. A., Brewer, P. E., Bruhn, D., Covey, K., van Haren, J., Megonigal, J. P., Mikkelsen, T. N., Pangala, S. R., Pihlatie, M., Poulter, B., Rivas-Ubach, A., Schadt, C. W., Terazawa, K., Warner, D. L., Zhang, Z. and Vargas, R.: Methane emissions from tree stems: a new frontier in the global carbon cycle, New Phytol., 222(1), 18–28, doi:10.1111/nph.15582, 2019.

Bastviken, D., Cole, J., Pace, M. and Tranvik, L.: Methane emissions from lakes: Dependence of lake characteristics, two regional assessments, and a global estimate, Glob. Biogeochem Cycles, 18(4), GB4009, doi:10.1029/2004gb002238, 2004.

Bastviken, D., Tranvik, L. J., Downing, J. A., Crill, P. M. and Enrich-Prast, A.: Freshwater Methane Emissions Offset the Continental Carbon Sink, Science, 331(6013), 50–50, doi:10.1126/science.1196808, 2011.

Bates, T. S., Kelly, K. C., Johnson, J. E. and Gammon, R. H.: A reevaluation of the open ocean source of methane to the atmosphere, J. Geophys. Res. Atmospheres, 101(D3), 6953–6961, doi:10.1029/95jd03348, 1996.

Berchet, A., Bousquet, P., Pison, I., Locatelli, R., Chevallier, F., Paris, J. D., Dlugokencky, E. J., Laurila, T., Hatakka, J., Viisanen, Y., Worthy, D. E. J., Nisbet, E. G., Fisher, R. E., France, J. L., Lowry, D. and Ivakhov, V.: Atmospheric constraints on the methane emissions from the East Siberian Shelf, Atmospheric Chem. Phys., 16, 4147–4157, doi:10.5194/acp-16-4147-2016, 2016.

Berchet, A., Pison, I., Crill, P. M., Thornton, B., Bousquet, P., Thonat, T., Hocking, T., Thanwerdas, J., Paris, J.-D. and Saunois, M.: Using ship-borne observations of methane isotopic ratio in the Arctic Ocean to understand methane sources in the Arctic, Atmospheric Chem. Phys. Discuss., 1–18, doi:10.5194/acp-2019-595, 2019.

Bergamaschi, P., Krol, M., Meirink, J. F., Dentener, F., Segers, A., van Aardenne, J., Monni, S., Vermeulen, A. T., Schmidt, M., Ramonet, M., Yver, C., Meinhardt, F., Nisbet, E. G., Fisher, R. E., O'Doherty, S. and Dlugokencky, E. J.: Inverse modeling of European CH(4) emissions 2001-2006, J. Geophys. Res.-Atmospheres, 115, 2010.

Bergamaschi, P., Houweling, S., Segers, A., Krol, M., Frankenberg, C., Scheepmaker, R. A., Dlugokencky, E., Wofsy, S. C., Kort, E. A., Sweeney, C., Schuck, T., Brenninkmeijer, C., Chen, H., Beck, V. and Gerbig, C.: Atmospheric CH_4 in the first decade of the 21st century: Inverse modeling analysis using SCIAMACHY satellite retrievals and NOAA surface measurements, J. Geophys. Res. Atmospheres, 118(13), 7350–7369, doi:10.1002/jgrd.50480, 2013.

Bergamaschi, P., DANILA, A. M., Weiss, R., Thompson, R. L., Brunner, D., Levin, I., meijer, Y., Chevallier, F., Janssens-Maenhout, G., Bovensmann, H., Crisp, D., Basu, S., Dlugockencky, E. J., Engelen, R., Gerbig, C., Günther, D., Hammer, S., Henne, S., Houweling, S., Karstens, U., Kort, E. A., Maione, M., Manning, A. J., Miller, J., Montzka, S., Pandey, S., Peters, W., Peylin, P., Pinty, B., Ramonet, M., Reimann, S., Röckmann, T., Schmidt, M., Strogies, M., Sussams, J., Tarasova, O., Van Aardenne, J., Vermeulen, A. and Vogel, F.: Atmospheric monitoring and inverse modelling for verification of greenhouse gas inventories, EUR - Scientific and Technical Research Reports, Publications Office of the European Union. [online] Available from: https://ec.europa.eu/jrc/en/publication/eur-scientific-and-technical-research-reports/atmospheric-monitoring-and-inverse-modelling-verification-greenhouse-gas-inventories (Accessed 17 March 2020a), 2018.

Bergamaschi, P., Karstens, U., Manning, A. J., Saunois, M., Tsuruta, A., Berchet, A., Vermeulen, A. T., Arnold, T., Janssens-Maenhout, G., Hammer, S., Levin, I., Schmidt, M., Ramonet, M., Lopez, M., Lavric, J., Aalto, T., Chen, H., Feist, D. G., Gerbig, C., Haszpra, L., Hermansen, O., Manca, G., Moncrieff, J., Meinhardt, F., Necki, J., Galkowski, M., O'Doherty, S., Paramonova, N., Scheeren, H. A., Steinbacher, M. and Dlugokencky, E.: Inverse modelling of European CH_4 emissions during 2006–2012 using different inverse models and reassessed atmospheric observations, Atmospheric Chem. Phys., 18(2), 901–920, doi:10.5194/acp-18-901-2018, 2018b.

Bian, L., Gao, Z., Sun, Y., Ding, M., Tang, J. and Schnell, R. C.: CH4 Monitoring and Background Concentration at Zhongshan Station, Antarctica, Atmospheric Clim. Sci., 6(1), 135–144, doi:10.4236/acs.2016.61012, 2015.

Blake, D. R. and Rowland, F. S.: World-wide increase in tropospheric methane, 1978–1983, J. Atmospheric Chem., 4, 43–62, 1986.

Blake, D. R., Mayer, E. W., Tyler, S. C., Makide, Y., Montague, D. C. and Rowland, F. S.: Global Increase in Atmospheric Methane Concentrations between 1978 and 1980, Geophys. Res. Lett., 9(4), 477–480, 1982.

Bloom, A. A., Lee-Taylor, J., Madronich, S., Messenger, D. J., Palmer, P. I., Reay, D. S. and McLeod, A. R.: Global methane emission estimates from ultraviolet irradiation of terrestrial plant foliage, New Phytol., doi:10.1111/j.1469-8137.2010.03259.x, 2010.

Bohn, T. J., Melton, J. R., Ito, A., Kleinen, T., Spahni, R., Stocker, B. D., Zhang, B., Zhu, X., Schroeder, R., Glagolev, M. V., Maksyutov, S., Brovkin, V., Chen, G., Denisov, S. N., Eliseev, A. V., Gallego-Sala, A., McDonald, K. C., Rawlins, M. A., Riley, W. J., Subin, Z. M., Tian, H., Zhuang, Q. and Kaplan, J. O.: WETCHIMP-WSL: Intercomparison of wetland methane emissions models over West Siberia, Biogeosciences, 12(11), 3321–3349, doi:10.5194/bg-12-3321-2015, 2015.

Borges, A. V. and Abril, G.: Carbon Dioxide and Methane Dynamics in Estuaries, in Treatise on Estuarine and Coastal Science, vol. 5, pp. 119–161, Academic Press, Waltham. [online] Available from:

doi:10.1016/B978-0-12-374711-2.00504-0, 2011.

Borges, A. V., Darchambeau, F., Teodoru, C. R., Marwick, T. R., Tamooh, F., Geeraert, N., Omengo, F. O., Guerin, F., Lambert, T., Morana, C., Okuku, E. and Bouillon, S.: Globally significant greenhouse-gas emissions from African inland waters, Nat. Geosci, 8(8), 637–642, doi:10.1038/ngeo2486, 2015.

Bousquet, P., Ciais, P., Miller, J. B., Dlugokencky, E. J., Hauglustaine, D. A., Prigent, C., Van der Werf, G. R., Peylin, P., Brunke, E. G., Carouge, C., Langenfelds, R. L., Lathiere, J., Papa, F., Ramonet, M., Schmidt, M., Steele, L. P., Tyler, S. C. and White, J.: Contribution of anthropogenic and natural sources to atmospheric methane variability, Nature, 443(7110), 439–443, 2006.

Bousquet, P., Pierangelo, C., Bacour, C., Marshall, J., Peylin, P., Ayar, P. V., Ehret, G., Bréon, F.-M., Chevallier, F., Crevoisier, C., Gibert, F., Rairoux, P., Kiemle, C., Armante, R., Bès, C., Cassé, V., Chinaud, J., Chomette, O., Delahaye, T., Edouart, D., Estève, F., Fix, A., Friker, A., Klonecki, A., Wirth, M., Alpers, M. and Millet, B.: Error Budget of the MEthane Remote LIdar missioN and Its Impact on the Uncertainties of the Global Methane Budget, J. Geophys. Res. Atmospheres, 123(20), 11,766-11,785, doi:10.1029/2018JD028907, 2018.

Brandt, A. R., Heath, G. A., Kort, E. A., O'Sullivan, F., Pétron, G., Jordaan, S. M., Tans, P., Wilcox, J., Gopstein, A. M., Arent, D., Wofsy, S., Brown, N. J., Bradley, R., Stucky, G. D., Eardley, D. and Harriss, R.: Methane Leaks from North American Natural Gas Systems, Science, 343(6172), 733–735, doi:10.1126/science.1247045, 2014.

Brasseur, G. P. and Solomon, S.: Aeronomy of the Middle Atmosphere: Chemistry and Physics of the Stratosphere and Mesosphere, 3rd ed., Springer Netherlands., 2005.

Bruhwiler, L. M., Basu, S., Bergamaschi, P., Bousquet, P., Dlugokencky, E., Houweling, S., Ishizawa, M., Kim, H.-S., Locatelli, R., Maksyutov, S., Montzka, S., Pandey, S., Patra, P. K., Petron, G., Saunois, M., Sweeney, C., Schwietzke, S., Tans, P. and Weatherhead, E. C.: U.S. CH4 emissions from oil and gas production: Have recent large increases been detected?, J. Geophys. Res. Atmospheres, 122(7), 4070–4083, doi:10.1002/2016JD026157, 2017.

Buchwitz, M., de Beek, R., Burrows, J. P., Bovensmann, H., Warneke, T., Notholt, J., Meirink, J. F., Goede, A. P. H., Bergamaschi, P., Korner, S., Heimann, M. and Schulz, A.: Atmospheric methane and carbon dioxide from SCIAMACHY satellite data: initial comparison with chemistry and transport models, Atmospheric Chem. Phys., 5, 941–962, 2005a.

Buchwitz, M., de Beek, R., Noel, S., Burrows, J. P., Bovensmann, H., Bremer, H., Bergamaschi, P., Korner, S. and Heimann, M.: Carbon monoxide, methane and carbon dioxide columns retrieved from SCIAMACHY by WFM-DOAS: year 2003 initial data set, Atmospheric Chem. Phys., 5, 3313–3329, 2005b.

Buchwitz, M., Dils, B., Boesch, H., Crevoisier, C., Detmers, R., Frankenberg, C., Hasekamp, O., Hewson, W., Laeng, A., Noel, S., Nothold, J., Parker, R., Reuter, M. and Schneising, O.: Product Validation and

Intercomparison Report (PVIR) for the Essential Climate Variable (ECV) Greenhouse Gases (GHG), ESA Climate Change Initiative (CCI), report version 4, Feb 2016, http://www.esa-ghg-cci.org/?q=webfm_send/300., 2016.

Buitenhuis, E. T., Suntharalingam, P. and Le Quéré, C.: A new estimate of the ocean to atmosphere methane flux, including the first formal uncertainty estimate, Prep, 2019.

Butz, A., Guerlet, S., Hasekamp, O., Schepers, D., Galli, A., Aben, I., Frankenberg, C., Hartmann, J. M., Tran, H., Kuze, A., Keppel-Aleks, G., Toon, G., Wunch, D., Wennberg, P., Deutscher, N., Griffith, D., Macatangay, R., Messerschmidt, J., Notholt, J. and Warneke, T.: Toward accurate CO_2 and CH_4 observations from GOSAT, Geophys. Res. Lett., 38(14), L14812, doi:10.1029/2011gl047888, 2011.

Cai, Z. C., Xing, G., Yan, X., Xu, H., Tsuruta, H., Yagi, K. and Minami, K.: Methane and nitrous oxide emissions from rice paddy fields as affected by nitrous fertilizers and water management, Plant Soil, 196, 7–14, 1997.

Campeau, A. and del Giorgio, P. A.: Patterns in CH4 and CO2 concentrations across boreal rivers: Major drivers and implications for fluvial greenhouse emissions under climate change scenarios, Glob. Change Biol., 20(4), 1075–1088, doi:10.1111/gcb.12479, 2014.

Carlson, K. M., Gerber, J. S., Mueller, N. D., Herrero, M., MacDonald, G. K., Brauman, K. A., Havlik, P., O'Connell, C. S., Johnson, J. A., Saatchi, S. and West, P. C.: Greenhouse gas emissions intensity of global croplands, Nat. Clim. Change, 7(1), 63–68, doi:10.1038/nclimate3158, 2017.

Castelán-Ortega, O. A., Carlos Ku-Vera, J. and Estrada-Flores, J. G.: Modeling methane emissions and methane inventories for cattle production systems in Mexico, Atmósfera, 27(2), 185–191, doi:10.1016/S0187-6236(14)71109-9, 2014.

Cathles, L., Brown, L., Taam, M. and Hunter, A.: A commentary on "The greenhouse-gas footprint of natural gas in shale formations" by R.W. Howarth, R. Santoro, and Anthony Ingraffea, Clim. Change, 113(2), 525–535, doi:10.1007/s10584-011-0333-0, 2012.

Caulton, D., Shepson, P. B., Santoro, R. L., Sparks, J. P., Howarth, R. W., Anthony R, Ingraffea, A. R., Cambaliza, M. O. L., Sweeney, C., Karion, A., Davis, K. J., Stirm, B. H., Montzka, S. A. and Miller, B. R.: Toward a better understanding and quantification of methane emissions from shale gas development, Proc. Natl. Acad. Sci. USA, 111(17), 6237–6242, doi:10.1073/pnas.1316546111, 2014.

Chang, J., Peng, S., Ciais, P., Saunois, M., Dangal, S. R. S., Herrero, M., Havlík, P., Tian, H. and Bousquet, P.: Revisiting enteric methane emissions from domestic ruminants and their δ 13 C CH4 source signature, Nat. Commun., 10(1), 1–14, doi:10.1038/s41467-019-11066-3, 2019.

Channan, S., Collins, K. and Emanuel, W. K.: Global mosaics of the standard MODIS land cover type data, University of Maryland and the Pacific Northwest National Laboratory, College Park, Maryland, USA., 2014.

Chappellaz, J., Bluniert, T., Raynaud, D., Barnola, J. M., Schwander, J. and Stauffert, B.: Synchronous changes in atmospheric CH4 and Greenland climate between 40 and 8 kyr BP, Nature, 366(6454), 443–445, doi:10.1038/366443a0, 1993.

Chen, H., Zhu, Q., Peng, C., Wu, N., Wang, Y., Fang, X., Jiang, H., Xiang, W., Chang, J., Deng, X. and Yu, G.: Methane emissions from rice paddies natural wetlands, lakes in China: Synthesis new estimate, Glob. Change Biol., 19(1), 19–32, doi:10.1111/gcb.12034, 2013.

Chen, Y. H. and Prinn, R. G.: Estimation of atmospheric methane emissions between 1996 and 2001 using a three-dimensional global chemical transport model, J. Geophys. Res.-Atmospheres, 111(D10307), doi:10.1029/2005JD006058, 2006.

Chevallier, F., Bergamaschi, P., Feng, L., Houweling, S., Kaminski, T., Knorr, W., Marshall, J., Palmer, P. I., Reuter, M., Scholze, M. and Voßbeck, M.: Climate Assessment Report for the GHG-CCI project of ESA's Climate CHange Initiative, ESA Climate Intitiative (CCI). [online] Available from: http://cci.esa.int/sites/default/files/GHG-CCI_CARv4_final.pdf, 2017.

Ciais, P., Sabine, C., Bala, G., Bopp, L., Brovkin, V., Canadell, J., Chhabra, A., DeFries, R., Galloway, J., Heimann. M, Jones, C., Le Quéré, C., Myneni, R. B., Piao, S. and Thornton, P.: Carbon and Other Biogeochemical Sycles, in In Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of IPCC, edited by T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, and P. M. Midgley, Cambridge University Press, Cambridge., 2013.

Cicerone, R. J. and Oremland, R. S.: Biogeochemical aspects of atmospheric methane, Glob. Biogeochem. Cycles, 2, 299–327, 1988.

Cicerone, R. J. and Shetter, J. D.: Sources of atmospheric methane: Measurements in rice paddies and a discussion, J. Geophys. Res., 86, 7203–7209, 1981.

Collins, M., Knutti, R., Arblaster, J., Dufresne, J.-L., Fichefet, T., Friedlingstein, P., Gao, X., Gutowski, W. J., Johns, T., Krinner, G., Shongwe, M., Tebaldi, C., Weaver, A. J. and Wehner, M.: Long-term Climate Change: Projections, Commitments and Irreversibility., in In: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change., edited by T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, and P. M. Midgley, Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA., 2013.

Conley, S., Franco, G., Faloona, I., Blake, D. R., Peischl, J. and Ryerson, T. B.: Methane emissions from the 2015 Aliso Canyon blowout in Los Angeles, CA, Science, 351(6279), 1317–1320, doi:10.1126/science.aaf2348, 2016.

Conrad, R. and Seiler, W.: Influence of the surface microlayer on the flux of nonconservative trace gases

(CO, H_2, CH_4, N_2O) across the ocean-atmosphere interface, J. Atmospheric Chem., 6(1), 83–94, 1988.

Conrad, R., Klose, M. and Claus, P.: Phosphate Inhibits Acetotrophic Methanogenesis on Rice Roots, Appl. Environ. Microbiol., 66(2), 828–831, 2000.

Covey, K. R. and Megonigal, J. P.: Methane production and emissions in trees and forests, New Phytol., 222(1), 35–51, doi:10.1111/nph.15624, 2019.

Covey, K. R., Wood, S. A., Warren, R. J., Lee, X. and Bradford, M. A.: Elevated methane concentrations in trees of an upland forest, Geophys. Res. Lett., 39(15), doi:10.1029/2012gl052361, 2012.

Covey, K. R., de Mesquita, C. P. B., Oberle, B., Maynard, D. S., Bettigole, C., Crowther, T. W., Duguid, M. C., Steven, B., Zanne, A. E., Lapin, M., Ashton, M. S., Oliver, C. D., Lee, X. and Bradford, M. A.: Greenhouse trace gases in deadwood, Biogeochemistry, 130(3), 215–226, doi:10.1007/s10533-016-0253-1, 2016.

Crawford, J. T., Stanley, E. H., Spawn, S. A., Finlay, J. C., Loken, L. C. and Striegl, R. G.: Ebullitive methane emissions from oxygenated wetland streams, Glob. Change Biol., 20(11), 3408–3422, doi:10.1111/gcb.12614, 2014.

Crevoisier, C., Nobileau, D., Fiore, A. M., Armante, R., Chedin, A. and Scott, N. A.: Tropospheric methane in the tropics - first year from IASI hyperspectral infrared observations, Atmospheric Chem. Phys., 9(17), 6337–6350, 2009.

Crisp, D. et al.: A constellation architecture for monitoring carbon dioxide and methane from space, prepared by the CEOS Atmospheric Composition Virtual Constellation Greenhouse Gas Team. [online] Available from: http://ceos.org/document_management/Meetings/Plenary/32/documents/CEOS_AC-VC_White_Paper_Version_1_20181009.pdf (Accessed 25 March 2020), 2018.

Crutzen, P. J., Aselmann, I. and Seiler, W.: Methane production by domestic animals, wild ruminants, other herbivorous fauna, and humans, Tellus B, 38B(3–4), 271–284, doi:10.1111/j.1600-0889.1986.tb00193.x, 1986.

Cunnold, D. M., Steele, L. P., Fraser, P. J., Simmonds, P. G., Prinn, R. G., Weiss, R. F., Porter, L. W., O'Doherty, S., Langenfelds, R. L., Krummel, P. B., Wang, H. J., Emmons, L., Tie, X. X. and Dlugokencky, E. J.: In situ measurements of atmospheric methane at GAGE/AGAGE sites during 1985-2000 and resulting source inferences, J. Geophys. Res. - Atmospheres, 107(D14), doi:10.1029/2001jd001226, 2002.

Curry, C. L.: Modeling the soil consumption of atmospheric methane at the global scale, Glob. Biogeochem. Cycles, 21(4), GB4012, doi:10.1029/2006gb002818, 2007.

Dalsøren, S. B., Isaksen, I. S. A., Li, L. and Richter, A.: Effect of emission changes in Southeast Asia on global hydroxyl and methane lifetime, Tellus B, 61(4), 588–601, doi:10.1111/j.1600-0889.2009.00429.x, 2009.

Dalsøren, S. B., Myhre, C. L., Myhre, G., Gomez-Pelaez, A. J., Søvde, O. A., Isaksen, I. S. A., Weiss, R. F.

and Harth, C. M.: Atmospheric methane evolution the last 40 years, Atmospheric Chem. Phys., 16(5), 3099–3126, doi:10.5194/acp-16-3099-2016, 2016.

Damm, E., Rudels, B., Schauer, U., Mau, S. and Dieckmann, G.: Methane excess in Arctic surface water-triggered by sea ice formation and melting, Sci. Rep., 5, 16179, doi:10.1038/srep16179, 2015.

Dangal, S. R. S., Tian, H., Zhang, B., Pan, S., Lu, C. and Yang, J.: Methane emission from global livestock sector during 1890–2014: Magnitude, trends and spatiotemporal patterns, Glob. Change Biol., 23(10), 4147–4161, doi:10.1111/gcb.13709, 2017.

Darmenov, A. and da Silva, A.: The quick fire emissions dataset (QFED) - Documentation of versions 2.1, 2.2 and 2.4, Technical Report Series on Global Modeling and Data Assimilation, NASA Global Modeling and Assimilation Office,. [online] Available from: https://gmao.gsfc.nasa.gov/pubs/docs/Darmenov796.pdf (Accessed 11 March 2020), 2015.

Deemer, B. R., Harrison, J. A., Li, S., Beaulieu, J. J., DelSontro, T., Barros, N., Bezerra-Neto, J. F., Powers, S. M., dos Santos, M. A. and Vonk, J. A.: Greenhouse Gas Emissions from Reservoir Water Surfaces: A New Global Synthesis, BioScience, 66(11), 949–964, doi:10.1093/biosci/biw117, 2016.

DelSontro, T., Beaulieu, J. J. and Downing, J. A.: Greenhouse gas emissions from lakes and impoundments: Upscaling in the face of global change, Limnol. Oceanogr. Lett., 3(3), 64–75, doi:10.1002/lol2.10073, 2018.

Denman, K. L., G. Brasseur, A. Chidthaisong, P. Ciais, P. M. Cox, R. E. Dickinson, D. Hauglustaine, C. Heinze, E. Holland, D. Jacob, U. Lohmann, S Ramachandran, P. L. da Silva Dias, S. C. Wofsy and X. Zhang: Couplings Between Changes in the Climate System and Biogeochemistry, Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA., 2007.

Desai, A. R., Xu, K., Tian, H., Weishampel, P., Thom, J., Baumann, D., Andrews, A. E., Cook, B. D., King, J. Y. and Kolka, R.: Landscape-level terrestrial methane flux observed from a very tall tower, Agric. For. Meteorol., 201, 61–75, doi:10.1016/j.agrformet.2014.10.017, 2015.

Dlugokencky, E. J., Dutton, E. G., Novelli, P. C., Tans, P. P., Masarie, K. A., Lantz, K. O. and Madronich, S.: Changes in CH_4 and CO growth rates after the eruption of Mt Pinatubo and their link with changes in tropical tropospheric UV flux, Geophys. Res. Lett., 23(20), 2761–2764, 1996.

Dlugokencky, E. J., Myers, R. C., Lang, P. M., Masarie, K. A., Crotwell, A. M., Thoning, K. W., Hall, B. D., Elkins, J. W. and Steele, L. P.: Conversion of NOAA atmospheric dry air CH4 mole fractions to a gravimetrically prepared standard scale, J Geophys Res, 110(D18306), doi:10.1029/2005JD006035., 2005.

Dlugokencky, E. J., Bruhwiler, L., White, J. W. C., Emmons, L. K., Novelli, P. C., Montzka, S. A., Masarie, K. A., Lang, P. M., Crotwell, A. M., Miller, J. B. and Gatti, L. V.: Observational constraints on recent increases in the atmospheric CH4 burden, Geophys. Res. Lett., 36, 5 PP., doi:200910.1029/2009GL039780, 2009.

Dlugokencky, E. J., Nisbet, E. G., Fisher, R. and Lowry, D.: Global atmospheric methane: budget, changes

and dangers, Philos. Trans. R. Soc. - Math. Phys. Eng. Sci., 369(1943), 2058–2072, 2011.
Downing, J. A., Prairie, Y. T., Cole, J. J., Duarte, C. M., Tranvik, L. J., Striegl, R. G., McDowell, W. H., Kortelainen, P., Caraco, N. F., Melack, J. M. and Middelburg, J. J.: The global abundance and size distribution of lakes, ponds, and impoundments, Limnol. Oceanogr., 51(5), 2388–2397, doi:10.4319/lo.2006.51.5.2388, 2006.
Dubos, T., Dubey, S., Tort, M., Mittal, R., Meurdesoif, Y. and Hourdin, F.: DYNAMICO-1.0, an icosahedral hydrostatic dynamical core designed for consistency and versatility, Geosci. Model Dev., 8(10), 3131–3150, doi:10.5194/gmd-8-3131-2015, 2015.
Dueck, T. A., de Visser, R., Poorter, H., Persijn, S., A. Gorissen, A., W. de Visser, W., Schapendonk, A., Verhagen, J., Snel, J., Harren, F. J. M., Ngai, A. K. Y., Verstappen, F., Bouwmeester, H., Voesenek, L. A. C. J. and van der Werf, A.: No evidence for substantial aerobic methane emission by terrestrial plants: a ^{13}C-labelling approach, New Phytol., doi:10.1111/j.1469-8137.2007.02103.x, 2007.
Dutaur, L. and Verchot, L. V.: A global inventory of the soil CH_4 sink, Glob. Biogeochem Cycles, 21, GB4012, doi:10.1029/2006GB002734, 2007.
Ehhalt, D., Prather, M., Dentener, F., Derwent, R., Dlugokencky, E., Holland, E., Isaksen, I., Katima, J., Kirchhoff, V., Matson, P., Midgley, P. and Wang, M.: Atmospheric chemistry and greenhouse gases. In: Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change. [Houghton, J.T., et al. (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 239-287, 2001.
Ehhalt, D. H.: The atmospheric cycle of methane, Tellus, 26(1–2), 58–70, doi:10.1111/j.2153-3490.1974.tb01952.x, 1974.
Ehret, G., Bousquet, P., Pierangelo, C., Alpers, M., Millet, B., Abshire, J. B., Bovensmann, H., Burrows, J. P., Chevallier, F., Ciais, P., Crevoisier, C., Fix, A., Flamant, P., Frankenberg, C., Gibert, F., Heim, B., Heimann, M., Houweling, S., Hubberten, H. W., Jockel, P., Law, K., Low, A., Marshall, J., Agusti-Panareda, A., Payan, S., Prigent, C., Rairoux, P., Sachs, T., Scholze, M. and Wirth, M.: MERLIN: A French-German Space Lidar Mission Dedicated to Atmospheric Methane, Remote Sens., 9(10), 2017.
EIA: EIA - Annual Energy Outlook 2019, U.S. Energy Information Administration. [online] Available from: https://www.eia.gov/outlooks/archive/aeo19/ (Accessed 18 March 2020), 2019.
Etiope, G.: Natural Gas Seepage. The Earth's Hydrocarbon Degassing, Springer International Publishing., 2015.
Etiope, G. and Schwietzke, S.: Global geological methane emissions: an update of top-down and bottom-up estimates, Elem Sci Anth, 7(1), 47, doi:10.1525/elementa.383, 2019.
Etiope, G., Lassey, K. R., Klusman, R. W. and Boschi, E.: Reappraisal of the fossil methane budget and related emission from geologic sources, Geophys. Res. Lett., 35(9), L09307, doi:10.1029/2008gl033623,

2008.
Etiope, G., Ciotoli, G., Schwietzke, S. and Schoell, M.: Gridded maps of geological methane emissions and their isotopic signature, Earth Syst Sci Data, 11(1), 1–22, doi:10.5194/essd-11-1-2019, 2019.
Etminan, M., Myhre, G., Highwood, E. J. and Shine, K. P.: Radiative forcing of carbon dioxide, methane, and nitrous oxide: A significant revision of the methane radiative forcing, Geophys. Res. Lett., 43(24), 12,614-12,623, doi:10.1002/2016GL071930, 2016.
EU-Landfill-Directive: http://ec.europa.eu/environment/waste/landfill_index.htm, 1999.
Fang, S., Tans, P. P., Dong, F., Zhou, H. and Luan, T.: Characteristics of atmospheric CO_2 and CH_4 at the Shangdianzi regional background station in China, Atmos. Environ., 131, 1–8, doi:10.1016/j.atmosenv.2016.01.044, 2015.
FAO: FAOSTAT Emissions Land Use database. Food and Agriculture Organization of the United Nations. Statistical Division., [online] Available from: http://www.fao.org/faostat/en/#data/GL (Accessed 12 April 2019), 2019.
Federici, S., Tubiello, F. N., Salvatore, M., Jacobs, H. and Schmidhuber, J.: New estimates of CO2 forest emissions and removals: 1990–2015, For. Ecol. Manag., 352, 89–98, doi:10.1016/j.foreco.2015.04.022, 2015.
Feng, L., Braun, C., Arnold, S. R. and Gidden, M.: iiasa/emissions_downscaling: Supplemental Data, , doi:10.5281/zenodo.2538194, 2019.
Fisher, R. E., Sriskantharajah, S., Lowry, D., Lanoiselle, M., Fowler, C. M. R., James, R. H., Hermansen, O., Myhre, C. L., Stohl, A., Greinert, J., Nisbet-Jones, P. B. R., Mienert, J. and Nisbet, E. G.: Arctic methane sources: Isotopic evidence for atmospheric inputs, Geophys. Res. Lett., 38(21), L21803, doi:10.1029/2011gl049319, 2011.
Flores, E., Rhoderick, G. C., Viallon, J., Moussay, P., Choteau, T., Gameson, L., Guenther, F. R. and Wielgosz, R. I.: Methane standards made in whole and synthetic air compared by cavity ring down spectroscopy and gas chromatography with flame ionization detection for atmospheric monitoring applications, Anal. Chem., 87(6), 3272–3279, doi:10.1021/ac5043076, 2015.
Francey, R. J., Steele, L. P., Langenfelds, R. L. and Pak, B. C.: High precision long-term monitoring of radiatively active and related trace gases at surface sites and from aircraft in the southern hemisphere atmosphere, J. Atmospheric Sci., 56(2), 279–285, 1999.
Frankenberg, C., Meirink, J. F., van Weele, M., Platt, U. and Wagner, T.: Assessing methane emissions from global space-borne observations, Science, 308(5724), 1010–1014, 2005.
Fraser, A., Palmer, P. I., Feng, L., Boesch, H., Cogan, A., Parker, R., Dlugokencky, E. J., Fraser, P. J., Krummel, P. B., Langenfelds, R. L., O'Doherty, S., Prinn, R. G., Steele, L. P., van der Schoot, M. and Weiss, R. F.: Estimating regional methane surface fluxes: the relative importance of surface and GOSAT mole

Mis en forme : Français

fraction measurements, Atmospheric Chem. Phyics, 13(11), 5697–5713, doi:10.5194/acp-13-5697-2013, 2013.

Fraser, P. J., Rasmussen, R. A., Creffield, J. W., French, J. R. and Khalil, M. A. K.: Termites and global methane – Another assessment, J. Atmospheric Chem., 4, 295–310, 1986.

Fraser, W. T., Blei, E., Fry, S. C., Newman, M. F., Reay, D. S., Smith, K. A. and McLeod, A. R.: Emission of methane, carbon monoxide, carbon dioxide and short-chain hydrocarbons from vegetation foliage under ultraviolet irradiation, Plant Cell Environ., 38(5), 980–989, doi:10.1111/pce.12489, 2015.

Friedl, M. A., Sulla-Menashe, D., Tan, B., Schneider, A., Ramankutty, N., Sibley, A. and Huang, X.: MODIS Collection 5 Global Land Cover: Algorithm refinements and characterization of new datasets, Remote Sens Env., 114, 168–182, 2010.

GAEZv3. 0: Global Agro-Ecological Zones, available at: http://www.gaez.iiasa.ac.at/, 2012.

Ganesan, A. L., Stell, A. C., Gedney, N., Comyn-Platt, E., Hayman, G., Rigby, M., Poulter, B. and Hornibrook, E. R. C.: Spatially Resolved Isotopic Source Signatures of Wetland Methane Emissions, Geophys. Res. Lett., 45(8), 3737–3745, doi:10.1002/2018GL077536, 2018.

Garcias-Bonet, N. and Duarte, C. M.: Methane Production by Seagrass Ecosystems in the Red Sea, Front. Mar. Sci., 4, doi:10.3389/fmars.2017.00340, 2017.

Gaubert, B., Worden, H. M., Arellano, A. F. J., Emmons, L. K., Tilmes, S., Barré, J., Alonso, S. M., Vitt, F., Anderson, J. L., Alkemade, F., Houweling, S. and Edwards, D. P.: Chemical Feedback From Decreasing Carbon Monoxide Emissions, Geophys. Res. Lett., 44(19), 9985–9995, doi:10.1002/2017GL074987, 2017.

Gidden, M. J., Riahi, K., Smith, S. J., Fujimori, S., Luderer, G., Kriegler, E., Vuuren, D. P. van, Berg, M. van den, Feng, L., Klein, D., Calvin, K., Doelman, J. C., Frank, S., Fricko, O., Harmsen, M., Hasegawa, T., Havlik, P., Hilaire, J., Hoesly, R., Horing, J., Popp, A., Stehfest, E. and Takahashi, K.: Global emissions pathways under different socioeconomic scenarios for use in CMIP6: a dataset of harmonized emissions trajectories through the end of the century, Geosci. Model Dev., 12(4), 1443–1475, doi:10.5194/gmd-12-1443-2019, 2019.

Giglio, L., Randerson, J. T. and van der Werf, G. R.: Analysis of daily, monthly, and annual burned area using the fourth-generation global fire emissions database (GFED4), J. Geophys. Res. - Biogeosciences, 118(1), 317–328, doi:doi:10.1002/jgrg.20042, 2013.

Glagolev, M., Kleptsova, I., Filippov, I., Maksyutov, S. and Machida, T.: Regional methane emission from West Siberia mire landscapes, Environ. Res. Lett., 6(4), 045214, doi:doi:10.1088/1748-9326/6/4/045214, 2011.

Gomez Sanabria, A., Höglund Isaksson, L., Rafaj, P. and Schöpp, W.: Carbon in global waste and wastewater flows – its potential as energy source under alternative future waste management regimes., Adv. Geosci., 45:, 105-113., doi:10.5194/adgeo-45-105-2018., 2018.

Grinham, A., Albert, S., Deering, N., Dunbabin, M., Bastviken, D., Sherman, B., Lovelock, C. E. and Evans, C. D.: The importance of small artificial water bodies as sources of methane emissions in Queensland, Australia, Hydrol. Earth Syst. Sci., 22(10), 5281–5298, doi:10.5194/hess-22-5281-2018, 2018.

Gromov, S., Brenninkmeijer, C. A. M. and Jöckel, P.: A very limited role of tropospheric chlorine as a sink of the greenhouse gas methane, Atmospheric Chem. Phys., 18(13), 9831–9843, doi:10.5194/acp-18-9831-2018, 2018.

Guérin, F., Abril, G., Richard, S., Burban, B., Reynouard, C., Seyler, P. and Delmas, R.: Methane and carbon dioxide emissions from tropical reservoirs: Significance of downstream rivers, Geophys. Res. Lett., 33(21), L21407, doi:10.1029/2006GL027929, 2006.

Guérin, F., Deshmukh, C., Labat, D., Pighini, S., Vongkhamsao, A., Guédant, P., Rode, W., Godon, A., Chanudet, V., Descloux, S. and Serça, D.: Effect of sporadic destratification, seasonal overturn, and artificial mixing on CH_4 emissions from a subtropical hydroelectric reservoir, Biogeosciences, 13(12), 3647–3663, doi:10.5194/bg-13-3647-2016, 2016.

Gumbricht, T., Roman-Cuesta, R. M., Verchot, L., Herold, M., Wittmann, F., Householder, E., Herold, N. and Murdiyarso, D.: An expert system model for mapping tropical wetlands and peatlands reveals South America as the largest contributor, Glob. Change Biol., 23(9), 3581–3599, doi:10.1111/gcb.13689, 2017.

Gurney, K. R., Law, R. M., Denning, A. S., Rayner, P. J., Pak, B. C., Baker, D., Bousquet, P., Bruhwiler, L., Chen, Y. H., Ciais, P., Fung, I. Y., Heimann, M., John, J., Maki, T., Maksyutov, S., Peylin, P., Prather, M. and Taguchi, S.: Transcom 3 inversion intercomparison: Model mean results for the estimation of seasonal carbon sources and sinks, Glob. Biogeochem. Cycles, 18(1), GB2010, doi:10.1029/2003gb002111, 2004.

Haghnegahdar, M. A., Schauble, E. A. and Young, E. D.: A model for 12CH2D2 and 13CH3D as complementary tracers for the budget of atmospheric CH4, Glob. Biogeochem. Cycles, 31(9), 1387–1407, doi:10.1002/2017GB005655, 2017.

Harris, S. A., French, H. M., Heginbottom, J. A., Johnston, G. H., Ladanyi, B., Sego, D. C. and van Everdingen, R. O.: Glossary of permafrost and related ground-ice terms, National Research Council of Canada. Associate Committee on Geotechnical Research. Permafrost Subcommittee., 1988.

Hayman, G. D., O'Connor, F. M., Dalvi, M., Clark, D. B., Gedney, N., Huntingford, C., Prigent, C., Buchwitz, M., Schneising, O., Burrows, J. P., Wilson, C., Richards, N. and Chipperfield, M.: Comparison of the HadGEM2 climate-chemistry model against in situ and SCIAMACHY atmospheric methane data, Atmospheric Chem. Phys., 14, 13257–13280, doi:10.5194/acp-14-13257-2014, 2014.

Herrero, M., Havlik, P., Valin, H., Notenbaert, A., Rufino, M. C., Thornton, P. K., Blummel, M., Weiss, F., Grace, D. and Obersteiner, M.: Biomass use, production, feed efficiencies, and greenhouse gas emissions from global livestock systems, Proc. Natl. Acad. Sci., 110(52), 20888–20893, doi:10.1073/pnas.1308149110, 2013.

Mis en forme : Police :(Par défaut) Cambria Math

Hmiel, B., Petrenko, V. V., Dyonisius, M. N., Buizert, C., Smith, A. M., Place, P. F., Harth, C., Beaudette, R., Hua, Q., Yang, B., Vimont, I., Michel, S. E., Severinghaus, J. P., Etheridge, D., Bromley, T., Schmitt, J., Faïn, X., Weiss, R. F. and Dlugokencky, E.: Preindustrial 14 CH 4 indicates greater anthropogenic fossil CH 4 emissions, Nature, 578(7795), 409–412, doi:10.1038/s41586-020-1991-8, 2020.

Hoesly, R. M., Smith, S. J., Feng, L., Klimont, Z., Janssens-Maenhout, G., Pitkanen, T., Seibert, J. J., Vu, L., Andres, R. J., Bolt, R. M., Bond, T. C., Dawidowski, L., Kholod, N., Kurokawa, J. I., Li, M., Liu, L., Lu, Z., Moura, M. C. P., O'Rourke, P. R. and Zhang, Q.: Historical (1750–2014) anthropogenic emissions of reactive gases and aerosols from the Community Emissions Data System (CEDS), Geosci Model Dev, 11(1), 369–408, doi:10.5194/gmd-11-369-2018, 2018.

Höglund-Isaksson, L.: Global anthropogenic methane emissions 2005-2030: Technical mitigation potentials and costs, Atmospheric Chem. Phys., 12(19), 9079–9096, doi:10.5194/acp-12-9079-2012, 2012.

Höglund-Isaksson, L.: Bottom-up simulations of methane and ethane emissions from global oil and gas systems 1980 to 2012, Environ. Res. Lett., 12(2), 024007, doi:10.1088/1748-9326/aa583e, 2017.

Höglund-Isaksson, L., Thomson, A., Kupiainen, K., Rao, S. and Janssens-Maenhout, G.: Anthropogenic methane sources, emissions and future projections, Chapter 5 in AMAP Assessment 2015: Methane as an Arctic Climate Forcer, p. 39-59, available at http://www.amap.no/documents/doc/AMAP-Assessment-2015-Methane-as-an-Arctic-climate-forcer/1285., 2015.

Holgerson, M. A. and Raymond, P. A.: Large contribution to inland water CO 2 and CH 4 emissions from very small ponds, Nat. Geosci., 9(3), 222–226, doi:10.1038/ngeo2654, 2016.

Holmes, C. D., Prather, M. J., Søvde, O. A. and Myhre, G.: Future methane, hydroxyl, and their uncertainties: key climate and emission parameters for future predictions, Atmospheric Chem. Phys., 13(1), 285–302, doi:10.5194/acp-13-285-2013, 2013.

Hossaini, R., Chipperfield, M. P., Saiz-Lopez, A., Fernandez, R., Monks, S., Feng, W., Brauer, P. and Glasow, R. von: A global model of tropospheric chlorine chemistry: Organic versus inorganic sources and impact on methane oxidation, J. Geophys. Res. Atmospheres, 121(23), 14,271-14,297, doi:10.1002/2016JD025756, 2016.

Houweling, S., Krol, M., Bergamaschi, P., Frankenberg, C., Dlugokencky, E. J., Morino, I., Notholt, J., Sherlock, V., Wunch, D., Beck, V., Gerbig, C., Chen, H., Kort, E. A., Röckmann, T. and Aben, I.: A multi-year methane inversion using SCIAMACHY, accounting for systematic errors using TCCON measurements, Atmospheric Chem. Phys., 14(8), 3991–4012, doi:10.5194/acp-14-3991-2014, 2014.

Houweling, S., Bergamaschi, P., Chevallier, F., Heimann, M., Kaminski, T., Krol, M., Michalak, A. M. and Patra, P.: Global inverse modeling of CH_4 sources and sinks: an overview of methods, Atmospheric Chem. Phys., 17(1), 235–256, doi:10.5194/acp-17-235-2017, 2017.

Howarth, R. W.: Ideas and perspectives: is shale gas a major driver of recent increase in global atmospheric

Mis en forme : Police :(Par défaut) Cambria Math

methane?, Biogeosciences, 16(15), 3033–3046, doi:10.5194/bg-16-3033-2019, 2019.

Hu, H., Landgraf, J., Detmers, R., Borsdorff, T., Brugh, J. A. de, Aben, I., Butz, A. and Hasekamp, O.: Toward Global Mapping of Methane With TROPOMI: First Results and Intersatellite Comparison to GOSAT, Geophys. Res. Lett., 45(8), 3682–3689, doi:10.1002/2018GL077259, 2018.

Hugelius, G., Strauss, J., Zubrzycki, S., Harden, J. W., Schuur, E. A. G., Ping, C. L., Schirrmeister, L., Grosse, G., Michaelson, G. J., Koven, C. D., O'Donnell, J. A., Elberling, B., Mishra, U., Camill, P., Yu, Z., Palmtag, J. and Kuhry, P.: Estimated stocks of circumpolar permafrost carbon with quantified uncertainty ranges and identified data gaps, Biogeosciences, 11(23), 6573–6593, doi:10.5194/bg-11-6573-2014, 2014.

IEA: Coal Information 2019, International Energy Agency. [online] Available from: https://webstore.iea.org/coal-information-2019 (Accessed 18 March 2020a), 2019.

IEA: Electricity Information 2019, International Energy Agency. [online] Available from: https://webstore.iea.org/electricity-information-2019 (Accessed 18 March 2020b), 2019.

Inoue, M., Morino, I., Uchino, O., Nakatsuru, T., Yoshida, Y., Yokota, T., Wunch, D., Wennberg, P. O., Roehl, C. M., Griffith, D. W. T., Velazco, V. A., Deutscher, N. M., Warneke, T., Notholt, J., Robinson, J., Sherlock, V., Hase, F., Blumenstock, T., Rettinger, M., Sussmann, R., Kyrö, E., Kivi, R., Shiomi, K., Kawakami, S., Mazière, M. D., Arnold, S. G., Feist, D. G., Barrow, E. A., Barney, J., Dubey, M., Schneider, M., Iraci, L. T., Podolske, J. R., Hillyard, P. W., Machida, T., Sawa, Y., Tsuboi, K., Matsueda, H., Sweeney, C., Tans, P. P., Andrews, A. E., Biraud, S. C., Fukuyama, Y., Pittman, J. V., Kort, E. A. and Tanaka, T.: Bias corrections of GOSAT SWIR XCO_2 and XCH_4 with TCCON data and their evaluation using aircraft measurement data, Atmospheric Meas. Tech., 9(8), 3491–3512, doi:10.5194/amt-9-3491-2016, 2016.

IPCC: Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories. Intergovernmental Panel on Climate Change, National Greenhouse Gas Inventories Programme. Montreal, IPCC-XVI/Doc.10(1.IV.2000), May 2000., 2000.

IPCC: Climate change 2001: The scientific basis. Contribution of working group I to the third assessment report of the Intergovernmental Panel on Climate Change, Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA., 2001.

IPCC: IPCC Guidelines for National Greenhouse Gas Inventories. The National Greenhouse Gas Inventories Programme, Eggleston H.S., Buendia L., Miwa K., Ngara T. and Tanabe K. (eds). The Intergovernmental Panel on Climate Change, IPCC TSU NGGIP, IGES. Institute for Global Environmental Strategy, Hayama, Kanagawa, Japan. Available online at: http://www.ipcc-nggip.iges.or.jp/support/Primer_2006GLs.pdf., 2006.

IPCC: 2019 Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories — IPCC. [online] Available from: https://www.ipcc.ch/report/2019-refinement-to-the-2006-ipcc-guidelines-for-national-greenhouse-gas-inventories/ (Accessed 17 March 2020), 2019.

Ishizawa, M., Mabuchi, K., Shirai, T., Inoue, M., Morino, I., Uchino, O., Yoshida, Y., Belikov, D. and Maksyutov, S.: Inter-annual variability of summertime CO 2 exchange in Northern Eurasia inferred from GOSAT XCO 2, Environ. Res. Lett., 11(10), 105001, doi:10.1088/1748-9326/11/10/105001, 2016.

Ito, A. and Inatomi, M.: Use of a process-based model for assessing the methane budgets of global terrestrial ecosystems and evaluation of uncertainty, Biogeosciences, 9(2), 759–773, doi:10.5194/bg-9-759-2012, 2012.

Jackson, R. B., Down, A., Phillips, N. G., Ackley, R. C., Cook, C. W., Plata, D. L. and Zhao, K.: Natural gas pipeline leaks across Washington, D.C, Environ. Sci. Technol., 48(3), 2051–2058, doi:10.1021/es404474x, 2014a.

Jackson, R. B., Vengosh, A., Carey, J. W., Davies, R. J., Darrah, T. H., O'Sullivan, F. and Pétron, G.: The Environmental Costs and Benefits of Fracking, Annu. Rev. Environ. Resour., 39, 327–362, doi:10.1146/annurev-environ-031113-144051, 2014b.

James, R. H., Bousquet, P., Bussmann, I., Haeckel, M., Kipfer, R., Leifer, I., Niemann, H., Ostrovsky, I., Piskozub, J., Rehder, G., Treude, T., Vielstädte, L. and Greinert, J.: Effects of climate change on methane emissions from seafloor sediments in the Arctic Ocean: A review, Limnol. Oceanogr., 61(3), doi:10.1002/lno.10307, 2016.

Janssens-Maenhout, G., Crippa, M., Guizzardi, D., Muntean, M., Schaaf, E., Dentener, F., Bergamaschi, P., Pagliari, V., Olivier, J., Peters, J., van Aardenne, J., Monni, S., Doering, U., Petrescu, R., Solazzo, E. and Oreggioni, G.: EDGAR v4.3.2 Global Atlas of the three major Greenhouse Gas Emissions for the period 1970-2012, Earth Syst Sci Data Discuss, 2019, 1–52, doi:10.5194/essd-2018-164, 2019.

JAXA: GOSAT-2: Greenhouse gases Observing SATellite-2@ibuki2 JAXA"IBUKI-2", [online] Available from: https://global.jaxa.jp/projects/sat/gosat2/index.html (Accessed 25 March 2020), 2019.

Jensen, K. and Mcdonald, K.: Surface Water Microwave Product Series Version 3: A Near-Real Time and 25-Year Historical Global Inundated Area Fraction Time Series From Active and Passive Microwave Remote Sensing, IEEE Geosci. Remote Sens. Lett., 16(9), 1402–1406, doi:10.1109/LGRS.2019.2898779, 2019.

Jiang, Y., Groenigen, K. J. van, Huang, S., Hungate, B. A., Kessel, C. van, Hu, S., Zhang, J., Wu, L., Yan, X., Wang, L., Chen, J., Hang, X., Zhang, Y., Horwath, W. R., Ye, R., Linquist, B. A., Song, Z., Zheng, C., Deng, A. and Zhang, W.: Higher yields and lower methane emissions with new rice cultivars, Glob. Change Biol., 23(11), 4728–4738, doi:10.1111/gcb.13737, 2017.

Johnson, D. E., Phetteplace, H. W. and Seidl, A. F.: Methane, nitrous oxide and carbon dioxide emissions from ruminant livestock production systems, edited by J. Takahashi and B. A. Young, pp. 77–85, Elsevier, Amsterdam, The Netherlands., 2002.

Jung, M., Reichstein, M. and Bondeau, A.: Towards global empirical upscaling of FLUXNET eddy covariance observations: validation of a model tree ensemble approach using a biosphere model, Biogeosciences, 6(10), 2001–2013, doi:10.5194/bg-6-2001-2009, 2009.

Jung, M., Reichstein, M., Margolis, H. A., Cescatti, A., Richardson, A. D., Arain, M. A., Arneth, A., Bernhofer, C., Bonal, D., Chen, J., Gianelle, D., Gobron, N., Kiely, G., Kutsch, W., Lasslop, G., Law, B. E., Lindroth, A., Merbold, L., Montagnani, L., Moors, E. J., Papale, D., Sottocornola, M., Vaccari, F. and Williams, C.: Global patterns of land-atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observations, J Geophys Res, 116, G00J07, doi:10.1029/2010jg001566, 2011.

Kai, F. M., Tyler, S. C., Randerson, J. T. and Blake, D. R.: Reduced methane growth rate explained by decreased Northern Hemisphere microbial sources, Nature, 476(7359), 194–197, 2011.

Kaiser, J. W., Heil, A., Andreae, M. O., Benedetti, A., Chubarova, N., Jones, L., Morcrette, J. J., Razinger, M., Schultz, M. G., Suttie, M. and van der Werf, G. R.: Biomass burning emissions estimated with a global fire assimilation system based on observed fire radiative power, Biogeosciences, 9(1), 527–554, doi:10.5194/bg-9-527-2012, 2012.

Kang, Y., Pan, D., Bai, Y., He, X., Chen, X., Chen, C.-T. A. and Wang, D.: Areas of the global major river plumes, Acta Oceanol. Sin., 32(1), 79–88, doi:10.1007/s13131-013-0269-5, 2013.

Karion, A., Sweeney, C., Pétron, G., Frost, G., Michael Hardesty, R., Kofler, J., Miller, B. R., Newberger, T., Wolter, S., Banta, R., Brewer, A., Dlugokencky, E., Lang, P., Montzka, S. A., Schnell, R., Tans, P., Trainer, M., Zamora, R. and Conley, S.: Methane emissions estimate from airborne measurements over a western United States natural gas field, Geophys. Res. Lett., 40(16), 4393–4397, doi:10.1002/grl.50811, 2013.

Keppler, F., Hamilton, J. T. G., Brass, M. and Rockmann, T.: Methane emissions from terrestrial plants under aerobic conditions, Nature, 439, 187–191, doi:10.1038/nature04420, 2006.

Kholod, N., Evans, M., Pilcher, R. C., Roshchanka, V., Ruiz, F., Coté, M. and Collings, R.: Global methane emissions from coal mining to continue growing even with declining coal production, J. Clean. Prod., 256, 120489, doi:10.1016/j.jclepro.2020.120489, 2020.

Kirschke, S., Bousquet, P., Ciais, P., Saunois, M., Canadell, J. G., Dlugokencky, E. J., Bergamaschi, P., Bergmann, D., Blake, D. R., Bruhwiler, L., Cameron-Smith, P., Castaldi, S., Chevallier, F., Feng, L., Fraser, A., Heimann, M., Hodson, E. L., Houweling, S., Josse, B., Fraser, P. J., Krummel, P. B., Lamarque, J. F., Langenfelds, R. L., Le Quere, C., Naik, V., O'Doherty, S., Palmer, P. I., Pison, I., Plummer, D., Poulter, B., Prinn, R. G., Rigby, M., Ringeval, B., Santini, M., Schmidt, M., Shindell, D. T., Simpson, I. J., Spahni, R., Steele, L. P., Strode, S. A., Sudo, K., Szopa, S., van der Werf, G. R., Voulgarakis, A., van Weele, M., Weiss, R. F., Williams, J. E. and Zeng, G.: Three decades of global methane sources and sinks, Nat. Geosci., 6(10), 813–823, doi:10.1038/ngeo1955, 2013.

Klauda, J. B. and Sandler, S. I.: Global distribution of methane hydrate in ocean sediment, Energy Fuels, 19(2), 459–470, 2005.

Kleinen, T., Brovkin, V. and Schuldt, R. J.: A dynamic model of wetland extent and peat accumulation: results for the Holocene, Biogeosciences, 9(1), 235–248, doi:10.5194/bg-9-235-2012, 2012.

Kleinen, T., Mikolajewicz, U. and Brovkin, V.: Terrestrial methane emissions from Last Glacial Maximum to preindustrial, Clim. Past Discuss., 1–32, doi:10.5194/cp-2019-109, 2019.

Knox, S. H., Jackson, R. B., Poulter, B., McNicol, G., Fluet-Chouinard, E., Zhang, Z., Hugelius, G., Bousquet, P., Canadell, J. G., Saunois, M., Papale, D., Chu, H., Keenan, T. F., Baldocchi, D., Torn, M. S., Mammarella, I., Trotta, C., Aurela, M., Bohrer, G., Campbell, D. I., Cescatti, A., Chamberlain, S., Chen, J., Chen, W., Dengel, S., Desai, A. R., Euskirchen, E., Friborg, T., Gasbarra, D., Goded, I., Goeckede, M., Heimann, M., Helbig, M., Hirano, T., Hollinger, D. Y., Iwata, H., Kang, M., Klatt, J., Krauss, K. W., Kutzbach, L., Lohila, A., Mitra, B., Morin, T. H., Nilsson, M. B., Niu, S., Noormets, A., Oechel, W. C., Peichl, M., Peltola, O., Reba, M. L., Richardson, A. D., Runkle, B. R. K., Ryu, Y., Sachs, T., Schäfer, K. V. R., Schmid, H. P., Shurpali, N., Sonnentag, O., Tang, A. C. I., Ueyama, M., Vargas, R., Vesala, T., Ward, E. J., Windham-Myers, L., Wohlfahrt, G. and Zona, D.: FLUXNET-CH4 Synthesis Activity: Objectives, Observations, and Future Directions, Bull. Am. Meteorol. Soc., 100(12), 2607–2632, doi:10.1175/BAMS-D-18-0268.1, 2019.

Kretschmer, K., Biastoch, A., Rüpke, L. and Burwicz, E.: Modeling the fate of methane hydrates under global warming, Glob. Biogeochem Cycles, 29(5), 610–625, doi:1002/2014GB005011, 2015.

Kvenvolden, K. A., Reeburgh, W. S. and Lorenson, T. D.: Attention turns to naturally occurring methane seepages, EOS Trans. Am. Geophys. Union, 82(40), 457, 2001.

Lamarque, J. F., Shindell, D. T., Josse, B., Young, P. J., Cionni, I., Eyring, V., Bergmann, D., Cameron-Smith, P., Collins, W. J., Doherty, R., Dalsoren, S., Faluvegi, G., Folberth, G., Ghan, S. J., Horowitz, L. W., Lee, Y. H., MacKenzie, I. A., Nagashima, T., Naik, V., Plummer, D., Righi, M., Rumbold, S. T., Schulz, M., Skeie, R. B., Stevenson, D. S., Strode, S., Sudo, K., Szopa, S., Voulgarakis, A. and Zeng, G.: The Atmospheric Chemistry and Climate Model Intercomparison Project (ACCMIP): overview and description of models, simulations and climate diagnostics, Geosci. Model Dev., 6(1), 179–206, doi:10.5194/gmd-6-179-2013, 2013.

Lamb, B. K., Edburg, S. L., Ferrara, T. W., Howard, T., Harrison, M. R., Kolb, C. E., Townsend-Small, A., Dyck, W., Possolo, A. and Whetstone, J. R.: Direct Measurements Show Decreasing Methane Emissions from Natural Gas Local Distribution Systems in the United States, Environ. Sci. Technol., 49(8), 5161–5169, doi:10.1021/es505116p, 2015.

Lambert, G. and Schmidt, S.: Reevaluation of the oceanic flux of methane: Uncertainties and long term variations, Chemosphere, 26(1–4), 579–589, doi:10.1016/0045-6535(93)90443-9., 1993.

Lamontagne, R. A., Swinnerton, J. W., Linnenbom, V. J. and Smith, W. D.: Methane concentrations in various marine environments, J. Geophys. Res., 78(24), 5317–5324, doi:10.1029/JC078i024p05317, 1973.

Laruelle, G. G., Dürr, H. H., Lauerwald, R., Hartmann, J., Slomp, C. P., Goossens, N. and Regnier, P. a. G.: Global multi-scale segmentation of continental and coastal waters from the watersheds to the continental margins, Hydrol. Earth Syst. Sci., 17(5), 2029–2051, doi:10.5194/hess-17-2029-2013, 2013.

Lassey, K. R., Etheridge, D. M., Lowe, D. C., Smith, A. M. and Ferretti, D. F.: Centennial evolution of the atmospheric methane budget: what do the carbon isotopes tell us?, Atmospheric Chem. Phys., 7(8), 2119–2139, 2007a.

Lassey, K. R., Lowe, D. C. and Smith, A. M.: The atmospheric cycling of radiomethane and the "fossil fraction" of the methane source, Atmospheric Chem. Phys., 7(8), 2141–2149, 2007b.

Le Quéré, C., Buitenhuis, E. T., Moriarty, R., Alvain, S., Aumont, O., Bopp, L., Chollet, S., Enright, C., Franklin, D. J., Geider, R. J., Harrison, S. P., Hirst, A. G., Larsen, S., Legendre, L., Platt, T., Prentice, I. C., Rivkin, R. B., Sailley, S., Sathyendranath, S., Stephens, N., Vogt, M. and Vallina, S. M.: Role of zooplankton dynamics for Southern Ocean phytoplankton biomass andglobal biogeochemical cycles, Biogeosciences, 13(14), 4111–4133, doi:10.5194/bg-13-4111-2016, 2016.

Lehner, B. and Döll, P.: Development and validation of a global database of lakes, reservoirs and wetlands, J. Hydrol., 296, 1–22, doi:10.1016/j.jhydrol.2004.03.028, 2004.

Lelieveld, J., Crutzen, P. J. and Dentener, F. J.: Changing concentration, lifetime and climate forcing of atmospheric methane, Tellus Ser. B-Chem. Phys. Meteorol., 50(2), 128–150, doi:10.1034/j.1600-0889.1998.t01-1-00002.x, 1998.

Lelieveld, J., Lechtenbohmer, S., Assonov, S. S., Brenninkmeijer, C. A. M., Dienst, C., Fischedick, M. and Hanke, T.: Greenhouse gases: Low methane leakage from gas pipelines, Nature, 434(7035), 841–842, doi:10.1038/434841a, 2005.

Lenhart, K., Klintzsch, T., Langer, G., Nehrke, G., Bunge, M., Schnell, S. and Keppler, F.: Evidence for methane production by the marine algae *Emiliania huxleyi*, Biogeosciences, 13(10), 3163–3174, doi:10.5194/bg-13-3163-2016, 2016.

Lewan, M. D.: Comment on <q>Ideas and perspectives: is shale gas a major driver of recent increase in global atmospheric methane?</q> by Robert W. Howarth (2019), Biogeosciences Discuss., 1–10, doi:10.5194/bg-2019-419, 2020.

Li, C., Frolking, S., Xiao, X., Moore, B., Boles, S., Qiu, J., Huang, Y., Salas, W. and Sass, R.: Modeling impacts of farming management alternatives on CO_2, CH_4, and N_2O emissions: A case study for water management of rice agriculture of China, Glob. Biogeochem. Cycles, 19(3), doi:10.1029/2004gb002341, 2005.

Lin, X., Indira, N. K., Ramonet, M., Delmotte, M., Ciais, P., Bhatt, B. C., Reddy, M. V., Angchuk, D., Balakrishnan, S., Jorphail, S., Dorjai, T., Mahey, T. T., Patnaik, S., Begum, M., Brenninkmeijer, C., Durairaj, S., Kirubagaran, R., Schmidt, M., Swathi, P. S., Vinithkumar, N. V., Yver Kwok, C. and Gaur, V. K.: Long-

lived atmospheric trace gases measurements in flask samples from three stations in India, Atmospheric Chem. Phys., 15(17), 9819–9849, doi:10.5194/acp-15-9819-2015, 2015.

Liu, Z., Guan, D., Wei, W., Davis, S. J., Ciais, P., Bai, J., Peng, S., Zhang, Q., Hubacek, K., Marland, G., Andres, R. J., Crawford-Brown, D., Lin, J., Zhao, H., Hong, C., Boden, T. A., Feng, K., Peters, G. P., Xi, F., Liu, J., Li, Y., Zhao, Y., Zeng, N. and He, K.: Reduced carbon emission estimates from fossil fuel combustion and cement production in China, Nature, 524(7565), 335–338, doi:10.1038/nature14677, 2015.

Locatelli, R., Bousquet, P., Saunois, M., Chevallier, F. and Cressot, C.: Sensitivity of the recent methane budget to LMDz sub-grid-scale physical parameterizations, Atmospheric Chem. Phys., 15(17), 9765–9780, doi:10.5194/acp-15-9765-2015, 2015.

Lohila, A., Aalto, T., Aurela, M., Hatakka, J., Tuovinen, J.-P., Kilkki, J., Penttilä, T., Vuorenmaa, J., Hänninen, P., Sutinen, R., Viisanen, Y. and Laurila, T.: Large contribution of boreal upland forest soils to a catchment-scale CH_4 balance in a wet year, Geophys. Res. Lett., 43(6), 2946–2953, doi:10.1002/2016gl067718, 2016.

Maavara, T., Lauerwald, R., Laruelle, G. G., Akbarzadeh, Z., Bouskill, N. J., Cappellen, P. V. and Regnier, P.: Nitrous oxide emissions from inland waters: Are IPCC estimates too high?, Glob. Change Biol., 25(2), 473–488, doi:10.1111/gcb.14504, 2019.

Maksyutov, S., Oda, T., Saito, M., Janardanan, R., Belikov, D., Kaiser, J. W., Zhuravlev, R., Ganshin, A., Valsala, V. K., Andrews, A., Chmura, L., Dlugokencky, E., Haszpra, L., Langenfelds, R. L., Machida, T., Nakazawa, T., Ramonet, M., Sweeney, C. and Worthy, D.: Technical note: A high-resolution inverse modelling technique for estimating surface CO_2 fluxes based on the NIES-TM – FLEXPART coupled transport model and its adjoint, Atmospheric Chem. Phys. Discuss., 1–33, doi:10.5194/acp-2020-251, 2020.

van Marle, M. J. E., Kloster, S., Magi, B. I., Marlon, J. R., Daniau, A.-L., Field, R. D., Arneth, A., Forrest, M., Hantson, S., Kehrwald, N. M., Knorr, W., Lasslop, G., Li, F., Mangeon, S., Yue, C., Kaiser, J. W. and Werf, G. R. van der: Historic global biomass burning emissions for CMIP6 (BB4CMIP) based on merging satellite observations with proxies and fire models (1750–2015), Geosci. Model Dev., 10(9), 3329–3357, doi:10.5194/gmd-10-3329-2017, 2017.

Matthews, E. and Fung, I.: Methane emission from natural wetlands: Global distribution, area, and environmental characteristics of sources, Glob. Biogeochem. Cycles, 1(1), 61–86, doi:d10.1029/GB001i001p00061, 1987.

McCalley, C. K., Woodcroft, B. J., Hodgkins, S. B., Wehr, R. A., Kim, E.-H., Mondav, R., Crill, P. M., Chanton, J. P., Rich, V. I., Tyson, G. W. and Saleska, S. R.: Methane dynamics regulated by microbial community response to permafrost thaw, Nature, 514(7523), 478–481, doi:10.1038/nature13798, 2014.

McCarthy, M. C., Boering, K. A., Rice, A. L., Tyler, S. C., Connell, P. and Atlas, E.: Carbon and hydrogen isotopic compositions of stratospheric methane: 2. Two-dimensional model results and implications for

kinetic isotope effects, J. Geophys. Res. Atmospheres, 108(D15), doi:10.1029/2002JD003183, 2003.

McGuire, A. D., Christensen, T. R., Heroult, A., Miller, P. A., Hayes, D., Euskirchen, E., Kimball, J. S., Yi, Y., Koven, C., Lafleur, P., Oechel, W., Peylin, P. and Williams, M.: An assessment of the carbon balance of Arctic tundra, Comp. Obs. Process Models Atmospheric Inversions, 9(Article), 3185–3204, doi:10.5194/bg-9-3185-2012, 2012.

McKain, K., Down, A., Raciti, S. M., Budney, J., Hutyra, L. R., Floerchinger, C., Herndon, S. C., Nehrkorn, T., Zahniser, M. S., Jackson, R. B., Phillips, N. and Wofsy, S. C.: Methane emissions from natural gas infrastructure and use in the urban region of Boston, Massachusetts, Proc. Natl. Acad. Sci., 112(7), 1941–1946, doi:10.1073/pnas.1416261112, 2015.

Mcleod, E., Chmura, G. L., Bouillon, S., Salm, R., Björk, M., Duarte, C. M., Lovelock, C. E., Schlesinger, W. H. and Silliman, B. R.: A blueprint for blue carbon: toward an improved understanding of the role of vegetated coastal habitats in sequestering CO2, Front. Ecol. Environ., 9(10), 552–560, doi:10.1890/110004, 2011.

McNorton, J., Chipperfield, M. P., Gloor, M., Wilson, C., Feng, W., Hayman, G. D., Rigby, M., Krummel, P. B., O'Doherty, S., Prinn, R. G., Weiss, R. F., Young, D., Dlugokencky, E. and Montzka, S. A.: Role of OH variability in the stalling of the global atmospheric CH_4 growth rate from 1999 to 2006, Atmospheric Chem. Phys. Discuss., 2016, 1–24, doi:10.5194/acp-2015-1029, 2016.

McNorton, J., Wilson, C., Gloor, M., Parker, R. J., Boesch, H., Feng, W., Hossaini, R. and Chipperfield, M. P.: Attribution of recent increases in atmospheric methane through 3-D inverse modelling, Atmospheric Chem. Phys., 18(24), 18149–18168, doi:10.5194/acp-18-18149-2018, 2018.

Meinshausen, M., Smith, S., Calvin, K., Daniel, J., Kainuma, M., Lamarque, J. F., Matsumoto, K., Montzka, S., Raper, S., Riahi, K., Thomson, A., Velders, G. and van Vuuren, D. P.: The RCP greenhouse gas concentrations and their extensions from 1765 to 2300, Clim. Change, 109(1), 213–241, doi:10.1007/s10584-011-0156-z, 2011.

Melton, J. R. and Arora, V. K.: Competition between plant functional types in the Canadian Terrestrial Ecosystem Model (CTEM) v. 2.0, Geosci. Model Dev., 9(1), 323–361, doi:10.5194/gmd-9-323-2016, 2016.

Melton, J. R., Wania, R., Hodson, E. L., Poulter, B., Ringeval, B., Spahni, R., Bohn, T., Avis, C. A., Beerling, D. J., Chen, G., Eliseev, A. V., Denisov, S. N., Hopcroft, P. O., Lettenmaier, D. P., Riley, W. J., Singarayer, J. S., Subin, Z. M., Tian, H., Zürcher, S., Brovkin, V., van Bodegom, P. M., Kleinen, T., Yu, Z. C. and Kaplan, J. O.: Present state of global wetland extent and wetland methane modelling: conclusions from a model intercomparison project (WETCHIMP), Biogeosciences, 10(2), 753–788, doi:10.5194/bg-10-753-2013, 2013.

Membrive, O., Crevoisier, C., Sweeney, C., Danis, F., Hertzog, A., Engel, A., Bönisch, H. and Picon, L.: AirCore-HR: a high-resolution column sampling to enhance the vertical description of CH_4 and CO_2,

Atmospheric Meas. Tech., 10(6), 2163–2181, doi:10.5194/amt-10-2163-2017, 2017.
Mercado, L. M., Bellouin, N., Sitch, S., Boucher, O., Huntingford, C., Wild, M. and Cox, P. M.: Impact of changes in diffuse radiation on the global land carbon sink, Nature, 458(7241), 1014–1017, doi:10.1038/nature07949, 2009.
Messager, M. L., Lehner, B., Grill, G., Nedeva, I. and Schmitt, O.: Estimating the volume and age of water stored in global lakes using a geo-statistical approach, Nat. Commun., 7(1), 1–11, doi:10.1038/ncomms13603, 2016.
Middelburg, J. J., Nieuwenhuize, J., Iversen, N., Høgh, N., de Wilde, H., Helder, W., Seifert, R. and Christof, O.: Methane distribution in European tidal estuaries, Biogeochemistry, 59(1), 95–119, doi:10.1023/A:1015515130419, 2002.
Mijling, B., van der A, R. J. and Zhang, Q.: Regional nitrogen oxides emission trends in East Asia observed from space, Atmospheric Chem. Phys., 13(23), 12003–12012, doi:doi:10.5194/acp-13-12003-2013, 2013.
Milkov, A. V.: Molecular and stable isotope compositions of natural gas hydrates: A revised global dataset and basic interpretations in the context of geological settings, Org. Geochem., 36(5), 681–702, 2005.
Minkkinen, K. and Laine, J.: Vegetation heterogeneity and ditches create spatial variability in methane fluxes from peatlands drained for forestry, Plant Soil, 285(1), 289–304, doi:10.1007/s11104-006-9016-4, 2006.
Miyazaki, K., Eskes, H. J. and Sudo, K.: A tropospheric chemistry reanalysis for the years 2005–2012 based on an assimilation of OMI, MLS, TES, and MOPITT satellite data, Atmospheric Chem. Phys., 15(14), 8315–8348, doi:10.5194/acp-15-8315-2015, 2015.
Montzka, S. A., Krol, M., Dlugokencky, E., Hall, B., Jockel, P. and Lelieveld, J.: Small Interannual Variability of Global Atmospheric Hydroxyl, Science, 331(6013), 67–69, 2011.
Moore, C. W., Zielinska, B., Pétron, G. and Jackson, R. B.: Air impacts of increased natural gas acquisition, processing, and use: a critical review, Environ. Sci. Technol., 48, 8349–8359, doi:10.1021/es4053472, 2014.
Morgenstern, O., Hegglin, M. I., Rozanov, E., O'Connor, F. M., Abraham, N. L., Akiyoshi, H., Archibald, A. T., Bekki, S., Butchart, N., Chipperfield, M. P., Deushi, M., Dhomse, S. S., Garcia, R. R., Hardiman, S. C., Horowitz, L. W., Jöckel, P., Josse, B., Kinnison, D., Lin, M., Mancini, E., Manyin, M. E., Marchand, M., Marécal, V., Michou, M., Oman, L. D., Pitari, G., Plummer, D. A., Revell, L. E., Saint-Martin, D., Schofield, R., Stenke, A., Stone, K., Sudo, K., Tanaka, T. Y., Tilmes, S., Yamashita, Y., Yoshida, K. and Zeng, G.: Review of the global models used within phase 1 of the Chemistry–Climate Model Initiative (CCMI), Geosci. Model Dev., 10(2), 639–671, doi:10.5194/gmd-10-639-2017, 2017.
Morgenstern, O., Stone, K. A., Schofield, R., Akiyoshi, H., Yamashita, Y., Kinnison, D. E., Garcia, R. R., Sudo, K., Plummer, D. A., Scinocca, J., Oman, L. D., Manyin, M. E., Zeng, G., Rozanov, E., Stenke, A., Revell, L. E., Pitari, G., Mancini, E., Di Genova, G., Visioni, D., Dhomse, S. S. and Chipperfield, M. P.: Ozone sensitivity to varying greenhouse gases and ozone-depleting substances in CCMI-1 simulations,

Atmos Chem Phys, 18(2), 1091–1114, doi:10.5194/acp-18-1091-2018, 2018.

Morino, I., Uchino, O., Inoue, M., Yoshida, Y., Yokota, T., Wennberg, P. O., Toon, G. C., Wunch, D., Roehl, C. M., Notholt, J., Warneke, T., Messerschmidt, J., Griffith, D. W. T., Deutscher, N. M., Sherlock, V., Connor, B., Robinson, J., Sussmann, R. and Rettinger, M.: Preliminary validation of column-averaged volume mixing ratios of carbon dioxide and methane retrieved from GOSAT short-wavelength infrared spectra, Atmospheric Meas. Tech., 4(6), 1061–1076, 2011.

Murguia-Flores, F., Arndt, S., Ganesan, A. L., Murray-Tortarolo, G. and Hornibrook, E. R. C.: Soil Methanotrophy Model (MeMo v1.0): a process-based model to quantify global uptake of atmospheric methane by soil, Geosci. Model Dev., 11(6), 2009–2032, doi:10.5194/gmd-11-2009-2018, 2018.

Myhre, G., Shindell, D., Bréon, F.-M., Collins, W., Fuglestvedt, J., Huang, J., Koch, D., Lamarque, J.-F., Lee, D., Mendoza, B., Nakajima, T., Robock, A., Stephens, G., Takemura, T. and Zhang, H.: Anthropogenic and Natural Radiative Forcing., in In Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change., edited by T. F. Stocker, D. D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, and P. M. Midgley, Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA., 2013.

Naik, V., Voulgarakis, A., Fiore, A. M., Horowitz, L. W., Lamarque, J. F., Lin, M., Prather, M. J., Young, P. J., Bergmann, D., Cameron-Smith, P. J., Cionni, I., Collins, W. J., Dals√∏ren, S. B., Doherty, R., Eyring, V., Faluvegi, G., Folberth, G. A., Josse, B., Lee, Y. H., MacKenzie, I. A., Nagashima, T., van Noije, T. P. C., Plummer, D. A., Righi, M., Rumbold, S. T., Skeie, R., Shindell, D. T., Stevenson, D. S., Strode, S., Sudo, K., Szopa, S. and Zeng, G.: Preindustrial to present day changes in tropospheric hydroxyl radical and methane lifetime from the Atmospheric Chemistry and Climate Model Intercomparison Project (ACCMIP), Atmospheric Chem. Phys., 13(10), 5277–5298, doi:10.5194/acp-13-5277-2013, 2013.

Nakazawa, T., Machida, T., Tanaka, M., Fujii, Y., Aoki, S. and Watanabe, O.: Differences of the atmospheric CH4 concentration between the Arctic and Antarctic regions in pre-industrial/pre-agricultural era, Geophys. Res. Lett., 20(10), 943–946, doi:10.1029/93GL00776, 1993.

Natchimuthu, S., Sundgren, I., Gålfalk, M., Klemedtsson, L., Crill, P., Danielsson, Å. and Bastviken, D.: Spatio-temporal variability of lake CH_4 fluxes and its influence on annual whole lake emission estimates, Limnol. Oceanogr., doi:10.1002/lno.10222, 2015.

Nellemann, C., Corcoran, E., Duarte, C., Valdes, L., De Young, C., Fonseca, L. and Grimsditch, G.: Blue carbon: the role of healthy oceans in binding carbon: a rapid response assessment, UNEP report, GRID-Arendal, Arendal, [Norway]. [online] Available from: https://ccom.unh.edu/sites/default/files/publications/Nellemann_2010_BlueCarbon_book.pdf, 2009.

Nicely, J. M., Salawitch, R. J., Canty, T., Anderson, D. C., Arnold, S. R., Chipperfield, M. P., Emmons, L.

K., Flemming, J., Huijnen, V., Kinnison, D. E., Lamarque, J.-F., Mao, J., Monks, S. A., Steenrod, S. D., Tilmes, S. and Turquety, S.: Quantifying the causes of differences in tropospheric OH within global models, J. Geophys. Res. Atmospheres, 122(3), 1983–2007, doi:10.1002/2016JD026239, 2017.

Nisbet, E. G., Dlugokencky, E. J., Manning, M. R., Lowry, D., Fisher, R. E., France, J. L., Michel, S. E., Miller, J. B., White, J. W. C., Vaughn, B., Bousquet, P., Pyle, J. A., Warwick, N. J., Cain, M., Brownlow, R., Zazzeri, G., Lanoisellé, M., Manning, A. C., Gloor, E., Worthy, D. E. J., Brunke, E.-G., Labuschagne, C., Wolff, E. W. and Ganesan, A. L.: Rising atmospheric methane: 2007–2014 growth and isotopic shift, Glob. Biogeochem. Cycles, 30(9), 1356–1370, doi:10.1002/2016GB005406, 2016.

Nisbet, E. G., Manning, M. R., Dlugokencky, E. J., Fisher, R. E., Lowry, D., Michel, S. E., Myhre, C. L., Platt, S. M., Allen, G., Bousquet, P., Brownlow, R., Cain, M., France, J. L., Hermansen, O., Hossaini, R., Jones, A. E., Levin, I., Manning, A. C., Myhre, G., Pyle, J. A., Vaughn, B., Warwick, N. J. and White, J. W. C.: Very strong atmospheric methane growth in the four years 2014-2017: Implications for the Paris Agreement, Glob. Biogeochem. Cycles, 0(ja), doi:10.1029/2018GB006009, 2019.

Nisbet, R. E. R., Fisher, R., Nimmo, R. H., Bendall, D. S., Crill, P. M., Gallego-Sala, A. V., Hornibrook, E. R. C., Lopez-Juez, E., Lowry, D., Nisbet, P. B. R., Shuckburgh, E. F., Sriskantharajah, S., Howe, C. J. and Nisbet, E. G.: Emission of methane from plants, Proc. R. Soc. B-Biol. Sci., 276(1660), 1347–1354, 2009.

Niwa, Y., Tomita, H., Satoh, M., Imasu, R., Sawa, Y., Tsuboi, K., Matsueda, H., Machida, T., Sasakawa, M., Belan, B. and Saigusa, N.: A 4D-Var inversion system based on the icosahedral grid model (NICAM-TM 4D-Var v1.0) – Part 1: Offline forward and adjoint transport models, Geosci. Model Dev., 10(3), 1157–1174, doi:10.5194/gmd-10-1157-2017, 2017a.

Niwa, Y., Fujii, Y., Sawa, Y., Iida, Y., Ito, A., Satoh, M., Imasu, R., Tsuboi, K., Matsueda, H. and Saigusa, N.: A 4D-Var inversion system based on the icosahedral grid model (NICAM-TM 4D-Var v1.0) – Part 2: Optimization scheme and identical twin experiment of atmospheric CO_2 inversion, Geosci. Model Dev., 10(6), 2201–2219, doi:10.5194/gmd-10-2201-2017, 2017b.

Obu, J., Westermann, S., Bartsch, A., Berdnikov, N., Christiansen, H. H., Dashtseren, A., Delaloye, R., Elberling, B., Etzelmüller, B., Kholodov, A., Khomutov, A., Kääb, A., Leibman, M. O., Lewkowicz, A. G., Panda, S. K., Romanovsky, V., Way, R. G., Westergaard-Nielsen, A., Wu, T., Yamkhin, J. and Zou, D.: Northern Hemisphere permafrost map based on TTOP modelling for 2000–2016 at 1 km2 scale, Earth-Sci. Rev., 193, 299–316, doi:10.1016/j.earscirev.2019.04.023, 2019.

Olivier, J. G. J. and Janssens-Maenhout, G.: Part III: Total Greenhouse Gas Emissions, of CO_2 Emissions from Fuel Combustion (2014 ed.), International Energy Agency, Paris, ISBN-978-92-64-21709-6., 2014.

Ollivier, Q. R., Maher, D. T., Pitfield, C. and Macreadie, P. I.: Punching above their weight: Large release of greenhouse gases from small agricultural dams, Glob. Change Biol., 25(2), 721–732, doi:10.1111/gcb.14477, 2019.

O'Neill, B. C., Tebaldi, C., Vuuren, D. P. van, Eyring, V., Friedlingstein, P., Hurtt, G., Knutti, R., Kriegler, E., Lamarque, J.-F., Lowe, J., Meehl, G. A., Moss, R., Riahi, K. and Sanderson, B. M.: The Scenario Model Intercomparison Project (ScenarioMIP) for CMIP6, Geosci. Model Dev., 9(9), 3461–3482, doi:https://doi.org/10.5194/gmd-9-3461-2016, 2016.

Osudar, R., Matousu, A., Alawi, M., Wagner, D. and Bussmann, I.: Environmental factors affecting methane distribution and bacterial methane oxidation in the German Bight (North Sea), Estuar. Coast. Shelf Sci., doi:10.1016/j.ecss.2015.03.028, 2015.

Pacala, S. W.: Verifying greenhouse gas emissions: Methods to support international climate agreements, National Academies Press., 2010.

Pandey, S., Houweling, S., Krol, M., Aben, I., Chevallier, F., Dlugokencky, E. J., Gatti, L. V., Gloor, M., Miller, J. B., Detmers, R., Machida, T. and Röckmann, T.: Inverse modeling of GOSAT-retrieved ratios of total column CH_4 and CO_2 for 2009 and 2010, Atmospheric Chem. Phys. Discuss., 2016, 1–32, doi:10.5194/acp-2016-77, 2016.

Pandey, S., Gautam, R., Houweling, S., Gon, H. D. van der, Sadavarte, P., Borsdorff, T., Hasekamp, O., Landgraf, J., Tol, P., Kempen, T. van, Hoogeveen, R., Hees, R. van, Hamburg, S. P., Maasakkers, J. D. and Aben, I.: Satellite observations reveal extreme methane leakage from a natural gas well blowout, Proc. Natl. Acad. Sci., 116(52), 26376–26381, doi:10.1073/pnas.1908712116, 2019.

Pangala, S. R., Moore, S., Hornibrook, E. R. C. and Gauci, V.: Trees are major conduits for methane egress from tropical forested wetlands, New Phytol., 197(2), 524–531, doi:10.1111/nph.12031, 2013.

Pangala, S. R., Hornibrook, E. R. C., Gowing, D. J. and Gauci, V.: The contribution of trees to ecosystem methane emissions in a temperate forested wetland, Glob. Change Biol., 21(7), 2642–2654, doi:10.1111/gcb.12891, 2015.

Pangala, S. R., Enrich-Prast, A., Basso, L. S., Peixoto, R. B., Bastviken, D., Hornibrook, E. R. C., Gatti, L. V., Marotta, H., Calazans, L. S. B., Sakuragui, C. M., Bastos, W. R., Malm, O., Gloor, E., Miller, J. B. and Gauci, V.: Large emissions from floodplain trees close the Amazon methane budget, Nature, 552(7684), 230–234, doi:10.1038/nature24639, 2017.

Paris, J.-D., Ciais, P., Nedelec, P., Stohl, A., Belan, B. D., Arshinov, M. Y., Carouge, C., Golitsyn, G. S. and Granberg, I. G.: New insights on the chemical composition of the Siberian air shed from the YAK AEROSIB aircraft campaigns, Bull. Am. Meteorol. Soc., 91(5), 625–641, doi:10.1175/2009BAMS2663.1., 2010.

Parker, R., Boesch, H., Cogan, A., Fraser, A., Feng, L., Palmer, P. I., Messerschmidt, J., Deutscher, N., Griffith, D. W. T., Notholt, J., Wennberg, P. O. and Wunch, D.: Methane observations from the Greenhouse Gases Observing SATellite: Comparison to ground-based TCCON data and model calculations, Geophys. Res. Lett., 38(15), L15807, doi:10.1029/2011gl047871, 2011.

Pathak, H., Li, C. and Wassmann, R.: Greenhouse gas emissions from Indian rice fields: calibration and

upscaling using the DNDC model, Biogeosciences, 1(1), 1–11, 2005.

Patra, P. K., Houweling, S., Krol, M., Bousquet, P., Belikov, D., Bergmann, D., Bian, H., Cameron-Smith, P., Chipperfield, M. P., Corbin, K., Fortems-Cheiney, A., Fraser, A., Gloor, E., Hess, P., Ito, A., Kawa, S. R., Law, R. M., Loh, Z., Maksyutov, S., Meng, L., Palmer, P. I., Prinn, R. G., Rigby, M., Saito, R. and Wilson, C.: TransCom model simulations of CH_4 and related species: linking transport, surface flux and chemical loss with CH_4 variability in the troposphere and lower stratosphere, Atmospheric Chem. Phys., 11(24), 12,813-12,837, doi:10.5194/acp-11-12813-2011, 2011.

Patra, P. K., Krol, M. C., Montzka, S. A., Arnold, T., Atlas, E. L., Lintner, B. R., Stephens, B. B., Xiang, B., Elkins, J. W., Fraser, P. J., Ghosh, A., Hintsa, E. J., Hurst, D. F., Ishijima, K., Krummel, P. B., Miller, B. R., Miyazaki, K., Moore, F. L., Mühle, J., O'Doherty, S., Prinn, R. G., Steele, L. P., Takigawa, M., Wang, H. J., Weiss, R. F., Wofsy, S. C. and Young, D.: Observational evidence for interhemispheric hydroxyl-radical parity, Nature, 513(7517), 219–223, doi:10.1038/nature13721, 2014.

Patra, P. K., Saeki, T., Dlugokencky, E. J., Ishijima, K., Umezawa, T., Ito, A., Aoki, S., Morimoto, S., Kort, E. A., Crotwell, A., Ravikumar, K. and Nakazawa, T.: Regional methane emission estimation based on observed atmospheric concentrations (2002-2012)., J. Meteorol. Soc. Jpn., 94(1), 85–107, doi:10.2151/jmsj.2016-006, 2016.

Patra, P. K., Takigawa, M., Watanabe, S., Chandra, N., Ishijima, K. and Yamashita, Y.: Improved Chemical Tracer Simulation by MIROC4.0-based Atmospheric Chemistry-Transport Model (MIROC4-ACTM), SOLA, 14(0), 91–96, doi:10.2151/sola.2018-016, 2018.

Paull, C. K., Brewer, P. G., Ussler, W., Peltzer, E. T., Rehder, G. and Clague, D.: An experiment demonstrating that marine slumping is a mechanism to transfer methane from seafloor gas-hydrate deposits into the upper ocean and atmosphere, Geo-Mar. Lett., 22(4), 198–203, doi:10.1007/s00367-002-0113-y, 2002.

Peischl, J., Ryerson, T. B., Aikin, K. C., de Gouw, J. A., Gilman, J. B., Holloway, J. S., Lerner, B. M., Nadkarni, R., Neuman, J. A., Nowak, J. B., Trainer, M., Warneke, C. and Parrish, D. D.: Quantifying atmospheric methane emissions from the Haynesville, Fayetteville, and northeastern Marcellus shale gas production regions, J. Geophys. Res. Atmospheres, 120(5), 2119–2139, doi:10.1002/2014jd022697, 2015.

Pekel, J.-F., Cottam, A., Gorelick, N. and Belward, A. S.: High-resolution mapping of global surface water and its long-term changes, Nature, 540(7633), 418–422, doi:10.1038/nature20584, 2016.

Peltola, O., Vesala, T., Gao, Y., Räty, O., Alekseychik, P., Aurela, M., Chojnicki, B., Desai, A. R., Dolman, A. J., Euskirchen, E. S., Friborg, T., Göckede, M., Helbig, M., Humphreys, E., Jackson, R. B., Jocher, G., Joos, F., Klatt, J., Knox, S. H., Kowalska, N., Kutzbach, L., Lienert, S., Lohila, A., Mammarella, I., Nadeau, D. F., Nilsson, M. B., Oechel, W. C., Peichl, M., Pypker, T., Quinton, W., Rinne, J., Sachs, T., Samson, M., Schmid, H. P., Sonnentag, O., Wille, C., Zona, D. and Aalto, T.: Monthly gridded data product of northern

wetland methane emissions based on upscaling eddy covariance observations, Earth Syst. Sci. Data, 11(3), 1263–1289, doi:10.5194/essd-11-1263-2019, 2019.

Peng, S. S., Piao, S. L., Bousquet, P., Ciais, P., Li, B. G., Lin, X., Tao, S., Wang, Z. P., Zhang, Y. and Zhou, F.: Inventory of anthropogenic methane emissions in Mainland China from 1980 to 2010, Atmospheric Chem. Phys. Discuss., 2016, 1–29, doi:10.5194/acp-2016-139, 2016.

Pérez-Barbería, F. J.: Scaling methane emissions in ruminants and global estimates in wild populations, Sci. Total Environ., 579, 1572–1580, doi:10.1016/j.scitotenv.2016.11.175, 2017.

Petrenko, V. V., Smith, A. M., Schaefer, H., Riedel, K., Brook, E., Baggenstos, D., Harth, C., Hua, Q., Buizert, C., Schilt, A., Fain, X., Mitchell, L., Bauska, T., Orsi, A., Weiss, R. F. and Severinghaus, J. P.: Minimal geological methane emissions during the Younger Dryas–Preboreal abrupt warming event, Nature, 548, 443, doi:10.1038/nature23316 https://www.nature.com/articles/nature23316#supplementary-information, 2017.

Pétron, G., Karion, A., Sweeney, C., Miller, B. R., Montzka, S. A., Frost, G. J., Trainer, M., Tans, P., Andrews, A., Kofler, J., Helmig, D., Guenther, D., Dlugokencky, E., Lang, P., Newberger, T., Wolter, S., Hall, B., Novelli, P., Brewer, A., Conley, S., Hardesty, M., Banta, R., White, A., Noone, D., Wolfe, D. and Schnell, R.: A new look at methane and nonmethane hydrocarbon emissions from oil and natural gas operations in the Colorado Denver-Julesburg Basin, J. Geophys. Res. Atmospheres, 119(11), 6836–6852, doi:10.1002/2013jd021272, 2014.

Phillips, N. G., Ackley, R., Crosson, E. R., Down, A., Hutyra, L. R., Brondfield, M., Karr, J. D., Zhao, K. and Jackson, R. B.: Mapping urban pipeline leaks: Methane leaks across Boston, Environ. Pollut., 173, 1–4, doi:10.1016/j.envpol.2012.11.003, 2013.

Pison, I., Ringeval, B., Bousquet, P., Prigent, C. and Papa, F.: Stable atmospheric methane in the 2000s: key-role of emissions from natural wetlands, Atmospheric Chem. Phys. Discuss., 13(4), 9017–9049, doi:10.5194/acpd-13-9017-2013, 2013.

Pitz, S. and Megonigal, J. P.: Temperate forest methane sink diminished by tree emissions, New Phytol., 214(4), 1432–1439, doi:10.1111/nph.14559, 2017.

Platt, U., Allan, W. and Lowe, D.: Hemispheric average Cl atom concentration from $^{13}C/^{12}C$ ratios in atmospheric methane, Atmos Chem Phys, 4, 2393–2399, 2004.

Pollard, D. F., Sherlock, V., Robinson, J., Deutscher, N. M., Connor, B. and Shiona, H.: The Total Carbon Column Observing Network site description for Lauder, New Zealand, Earth Syst. Sci. Data, 9(2), 977–992, doi:10.5194/essd-9-977-2017, 2017.

Portmann, R. W., Daniel, J. S. and Ravishankara, A. R.: Stratospheric ozone depletion due to nitrous oxide: influences of other gases, Philos. Trans. R. Soc. Lond. B Biol. Sci., 367(1593), 1256–1264, doi:10.1098/rstb.2011.0377, 2012.

Poulter, B., Bousquet, P., Canadell, J. G., Ciais, P., Peregon, A., Saunois, M., Arora, V. K., Beerling, D. J., Brovkin, V., Jones, C. D., Joos, F., Gedney, N., Ito, A., Kleinen, T., Koven, C. D., McDonald, K., Melton, J. R., Peng, C. H., Peng, S. S., Prigent, C., Schroeder, R., Riley, W. J., Saito, M., Spahni, R., Tian, H. Q., Taylor, L., Viovy, N., Wilton, D., Wiltshire, A., Xu, X. Y., Zhang, B. W., Zhang, Z. and Zhu, Q. A.: Global wetland contribution to 2000-2012 atmospheric methane growth rate dynamics, Environ. Res. Lett., 12(9), doi:10.1088/1748-9326/aa8391, 2017.

Prather, M. J., Holmes, C. D. and Hsu, J.: Reactive greenhouse gas scenarios: Systematic exploration of uncertainties and the role of atmospheric chemistry, Geophys. Res. Lett., 39(9), L09803, doi:10.1029/2012gl051440, 2012.

Prigent, C., Jimenez, C. and Bousquet, P.: Satellite-Derived Global Surface Water Extent and Dynamics Over the Last 25 Years (GIEMS-2), J. Geophys. Res. Atmospheres, 125(3), e2019JD030711, doi:10.1029/2019JD030711, 2020.

Prinn, R. G., Weiss, R. F., Fraser, P. J., Simmonds, P. G., Cunnold, D. M., Alyea, F. N., O'Doherty, S., Salameh, P., Miller, B. R., Huang, J., Wang, R. H. J., Hartley, D. E., Harth, C., Steele, L. P., Sturrock, G., Midgley, P. M. and McCulloch, A.: A history of chemically and radiatively important gases in air deduced from ALE/GAGE/AGAGE, J. Geophys. Res.-Atmospheres, 105(D14), 17,751-17,792, 2000.

Ramankutty, N. and Foley, J. A.: Estimating historical changes in global land cover: Croplands from 1700 to 1992, Glob. Biogeochem Cycles, 13(4), 997–1027, doi:10.1029/1999gb900046, 1999.

Randerson, J. T., Chen, Y., van der Werf, G. R., Rogers, B. M. and Morton, D. C.: Global burned area and biomass burning emissions from small fires, J. Geophys. Res. Biogeosciences, 117, G4, doi:10.1029/2012jg002128, 2012.

Raymond, P. A., Hartmann, J., Lauerwald, R., Sobek, S., McDonald, C., Hoover, M., Butman, D., Striegl, R., Mayorga, E., Humborg, C., Kortelainen, P., Dürr, H., Meybeck, M., Ciais, P. and Guth, P.: Global carbon dioxide emissions from inland waters, Nature, 503(7476), 355–359, doi:10.1038/nature12760, 2013.

Ren, W. E. I., Tian, H., Xu, X., Liu, M., Lu, C., Chen, G., Melillo, J., Reilly, J. and Liu, J.: Spatial and temporal patterns of CO_2 and CH_4 fluxes in China's croplands in response to multifactor environmental changes, Tellus B, 63(2), 222–240, doi:10.1111/j.1600-0889.2010.00522.x, 2011.

Repeta, D. J., Ferrón, S., Sosa, O. A., Johnson, C. G., Repeta, L. D., Acker, M., DeLong, E. F. and Karl, D. M.: Marine methane paradox explained by bacterial degradation of dissolved organic matter, Nat. Geosci., 9(12), 884–887, doi:10.1038/ngeo2837, 2016.

Rhee, T. S., Kettle, A. J. and Andreae, M. O.: Methane and nitrous oxide emissions from the ocean: A reassessment using basin-wide observations in the Atlantic, J. Geophys. Res.-Atmospheres, 114, doi:10.1029/2008JD011662, 2009a.

Rhee, T. S., Kettle, A. J. and Andreae, M. O.: Methane and nitrous oxide emissions from the ocean: A

reassessment using basin-wide observations in the Atlantic, J. Geophys. Res.-Atmospheres, 114(D12), D12304, doi:10.1029/2008jd011662, 2009b.

Riahi, K., van Vuuren, D. P., Kriegler, E., Edmonds, J., O'Neill, B. C., Fujimori, S., Bauer, N., Calvin, K., Dellink, R., Fricko, O., Lutz, W., Popp, A., Cuaresma, J. C., Kc, S., Leimbach, M., Jiang, L., Kram, T., Rao, S., Emmerling, J., Ebi, K., Hasegawa, T., Havlik, P., Humpenöder, F., Da Silva, L. A., Smith, S., Stehfest, E., Bosetti, V., Eom, J., Gernaat, D., Masui, T., Rogelj, J., Strefler, J., Drouet, L., Krey, V., Luderer, G., Harmsen, M., Takahashi, K., Baumstark, L., Doelman, J. C., Kainuma, M., Klimont, Z., Marangoni, G., Lotze-Campen, H., Obersteiner, M., Tabeau, A. and Tavoni, M.: The Shared Socioeconomic Pathways and their energy, land use, and greenhouse gas emissions implications: An overview, Glob. Environ. Change, 42, 153–168, doi:10.1016/j.gloenvcha.2016.05.009, 2017.

Rice, A. L., Butenhoff, C. L., Shearer, M. J., Teama, D., Rosenstiel, T. N. and Khalil, M. A. K.: Emissions of anaerobically produced methane by trees, Geophys. Res. Lett., 37, L03807, doi:10.1029/2009GL041565, 2010.

Ridgwell, A. J., Marshall, S. J. and Gregson, K.: Consumption of atmospheric methane by soils: A process-based model, Glob. Biogeochem. Cycles, 13(1), 59–70, doi:10.1029/1998gb900004, 1999.

Riedel, T. P., Wolfe, G. M., Danas, K. T., Gilman, J. B., Kuster, W. C., Bon, D. M., Vlasenko, A., Li, S. M., Williams, E. J., Lerner, B. M., Veres, P. R., Roberts, J. M., Holloway, J. S., Lefer, B., Brown, S. S. and Thornton, J. A.: An MCM modeling study of nitryl chloride ($ClNO_2$) impacts on oxidation, ozone production and nitrogen oxide partitioning in polluted continental outflow, Atmospheric Chem. Phys., 14(8), 3789–3800, doi:10.5194/acp-14-3789-2014, 2014.

Rigby, M., Montzka, S. A., Prinn, R. G., White, J. W. C., Young, D., O'Doherty, S., Lunt, M. F., Ganesan, A. L., Manning, A. J., Simmonds, P. G., Salameh, P. K., Harth, C. M., Mühle, J., Weiss, R. F., Fraser, P. J., Steele, L. P., Krummel, P. B., McCulloch, A. and Park, S.: Role of atmospheric oxidation in recent methane growth, Proc. Natl. Acad. Sci., 114(21), 5373, 2017.

Riley, W. J., Subin, Z. M., Lawrence, D. M., Swenson, S. C., Torn, M. S., Meng, L., Mahowald, N. M. and Hess, P.: Barriers to predicting changes in global terrestrial methane fluxes: analyses using CLM4Me, a methane biogeochemistry model integrated in CESM, Biogeosciences, 8(7), 1925–1953, doi:10.5194/bg-8-1925-2011, 2011.

Ringeval, B., Friedlingstein, P., Koven, C., Ciais, P., de Noblet-Ducoudre, N., Decharme, B. and Cadule, P.: Climate-CH_4 feedback from wetlands and its interaction with the climate-CO_2 feedback, Biogeosciences, 8(8), 2137–2157, doi:10.5194/bg-8-2137-2011, 2011.

Röckmann, T., Brass, M., Borchers, R. and Engel, A.: The isotopic composition of methane in the stratosphere: high-altitude balloon sample measurements, Atmospheric Chem. Phys., 11(24), 13,287-13,304, doi:10.5194/acp-11-13287-2011, 2011.

Rosentreter, J. A., Maher, D. T., Erler, D. V., Murray, R. H. and Eyre, B. D.: Methane emissions partially offset "blue carbon" burial in mangroves, Sci. Adv., 4(6), eaao4985, doi:10.1126/sciadv.aao4985, 2018.

Saad, K. M., Wunch, D., Toon, G. C., Bernath, P., Boone, C., Connor, B., Deutscher, N. M., Griffith, D. W. T., Kivi, R., Notholt, J., Roehl, C., Schneider, M., Sherlock, V. and Wennberg, P. O.: Derivation of tropospheric methane from TCCON CH_4 and HF total column observations, Atmospheric Meas. Technol., 7(9), 2907–2918, doi:10.5194/amt-7-2907-2014, 2014.

Sanderson, M. G.: Biomass of termites and their emissions of methane and carbon dioxide: A global database, Glob. Biogeochem. Cycles, 10(4), 543–557, doi:10.1029/96gb01893, 1996.

Santini, M. and Di Paola, A.: Changes in the world rivers' discharge projected from an updated high resolution dataset of current and future climate zones, J. Hydrol., 531(3), 768–780, 2015.

Sasakawa, M., Tsunogai, U., Kameyama, S., Nakagawa, F., Nojiri, Y. and Tsuda, A.: Carbon isotopic characterization for the origin of excess methane in subsurface seawater, J. Geophys. Res. Oceans, 113, C3, doi:10.1029/2007jc004217, 2008.

Sasakawa, M., Shimoyama, K., Machida, T., Tsuda, N., Suto, H., Arshinov, M., Davydov, D., Fofonov, A., Krasnov, O., Saeki, T., Koyama, Y. and Maksyutov, S.: Continuous measurements of methane from a tower network over Siberia, Tellus B, 62(5), 403–416, doi:10.1111/j.1600-0889.2010.00494.x, 2010.

Saunois, M., Bousquet, P., Poulter, B., Peregon, A., Ciais, P., Canadell, J. G., Dlugokencky, E. J., Etiope, G., Bastviken, D., Houweling, S., Janssens-Maenhout, G., Tubiello, F. N., Castaldi, S., Jackson, R. B., Alexe, M., Arora, V. K., Beerling, D. J., Bergamaschi, P., Blake, D. R., Brailsford, G., Brovkin, V., Bruhwiler, L., Crevoisier, C., Crill, P., Covey, K., Curry, C., Frankenberg, C., Gedney, N., Höglund-Isaksson, L., Ishizawa, M., Ito, A., Joos, F., Kim, H. S., Kleinen, T., Krummel, P., Lamarque, J. F., Langenfelds, R., Locatelli, R., Machida, T., Maksyutov, S., McDonald, K. C., Marshall, J., Melton, J. R., Morino, I., Naik, V., O'Doherty, S., Parmentier, F. J. W., Patra, P. K., Peng, C., Peng, S., Peters, G. P., Pison, I., Prigent, C., Prinn, R., Ramonet, M., Riley, W. J., Saito, M., Santini, M., Schroeder, R., Simpson, I. J., Spahni, R., Steele, P., Takizawa, A., Thornton, B. F., Tian, H., Tohjima, Y., Viovy, N., Voulgarakis, A., van Weele, M., van der Werf, G. R., Weiss, R., Wiedinmyer, C., Wilton, D. J., Wiltshire, A., Worthy, D., Wunch, D., Xu, X., Yoshida, Y., Zhang, B., Zhang, Z. and Zhu, Q.: The global methane budget 2000–2012, Earth Syst Sci Data, 8(2), 697–751, doi:10.5194/essd-8-697-2016, 2016.

Saunois, M., Bousquet, P., Poulter, B., Peregon, A., Ciais, P., Canadell, J. G., Dlugokencky, E. J., Etiope, G., Bastviken, D., Houweling, S., Janssens-Maenhout, G., Tubiello, F. N., Castaldi, S., Jackson, R. B., Alexe, M., Arora, V. K., Beerling, D. J., Bergamaschi, P., Blake, D. R., Brailsford, G., Bruhwiler, L., Crevoisier, C., Crill, P., Covey, K., Frankenberg, C., Gedney, N., Höglund-Isaksson, L., Ishizawa, M., Ito, A., Joos, F., Kim, H. S., Kleinen, T., Krummel, P., Lamarque, J. F., Langenfelds, R., Locatelli, R., Machida, T., Maksyutov, S., Melton, J. R., Morino, I., Naik, V., O'Doherty, S., Parmentier, F. J. W., Patra, P. K., Peng,

C., Peng, S., Peters, G. P., Pison, I., Prinn, R., Ramonet, M., Riley, W. J., Saito, M., Santini, M., Schroeder, R., Simpson, I. J., Spahni, R., Takizawa, A., Thornton, B. F., Tian, H., Tohjima, Y., Viovy, N., Voulgarakis, A., Weiss, R., Wilton, D. J., Wiltshire, A., Worthy, D., Wunch, D., Xu, X., Yoshida, Y., Zhang, B., Zhang, Z. and Zhu, Q.: Variability and quasi-decadal changes in the methane budget over the period 2000-2012, Atmospheric Chem. Phys., 17(18), 11135–11161, doi:10.5194/acp-17-11135-2017, 2017.

Saunois, M., Stavert, A. R., Poulter, B., Bousquet, P., Canadell, J. G., Jackson, R. B., Raymond, P. A., Dlugokencky, E. J., Houweling, S., Patra, P. K., Ciais, P., Arora, V. K., Bastviken, D., Bergamaschi, P., Blake, D. R., Brailsford, G., Bruhwiler, L., Carlson, K. M., Carrol, M., Castaldi, S., Chandra, N., Crevoisier, C., Crill, P. M., Covey, K., Curry, C. L., Etiope, G., Frankenberg, C., Gedney, N., Hegglin, M. I., Höglund-Isaksson, L., Hugelius, G., Ishizawa, M., Ito, A., Janssens-Maenhout, G., Jensen, K. M., Joos, F., Kleinen, T., Krummel, P. B., Langenfelds, R. L., Laruelle, G. G., Liu, L., Machida, T., Maksyutov, S., McDonald, K. C., McNorton, J., Miller, P. A., Melton, J. R., Morino, I., Müller, J., Murgia-Flores, F., Naik, V., Niwa, Y., Noce, S., O'Doherty, S., Parker, R. J., Peng, C., Peng, S., Peters, G. P., Prigent, C., Prinn, R., Ramonet, M., Regnier, P., Riley, W. J., Rosentreter, J. A., Segers, A., Simpson, I. J., Shi, H., Smith, S. J., Steele, L. P., Thornton, B. F., Tian, H., Tohjima, Y., Tubiello, F. N., Tsuruta, A., Viovy, N., Voulgarakis, A., Weber, T. S., Weele, M. van, Werf, G. R. van der, Weiss, R. F., Worthy, D., Wunch, D., Yin, Y., Yoshida, Y., Zhang, W., Zhang, Z., Zhao, Y., Zheng, B., Zhu, Q., Zhu, Q. and Zhuang, Q.: Global Methane Budget 2000–2017, Glob. Methane Budg. [online] Available from: https://doi.org/10.18160/GCP-CH4-20199 (Accessed 17 March 2020), 2019.

Schepers, D., Guerlet, S., Butz, A., Landgraf, J., Frankenberg, C., Hasekamp, O., Blavier, J. F., Deutscher, N. M., Griffith, D. W. T., Hase, F., Kyro, E., Morino, I., Sherlock, V., Sussmann, R. and Aben, I.: Methane retrievals from Greenhouse Gases Observing Satellite (GOSAT) shortwave infrared measurements: Performance comparison of proxy and physics retrieval algorithms, J. Geophys. Res. Atmospheres, 117, D10, doi:10.1029/2012jd017549, 2012.

Schneising, O., Burrows, J. P., Dickerson, R. R., Buchwitz, M., Reuter, M. and Bovensmann, H.: Remote sensing of fugitive methane emissions from oil and gas production in North American tight geologic formations, Earths Future, 2, 548–558, doi:doi:10.1002/2014EF000265, 2014.

Schroeder, R., McDonald, K. C., Chapman, B., Jensen, K., Podest, E., Tessler, Z., Bohn, T. J. and Zimmerman, R.: Development and evaluation of a multi-year inundated land surface data set derived from active/passive microwave remote sensing data, Remote Sens., 7(12), 16,668-16,732, doi:10.3390/rs71215843, 2015.

Schuur, E. A. G., McGuire, A. D., Schadel, C., Grosse, G., Harden, J. W., Hayes, D. J., Hugelius, G., Koven, C. D., Kuhry, P., Lawrence, D. M., Natali, S. M., Olefeldt, D., Romanovsky, V. E., Schaefer, K., Turetsky, M. R., Treat, C. C. and Vonk, J. E.: Climate change and the permafrost carbon feedback, Nature, 520(7546),

171–179, doi:10.1038/nature14338, 2015.

Schwietzke, S., Sherwood, O. A., Bruhwiler, L. M. P., Miller, J. B., Etiope, G., Dlugokencky, E. J., Michel, S. E., Arling, V. A., Vaughn, B. H., White, J. W. C. and Tans, P. P.: Upward revision of global fossil fuel methane emissions based on isotope database, Nature, 538(7623), 88–91, doi:10.1038/nature19797, 2016.

Segers, A. and Houweling, S.: Description of the CH4 Inversion Production Chain, CAMS (Copernicus Atmospheric Monitoring Service) Report. [online] Available from: https://atmosphere.copernicus.eu/sites/default/files/2018-11/CAMS73_2015SC3_D73.2.5.5-2018_201811_production_chain_v1_0.pdf (Accessed 27 March 2020), 2018.

Shakhova, N., Semiletov, I., Salyuk, A., Yusupov, V., Kosmach, D. and Gustafsson, Ö.: Extensive Methane Venting to the Atmosphere from Sediments of the East Siberian Arctic Shelf, Science, 327(5970), 1246–1250, doi:10.1126/science.1182221, 2010.

Shakhova, N., Semiletov, I., Leifer, I., Sergienko, V., Salyuk, A., Kosmach, D., Chernykh, D., Stubbs, C., Nicolsky, D., Tumskoy, V. and Gustafsson, O.: Ebullition and storm-induced methane release from the East Siberian Arctic Shelf, Nat. Geosci., 7(1), 64–70, doi:10.1038/ngeo2007, 2014.

Shakhova, N., Semiletov, I., Sergienko, V., Lobkovsky, L., Yusupov, V., Salyuk, A., Salomatin, A., Chernykh, D., Kosmach, D., Panteleev, G., Nicolsky, D., Samarkin, V., Joye, S., Charkin, A., Dudarev, O., Meluzov, A. and Gustafsson, O.: The East Siberian Arctic Shelf: towards further assessment of permafrost-related methane fluxes and role of sea ice, Philos. Trans. R. Soc. Lond. Math. Phys. Eng. Sci., 373(2052), doi:10.1098/rsta.2014.0451, 2015.

Shindell, D., Kuylenstierna, J. C. I., Vignati, E., van Dingenen, R., Amann, M., Klimont, Z., Anenberg, S. C., Muller, N., Janssens-Maenhout, G., Raes, F., Schwartz, J., Faluvegi, G., Pozzoli, L., Kupiainen, K., Höglund-Isaksson, L., Emberson, L., Streets, D., Ramanathan, V., Hicks, K., Oanh, N. T. K., Milly, G., Williams, M., Demkine, V. and Fowler, D.: Simultaneously Mitigating Near-Term Climate Change and Improving Human Health and Food Security, Science, 335(6065), 183–189, doi:10.1126/science.1210026, 2012.

Shorter, J. H., Mcmanus, J. B., Kolb, C. E., Allwine, E. J., Lamb, B. K., Mosher, B. W., Harriss, R. C., Partchatka, U., Fischer, H., Harris, G. W., Crutzen, P. J. and Karbach, H.-J.: Methane emission measurements in urban areas in Eastern Germany, J. Atmospheric Chem., 124(2), 121–140, 1996.

Simpson, I. J., Thurtell, G. W., Kidd, G. E., Lin, M., Demetriades-Shah, T. H., Flitcroft, I. D., Kanemasu, E. T., Nie, D., Bronson, K. F. and Neue, H. U.: Tunable diode laser measurements of methane fluxes from an irrigated rice paddy field in the Philippines, J. Geophys. Res. Atmospheres, 100(D4), 7283–7290, doi:10.1029/94jd03326, 1995.

Simpson, I. J., Sulbaek Andersen, M. P., Meinardi, S., Bruhwiler, L., Blake, N. J., Helmig, D., Rowland, F. S. and Blake, D. R.: Long-term decline of global atmospheric ethane concentrations and implications for

methane, Nature, 488(7412), 490–494, doi:10.1038/nature11342, 2012.

Smith, L. K. and Lewis, W. M.: Seasonality of methane emissions from five lakes and associated wetlands of the Colorado Rockies, Glob. Biogeochem Cycles, 6(4), 323–338, 1992.

Spahni, R., Wania, R., Neef, L., van Weele, M., Pison, I., Bousquet, P., Frankenberg, C., Foster, P. N., Joos, F., Prentice, I. C. and van Velthoven, P.: Constraining global methane emissions and uptake by ecosystems, Biogeosciences, 8(6), 1643–1665, doi:10.5194/bg-8-1643-2011, 2011.

Stanley, E. H., Casson, N. J., Christel, S. T., Crawford, J. T., Loken, L. C. and Oliver, S. K.: The ecology of methane in streams and rivers: patterns, controls, and global significance, Ecol. Monogr., doi:10.1890/15-1027, 2016.

Stanley, K. M., Grant, A., O'Doherty, S., Young, D., Manning, A. J., Stavert, A. R., Spain, T. G., Salameh, P. K., Harth, C. M., Simmonds, P. G., Sturges, W. T., Oram, D. E. and Derwent, R. G.: Greenhouse gas measurements from a UK network of tall towers: technical description and first results, Atmospheric Meas. Tech., 11(3), 1437–1458, doi:10.5194/amt-11-1437-2018, 2018.

Stavert, A. R., Canadell, J. G., Saunois, M., Bousquet, P., Poulter, B., Jackson, R. B., Raymond, P. A., Regnier, P., Lauerwald, R., Patra, P. K., Allen, G. H., Bergamaschi, P., Ciais, P., Chandra, N., Ishizawa, M., Ito, A., Kleinen, T., Maksyutov, S., McNorton, J., Gustafson, A., Melton, J. R., Müller, J., Niwa, Y., Peng, S., Riley, W. J., Segers, A., Tian, H. Q., Tsuruta, A., Yin, Y., Zhang, Z., Zheng, B. and Zhuang, Q.: Regional trends and drivers of the 2000-2017 global methane budget, Prep GBC, 2020.

Steele, L. P., Fraser, P. J., Rasmussen, R. A., Khalil, M. A. K., Conway, T. J., Crawford, A. J., Gammon, R. H., Masarie, K. A. and Thoning, K. W.: The global distribution of methane in the troposphere, J. Atmospheric Chem., 5, 125–171, 1987.

Stocker, B. D., Spahni, R. and Joos, F.: DYPTOP: a cost-efficient TOPMODEL implementation to simulate sub-grid spatio-temporal dynamics of global wetlands and peatlands, Geosci. Model Dev., 7(6), 3089–3110, doi:10.5194/gmd-7-3089-2014, 2014.

Stolper, D. A., Lawson, M., Davis, C. L., Ferreira, A. A., Neto, E. V. S., Ellis, G. S., Lewan, M. D., Martini, A. M., Tang, Y., Schoell, M., Sessions, A. L. and Eiler, J. M.: Formation temperatures of thermogenic and biogenic methane, Science, 344(6191), 1500, doi:10.1126/science.1254509, 2014.

Sweeney, C., Karion, A., Wolter, S., Newberger, T., Guenther, D., Higgs, J. A., Andrews, A. E., Lang, P. M., Neff, D., Dlugokencky, E., Miller, J. B., Montzka, S. A., Miller, B. R., Masarie, K. A., Biraud, S. C., Novelli, P. C., Crotwell, M., Crotwell, A. M., Thoning, K. and Tans, P. P.: Seasonal climatology of CO_2 across North America from aircraft measurements in the NOAA/ESRL Global Greenhouse Gas Reference Network, J. Geophys. Res. Atmospheres, 120(10), 5155–5190, doi:10.1002/2014jd022591, 2015.

Swinnerton, J. W. and Linnenbom, V. J.: Gaseous Hydrocarbons in Sea Water: Determination, Science, 156(3778), 1119–1120, doi:10.1126/science.156.3778.1119, 1967.

Tan, Z. and Zhuang, Q.: Methane emissions from pan-Arctic lakes during the 21st century: An analysis with process-based models of lake evolution and biogeochemistry, J. Geophys. Res. Biogeosciences, 120(12), 2641–2653, doi:10.1002/2015JG003184, 2015.

Tan, Z., Zhuang, Q., Henze, D. K., Frankenberg, C., Dlugokencky, E., Sweeney, C., Turner, A. J., Sasakawa, M. and Machida, T.: Inverse modeling of pan-Arctic methane emissions at high spatial resolution: what can we learn from assimilating satellite retrievals and using different process-based wetland and lake biogeochemical models?, Atmospheric Chem. Phys., 16(19), 12649–12666, doi:10.5194/acp-16-12649-2016, 2016.

Tans, P. and Zwellberg, C.: 17th WMO/IAEA Meeting on Carbon Dioxide, Other Greenhouse Gases and Related Tracers Measurement Techniques (GGMT-2013), GAW Report, WMO, Geneva. [online] Available from: https://library.wmo.int/index.php?lvl=notice_display&id=16373#.XnpBPW7jIq8, 2014.

Taylor, P. G., Bilinski, T. M., Fancher, H. R. F., Cleveland, C. C., Nemergut, D. R., Weintraub, S. R., Wieder, W. R. and Townsend, A. R.: Palm oil wastewater methane emissions and bioenergy potential, Nat. Clim. Change, 4(3), 151–152, doi:10.1038/nclimate2154, 2014.

le Texier, H., Solomon, S. and Garcia, R. R.: The role of molecular hydrogen and methane oxidation in the water vapour budget of the stratosphere, Q. J. R. Meteorol. Soc., 114(480), 281–295, doi:10.1002/qj.49711448002, 1988.

Thanwerdas, J., Saunois, M., Berchet, A., Pison, I., Hauglustaine, D., Ramonet, M., Crevoisier, C., Baier, B., Sweeney, C. and Bousquet, P.: Impact of atomic chlorine on the modelling of total methane and its ^{13}C : ^{12}C isotopic ratio at global scale, Atmospheric Chem. Phys. Discuss., 1–28, doi:10.5194/acp-2019-925, 2019.

Thompson, R. L., Sasakawa, M., Machida, T., Aalto, T., Worthy, D., Lavric, J. V., Lund Myhre, C. and Stohl, A.: Methane fluxes in the high northern latitudes for 2005–2013 estimated using a Bayesian atmospheric inversion, Atmos Chem Phys, 17(5), 3553–3572, doi:10.5194/acp-17-3553-2017, 2017.

Thoning, K. W., Tans, P. P. and Komhyr, W. D.: Atmospheric carbon dioxide at Mauna Loa Observatory. 2. Analysis of the NOAA GMCC data, 1974,1985, J. Geophys. Res., 94(D6), 8549–8565, 1989.

Thorneloe, S. A., Barlaz, M. A., Peer, R., Huff, L. C., Davis, L. and Mangino, J.: Waste management, in Atmospheric Methane: Its Role in the Global Environment, edited by M. Khalil, pp. 234–262, Springer-Verlag, New York., 2000.

Thornton, B. F., Wik, M. and Crill, P. M.: Double-counting challenges the accuracy of high-latitude methane inventories, Geophys. Res. Lett., 43(24), 12,569-12,577, doi:10.1002/2016GL071772, 2016a.

Thornton, B. F., Geibel, M. C., Crill, P. M., Humborg, C. and Mörth, C.-M.: Methane fluxes from the sea to the atmosphere across the Siberian shelf seas, Geophys. Res. Lett., 43(11), 5869–5877, doi:10.1002/2016GL068977, 2016b.

Thornton, B. F., Prytherch, J., Andersson, K., Brooks, I. M., Salisbury, D., Tjernström, M. and Crill, P. M.: Shipborne eddy covariance observations of methane fluxes constrain Arctic sea emissions, Sci. Adv., 6(5), eaay7934, doi:10.1126/sciadv.aay7934, 2020.

Thornton, J. A., Kercher, J. P., Riedel, T. P., Wagner, N. L., Cozic, J., Holloway, J. S., Dubé, W. P., Wolfe, G. M., Quinn, P. K., Middlebrook, A. M., Alexander, B. and Brown, S. S.: A large atomic chlorine source inferred from mid-continental reactive nitrogen chemistry, Nature, 464(7286), 271–274, doi:10.1038/nature08905, 2010.

Tian, H., Xu, X., Liu, M., Ren, W., Zhang, C., Chen, G. and Lu, C.: Spatial and temporal patterns of CH_4 and N_2O fluxes in terrestrial ecosystems of North America during 1979–2008: application of a global biogeochemistry model, Biogeosciences, 7(9), 2673–2694, doi:10.5194/bg-7-2673-2010, 2010.

Tian, H., Xu, X., Lu, C., Liu, M., Ren, W., Chen, G., Melillo, J. and Liu, J.: Net exchanges of CO_2, CH_4, and N_2O between China's terrestrial ecosystems and the atmosphere and their contributions to global climate warming, J. Geophys. Res. Biogeosciences, 116, G2, doi:10.1029/2010jg001393, 2011.

Tian, H., Chen, G., Lu, C., Xu, X., Ren, W., Zhang, B., Banger, K., Tao, B., Pan, S., Liu, M., Zhang, C., Bruhwiler, L. and Wofsy, S.: Global methane and nitrous oxide emissions from terrestrial ecosystems due to multiple environmental changes, Ecosyst. Health Sustain., 1(1), 1–20, doi:doi:10.1890/ehs14-0015.1, 2015.

Tian, H., Lu, C., Ciais, P., Michalak, A. M., Canadell, J. G., Saikawa, E., Huntzinger, D. N., Gurney, K. R., Sitch, S., Zhang, B., Yang, J., Bousquet, P., Bruhwiler, L., Chen, G., Dlugokencky, E., Friedlingstein, P., Melillo, J., Pan, S., Poulter, B., Prinn, R., Saunois, M., Schwalm, C. R. and Wofsy, S. C.: The terrestrial biosphere as a net source of greenhouse gases to the atmosphere, Nature, 531(7593), 225–228, doi:10.1038/nature16946, 2016.

Tian, H., Yang, J., Xu, R., Lu, C., Canadell, J. G., Davidson, E. A., Jackson, R. B., Arneth, A., Chang, J., Ciais, P., Gerber, S., Ito, A., Joos, F., Lienert, S., Messina, P., Olin, S., Pan, S., Peng, C., Saikawa, E., Thompson, R. L., Vuichard, N., Winiwarter, W., Zaehle, S. and Zhang, B.: Global soil nitrous oxide emissions since the preindustrial era estimated by an ensemble of terrestrial biosphere models: Magnitude, attribution, and uncertainty, Glob. Change Biol., 25(2), 640–659, doi:10.1111/gcb.14514, 2019.

Tiwari, Y. K. and Kumar, K. R.: GHG observation programs in India, Asian GAWgreenhouse Gases 3 Korea Meteorol. Adm. Chungnam South Korea, 2012.

Tsuruta, A., Aalto, T., Backman, L., Hakkarainen, J., Laan-Luijkx, I. T. van der, Krol, M. C., Spahni, R., Houweling, S., Laine, M., Dlugokencky, E., Gomez-Pelaez, A. J., Schoot, M. van der, Langenfelds, R., Ellul, R., Arduini, J., Apadula, F., Gerbig, C., Feist, D. G., Kivi, R., Yoshida, Y. and Peters, W.: Global methane emission estimates for 2000–2012 from CarbonTracker Europe-CH_4 v1.0, Geosci. Model Dev., 10(3), 1261–1289, doi:10.5194/gmd-10-1261-2017, 2017.

Tubiello, F. N.: Greenhouse Gas Emissions Due to Agriculture, in Elsevier Encyclopedia of Food Systems.,

2019.
Tubiello, F. N., Salvatore, M., Rossi, S., Ferrara, A., Fitton, N. and Smith, P.: The FAOSTAT database of greenhouse gas emissions from agriculture, Environ. Res. Lett., 8(1), 015009, doi:10.1088/1748-9326/8/1/015009, 2013.
Turetsky, M. R., Kotowska, A., Bubier, J., Dise, N. B., Crill, P., Hornibrook, E. R. C., Minkkinen, K., Moore, T. R., Myers-Smith, I. H., Nykänen, H., Olefeldt, D., Rinne, J., Saarnio, S., Shurpali, N., Tuittila, E.-S., Waddington, J. M., White, J. R., Wickland, K. P. and Wilmking, M.: A synthesis of methane emissions from 71 northern, temperate, and subtropical wetlands, Glob. Change Biol., 20(7), 2183–2197, doi:10.1111/gcb.12580, 2014.
Turner, A. J., Frankenberg, C., Wennberg, P. O. and Jacob, D. J.: Ambiguity in the causes for decadal trends in atmospheric methane and hydroxyl, Proc. Natl. Acad. Sci., 2017.
Turner, A. J., Fung, I., Naik, V., Horowitz, L. W. and Cohen, R. C.: Modulation of hydroxyl variability by ENSO in the absence of external forcing, Proc. Natl. Acad. Sci., 115(36), 8931–8936, doi:10.1073/pnas.1807532115, 2018.
Turner, A. J., Frankenberg, C. and Kort, E. A.: Interpreting contemporary trends in atmospheric methane, Proc. Natl. Acad. Sci., 116(8), 2805, doi:10.1073/pnas.1814297116, 2019.
Upstill-Goddard, R. C., Barnes, J., Frost, T., Punshon, S. and Owens, N. J. P.: Methane in the southern North Sea: Low-salinity inputs, estuarine removal, and atmospheric flux, Glob. Biogeochem. Cycles, 14(4), 1205–1217, doi:10.1029/1999GB001236, 2000.
USEPA: Greenhouse Gas Emissions Estimation Methodologies for Biogenic Emissions from Selected Source Categories: Solid Waste Disposal Wastewater Treatment Ethanol Fermentation, Measurement Policy Group, US EPA. [online] Available from: https://www3.epa.gov/ttnchie1/efpac/ghg/GHG_Biogenic_Report_draft_Dec1410.pdf (Accessed 11 March 2020a), 2010.
USEPA: Office of Atmospheric Programs (6207J), Methane and Nitrous Oxide Emissions From Natural Sources, U.S. Environmental Protection Agency, EPA 430-R-10-001. Available online at http://nepis.epa.gov/, Washington, DC 20460., 2010b.
USEPA: Draft: Global Anthropogenic Non-CO_2 Greenhouse Gas Emissions: 1990-2030. EPA 430-R-03-002, United States Environmental Protection Agency, Washington D.C., 2011.
USEPA: Global Anthropogenic Non-CO_2 Greenhouse Gas Emissions 1990-2030, EPA 430-R-12-006, US Environmental Protection Agency, Washington DC., 2012.
USEPA: Draft Inventory of U.S. Greenhouse gas Emissions and Sinks: 1990-2014. EPA 430-R-16-002. February 2016. U.S. Environmental protction Agency, Washington, DC, USA., 2016.
Valentine, D. W., Holland, E. A. and Schimel, D. S.: Ecosystem and physiological controls over methane

Mis en forme : Police :(Par défaut) Cambria Math

production in northern wetlands, J. Geophys. Res., 99(D1), 1563–1571, 1994.

Vardag, S. N., Hammer, S., O'Doherty, S., Spain, T. G., Wastine, B., Jordan, A. and Levin, I.: Comparisons of continuous atmospheric CH_4, CO_2 and N_2O measurements – results from a travelling instrument campaign at Mace Head, Atmospheric Chem. Phys., 14(16), 8403–8418, doi:10.5194/acp-14-8403-2014, 2014.

Verpoorter, C., Kutser, T., Seekell, D. A. and Tranvik, L. J.: A global inventory of lakes based on high-resolution satellite imagery, Geophys. Res. Lett., 41(18), 6396–6402, doi:10.1002/2014gl060641, 2014.

Voulgarakis, A., Naik, V., Lamarque, J. F., Shindell, D. T., Young, P. J., Prather, M. J., Wild, O., Field, R. D., Bergmann, D., Cameron-Smith, P., Cionni, I., Collins, W. J., Dals√∏ren, S. B., Doherty, R. M., Eyring, V., Faluvegi, G., Folberth, G. A., Horowitz, L. W., Josse, B., MacKenzie, I. A., Nagashima, T., Plummer, D. A., Righi, M., Rumbold, S. T., Stevenson, D. S., Strode, S. A., Sudo, K., Szopa, S. and Zeng, G.: Analysis of present day and future OH and methane lifetime in the ACCMIP simulations, Atmospheric Chem. Phys., 13(5), 2563–2587, doi:10.5194/acp-13-2563-2013, 2013.

Voulgarakis, A., Marlier, M. E., Faluvegi, G., Shindell, D. T., Tsigaridis, K. and Mangeon, S.: Interannual variability of tropospheric trace gases and aerosols: The role of biomass burning emissions, J. Geophys. Res. Atmospheres, 120(14), 7157–7173, doi:10.1002/2014jd022926, 2015.

Wallmann, K., Pinero, E., Burwicz, E., Haeckel, M., Hensen, C., Dale, A. and Ruepke, L.: The Global Inventory of Methane Hydrate in Marine Sediments: A Theoretical Approach, Energies, 5(7), 2449, 2012.

Walter Anthony, K. M., Daanen, R., Anthony, P., Schneider von Deimling, T., Ping, C.-L., Chanton, J. P. and Grosse, G.: Present-day permafrost carbon feedback from thermokarst lakes, in EPIC3XI. International Conference on Permafrost, Potsdam, Germany, 2016-06-20-2016-06-24, Potsdam, Germany., 2016.

Wang, F., Maksyutov, S., Tsuruta, A., Janardanan, R., Ito, A., Sasakawa, M., Machida, T., Morino, I., Yoshida, Y., Kaiser, J. W., Janssens-Maenhout, G., Dlugokencky, E. J., Mammarella, I., Lavric, J. V. and Matsunaga, T.: Methane Emission Estimates by the Global High-Resolution Inverse Model Using National Inventories, Remote Sens., 11(21), 2489, doi:10.3390/rs11212489, 2019a.

Wang, X., Jacob, D. J., Eastham, S. D., Sulprizio, M. P., Zhu, L., Chen, Q., Alexander, B., Sherwen, T., Evans, M. J., Lee, B. H., Haskins, J. D., Lopez-Hilfiker, F. D., Thornton, J. A., Huey, G. L. and Liao, H.: The role of chlorine in global tropospheric chemistry, Atmospheric Chem. Phys., 19(6), 3981–4003, doi:10.5194/acp-19-3981-2019, 2019b.

Wang, Z., Deutscher, N. M., Warneke, T., Notholt, J., Dils, B., Griffith, D. W. T., Schmidt, M., Ramonet, M. and Gerbig, C.: Retrieval of tropospheric column-averaged CH_4 mole fraction by solar absorption FTIR-spectrometry using N_2O as a proxy, Atmospheric Meas. Tech., 7(10), 3295–3305, doi:10.5194/amt-7-3295-2014, 2014.

Wang, Z.-P., Gu, Q., Deng, F.-D., Huang, J.-H., Megonigal, J. P., Yu, Q., Lü, X.-T., Li, L.-H., Chang, S.,

Zhang, Y.-H., Feng, J.-C. and Han, X.-G.: Methane emissions from the trunks of living trees on upland soils, New Phytol., 211(2), 429–439, doi:10.1111/nph.13909, 2016.

Wania, R., I. Ross and I. C. Prentice: Implementation and evaluation of a new methane model within a dynamic global vegetation model: LPJ-WHyMe v1.3, Geosci. Model Dev. Discuss., 3, 1–59, 2010.

Wania, R., Melton, J. R., Hodson, E. L., Poulter, B., Ringeval, B., Spahni, R., Bohn, T., Avis, C. A., Chen, G., Eliseev, A. V., Hopcroft, P. O., Riley, W. J., Subin, Z. M., Tian, H., van Bodegom, P. M., Kleinen, T., Yu, Z. C., Singarayer, J. S., Zurcher, S., Lettenmaier, D. P., Beerling, D. J., Denisov, S. N., Prigent, C., Papa, F. and Kaplan, J. O.: Present state of global wetland extent and wetland methane modelling: Methodology of a model inter-comparison project (WETCHIMP), Geosci. Model Dev., 6(3), 617–641, 2013.

Wassmann, R., Lantin, R. S., Neue, H. U., Buendia, L. V., Corton, T. M. and Lu, Y.: Characterization of methane emissions in Asia III: Mitigation options and future research needs, Nutr. Cycl. Agroecosystems, 58, 23–36, 2000.

Weber, T., Wiseman, N. A. and Kock, A.: Global ocean methane emissions dominated by shallow coastal waters, Nat. Commun., 10(1), 1–10, doi:10.1038/s41467-019-12541-7, 2019.

van der Werf, G. R., Randerson, J. T., Giglio, L., Collatz, G. J., Mu, M., Kasibhatla, P. S., Morton, D. C., DeFries, R. S., Jin, Y. and van Leeuwen, T. T.: Global fire emissions and the contribution of deforestation, savanna, forest, agricultural, and peat fires (1997-2009), Atmospheric Chem. Phys., 10(23), 11,707-11,735, 2010.

van der Werf, G. R., Randerson, J. T., Giglio, L., Leeuwen, T. T. van, Chen, Y., Rogers, B. M., Mu, M., Marle, M. J. E. van, Morton, D. C., Collatz, G. J., Yokelson, R. J. and Kasibhatla, P. S.: Global fire emissions estimates during 1997–2016, Earth Syst. Sci. Data, 9(2), 697–720, doi:10.5194/essd-9-697-2017, 2017.

Westbrook, G. K., Kate E. Thatcher, Eelco J. Rohling, Alexander M. Piotrowski, Heiko Palike, Anne H. Osborne, Euan G. Nisbet, Tim A. Minshull, Mathias Lanoiselle, Rachael H. James, Veit Hu¨hnerbach, Darryl Green, Rebecca E. Fisher, Anya J. Crocker, Anne Chabert, Clara Bolton, Agnieszka Beszczynska-Moller, Christian Berndt and Alfred Aquilina: Escape of methane gas from the seabed along the West Spitsbergen continental margin, Geophys. Res. Lett., VOL. 36, L15608, doi:10.1029/2009GL039191, 2009.

Whalen, S. C.: Biogeochemistry of Methane Exchange between Natural Wetlands and the Atmosphere, Environ. Eng. Sci., 22(1), 73–94, doi:10.1089/ees.2005.22.73, 2005.

Widhalm, B., Bartsch, A. and Heim, B.: A novel approach for the characterization of tundra wetland regions with C-band SAR satellite data, Int. J. Remote Sens., 36(22), 5537–5556, doi:10.1080/01431161.2015.1101505, 2015.

Wiedinmyer, C., Akagi, S. K., Yokelson, R. J., Emmons, L. K., Al-Saadi, J. A., Orlando, J. J. and Soja, A. J.: The Fire INventory from NCAR (FINN): A high resolution global model to estimate the emissions from open burning, Geosci. Model Dev., 4(3), 625–641, doi:10.5194/gmd-4-625-2011, 2011.

Wik, M., Thornton, B. F., Bastviken, D., MacIntyre, S., Varner, R. K. and Crill, P. M.: Energy input is primary controller of methane bubbling in subarctic lakes, Geophys. Res. Lett., 41(2), 2013GL058510, doi:10.1002/2013gl058510, 2014.

Wik, M., Thornton, B. F., Bastviken, D., Uhlbäck, J. and Crill, P. M.: Biased sampling of methane release from northern lakes: A problem for extrapolation, Geophys. Res. Lett., 43(3), 1256–1262, doi:10.1002/2015gl066501, 2016a.

Wik, M., Varner, R. K., Anthony, K. W., MacIntyre, S. and Bastviken, D.: Climate-sensitive northern lakes and ponds are critical components of methane release, Nat. Geosci., 9(2), 99–105, doi:10.1038/ngeo2578, 2016b.

Winderlich, J., Chen, H., Gerbig, C., Seifert, T., Kolle, O., Lavrič, J. V., Kaiser, C., Höfer, A. and Heimann, M.: Continuous low-maintenance $CO_2/CH_4/H_2O$ measurements at the Zotino Tall Tower Observatory (ZOTTO) in Central Siberia, Atmospheric Meas. Tech., 3(4), 1113–1128, doi:10.5194/amt-3-1113-2010, 2010.

Woodward, G., Gessner, M. O., Giller, P. S., Gulis, V., Hladyz, S., Lecerf, A., Malmqvist, B., McKie, B. G., Tiegs, S. D., Cariss, H., Dobson, M., Elosegi, A., Ferreira, V., Graça, M. A. S., Fleituch, T., Lacoursière, J. O., Nistorescu, M., Pozo, J., Risnoveanu, G., Schindler, M., Vadineanu, A., Vought, L. B.-M. and Chauvet, E.: Continental-Scale Effects of Nutrient Pollution on Stream Ecosystem Functioning, Science, 336(6087), 1438–1440, doi:10.1126/science.1219534, 2012.

Worden, J. R., Bloom, A. A., Pandey, S., Jiang, Z., Worden, H. M., Walker, T. W., Houweling, S. and Röckmann, T.: Reduced biomass burning emissions reconcile conflicting estimates of the post-2006 atmospheric methane budget, Nat. Commun., 8(1), 2227, doi:10.1038/s41467-017-02246-0, 2017.

Wuebbles, D. J. and Hayhoe, K.: Atmospheric methane and global change, Earth-Sci. Rev., 57(3–4), 177–210, 2002.

Wunch, D., Toon, G. C., Blavier, J.-F. L., Washenfelder, R. A., Notholt, J., Connor, B. J., Griffith, D. W. T., Sherlock, V. and Wennberg, P. O.: The Total Carbon Column Observing Network, Philos. Trans. R. Soc. A, 369(1943), doi:10.1098/rsta.2010.0240, 2011.

Wunch, D., Toon, G. C., Hedelius, J. K., Vizenor, N., Roehl, C. M., Saad, K. M., Blavier, J.-F. L., Blake, D. R. and Wennberg, P. O.: Quantifying the loss of processed natural gas within California's South Coast Air Basin using long-term measurements of ethane and methane, Atmospheric Chem. Phys., 16(22), 14091–14105, doi:10.5194/acp-16-14091-2016, 2016.

Wunch, D., Jones, D. B. A., Toon, G. C., Deutscher, N. M., Hase, F., Notholt, J., Sussmann, R., Warneke, T., Kuenen, J., Denier van der Gon, H., Fisher, J. A. and Maasakkers, J. D.: Emissions of methane in Europe inferred by total column measurements, Atmos Chem Phys, 19(6), 3963–3980, doi:10.5194/acp-19-3963-2019, 2019.

Xu, X. F., Tian, H. Q., Zhang, C., Liu, M. L., Ren, W., Chen, G. S., Lu, C. Q. and Bruhwiler, L.: Attribution of spatial and temporal variations in terrestrial methane flux over North America, Biogeosciences, 7(11), 3637–3655, doi:10.5194/bg-7-3637-2010, 2010.

Yan, X., Akiyama, H., Yagi, K. and Akimoto, H.: Global estimations of the inventory and mitigation potential of methane emissions from rice cultivation conducted using the 2006 Intergovernmental Panel on Climate Change Guidelines, Glob. Biogeochem. Cycles, 23(2), doi:10.1029/2008gb003299, 2009.

Yin, Y., Chevallier, F., Ciais, P., Broquet, G., Fortems-Cheiney, A., Pison, I. and Saunois, M.: Decadal trends in global CO emissions as seen by MOPITT, Atmospheric Chem. Phys., 15(23), 13433–13451, doi:10.5194/acp-15-13433-2015, 2015.

Yoshida, Y., Kikuchi, N., Morino, I., Uchino, O., Oshchepkov, S., Bril, A., Saeki, T., Schutgens, N., Toon, G. C., Wunch, D., Roehl, C. M., Wennberg, P. O., Griffith, D. W. T., Deutscher, N. M., Warneke, T., Notholt, J., Robinson, J., Sherlock, V., Connor, B., Rettinger, M., Sussmann, R., Ahonen, P., Heikkinen, P., Kyrö, E., Mendonca, J., Strong, K., Hase, F., Dohe, S. and Yokota, T.: Improvement of the retrieval algorithm for GOSAT SWIR XCO_2 and XCH_4 and their validation using TCCON data, Atmospheric Meas. Tech., 6(6), 1533–1547, doi:10.5194/amt-6-1533-2013, 2013.

Yver Kwok, C. E., Müller, D., Caldow, C., Lebègue, B., Mønster, J. G., Rella, C. W., Scheutz, C., Schmidt, M., Ramonet, M., Warneke, T., Broquet, G. and Ciais, P.: Methane emission estimates using chamber and tracer release experiments for a municipal waste water treatment plant, Atmospheric Meas. Tech., 8(7), 2853–2867, doi:10.5194/amt-8-2853-2015, 2015.

Zavala-Araiza, D., Lyon, D. R., Alvarez, R. A., Davis, K. J., Harriss, R., Herndon, S. C., Karion, A., Kort, E. A., Lamb, B. K., Lan, X., Marchese, A. J., Pacala, S. W., Robinson, A. L., Shepson, P. B., Sweeney, C., Talbot, R., Townsend-Small, A., Yacovitch, T. I., Zimmerle, D. J. and Hamburg, S. P.: Reconciling divergent estimates of oil and gas methane emissions, Proc. Natl. Acad. Sci. USA, 112, 15597–15602, doi:10.1073/pnas.1522126112, 2015.

Zhang: Magnitude, spatio-temporal variability and environmental controls of methane emissions from global rice fields: Implications for water management and climate mitigation, Glob. Change Biol., 2016.

Zhang, B. and Chen, G. Q.: China's CH_4 and CO_2 Emissions: Bottom-Up Estimation and Comparative Analysis, Ecol. Indic., 47, 112–122, doi:10.1016/j.ecolind.2014.01.022, 2014.

Zhang, G., Zhang, J., Liu, S., Ren, J., Xu, J. and Zhang, F.: Methane in the Changjiang (Yangtze River) Estuary and Its Adjacent Marine Area: Riverine Input, Sediment Release and Atmospheric Fluxes, Biogeochemistry, 91(1), 71–84, 2008.

Zhang, Y., Xiao, X., Wu, X., Zhou, S., Zhang, G., Qin, Y. and Dong, J.: A global moderate resolution dataset of gross primary production of vegetation for 2000–2016, Sci. Data, 4(1), 1–13, doi:10.1038/sdata.2017.165, 2017.

Zhang, Z., Zimmermann, N. E., Kaplan, J. O. and Poulter, B.: Modeling spatiotemporal dynamics of global wetlands: comprehensive evaluation of a new sub-grid TOPMODEL parameterization and uncertainties, Biogeosciences, 13(5), 1387–1408, doi:10.5194/bg-13-1387-2016, 2016.

Zhao, Y., Saunois, M., Bousquet, P., Lin, X., Berchet, A., Hegglin, M. I., Canadell, J. G., Jackson, R. B., Hauglustaine, D. A., Szopa, S., Stavert, A. R., Abraham, N. L., Archibald, A. T., Bekki, S., Deushi, M., Jöckel, P., Josse, B., Kinnison, D., Kirner, O., Marécal, V., O'Connor, F. M., Plummer, D. A., Revell, L. E., Rozanov, E., Stenke, A., Strode, S., Tilmes, S., Dlugokencky, E. J. and Zheng, B.: Inter-model comparison of global hydroxyl radical (OH) distributions and their impact on atmospheric methane over the 2000–2016 period, Atmospheric Chem. Phys., 19(21), 13701–13723, doi:10.5194/acp-19-13701-2019, 2019.

Zhao, Y., Saunois, M., Bousquet, P., Lin, X., Berchet, A., Hegglin, M. I., Canadell, J. G., Jackson, R. B., Dlugokencky, E. J., Langenfelds, R. L., Ramonet, M., Worthy, D. and Zheng, B.: Influences of hydroxyl radicals (OH) on top-down estimates of the global and regional methane budgets, Atmospheric Chem. Phys. Discuss., 1–45, doi:10.5194/acp-2019-1208, 2020.

Zheng, B., Chevallier, F., Ciais, P., Yin, Y. and Wang, Y.: On the Role of the Flaming to Smoldering Transition in the Seasonal Cycle of African Fire Emissions, Geophys. Res. Lett., 45(21), 11,998-12,007, doi:10.1029/2018GL079092, 2018a.

Zheng, B., Chevallier, F., Ciais, P., Yin, Y., Deeter, M. N., Worden, H. M., Wang, Y., Zhang, Q. and He, K.: Rapid decline in carbon monoxide emissions and export from East Asia between years 2005 and 2016, Environ. Res. Lett., 13(4), 044007, doi:10.1088/1748-9326/aab2b3, 2018b.

Zhu, Q., Liu, J., Peng, C., Chen, H., Fang, X., Jiang, H., Yang, G., Zhu, D., Wang, W. and Zhou, X.: Modelling methane emissions from natural wetlands by development and application of the TRIPLEX-GHG model, Geosci. Model Dev., 7(3), 981–999, doi:10.5194/gmd-7-981-2014, 2014.

Zhu, Q., Peng, C., Chen, H., Fang, X., Liu, J., Jiang, H., Yang, Y. and Yang, G.: Estimating global natural wetland methane emissions using process modelling: spatio-temporal patterns and contributions to atmospheric methane fluctuations, Glob. Ecol. Biogeogr., 24, 959–972, 2015.

Zhuang, Q., Melillo, J. M., Kicklighter, D. W., Prinn, R. G., McGuire, A. D., Steudler, P. A., Felzer, B. S. and Hu, S.: Methane fluxes between terrestrial ecosystems and the atmosphere at northern high latitudes during the past century: A retrospective analysis with a process-based biogeochemistry model, Glob. Biogeochem Cycles, 18(3), GB3010, doi:10.1029/2004gb002239, 2004.

Zhuang, Q., Chen, M., Xu, K., Tang, J., Saikawa, E., Lu, Y., Melillo, J. M., Prinn, R. G. and McGuire, A. D.: Response of global soil consumption of atmospheric methane to changes in atmospheric climate and nitrogen deposition, Glob. Biogeochem. Cycles, 27(3), 650–663, doi:10.1002/gbc.20057, 2013.

Mis en forme : Français

Supprimé: Abe, T., Bignell, D. E., and Higashi, M.: Termites: Evolution, Sociality, Symbioses, Ecology, Springer ed., doi: 10.1007/978-94-017-3223-9, Dordrecht, 2000.¶
Akagi, S. K., Yokelson, R. J., Wiedinmyer, C., Alvarado, M. J., Reid, J. S., Karl, T., Crounse, J. D., and Wennberg, P. O.: Emission factors for open and domestic biomass burning for use in atmospheric models, Atmos. Chem. Phys., 11, 4039-4072, doi:10.5194/acp-11-4039-2011, 2011.¶
Alexe, M., Bergamaschi, P., Segers, A., Detmers, R., Butz, A., Hasekamp, O., Guerlet, S., Parker, R., Boesch, H., Frankenberg, C., Scheepmaker, R. A., Dlugokencky, E., Sweeney, C., Wofsy, S. C., and Kort, E. A.: Inverse modelling of CH_4 emissions for 2010–2011 using different satellite retrieval products from GOSAT and SCIAMACHY, Atmos. Chem. Phys., 15, 113-133, doi:10.5194/acp-15-113-2015, 2015.¶
Allan, W., Lowe, D. C., Gomez, A. J., Struthers, H., and Brailsford, G. W.: Interannual variation of ^{13}C in tropospheric methane: Implications for a possible atomic chlorine sink in the marine boundary layer, Journal of Geophysical Research-Atmospheres, 110, doi:10.1029/2004JD005650, 2005.¶
Allan, W., Struthers, H., and Lowe, D. C.: Methane carbon isotope effects caused by atomic chlorine in the marine boundary layer: Global model results compared with Southern Hemisphere measurements, Journal of Geophysical Research-Atmospheres, 112, D04306, doi:10.1029/2006jd007369, 2007.¶
Allen, D. T., Torres, V. M., Thomas, J., Sullivan, D. W., Harrison, M., Hendler, A., Herndon, S. C., Kolb, C. E., Fraser, M. P., Hill, A. D., Lamb, B. K., Miskimins, J., Sawyer, R. F., and Seinfeld, J. H.: Measurements of methane emissions at natural gas production sites in the United States, Proc. Natl. Acad. Sci. USA 110, 17,768-717,773, doi:10.1073/pnas.1304880110, 2013.¶
Alvarez, R. A., Zavala-Araiza, D., Lyon, D. R., Allen, D. T., Barkley, Z. R., Brandt, A. R., Davis, K. J., Herndon, S. C., Jacob, D. J., Karion, A., Kort, E. A., Lamb, B. K., Lauvaux, T., Maasakkers, J. D., Marchese, A. J., Omara, M., Pacala, S. W., Peischl, J., Robinson, A. L., Shepson, P. B., Sweeney, C., Townsend-Small, A., Wofsy, S. C., and Hamburg, S. P.: Assessment of methane emissions from the U.S. oil and gas supply chain, Science, 361, 6398, pp 186-188, doi: 10.1126/science.aar7204, 2018.¶
Andersen, T., Scheeren, B., Peters, W., and Chen, H.: A UAV-based active AirCore system for measurements of greenhouse gases, Atmos. Meas. Tech., 11, 2683-2699, https://doi.org/10.5194/amt-11-2683-2018, 2018¶
André, J.-C., Boucher, O., Bousquet, P., Chanin, M.-L., Chappellaz, J., and Tardieu, B.: Le méthane : d'où vient-il et quel est son impact sur le climat ?, EDP Sciences, Académie des Sciences et Technologies, Paris, 170 pp., 2014.¶
Andreae, M. O., and Merlet, P.: Emission of trace gases and aerosols from biomass burning, Global Biogeochemical Cycles, 15, 955–966, 2001.¶
Angle, J. C., Morin, T. H., Solden, L. M., Narrowe, A. B., Smith, G. J., Borton, M. A., Rey-Sanchez, C., Daly, R. A., Mirfenderesgi, G., Hoyt, D. W., Riley, W. J., Miller, C. S., Bohrer, G., and Wrighton, K. C.: Methanogenesis in oxygenated soils is a substantial fraction of wetland methane emissions, Nature Communications, 8, 1567, doi:10.1038/s41467-017-01753-4, 2017.¶
Aoki, S., Nakazawa, T., Murayama, S., and Kawaguchi, S.: Measurements of atmospheric methane at the Japanese Antarctic ... [275]

Mis en forme ... [276]

Table 1: B-U models and inventories for anthropogenic and biomass burning inventories used in this study. *Due to its limited sectorial breakdown this dataset was not used in Table 3. ^Extended to 2017 for this study as described in Section 3.1.1

B-U models and inventories	Contribution	Time period (resolution)	Gridded	References
CEDS (country based)	Fossil fuels, Agriculture and waste, Biofuel	1970-2015^ (yearly)	no	Hoesly et al. (2018)
CEDS (gridded)*	Fossil fuels, Agriculture and waste, Biofuel	1970-2014 (monthly)	0.5x0.5°	Hoesly et al. (2018)
EDGARv4.2.3	Fossil fuels, Agriculture and waste, Biofuel	1990-2012^ (yearly)	0.1x0.1°	Janssens-Maenhout et al. (2019)
IIASA GAINS ECLIPSEv6	Fossil fuels, Agriculture and waste, Biofuel	1990-2015^ (1990-2015 yearly, >2015 5-yr interval interpolated to yearly)	0.5x0.5°	Höglund-Isaksson (2012)
USEPA	Fossil fuels, Agriculture and waste, Biofuel, Biomass Burning	1990-2030 (10-yr interval, interpolated to yearly)	no	USEPA (2012)
FAO-CH4	Agriculture, Biomass Burning	1961-2016^ 1990-2016 (Yearly)	no	Frederici et al. (2015); Tubiello et al. (2013); Tubiello (2019)
FINNv1.5	Biomass burning	2002-2018 (daily)	1km resolution	Wiedinmyer et al. (2011)
GFASv1.3	Biomass burning	2003-2016 (daily)	0.1x0.1°	Kaiser et al. (2012)
GFEDv4.1s	Biomass burning	1997-2017 (monthly)	0.25x0.25°	Giglio et al. (2013)
QFEDv2.5	Biomass burning	2000-2017 (daily)	0.1x0.1°	Darmenov and da Silva (2015)

Mis en forme ... [277]
Mis en forme ... [278]
Supprimé: …Due to its limited sectorial breakdown this dataset ... [279]
Supprimé: …-U models and inventories ... [280]
Supprimé: …ontribution ... [281]
Supprimé: …ime period (resolution) ... [282]
Supprimé: …ridded ... [283]
Supprimé: …eferences ... [284]
Supprimé: …EDS (country based) ... [285]
Supprimé: …ossil fuels, Agriculture and waste, Biofuel ... [286]
Supprimé: …970-2015^ ... [287]
Supprimé: …o ... [289]
Supprimé: (
Supprimé: , 2018)
Mis en forme ... [290]
Supprimé: …yearly) ... [288]
Supprimé: … ... [291]
Supprimé: …EDS (gridded)* ... [292]
Supprimé: …ossil fuels, Agriculture and waste, Biofuel ... [293]
Supprimé: …970-2014 ... [294]
Supprimé: ….5x0.5° ... [296]
Supprimé: (…oesly et al., ... [297]
Mis en forme ... [298]
Supprimé: …monthly) ... [295]
Supprimé: 2018)
Supprimé: … ... [299]
Supprimé: …DGARv4.2.3 ... [300]
Supprimé: …ossil fuels, Agriculture and waste, Biofuel ... [301]
Supprimé: …990-2012^ ... [302]
Supprimé: ….1x0.1° ... [304]
Supprimé: (…anssens-Maenhout et al., ... [305]
Supprimé: …(yearly) ... [303]
Mis en forme ... [306]
Supprimé: 2019)
Supprimé: …IASA GAINS ECLIPSEv6 ... [307]
Supprimé: …ossil fuels, Agriculture and waste, Biofuel ... [308]
Supprimé: …990-2015^ ... [309]
Supprimé: ….5x0.5° ... [311]
Supprimé: (…öglund-Isaksson, ... [312]
Mis en forme ... [313]
Supprimé: 2012)
Supprimé: …1990-2015 yearly, >2015 5-yr interval interpolated to ... [310]
Supprimé: …SEPA ... [314]
Supprimé: …ossil fuels, Agriculture and waste, Biofuel, Biomass ... [315]
Supprimé: …990-2030 ... [316]
Supprimé: …o ... [318]
Supprimé: (…SEPA, ... [319]
Mis en forme ... [320]
Supprimé: 2012)
Supprimé: …10-yr interval, interpolated to yearly) ... [317]
Supprimé: …AO-CH4 ... [321]
Supprimé: …griculture, Biomass Burning ... [322]
Supprimé: …961-2016^ ... [323]
Supprimé: …o ... [326]

Table 2: Biogeochemical models that computed wetland emissions used in this study. Runs were performed for the whole period 2000-2017. Models run with prognostic (using their own calculation of wetland areas) and/or diagnostic (using WAD2M) wetland surface areas (see Sect 3.2.1).

Model	Institution	Prognostic	Diagnostic	References
CLASS-CTEM	Environment and Climate Change Canada	y	y	Arora et al. (2018); Melton and Arora (2016)
DLEM	Auburn University	n	y	Tian et al. (2010, 2015)
ELM	Lawrence Berkeley National Laboratory	y	y	Riley et al. (2011)
JSBACH	MPI	n	y	Kleinen et al. (2019)
JULES	UKMO	y	y	Hayman et al. (2014)
LPJ GUESS	Lund University	n	y	McGuire et al. (2012)
LPJ MPI	MPI	n	y	Kleinen et al. (2012)
LPJ-WSL	NASA GSFC	y	y	Zhang et al. (2016)
LPX-Bern	University of Bern	y	y	Spahni et al. (2011)
ORCHIDEE	LSCE	y	y	Ringeval et al. (2011)
TEM-MDM	Purdue University	n	y	Zhuang et al. (2004)
TRIPLEX_GHG	UQAM	n	y	Zhu et al. (2014, 2015)
VISIT	NIES	y	y	Ito and Inatomi (2012)

Supprimé: …odel ... [362]
Supprimé: …nstitution ... [363]
Supprimé: …rognostic ... [364]
Supprimé: …iagnostic ... [365]
Supprimé: …eferences ... [366]
Supprimé: …LASS-CTEM ... [367]
Supprimé: …nvironment and Climate Change Canada ... [368]
Supprimé: … ... [369]
Supprimé: … ... [370]
Mis en forme ... [371]
Supprimé: ,…Melton and Plummer ... [372]
Mis en forme ... [373]
Supprimé: (2018)
Mis en forme ... [374]
Supprimé: Melton and Arora (2016
Mis en forme ... [375]
Supprimé:)
Mis en forme ... [376]
Supprimé: …LEM ... [377]
Supprimé: …uburn University ... [378]
Supprimé: … ... [379]
Supprimé: … ... [380]
Supprimé: …ian et al., ... [381]
Mis en forme ... [382]
Supprimé: (2010;2015)
Supprimé: …LM ... [383]
Supprimé: …awrence Berkeley National Laboratory ... [384]
Supprimé: … ... [385]
Supprimé: … ... [386]
Supprimé:
Supprimé: (2011)
Mis en forme ... [387]
Supprimé: …SBACH ... [388]
Supprimé: …PI ... [389]
Supprimé: … ... [390]
Supprimé: … ... [391]
Mis en forme ... [392]
Supprimé: XXX
Mis en forme ... [393]
Supprimé: …ULES ... [394]
Supprimé: …KMO ... [395]
Supprimé: … ... [396]
Supprimé: … ... [397]
Supprimé: Hayman et al. (2014
Mis en forme ... [398]
Supprimé:)
Supprimé: …PJ GUESS ... [399]
Supprimé: …und University ... [400]
Supprimé: … ... [401]
Supprimé: … ... [402]
Mis en forme ... [403]
Supprimé: (2012)
Mis en forme ... [404]
Mis en forme ... [405]

Table 3: Global methane emissions by source type in Tg CH_4 yr^{-1} from Saunois et al. (2016) (left column pair) and for this work using bottom-up and top-down approaches). Because top-down models cannot fully separate individual processes, only five categories of emissions are provided (see text). Uncertainties are reported as [min-max] range of reported studies. Differences of 1 Tg CH_4 yr^{-1} in the totals can occur due to rounding errors.

	Saunois et al. (2016)		This work					
Period of time	**2000-2009**		**2000-2009**		**2008-2017**		**2017**	
Approaches	**bottom-up**	**top-down**	**bottom-up**	**top-down**	**bottom-up**	**top-down**	**bottom-up**	**top-down**
NATURAL SOURCES								
Wetlands	**183** [151-222]	**166** [125-204]	**147** [102-179]	**180** [153-196]	**149** [102-182]	**181** [159-200]	**145** [100-183]	**194** [155-217]
Other natural sources	**199** [104-297]	**68** [21-130]	**222** [143-306]	**35** [21-47]	**222** [143-306]	**37** [21-50]	**222** [143-306]	**39** [21-50]
Other land sources	**185** [99-272]		**209** [134-284]					
Freshwaters [a]	122 [60-180]		159 [117-212]					
Geological (onshore)	40 [30-56]		38 [13-53]					
Wild animals	10 [5-15]		2 [1-3]					
Termites	9 [3-15]		9 [3-15]					
Wildfires	3 [1-5]		(**)					
Permafrost soils (direct)	1 [0-1]		1 [0-1]					
Vegetation	(*)		(*)					
Oceanic sources	**14** [5-25]		**13** [9-22]					
Geological (offshore)	12 [5-20]		7 [5-12]					
Biogenic open and coastal [b]	2 [0-5]		6 [4-10]					
TOTAL NATURAL SOURCES	**382** [255-519]	**234** [194-292]	**369** [245-485]	**215** [176-243]	**371** [245-488]	**218** [183-248]	**367** [243-489]	**232** [194-267]
ANTHROPOGENIC SOURCES								
Agriculture and waste	**190** [174-201]	**183** [112-241]	**192** [178-206]	**202** [198-219]	**206** [191-223]	**217** [207-240]	**213** [198-232]	**227** [205-246]
Enteric ferm. & manure	103 [95-109][c]		104 [93-109]		111 [106-116]		115 [110-121]	
Landfills & waste	57 [51-61][c]		60 [55-63]		65 [60-69]		68 [64-71]	
Rice cultivation	29 [23-35][c]		28 [23-34]		30 [25-38]		30 [24-40]	
Fossil fuels	**112** [107-126]	**101** [77-126]	**110** [94-129]	**101** [71-151]	**128** [113-154]	**111** [81-131]	**135** [121-164]	**108** [91-121]
Coal mining	36 [24-43][c]		32 [24-42]		42 [29-61]		44 [31-63]	
Oil & Gas	76 [64-85][c]		73 [60-85]		80 [68-92]		84 [72-97]	
Industry			2 [0-6]		3 [0-7]		3 [0-8]	
Transport			4 [1-11]		4 [1-12]		4 [1-13]	
Biomass & biof. burn	**30** [26-34]	**35** [16-53]	**31** [26-46]	**29** [23-35]	**30** [26-40]	**30** [22-36]	**29** [24-38]	**28** [25-32]
Biomass burning	18 [15-20]		19 [15-32]		17 [14-26]		16 [11-24]	
Biofuel burning	12 [9-14]		12 [9-14]		12 [10-14]		13 [10-14]	
TOTAL ANTHROPOGENIC SOURCES[g]	**338** [329-342]	**319** [255-357]	**334** [321-358]	**332** [312-347]	**366** [349-393]	**359** [336-376]	**380** [359-407]	**364** [340-381]
SINKS								
Total chemical loss	**604** [483-738]	**514**[f]	**595** [489-749]	**505**[a] [459-516]	**595** [489-749]	**518**[a] [474-532]	**595** [489-749]	**531**[a] [502-540]
Tropospheric OH	528 [454-617]		553 [476-677]					
Stratospheric loss	51 [16-84]		31 [12-37]					
Tropospheric Cl	25 [13-37]		11 [1-35]					

Supprimé: …able 3: Global methane emissions by source type … [452]
Supprimé: …aunois et al. (2016) … [453]
Supprimé: …his work … [454]
Supprimé: …eriod of time … [455]
Supprimé: …000-2009 … [456]
Supprimé: …000-2009 … [457]
Supprimé: …008-2017 … [458]
Supprimé: …017 … [459]
Supprimé: …pproaches … [460]
Supprimé: …ottom-up … [461]
Supprimé: …op-down … [462]
Supprimé: …ottom-up … [463]
Supprimé: …op-down … [464]
Supprimé: …ottom-up … [465]
Supprimé: …op-down … [466]
Supprimé: …ottom-up … [467]
Supprimé: …op-down … [468]
Supprimé: NATURAL SOURCES … [469]
Mis en forme … [470]
Mis en forme … [471]
Tableau mis en forme … [472]
Supprimé: Natural wetlands…etlands … [473]
Supprimé: …8178… … [474]
Supprimé: …9489… … [476]
Supprimé: …1595…200] … [475]
Supprimé: …155-217] … [477]
Supprimé: …ther natural sources … [478]
Supprimé: …5 … [479]
Supprimé: …7 … [481]
Supprimé: …9 … [483]
Supprimé: …21-47] … [480]
Supprimé: …21-50] … [482]
Supprimé: …21-50] … [484]
Supprimé: …ther land sources … [485]
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé: …reshwaters [a] … [486]
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé: …eological (onshore) … [487]
Supprimé: …0 [30-56] … [493]
Supprimé: …8 [13-53] … [497]
Supprimé: …ild animals … [488]
Supprimé: …ermites … [489]
Supprimé: … [3-15] … [494]
Supprimé: … [3-15] … [498]
Supprimé: …ildfires … [490]

Soil uptake	**28** [9-47]	**32** [27-38]	**30** [11-49]	**34** [27-41]	**30** [11-49]	**38** [27-45]	**30** [11-49]	**40** [37-47]
TOTAL SINKS	**632** [592-785]	**546**[d]	**625** [500-798]	**540** [486-556]	**625** [500-798]	**556** [501-574]	**625** [500-798]	**571** [540-585]
SOURCES – SINKS IMBALANCE								
TOTAL SOURCES	**719** [583-861]	**552** [535-566]	**703** [566-842]	**547** [524-560]	**737** [594-881]	**576** [550-594]	**747** [602-896]	**596** [572-614]
TOTAL SINKS	**632** [592-785]	**546**[d]	**625** [500-798]	**540** [486-556]	**625** [500-798]	**556** [501-574]	**625** [500-798]	**571** [540-585]
IMBALANCE		**6**[d]	**78**	**3** [-10-38][h]	**112**	**13** [0- 49][h]	**120**	**12** [0- 41][h]
ATMOSPHERIC GROWTH[i]		**6.0** [4.9-6.6]		**5.8** [4.9-6.6]		**18.2** [17.3-19.0]		**16.8** [14.0-19.5]

(*) uncertain but likely small for upland forest and aerobic emissions, potentially large for forested wetland, but likely included elsewhere.
(**) We stop reporting this value to avoid potential double counting with satellite-based products of biomass burning (see Sect. 3.1.5).
a: Freshwater includes lakes, ponds, reservoirs, streams and rivers.
b: includes flux from hydrates considered at 0 for this study, includes estuaries.
c: For IIASA inventory the breakdown of agriculture and waste (rice, Enteric fermentation & manure, Landfills & waste) and fossil fuel (coal, oil, gas & industry) sources used the same ratios as the mean of EDGAR and USEPA inventories in Saunois et al. (2016).
d: total sink was deduced from global mass balance and not directly computed in Saunois et al. (2016).
e: computed as the difference of global sink and soil uptake in Saunois et al. (2016).
f: Industry and transport emissions were included in the Oil & Gas category in Saunois et al. (2016).
g: Total anthropogenic emissions are based on estimtes of full anthropogenic inventory and not on the sum of "Agriculture and Waste", "Fossil fuels" and "Biofuel and biomass burning" categories (see Sect. 3.1.2)
h: Some inversions did not provide the chemical sink. These values are derived from a subset of the inversion ensemble.
i: Atmospheric growth are given in the same unit Tg CH_4 yr^{-1}, based on the conversion factor of 2.75 Tg CH_4 ppb^{-1} given by Prather et al. (2012) and the atmospheric growth rates provided in the text in ppb yr^{-1}.

Supprimé: …oil uptake … [592]
Supprimé: …8 [9-47] … [593]
Supprimé: …2 [27-38] … [594]
Supprimé: …0 [11-49] … [595]
Supprimé: …4 [27-41] … [596]
Supprimé:
Supprimé: …8 [27-45] … [597]
Supprimé:
Supprimé: …0 [37-47] … [598]
Tableau mis en forme … [599]
Mis en forme … [600]
Mis en forme … [601]
Supprimé: Sum of sources…OTAL SOURCES … [602]
Supprimé: …475 … [604]
Supprimé: …762 … [607]
Supprimé: …475 … [609]
Supprimé: …961 … [611]
Supprimé: 70…842] … [603]
Supprimé: 2…56059… … [605]
Supprimé: 3…8810… … [606]
Supprimé: 38…5943… … [608]
Supprimé: 0…8963… … [610]
Supprimé: 52…614] … [612]
Supprimé: Sum of Sinks…OTAL SINKS … [613]
Supprimé: …46[d] … [614]
Supprimé:
Mis en forme … [615]
Supprimé:
Mis en forme … [616]
Supprimé: Imbalance…MBALANCE … [617]
Supprimé:
Supprimé: …[e…] … [618]
Mis en forme … [619]
Mis en forme … [620]
Supprimé: …4…[-101…386 … [621]
Mis en forme … [622]
Mis en forme … [623]
Mis en forme … [624]
Supprimé: …36…[0- 497…[h] … [625]
Mis en forme … [626]
Mis en forme … [627]
Supprimé: …21…[0- 43…9…[h] … [628]
Supprimé: Atmospheric growth
Mis en forme … [629]
Supprimé:
Supprimé:
Mis en forme … [630]
Supprimé:
Supprimé:
Mis en forme … [631]
Supprimé:
Mis en forme … [633]
Mis en forme … [632]
Mis en forme … [634]

Table 4: Top-down studies used in our new analysis, with their contribution to the decadal and yearly estimates noted. For decadal means, top down studies have to provide at least 8 years of data over the decade to contribute to the estimate.

Model	Institution	Observation used	Time period	Number of inversions	2000-2009	2008-2017	2017	References
Carbon Tracker-Europe CH_4	FMI	Surface stations	2000-2017	1	y	y	y	Tsuruta et al. (2017)
Carbon Tracker-Europe CH_4	FMI	GOSAT NIES L2 v2.72	2010-2017	1	n	y	y	Tsuruta et al. (2017)
GELCA	NIES	Surface stations	2000-2015	1	y	y	n	Ishizawa et al. (2016)
LMDz-PYVAR	LSCE/CEA	Surface stations	2010-2016	2	n	y	n	Yin et al. (2015)
LMDz-PYVAR	LSCE/CEA	GOSAT Leicester v7.2	2010-2016	4	n	y	n	Yin et al. (2015)
LMDz-PYVAR	LSCE/CEA	GOSAT Leicester v7.2	2010-2017	2	n	y	y	Zheng et al. (2018b, 2018a)
MIROC4-ACTM	JAMSTEC	Surface stations	2000-2016	1	y	y	n	Patra et al. (2016, 2018)
NICAM-TM	NIES	Surface stations	2000-2017	1	y	y	y	Niwa et al. (2017a, 2017b)
NIES-TM-FLEXPART (NTF)	NIES	Surface stations	2000-2017	1	y	y	y	Maksyutov et al. (2020); Wang et al. (2019a)
NIES-TM-FLEXPART (NTF)	NIES	GOSAT NIES L2 v2.72	2010-2017	1	n	y	y	Maksyutov et al. (2020); Wang et al. (2019a)
TM5-CAMS	TNO/VU	Surface stations	2000-2017	1	y	y	y	Bergamaschi et al. (2010, 2013); Pandey et al. (2016); Segers and Houweling (2018)
TM5-CAMS	TNO/VU	GOSAT ESA/CCI v2.3.8	2010-2017	1	n	y	y	Bergamaschi et al. (2010, 2013); Pandey et al.

Supprimé: …able 4: Top-down studies used in …ur new … [645]
Supprimé: …odel … [646]
Supprimé: …nstitution … [647]
Supprimé: …bservation used … [648]
Supprimé: …ime period … [649]
Supprimé: …umber of inversions … [650]
Supprimé: …000-2009 … [651]
Supprimé: …008- … [652]
Supprimé: …017 … [654]
Supprimé: …eferences … [655]
Supprimé: …017 … [653]
Supprimé: …arbon Tracker-Europe CH_4 … [656]
Supprimé: …MI … [657]
Supprimé: …urface stations … [658]
Supprimé: …000-2017 … [659]
Supprimé: … … [660]
Supprimé: … … [661]
Supprimé: … … [662]
Supprimé: … … [663]
Supprimé: (2017)
Mis en forme … [665]
Code de champ modifié … [664]
Mis en forme … [666]
Mis en forme … [667]
Mis en forme … [669]
Mis en forme … [670]
Mis en forme … [671]
Mis en forme … [674]
Mis en forme … [675]
Mis en forme … [676]
Mis en forme … [677]
Mis en forme … [678]
Mis en forme … [679]
Mis en forme … [680]
Mis en forme … [681]
Mis en forme … [682]
Mis en forme … [683]
Mis en forme … [684]
Mis en forme … [668]
Supprimé: (2017)
Mis en forme … [685]
Mis en forme … [672]
Supprimé:
Mis en forme … [673]
Mis en forme … [686]
Mis en forme … [687]
Mis en forme … [688]
Mis en forme … [689]
Mis en forme … [690]
Mis en forme … [692]
Mis en forme … [693]
Mis en forme … [694]
Mis en forme … [695]
Mis en forme … [696]

		(combined with surface observations)						(2016); Segers and Houwelling (2018)
TM5-4DVAR	EC-JRC	Surface stations	2000-2017	2	y	y	y	Bergamaschi et al. (2013, 2018)
TM5-4DVAR	EC-JRC	GOSAT OCPR v7.2 (combined with surface observations)	2010-2017	2	n	y	y	Bergamaschi et al. (2013, 2018)
TOMCAT	Uni. of Leeds	Surface stations	2003-2015	1	n	y	n	McNorton et al. (2018)

Mis en forme ... [871]
Mis en forme ... [870]
Supprimé: Segers and Houwelling (2018,report); Bergamaschi et ... [872]
Mis en forme ... [873]
Mis en forme ... [874]
Mis en forme ... [875]
Mis en forme ... [876]
Mis en forme ... [877]
Mis en forme ... [878]
Mis en forme ... [880]
Mis en forme ... [881]
Mis en forme ... [882]
Mis en forme ... [883]
Supprimé: Bergamaschi et al. (2013
Mis en forme ... [884]
Mis en forme ... [885]
Mis en forme ... [886]
Mis en forme ... [887]
Mis en forme ... [888]
Mis en forme ... [889]
Mis en forme ... [890]
Mis en forme ... [879]
Mis en forme ... [891]
Mis en forme ... [900]
Mis en forme ... [901]
Mis en forme ... [902]
Mis en forme ... [903]
Mis en forme ... [905]
Mis en forme ... [906]
Mis en forme ... [907]
Supprimé: Bergamaschi et al. (2013
Mis en forme ... [892]
Mis en forme ... [893]
Mis en forme ... [894]
Mis en forme ... [904]
Mis en forme ... [895]
Mis en forme ... [896]
Mis en forme ... [898]
Mis en forme ... [899]
Mis en forme ... [908]
Mis en forme ... [897]
Mis en forme ... [909]
Mis en forme ... [910]
Mis en forme ... [911]
Mis en forme ... [912]
Mis en forme ... [914]
Mis en forme ... [916]
Mis en forme ... [917]
Mis en forme ... [918]
Mis en forme ... [919]
Mis en forme ... [920]
Mis en forme ... [921]
Mis en forme ... [922]
Mis en forme ... [923]

Table 5: Global and latitudinal total methane emissions in Tg CH_4 yr^{-1}, as decadal means (2000-2009 and 2008-2017) and for the year 2017, for this work using bottom-up and top-down approaches. Global emissions for 2000-2009 are also compared with Saunois et al. (2016) and Kirschke et al. (2013) for top-down and bottom-up approcahes. Latitudinal total emissions for 2000-2009 are compared with Saunois et al. (2016) for top-down studies only. Uncertainties are reported as [min-max] range. Differences of 1 Tg CH_4 yr^{-1} in the totals can occur due to rounding errors.

Period	2000-2009		2008-2017		2017	
Approach	**Bottom-up**	**Top-down**	**Bottom-up**	**Top-down**	**Bottom-up**	**Top-down**
Global						
This work	**703** [566-842]	**547** [524-560]	**737** [594-881]	**576** [550-594]	**747** [602-896]	**596** [572-614]
Saunois et al. (2016)	*719* *[583-861]*	*552* *[535-566]*	-	-	-	-
Kirschke et al. *(2013)*	*678* *[542-852]*	*553* *[526-569]*	¯	¯	¯	¯
90°S-30°N						
This work	**408** [322-532]	**346** [320-379]	**430** [338-547]	**368** [337-399]	**434** [343-568]	**383** [351-405]
Saunois et al. (2016)	¯	356 [334-381]	-	¯	-	¯
30°N-60°N						
This work	**252** [202-342]	**178** [159-199]	**267** [218-349]	**186** [166-204]	**272** [223-351]	**188** [171-209]
Saunois et al. (2016)	¯	176 [159-195]	¯	¯	-	¯
60°N-90°N						
This work	**42** [28-70]	**23** [17- 32]	**43** [26-72]	**22** [17- 29]	**40** [24- 70]	**24** [21- 28]
Saunois et al. (2016)	¯	20 [15-25]	¯	¯	-	¯

Mis en forme ... [929]
Supprimé:
Mis en forme ... [930]
Supprimé: …eriod ... [931]
Supprimé: …000-2009 ... [932]
Supprimé: …008-2017 ... [933]
Supprimé: …017 ... [934]
Supprimé: …pproach ... [935]
Supprimé: …ottom-up ... [936]
Supprimé: …op-down ... [937]
Supprimé: …ottom-up ... [938]
Supprimé: …op-down ... [939]
Supprimé: …ottom-up ... [940]
Supprimé: …op-down ... [941]
Supprimé: …lobal ... [942]
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé: …475 ... [948]
Supprimé: …762 ... [952]
Supprimé: …45… ... [955]
Supprimé: …961 ... [958]
Supprimé: 70…842] ... [947]
Supprimé: 2…56059… ... [949]
Supprimé: 3…8810… ... [950]
Supprimé: 38…5943… ... [953]
Supprimé: 0…8963… ... [956]
Supprimé: 52…614] ... [959]
Mis en forme ... [943]
Mis en forme ... [944]
Mis en forme ... [945]
Supprimé: … ... [951]
Supprimé: … ... [954]
Supprimé: … ... [957]
Supprimé: … ... [960]
Mis en forme ... [946]
Supprimé: …0°S-30°N ... [961]
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé:
Supprimé: …0810 ... [963]
Supprimé: …686 ... [967]
Supprimé: …345 ... [970]
Supprimé: …8379 ... [972]
Supprimé: 36…532…] ... [964]
Supprimé: 57…5474 ... [966]
Supprimé: 21…399] ... [968]
Supprimé: 62…56852 ... [971]

Table 6: Latitudinal methane emissions in Tg CH_4 yr^{-1} for the last decade 2008-2017, based on top-down and bottom-up approaches. Uncertainties are reported as [min-max] range of reported studies. Differences of 1 Tg CH_4 yr^{-1} in the totals can occur due to rounding errors. For bottom-up approaches, other natural sources (as a result total methane emissions and natural emissions) are not reported here due to a lack of spatial distribution for some sources (freshwater). Bottom-up anthropogenic estimates are based only on the gridded products from EDGARv4.3.2 and GAINS.

Latitudinal band	90°S-30°N		30°N-60°N		60°-90°N	
Approach	Bottom-up	Top-Down	Bottom-up	Top-Down	Bottom-up	Top-Down
Natural Sources	228 [155340]	160 [130-189]	115 [70- 192]	42 [29-54]	31 [18- 55]	16 [11-20]
Natural Wetland	116 [71-146]	135 [116-155]	25 [10-43]	33 [24-48]	9 [2-18]	13 [7-16]
Other natural	112 [84-194]	25 [14-36]	90 [60-149]	9 [4-14]	22 [16-37]	3 [2-4]
Anthropogenic sources	202 [183-217]	208 [186-229]	152 [148-157]	144 [117-170]	12 [8-8]	6 [2-10]
Agriculture & Waste	130 [121-137]	139 [127-157]	80 [77-84]	78 [67-87]	1 [1-1]	1 [1-2]
Fossil Fuels	53 [43-71]	47 [37-52]	67 [61-71]	60 [34-85]	10 [6-15]	4 [2-7]
Biomass & biofuel burning	20 [18-22]	22 [18-28]	7 [6-9]	6 [5-8]	1 [0-1]	1 [1-1]
Sum of sources	430 [338-557]	368 [337-399]	267 [218-349]	186 [166-204]	43 [26- 72]	22 [17- 29]

Supprimé:
Supprimé: …able 6: Latitudinal methane emissions in Tg CH… [1003]
Supprimé: …atitudinal band … [1004]
Supprimé: …0°S-<…30°N … [1005]
Supprimé: …0°N-60°N … [1006]
Supprimé: …0°-90°N … [1007]
Supprimé: …pproach … [1008]
Supprimé: …ottom-up … [1009]
Supprimé: …op-Down … [1010]
Supprimé: …ottom-up … [1011]
Supprimé: …op-Down … [1012]
Supprimé: …ottom-up … [1013]
Supprimé: …op-Down … [1014]
Supprimé: …atural Sources … [1015]
Supprimé: …287…[15571…40-146… … [1016]
Supprimé: …6058…[13015…189] … [1017]
Supprimé: …15 [701… 1923… … [1018]
Supprimé: …21…[29-542… … [1019]
Supprimé: …1 [18- 55] … [1020]
Supprimé: …6 [11-20] … [1021]
Supprimé: …atural Wetland … [1022]
Supprimé: …165…[71-146] … [1023]
Supprimé: …353…[11602…155] … [1024]
Supprimé: …5 [101…434… … [1025]
Supprimé: …32…[24-481… … [1026]
Supprimé: … [2-18] … [1027]
Supprimé: …3 [7-16] … [1028]
Supprimé: …ther natural … [1029]
Supprimé: …12 [84-194] … [1030]
Supprimé: …5 [14-36] … [1031]
Supprimé: …0 [60-149] … [1032]
Supprimé: … [4-14] … [1033]
Supprimé: …2 [16-37] … [1034]
Supprimé: … [20…4] … [1035]
Supprimé: …nthropogenic sources … [1036]
Supprimé: …023…[202…83-21704… … [1037]
Supprimé: …08 [186-229] … [1038]
Supprimé: …523…[14852…1573… … [1039]
Supprimé: …44 [117-170] … [1040]
Supprimé: 8…2 [8-8] … [1041]
Supprimé: … [2-10] … [1042]
Supprimé: …griculture & Waste … [1043]
Supprimé: …30 [121-137] … [1044]
Supprimé: …39 [127-157] … [1045]
Supprimé: …0 [77-84] … [1046]
Supprimé: …8 [67-87] … [1047]
Supprimé: … [1-1] … [1048]
Supprimé: … [1-2] … [1049]
Supprimé: …ossil Fuels … [1050]
Supprimé: …342…[430…7146… … [1051]
Supprimé: …7 [37-52] … [1052]
Supprimé: …75…[6158…71] … [1053]
Supprimé: …0 [34-85] … [1054]
Supprimé: …07…[6-158… … [1055]



Figure 1: Globally averaged atmospheric CH_4 (ppb) (a) and its annual growth rate G_{ATM} (ppb yr^{-1}) (b) from four measurement programs, National Oceanic and Atmospheric Administration (NOAA), Advanced Global Atmospheric Gases Experiment (AGAGE), Commonwealth Scientific and Industrial Research Organisation (CSIRO), and University of California, Irvine (UCI). Detailed descriptions of methods are given in the supplementary material of Kirschke et al. (2013).

Supprimé:

Mis en forme : Police :9 pt

Supprimé: Kirschke et al. (2013)

Figure 2: Top: Global anthropogenic methane emissions (including biomass burning) from historical inventories and future projections (in Tg CH_4 yr^{-1}). Top left panel shows inventories and the unharmonized Shared Socioeconomic PAthways (Riahi et al., 2017), with highlighted scenarios representing scenarios assessed in CMIP6 (O'Neill, et al., 2016). Top right panel shows the selected scenarios harmonized with historical emissions (CEDS) for CMIP6 activities (Gidden et al., 2019). USEPA and GAINS estimates have been linearly interpolated from the 5-year original products to yearly values. After 2005, USEPA original estimates are projections. Bottom left: Global methane concentrations for NOAA surface site observations (black) and projections based on SSPs (Riahi et al., 2017) with concentrations estimated using MAGICC (Meinshausen et al., 2011).



Supprimé:

Supprimé: **…igure 2:** Top: Global anthropogenic methane emissions (including biomass burning) from historical inventories and future projections (in Tg CH_4 yr^{-1}). Top left panel shows inventories and the unharmonized Shared Socioeconomic PAthways (Riahi et al., 2017), with highlighted scenarios representing scenarios assessed in CMIP6 (O'Neill, et al., 2016). Top right panel shows the selected scenarios harmonized with historical emissions (CEDS) for CMIP6 activities (Gidden et al., 2019). USEPA and GAINS estimates have been linearly interpolated from the 5-year original products to yearly values. After 2005, USEPA original estimates are projections. Bottom left: Global methane concentrations for NOAA surface site observations (black) and projections based on SSPs (Riahi et al [1072]

Supprimé:

Supprimé:





Supprimé:



Figure 3: Methane emissions from four source categories: natural wetlands (excluding lakes, ponds, and rivers), biomass and biofuel burning, Agriculture and Waste, and Fossil fuels for the 2008-2017 decade in mg CH_4 m^{-2} day^{-1}. The wetland emission map represents the mean daily emission average over the 13 biogeochemical models listed in Table 2 and over the 2008-2017 decade. Fossil fuel and Agriculture and Waste emission maps are derived from the mean estimates of gridded CEDS, EGDARv4.3.2 and GAINS models. The biomass and biofuel burning map results from the mean of the biomass burning inventories listed in Table 1 added to the mean of the biofuel estimate from CEDS, EDGARv4.3.2 and GAINS models.

Supprimé:



Supprimé:



Figure 4: Methane emissions (mg CH_4 m^{-2} day^{-1}) from three natural sources (left color scale): geological (Etiope et al., 2019), termites (this study) and oceans (Weber et al., 2019), and methane uptake in soils (mg CH_4 m^{-2} day^{-1}) presented in positive units (right color scale), and based on Murguia-Flores et al. (2018).

Supprimé:



Figure 5: Methane global emissions from the five broad categories (see Sect. 2.3) for the 2008-2017 decade for top-down inversions models (left light coloured boxplots) in Tg CH_4 yr^{-1} and for bottom-up models and inventories (right dark coloured boxplots). Median value, first and third quartiles are presented in the boxes. The whiskers represent the minimum and maximum values when suspected outliers are removed (see Sect. 2.2). Suspected outliers are marked with stars when existing. Bottom-up quartiles are not available for bottom-up estimates, except for wetland emissions. Mean values are represented with "+" symbols, these are the values reported in Table 3.



Supprimé:

Mis en forme : Police :10 pt, Non Gras

Supprimé: T-D

Supprimé: B-U

Supprimé: -U

Supprimé: B-U



Supprimé:



Figure 6: Global Methane Budget for the 2008-2017 decades. Both bottom-up (left) and top-down (right) estimates are provided for each emission and sink category in Tg CH_4 yr^{-1}, as well as for total emissions and total sinks. Biomass and biofuel burning emissions are depicted here as both natural and anthropogenic emissions while they are fully included in anthropogenic emissions in the budget tables and text (Sect. 3.1.5).



Figure 7: Methane latitudinal emissions from the five broad categories (see Sect. 2.3) for the 2008-2017 decade for top-down inversions models (left light coloured boxplots) in Tg CH_4 yr^{-1} and for bottom-up models and inventories (right dark coloured boxplots). Median value, first and third quartiles are presented in the boxes. The whiskers represent the minimum and maximum values when suspected outliers are removed (see Sect. 2.2). Suspected outliers are marked with stars as shown. Bottom-up quartiles are not available for bottom-up estimates, except wetland emissions. Mean values are represented with "+" symbols, these are the values reported in Table 6.

Supprimé:



Supprimé:

Mis en forme : Police :10 pt, Non Gras

Supprimé: -U

Supprimé: B-U

Supprimé:

Table A1. Funding supporting the production of the various components of the global methane budget in addition to the authors' supporting institutions (see also acknowledgements).

Funder and grant number (where relevant)	Authors/Simulations/Observations
ARC Linkage project LP150100519	Judith Rosentreter
Australian National Environmental Science Program-Earth Systems and Climate Hub	Joseph Canadell
Environment Research and Technology Development Fund (2-17002) of the Ministry of the Environment, Japan	Naveen Chandra and Prabir K. Patra
Environment Research and Technology Development Fund (2-1701) of the Ministry of the Environment, Japan	Yosuke Niwa
Environment Research and Technology Development Fund (2-1710) of the Ministry of the Environment, Japan	Akihiko Ito
ESA GHG-CCI	Robert Parker
European Research Council (ERC; grant no. 725546, METLAKE)	David Bastviken
European Union's Horizon 2020 research and innovation programme under grant agreement (VERIFY project) No. 776810	Pierre Regnier and Glen P. Peters
F.R.S.- FNRS for post-doctoral funding at the ULB	Goulven Laruelle
German Federal Ministry of Education and Research (BMBF) under the PalMod programme	Thomas Kleinen
Gordon and Betty Moore Foundation through Grant GBMF5439 "Advancing Understanding of the Global Methane Cycle" to Stanford University	Rob Jackson; co-P.I.s Philippe Bousquet, Marielle Saunois, Yuanhong Zhao, Josep Canadell, Gustaf Hugelius, and Ben Poulter
Linköping University	David Bastviken
Ministry of the Environment, Japan	Shamil Maksyutov
NASA	Donald R. Blake and Isobel J. Simpson (UCI)
NASA grant NNX17AI74G	Peter Raymond
NASA grant NNX17AK11G	Thomas Weber
NASA grant NNX17AK20G	Qianlai Zhuang and Licheng Liu
NASA through their Terrestrial Ecology program.	Ben Poulter
National Science and Engineering Research Council of Canada (NSERC) discovery grant	Changhui Peng
Newton Fund through the Met Office Climate Science for Service Partnership Brazil (CSSP Brazil)	Nicolas Gedney
NIES GOSAT Project	Shamil Maksyutov
RUDN "5-100"	Simona Castaldi
Swedish Research Council (VR) and Formas project no. 2016-01201	Paul A. Miller, Adrian Gustafson and Wenxin Zhang
Swedish Research Council VR	Patrick Crill
Swedish Research Councils VR and FORMAS	David Bastviken
Swiss National Science Foundation (#200020_172476)	Fortunat Joos and Jurek Mueller
UK National Centre for Earth Observation (nceo020005)	Robert Parker
US Department of Energy, BER, RGCM, RUBISCO project under contract #DE-AC02-05CH11231	William J. Riley and Qing Zhu
Computing Resources	
ECMWF computing resources under the special project "Improve European and global CH_4 and N_2O flux inversions (2018-2020)".	Peter Bergamaschi

LSCE computing resources	Marielle Saunois, Philippe Bousquet, Bo Zheng and Yi Yin
NASA: grants NAG5-12669, NNX07AE89G, NNX11AF17G and NNX16AC98G to MIT	MIT theory and inverse modeling
Swedish National Infrastructure for Computing (SNIC) at the Lund University Centre for Scientific and Technical Computing (Lunarc), project no. 2017/1-423 – Aurora resource	LPJGUESS Simulations
Support for atmospheric observations	
Australian Antarctic Division	CSIRO flask network
Australian Institute of Marine Science	CSIRO flask network
Bureau of Meteorology (Australia)	Cape Grim AGAGE, CSIRO flask network
Commonwealth Scientific and Industrial Research Organisation (CSIRO, Australia)	Cape Grim AGAGE, CSIRO flask network
Department of the Environment and Energy (DoEE, Australia)	Cape Grim AGAGE
Meteorological Service of Canada	CSIRO flask network
NASA: grants NAG5-12669, NNX07AE89G, NNX11AF17G and NNX16AC98G to MIT; grants NAG5-4023, NNX07AE87G, NNX07AF09G, NNX11AF15G and NNX11AF16G to SIO	Operation of Mace Head, Trinidad Head, Barbados, American Samoa, and Cape Grim AGAGE stations and SIO calibration
National Oceanic and Atmospheric Administration (NOAA, USA) contract RA133R15CN0008 to the University of Bristol	Barbados
NOAA USA	CSIRO flask network
Refrigerant Reclaim Australia	Cape Grim AGAGE
UK Department for Business, Energy & Industrial Strategy (BEIS) contract TRN1537/06/2018 to the University of Bristol	Mace Head
ALICE High Performance Computing Facility at the University of Leicester	GOSAT retrievals
Japanese Ministry of Environment	GOSAT data, Robert Parker
Japanese Aerospace Exploration Agency, National Institute for Environmental Studies	GOSAT data, Robert Parker

Mis en forme : Français

Supprimé:

Page 7 : [1] Supprimé	**Utilisateur Microsoft Office**	**06/03/2020 14:36:00**

Page 8 : [2] Mis en forme	**Utilisateur Microsoft Office**	**06/03/2020 14:53:00**

Anglais (E.U.)

Page 8 : [3] Mis en forme	**Utilisateur Microsoft Office**	**17/03/2020 12:36:00**

Anglais (E.U.)

Page 8 : [4] Mis en forme	**Utilisateur Microsoft Office**	**17/03/2020 12:36:00**

Anglais (E.U.)

Page 8 : [5] Mis en forme	**Utilisateur Microsoft Office**	**17/03/2020 12:36:00**

Anglais (E.U.)

Page 8 : [6] Mis en forme	**Utilisateur Microsoft Office**	**17/03/2020 12:36:00**

Anglais (E.U.)

Page 8 : [7] Mis en forme	**Utilisateur Microsoft Office**	**17/03/2020 12:36:00**

Anglais (E.U.)

Page 8 : [8] Mis en forme	**Utilisateur Microsoft Office**	**17/03/2020 12:36:00**

Anglais (E.U.)

Page 8 : [9] Mis en forme	**Utilisateur Microsoft Office**	**17/03/2020 12:36:00**

Anglais (E.U.)

Page 8 : [10] Mis en forme	**Utilisateur Microsoft Office**	**12/02/2020 10:51:00**

Indice

Page 8 : [11] Mis en forme	**Utilisateur Microsoft Office**	**17/03/2020 12:36:00**

Anglais (E.U.)

Page 8 : [12] Supprimé	**Utilisateur Microsoft Office**	**17/03/2020 11:21:00**

Page 8 : [13] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:30:00**

Anglais (E.U.)

Page 8 : [14] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:30:00**

Anglais (E.U.)

Page 9 : [15] Supprimé	**Utilisateur Microsoft Office**	**12/02/2020 11:16:00**

Page 9 : [16] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:19:00**

Page 9 : [19] Supprimé **Utilisateur Microsoft Office** **17/03/2020 13:16:00**

Page 9 : [20] Modifier **Unknown**

Code de champ modifié

Page 9 : [21] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 13:19:00**

Français

Page 9 : [22] Mis en forme **Utilisateur Microsoft Office** **17/03/2020 13:24:00**

Français

Page 9 : [23] Supprimé **Utilisateur Microsoft Office** **17/03/2020 13:24:00**

Page 9 : [24] Mis en forme **Utilisateur Microsoft Office** **17/03/2020 13:24:00**

Français

Page 9 : [25] Mis en forme **Utilisateur Microsoft Office** **17/03/2020 13:24:00**

Français

Page 10 : [26] Supprimé **Utilisateur Microsoft Office** **12/02/2020 11:40:00**

Page 12 : [27] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 13 : [28] Supprimé **Utilisateur Microsoft Office** **30/01/2020 13:54:00**

Page 15 : [29] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [29] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [29] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [29] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [29] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [29] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [29] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [29] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [30] Supprimé **Utilisateur Microsoft Office** **30/01/2020 13:44:00**

Page 15 : [31] Supprimé **Utilisateur Microsoft Office** **24/01/2020 10:16:00**

Page 15 : [31] Supprimé **Utilisateur Microsoft Office** **24/01/2020 10:16:00**

Page 15 : [32] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [33] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 11:54:00**

Barré

Page 15 : [33] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 11:54:00**

Barré

Page 15 : [33] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 11:54:00**

Barré

Page 15 : [33] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 11:54:00**

Barré

Page 15 : [33] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 11:54:00**

Barré

Page 15 : [33] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 11:54:00**

Barré

Page 15 : [34] Supprimé Utilisateur Microsoft Office 24/01/2020 10:16:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [35] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 15 : [36] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00

Page 15 : [36] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [36] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [36] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [36] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [36] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [36] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [36] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [36] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 15 : [37] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 13:56:00**

Barré

Page 15 : [37] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 13:56:00**

Barré

Page 15 : [38] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:20:00**

Page 15 : [38] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:20:00**

Page 15 : [38] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:20:00**

Page 15 : [38] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:20:00**

Page 15 : [38] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:20:00**

Page 15 : [38] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 15 : [38] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 15 : [38] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé Utilisateur Microsoft Office 28/02/2020 14:20:00

Page 16 : [39] Supprimé	Utilisateur Microsoft Office	28/02/2020 14:20:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 16 : [40] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00

Page 16 : [40] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [40] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [40] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [40] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [40] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [40] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [40] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [41] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [41] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [41] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [42] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [42] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [42] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [43] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [43] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [43] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [43] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [43] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [44] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [44] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [44] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [44] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [44] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [44] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [44] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [45] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [45] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [45] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [45] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [45] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [45] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 16 : [46] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 16 : [46] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 16 : [47] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 16 : [47] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 16 : [48] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 13:58:00**

Barré

Page 16 : [48] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 13:58:00**

Barré

Page 16 : [48] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 13:58:00**

Barré

Page 16 : [48] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 13:58:00**

Barré

Page 16 : [48] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 13:58:00**

Barré

Page 16 : [49] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:26:00**

Page 16 : [49] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:26:00**

Page 16 : [49] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:26:00**

Page 16 : [49] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:26:00**

Page 16 : [49] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:26:00**

Page 16 : [49] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:26:00**

Page 16 : [49] Supprimé **Utilisateur Microsoft Office** **28/02/2020 14:26:00**

Page 16 : [49] Supprimé	Utilisateur Microsoft Office	28/02/2020 14:26:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00

Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [50] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00

Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00

Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00

Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 18 : [51] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00

Page 18 : [51] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 18 : [51] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 18 : [51] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 18 : [51] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 18 : [51] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [52] Supprimé Utilisateur Microsoft Office 28/02/2020 14:48:00

Page 19 : [52] Supprimé Utilisateur Microsoft Office 28/02/2020 14:48:00

Page 19 : [52] Supprimé Utilisateur Microsoft Office 28/02/2020 14:48:00

Page 19 : [52] Supprimé Utilisateur Microsoft Office 28/02/2020 14:48:00

Page 19 : [52] Supprimé Utilisateur Microsoft Office 28/02/2020 14:48:00

Page 19 : [52] Supprimé Utilisateur Microsoft Office 28/02/2020 14:48:00

Page 19 : [52] Supprimé Utilisateur Microsoft Office 28/02/2020 14:48:00

Page 19 : [53] Supprimé Utilisateur Microsoft Office 24/01/2020 10:16:00

Page 19 : [53] Supprimé Utilisateur Microsoft Office 24/01/2020 10:16:00

Page 19 : [54] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [54] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [54] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [54] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [54] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [54] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [54] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [54] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [55] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 12:18:00**

Non Exposant/ Indice

Page 19 : [55] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 12:18:00**

Non Exposant/ Indice

Page 19 : [56] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [56] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [56] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [56] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [56] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [56] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [56] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:02:00**

Page 19 : [56] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [56] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [56] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [56] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [56] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [56] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [56] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 19 : [57] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:02:00**

Page 19 : [57] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:02:00**

Page 19 : [57] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:02:00**

Page 19 : [57] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:02:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [58] Supprimé	**Utilisateur Microsoft Office**	**30/04/2020 15:12:00**

Page 19 : [59] Mis en forme	**Utilisateur Microsoft Office**	**30/04/2020 15:13:00**

Exposant

Page 19 : [59] Mis en forme	**Utilisateur Microsoft Office**	**30/04/2020 15:13:00**

Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00
Page 19 : [60] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:02:00

Page 20 : [62] Supprimé Utilisateur Microsoft Office 30/01/2020 14:02:00

Page 21 : [63] Supprimé Utilisateur Microsoft Office 03/02/2020 10:35:00

Page 22 : [64] Supprimé Utilisateur Microsoft Office 03/02/2020 10:34:00

Page 22 : [65] Supprimé Utilisateur Microsoft Office 12/02/2020 14:14:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [66] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [67] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [67] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [67] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [68] Supprimé Utilisateur Microsoft Office 24/01/2020 15:27:00

Page 23 : [68] Supprimé Utilisateur Microsoft Office 24/01/2020 15:27:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [69] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [70] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [70] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [70] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 23 : [71] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 23 : [71] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 23 : [72] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:15:00**

Barré

Page 23 : [72] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:15:00**

Barré

Page 23 : [72] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:15:00**

Barré

Page 23 : [72] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:15:00**

Barré

Page 23 : [72] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:15:00**

Barré

Page 23 : [73] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:27:00**

Page 23 : [73] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:27:00**

Page 23 : [73] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:27:00**

Page 23 : [73] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:27:00**

Page 23 : [73] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:27:00**

Page 23 : [73] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:27:00**

Page 23 : [73] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:27:00**

Page 23 : [74] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 23 : [74] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 10:08:00**

Français

Page 24 : [75] Supprimé	**Utilisateur Microsoft Office**	**18/03/2020 10:09:00**

Page 24 : [75] Supprimé	**Utilisateur Microsoft Office**	**18/03/2020 10:09:00**

Page 24 : [75] Supprimé	**Utilisateur Microsoft Office**	**18/03/2020 10:09:00**

Page 24 : [76] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [76] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [76] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [77] Mis en forme **Utilisateur Microsoft Office** **09/01/2020 15:14:00**

Français

Page 24 : [78] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:29:00**

Page 24 : [78] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:29:00**

Page 24 : [78] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:29:00**

Page 24 : [78] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:29:00**

Page 24 : [78] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:29:00**

Page 24 : [78] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:29:00**

Page 24 : [78] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:29:00**

Page 24 : [78] Supprimé **Utilisateur Microsoft Office** **28/02/2020 15:29:00**

Page 24 : [79] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [79] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [79] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [79] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [79] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [80] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 13:20:00**

Anglais (E.U.)

Page 24 : [80] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 13:20:00**

Anglais (E.U.)

Page 24 : [80] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 13:20:00**

Anglais (E.U.)

Page 24 : [81] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [81] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [81] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [82] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [82] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 24 : [83] Supprimé **Utilisateur Microsoft Office** **18/03/2020 10:32:00**

Page 24 : [83] Supprimé **Utilisateur Microsoft Office** **18/03/2020 10:32:00**

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [84] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 24 : [85] Mis en forme Utilisateur Microsoft Office 12/02/2020 14:37:00

Barré

Page 24 : [85] Mis en forme Utilisateur Microsoft Office 12/02/2020 14:37:00

Barré

Page 24 : [85] Mis en forme Utilisateur Microsoft Office 12/02/2020 14:37:00

Barré

Page 25 : [86] Supprimé	**Utilisateur Microsoft Office**	**03/02/2020 11:15:00**
Page 25 : [87] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 26 : [88] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 26 : [88] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 26 : [88] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 26 : [88] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 26 : [88] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 26 : [88] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 26 : [89] Supprimé	**Utilisateur Microsoft Office**	**24/01/2020 16:06:00**
Page 26 : [89] Supprimé	**Utilisateur Microsoft Office**	**24/01/2020 16:06:00**
Page 26 : [89] Supprimé	**Utilisateur Microsoft Office**	**24/01/2020 16:06:00**
Page 26 : [89] Supprimé	**Utilisateur Microsoft Office**	**24/01/2020 16:06:00**
Page 26 : [89] Supprimé	**Utilisateur Microsoft Office**	**24/01/2020 16:06:00**
Page 26 : [90] Supprimé	**Utilisateur Microsoft Office**	**24/01/2020 16:07:00**
Page 26 : [90] Supprimé	**Utilisateur Microsoft Office**	**24/01/2020 16:07:00**

Page 26 : [91] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [91] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [91] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [91] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [91] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [91] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [91] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [91] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [92] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [92] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [92] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [93] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [93] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [93] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [94] Supprimé **Utilisateur Microsoft Office** **03/02/2020 11:17:00**

Page 26 : [94] Supprimé **Utilisateur Microsoft Office** **03/02/2020 11:17:00**

Page 26 : [94] Supprimé **Utilisateur Microsoft Office** **03/02/2020 11:17:00**

Page 26 : [94] Supprimé **Utilisateur Microsoft Office** **03/02/2020 11:17:00**

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [95] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:38:00**

Barré

Page 26 : [96] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [96] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [96] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [96] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [97] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [97] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [97] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [97] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [97] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [98] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [98] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [98] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [98] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [98] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [98] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [99] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [99] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [99] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [99] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Barré, Surlignage

Page 26 : [99] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:15:00**

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [101] Mis en forme **Utilisateur Microsoft Office** **24/01/2020 16:29:00**

Barré

Page 26 : [102] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [102] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [102] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [102] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [102] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [102] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 26 : [102] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 26 : [102] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 26 : [102] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 26 : [102] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 27 : [103] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 28 : [104] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 28 : [105] Supprimé Utilisateur Microsoft Office 28/02/2020 15:55:00

Page 28 : [106] Supprimé Utilisateur Microsoft Office 03/02/2020 11:45:00

Page 28 : [107] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 28 : [108] Supprimé Utilisateur Microsoft Office 18/03/2020 13:39:00

Page 28 : [109] Supprimé Utilisateur Microsoft Office 03/02/2020 11:35:00

Page 29 : [110] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 29 : [110] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 29 : [110] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 29 : [110] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [111] Mis en forme	**Utilisateur Microsoft Office**	**18/03/2020 13:38:00**

Français

Page 29 : [112] Supprimé	**Utilisateur Microsoft Office**	**28/02/2020 16:02:00**

Page 29 : [112] Supprimé	**Utilisateur Microsoft Office**	**28/02/2020 16:02:00**

Page 29 : [112] Supprimé	**Utilisateur Microsoft Office**	**28/02/2020 16:02:00**

Page 29 : [112] Supprimé	**Utilisateur Microsoft Office**	**28/02/2020 16:02:00**

Page 29 : [112] Supprimé	**Utilisateur Microsoft Office**	**28/02/2020 16:02:00**

Page 29 : [112] Supprimé	**Utilisateur Microsoft Office**	**28/02/2020 16:02:00**

Page 29 : [112] Supprimé Utilisateur Microsoft Office 28/02/2020 16:02:00

Page 29 : [112] Supprimé Utilisateur Microsoft Office 28/02/2020 16:02:00

Page 29 : [112] Supprimé Utilisateur Microsoft Office 28/02/2020 16:02:00

Page 29 : [112] Supprimé Utilisateur Microsoft Office 28/02/2020 16:02:00

Page 29 : [112] Supprimé Utilisateur Microsoft Office 28/02/2020 16:02:00

Page 29 : [113] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 29 : [113] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 29 : [114] Supprimé Utilisateur Microsoft Office 28/02/2020 16:06:00

Page 29 : [114] Supprimé Utilisateur Microsoft Office 28/02/2020 16:06:00

Page 29 : [114] Supprimé Utilisateur Microsoft Office 28/02/2020 16:06:00

Page 29 : [114] Supprimé Utilisateur Microsoft Office 28/02/2020 16:06:00

Page 29 : [114] Supprimé Utilisateur Microsoft Office 28/02/2020 16:06:00

Page 29 : [114] Supprimé Utilisateur Microsoft Office 28/02/2020 16:06:00

Page 29 : [114] Supprimé Utilisateur Microsoft Office 28/02/2020 16:06:00

Page 29 : [114] Supprimé Utilisateur Microsoft Office 28/02/2020 16:06:00

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [114] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:06:00**

Page 29 : [115] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 13:15:00**

Non Surlignage

Page 29 : [115] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 13:15:00**

Non Surlignage

Page 29 : [116] Supprimé **Utilisateur Microsoft Office** **29/01/2020 10:06:00**

Page 29 : [116] Supprimé **Utilisateur Microsoft Office** **29/01/2020 10:06:00**

Page 29 : [116] Supprimé **Utilisateur Microsoft Office** **29/01/2020 10:06:00**

Page 29 : [116] Supprimé **Utilisateur Microsoft Office** **29/01/2020 10:06:00**

Page 29 : [116] Supprimé	Utilisateur Microsoft Office	29/01/2020 10:06:00
Page 29 : [116] Supprimé	Utilisateur Microsoft Office	29/01/2020 10:06:00
Page 29 : [116] Supprimé	Utilisateur Microsoft Office	29/01/2020 10:06:00
Page 29 : [116] Supprimé	Utilisateur Microsoft Office	29/01/2020 10:06:00
Page 29 : [116] Supprimé	Utilisateur Microsoft Office	29/01/2020 10:06:00
Page 29 : [116] Supprimé	Utilisateur Microsoft Office	29/01/2020 10:06:00
Page 29 : [117] Supprimé	Utilisateur Microsoft Office	18/03/2020 13:57:00
Page 29 : [117] Supprimé	Utilisateur Microsoft Office	18/03/2020 13:57:00
Page 29 : [117] Supprimé	Utilisateur Microsoft Office	18/03/2020 13:57:00
Page 29 : [117] Supprimé	Utilisateur Microsoft Office	18/03/2020 13:57:00
Page 29 : [117] Supprimé	Utilisateur Microsoft Office	18/03/2020 13:57:00
Page 29 : [117] Supprimé	Utilisateur Microsoft Office	18/03/2020 13:57:00
Page 29 : [117] Supprimé	Utilisateur Microsoft Office	18/03/2020 13:57:00
Page 29 : [118] Supprimé	Utilisateur Microsoft Office	28/02/2020 16:09:00
Page 29 : [118] Supprimé	Utilisateur Microsoft Office	28/02/2020 16:09:00

Page 29 : [118] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:09:00**

Page 29 : [119] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 29 : [119] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 29 : [119] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 29 : [119] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 30 : [120] Supprimé **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Page 30 : [121] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [122] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [123] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [124] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [125] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [126] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [127] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [128] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [129] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Barré

Page 30 : [130] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 14:41:00**

Anglais (E.U.)

Page 30 : [133] Mis en forme **Utilisateur Microsoft Office** **22/03/2020 13:38:00**

Anglais (E.U.)

Page 30 : [134] Mis en forme **Utilisateur Microsoft Office** **22/03/2020 13:38:00**

Anglais (E.U.)

Page 30 : [135] Mis en forme **Utilisateur Microsoft Office** **22/03/2020 13:38:00**

Anglais (E.U.)

Page 30 : [136] Mis en forme **Utilisateur Microsoft Office** **22/03/2020 13:38:00**

Anglais (E.U.)

Page 30 : [137] Mis en forme **Utilisateur Microsoft Office** **22/03/2020 13:38:00**

Anglais (E.U.)

Page 30 : [138] Mis en forme **Utilisateur Microsoft Office** **22/03/2020 13:38:00**

Anglais (E.U.)

Page 30 : [139] Supprimé **Utilisateur Microsoft Office** **12/02/2020 14:45:00**

Page 30 : [140] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [141] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [142] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [143] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [144] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [145] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [146] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [147] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [150] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 30 : [151] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 12:01:00**

Barré

Page 30 : [152] Supprimé **Utilisateur Microsoft Office** **04/02/2020 12:23:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [153] Supprimé **Utilisateur Microsoft Office** **28/02/2020 16:30:00**

Page 32 : [154] Mis en forme **Utilisateur Microsoft Office** **11/03/2020 15:33:00**

Non Exposant/ Indice

Page 32 : [154] Mis en forme **Utilisateur Microsoft Office** **11/03/2020 15:33:00**

Non Exposant/ Indice

Page 32 : [154] Mis en forme **Utilisateur Microsoft Office** **11/03/2020 15:33:00**

Non Exposant/ Indice

Page 32 : [154] Mis en forme **Utilisateur Microsoft Office** **11/03/2020 15:33:00**

Page 32 : [156] Supprimé **Utilisateur Microsoft Office** **11/03/2020 15:31:00**

Page 32 : [157] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 32 : [157] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 32 : [157] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 32 : [158] Supprimé **Utilisateur Microsoft Office** **12/02/2020 14:52:00**

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [159] Mis en forme **Utilisateur Microsoft Office** **18/03/2020 17:44:00**

Français

Page 32 : [160] Supprimé **Utilisateur Microsoft Office** **03/02/2020 12:22:00**

Page 32 : [161] Mis en forme Utilisateur Microsoft Office 18/03/2020 17:44:00

Français

Page 32 : [161] Mis en forme Utilisateur Microsoft Office 18/03/2020 17:44:00

Français

Page 32 : [162] Supprimé Utilisateur Microsoft Office 18/03/2020 17:44:00

Page 32 : [162] Supprimé Utilisateur Microsoft Office 18/03/2020 17:44:00

Page 32 : [163] Supprimé Utilisateur Microsoft Office 18/03/2020 17:47:00

Page 32 : [163] Supprimé Utilisateur Microsoft Office 18/03/2020 17:47:00

Page 32 : [163] Supprimé Utilisateur Microsoft Office 18/03/2020 17:47:00

Page 32 : [163] Supprimé Utilisateur Microsoft Office 18/03/2020 17:47:00

Page 32 : [164] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 32 : [164] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 32 : [164] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 32 : [164] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 32 : [164] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 32 : [164] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 32 : [164] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 32 : [164] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 32 : [164] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 32 : [164] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 33 : [165] Supprimé **Utilisateur Microsoft Office** **03/02/2020 12:32:00**

Page 34 : [166] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [166] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [167] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [168] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:58:00**

Surlignage

Page 34 : [169] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [169] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [169] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [170] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 34 : [170] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 34 : [170] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:16:00**

Barré, Surlignage

Page 34 : [171] Supprimé **Utilisateur Microsoft Office** **18/03/2020 18:31:00**

Page 34 : [171] Supprimé **Utilisateur Microsoft Office** **18/03/2020 18:31:00**

Page 34 : [171] Supprimé **Utilisateur Microsoft Office** **18/03/2020 18:31:00**

Page 34 : [171] Supprimé **Utilisateur Microsoft Office** **18/03/2020 18:31:00**

Page 34 : [173] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:49:00**

Barré

Page 34 : [173] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 13:49:00**

Barré

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 34 : [174] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 34 : [174] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 34 : [174] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 34 : [174] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [175] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [175] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [175] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [175] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [175] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [175] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [175] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [175] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [176] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [176] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [176] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 35 : [177] Mis en forme	**Utilisateur Microsoft Office**	**22/03/2020 13:35:00**

Français

Page 35 : [177] Mis en forme	**Utilisateur Microsoft Office**	**22/03/2020 13:35:00**

Français

Page 35 : [177] Mis en forme	**Utilisateur Microsoft Office**	**22/03/2020 13:35:00**

Français

Page 35 : [178] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:10:00**

Page 35 : [178] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:10:00**

Page 35 : [178] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:10:00**

Page 35 : [178] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:10:00**

Page 35 : [178] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:10:00**

Page 35 : [178] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:10:00**

Page 35 : [178] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:10:00**

Page 35 : [178] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:10:00**

Page 35 : [179] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:12:00**

Page 35 : [179] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:12:00**

Page 35 : [180] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:13:00**

Page 35 : [180] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:13:00**

Page 35 : [180] Supprimé	**Utilisateur Microsoft Office**	**19/03/2020 11:13:00**

Page 35 : [180] Supprimé	Utilisateur Microsoft Office	19/03/2020 11:13:00
Page 35 : [180] Supprimé	Utilisateur Microsoft Office	19/03/2020 11:13:00
Page 35 : [181] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [181] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [181] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [181] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [181] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [181] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [181] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [181] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 35 : [182] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 38 : [183] Supprimé	Utilisateur Microsoft Office	12/02/2020 15:10:00
Page 39 : [184] Supprimé	Utilisateur Microsoft Office	24/03/2020 14:31:00
Page 39 : [184] Supprimé	Utilisateur Microsoft Office	24/03/2020 14:31:00
Page 39 : [184] Supprimé	Utilisateur Microsoft Office	24/03/2020 14:31:00
Page 39 : [184] Supprimé	Utilisateur Microsoft Office	24/03/2020 14:31:00
Page 39 : [184] Supprimé	Utilisateur Microsoft Office	24/03/2020 14:31:00
Page 39 : [184] Supprimé	Utilisateur Microsoft Office	24/03/2020 14:31:00
Page 39 : [185] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 39 : [186] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [186] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [186] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [186] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [186] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [187] Mis en forme **Utilisateur Microsoft Office** **12/02/2020 15:23:00**

Barré

Page 39 : [188] Supprimé **Utilisateur Microsoft Office** **24/03/2020 14:35:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [189] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [190] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 14:38:00**

Français

Page 39 : [191] Supprimé **Utilisateur Microsoft Office** **24/03/2020 14:42:00**

Page 39 : [191] Supprimé **Utilisateur Microsoft Office** **24/03/2020 14:42:00**

Page 39 : [191] Supprimé **Utilisateur Microsoft Office** **24/03/2020 14:42:00**

Page 39 : [191] Supprimé **Utilisateur Microsoft Office** **24/03/2020 14:42:00**

Page 39 : [192] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [192] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [192] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [193] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [193] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 39 : [193] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 42 : [196] Supprimé Utilisateur Microsoft Office 12/02/2020 15:39:00

Page 42 : [197] Supprimé Utilisateur Microsoft Office 12/02/2020 15:40:00

Page 43 : [198] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [198] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [199] Supprimé Utilisateur Microsoft Office 24/03/2020 17:05:00

Page 43 : [199] Supprimé Utilisateur Microsoft Office 24/03/2020 17:05:00

Page 43 : [200] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [200] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [201] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [201] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [201] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [201] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [201] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [201] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [201] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 43 : [201] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [202] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Barré, Surlignage

Page 43 : [203] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:14:00**

Page 43 : [203] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:14:00**

Page 43 : [203] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:14:00**

Page 43 : [203] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:14:00**

Page 43 : [203] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:14:00**

Page 43 : [203] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:14:00**

Page 43 : [203] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:14:00**

Page 43 : [204] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Surlignage

Page 43 : [204] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Surlignage

Page 43 : [204] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Surlignage

Page 43 : [204] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Surlignage

Page 43 : [204] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Surlignage

Page 43 : [204] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Surlignage

Page 43 : [204] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:18:00**

Surlignage

Page 43 : [205] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 43 : [205] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 43 : [205] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 43 : [205] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 43 : [206] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 43 : [207] Supprimé **Utilisateur Microsoft Office** **12/02/2020 16:10:00**

Page 43 : [208] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.), Barré, Surlignage

Page 43 : [208] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.), Barré, Surlignage

Page 43 : [208] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.), Barré, Surlignage

Page 43 : [208] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.), Barré, Surlignage

Page 43 : [208] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.), Barré, Surlignage

Page 43 : [208] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.), Barré, Surlignage

Page 43 : [208] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.), Barré, Surlignage

Page 47 : [209] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:54:00**

Page 47 : [209] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:54:00**

Page 47 : [209] Supprimé **Utilisateur Microsoft Office** **24/03/2020 17:54:00**

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [209] Supprimé Utilisateur Microsoft Office 24/03/2020 17:54:00

Page 47 : [210] Mis en forme Utilisateur Microsoft Office 24/03/2020 18:03:00

Français

Page 47 : [210] Mis en forme Utilisateur Microsoft Office 24/03/2020 18:03:00

Français

Page 47 : [210] Mis en forme Utilisateur Microsoft Office 24/03/2020 18:03:00

Français

Page 47 : [210] Mis en forme Utilisateur Microsoft Office 24/03/2020 18:03:00

Français

Page 47 : [210] Mis en forme Utilisateur Microsoft Office 24/03/2020 18:03:00

Français

Page 47 : [210] Mis en forme Utilisateur Microsoft Office 24/03/2020 18:03:00

Français

Page 47 : [210] Mis en forme Utilisateur Microsoft Office 24/03/2020 18:03:00

Français

Page 47 : [210] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 18:03:00**

Français

Page 47 : [210] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 18:03:00**

Français

Page 47 : [210] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 18:03:00**

Français

Page 47 : [210] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 18:03:00**

Français

Page 47 : [211] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 18:07:00**

Anglais (E.U.)

Page 47 : [211] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 18:07:00**

Anglais (E.U.)

Page 47 : [211] Mis en forme **Utilisateur Microsoft Office** **24/03/2020 18:07:00**

Anglais (E.U.)

Page 47 : [212] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.)

Page 47 : [212] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.)

Page 47 : [212] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.)

Page 47 : [212] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:15:00**

Anglais (E.U.)

Page 47 : [213] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [213] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [213] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [213] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [213] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [214] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:37:00**

Barré, Surlignage

Page 47 : [215] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [215] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [215] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [215] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [215] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [215] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 47 : [215] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 49 : [216] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [217] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:06:00**

Barré, Surlignage

Page 49 : [218] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:05:00**

Page 49 : [218] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:05:00**

Page 49 : [218] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:05:00**

Page 49 : [218] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:05:00**

Page 49 : [218] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:05:00**

Page 49 : [218] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:05:00**

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [219] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:07:00**

Surlignage

Page 49 : [220] Supprimé **Utilisateur Microsoft Office** **25/03/2020 09:49:00**

Page 49 : [220] Supprimé **Utilisateur Microsoft Office** **25/03/2020 09:49:00**

Page 49 : [221] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 15:05:00**

Surlignage

Page 49 : [221] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 15:05:00**

Surlignage

Page 49 : [222] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [223] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 12:14:00**

Barré

Page 49 : [224] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:10:00**

Page 49 : [224] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:10:00**

Page 49 : [224] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:10:00**

Page 49 : [224] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:10:00**

Page 49 : [224] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:10:00**

Page 49 : [224] Supprimé **Utilisateur Microsoft Office** **29/01/2020 12:10:00**

Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [225] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 49 : [226] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 50 : [227] Supprimé	Utilisateur Microsoft Office	02/03/2020 11:49:00
Page 50 : [227] Supprimé	Utilisateur Microsoft Office	02/03/2020 11:49:00
Page 50 : [227] Supprimé	Utilisateur Microsoft Office	02/03/2020 11:49:00
Page 50 : [227] Supprimé	Utilisateur Microsoft Office	02/03/2020 11:49:00
Page 50 : [227] Supprimé	Utilisateur Microsoft Office	02/03/2020 11:49:00

Page 50 : [227] Supprimé **Utilisateur Microsoft Office** **02/03/2020 11:49:00**

Page 50 : [227] Supprimé **Utilisateur Microsoft Office** **02/03/2020 11:49:00**

Page 50 : [227] Supprimé **Utilisateur Microsoft Office** **02/03/2020 11:49:00**

Page 50 : [227] Supprimé **Utilisateur Microsoft Office** **02/03/2020 11:49:00**

Page 50 : [227] Supprimé **Utilisateur Microsoft Office** **02/03/2020 11:49:00**

Page 50 : [228] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 50 : [228] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 50 : [228] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 50 : [229] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 10:25:00**

Non Surlignage

Page 50 : [229] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 10:25:00**

Non Surlignage

Page 50 : [230] Supprimé **Utilisateur Microsoft Office** **12/02/2020 16:30:00**

Page 50 : [230] Supprimé **Utilisateur Microsoft Office** **12/02/2020 16:30:00**

Page 50 : [230] Supprimé **Utilisateur Microsoft Office** **12/02/2020 16:30:00**

Page 50 : [230] Supprimé **Utilisateur Microsoft Office** **12/02/2020 16:30:00**

Page 50 : [230] Supprimé **Utilisateur Microsoft Office** **12/02/2020 16:30:00**

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [231] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:19:00**

Surlignage

Page 50 : [232] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 50 : [232] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 50 : [232] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 50 : [232] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 50 : [232] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [234] Mis en forme **Utilisateur Microsoft Office** **29/01/2020 13:10:00**

Surlignage

Page 50 : [235] Supprimé **Utilisateur Microsoft Office** **29/01/2020 14:37:00**

Page 50 : [236] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 50 : [236] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 50 : [236] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [237] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [237] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [237] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [237] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 53 : [238] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 53 : [239] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 53 : [240] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 15:35:00**

Surlignage

Page 53 : [240] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 15:35:00**

Surlignage

Page 53 : [240] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 15:35:00**

Surlignage

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [241] Supprimé **Utilisateur Microsoft Office** **04/02/2020 10:07:00**

Page 53 : [242] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:16:00**

Anglais (E.U.)

Page 53 : [242] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:16:00**

Anglais (E.U.)

Page 53 : [242] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:16:00**

Anglais (E.U.)

Page 53 : [242] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:16:00**

Anglais (E.U.)

Page 53 : [242] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:16:00**

Anglais (E.U.)

Page 53 : [242] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:16:00**

Anglais (E.U.)

Page 53 : [242] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:16:00**

Anglais (E.U.)

Page 53 : [242] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:16:00**

Anglais (E.U.)

Page 53 : [243] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:07:00**

Page 53 : [243] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:07:00**

Page 53 : [243] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:07:00**

Page 53 : [243] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:07:00**

Page 53 : [243] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:07:00**

Page 53 : [243] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:07:00**

Non Surlignage

Page 53 : [244] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 10:20:00**

Non Surlignage

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [245] Supprimé **Utilisateur Microsoft Office** **25/03/2020 10:10:00**

Page 55 : [246] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 10:27:00**

Non Surlignage

Page 55 : [247] Supprimé **Utilisateur Microsoft Office** **30/01/2020 11:04:00**

Page 55 : [247] Supprimé **Utilisateur Microsoft Office** **30/01/2020 11:04:00**

Page 55 : [248] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [248] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [248] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [248] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [248] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [248] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [248] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [249] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [249] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [249] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [249] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [249] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [249] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 55 : [249] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 55 : [250] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 55 : [251] Mis en forme Utilisateur Microsoft Office 07/02/2020 11:20:00

Barré, Surlignage

Page 55 : [251] Mis en forme Utilisateur Microsoft Office 07/02/2020 11:20:00

Barré, Surlignage

Page 55 : [252] Supprimé Utilisateur Microsoft Office 30/01/2020 11:17:00

Page 55 : [252] Supprimé Utilisateur Microsoft Office 30/01/2020 11:17:00

Page 55 : [252] Supprimé Utilisateur Microsoft Office 30/01/2020 11:17:00

Page 55 : [252] Supprimé Utilisateur Microsoft Office 30/01/2020 11:17:00

Page 55 : [252] Supprimé Utilisateur Microsoft Office 30/01/2020 11:17:00

Page 55 : [252] Supprimé Utilisateur Microsoft Office 30/01/2020 11:17:00

Page 55 : [253] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 55 : [253] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 55 : [253] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 55 : [253] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 56 : [254] Supprimé Utilisateur Microsoft Office 13/02/2020 10:34:00

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme Utilisateur Microsoft Office 04/02/2020 15:32:00

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [256] Mis en forme **Utilisateur Microsoft Office** **04/02/2020 15:32:00**

Barré

Page 61 : [257] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:46:00**

Français

Page 61 : [257] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 13:46:00**

Français

Page 62 : [258] Supprimé **Utilisateur Microsoft Office** **05/02/2020 16:40:00**

Page 62 : [259] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 63 : [260] Supprimé **Utilisateur Microsoft Office** **07/02/2020 10:50:00**

Page 63 : [261] Supprimé **Utilisateur Microsoft Office** **07/02/2020 10:52:00**

Page 63 : [262] Supprimé **Utilisateur Microsoft Office** **13/02/2020 11:13:00**

Page 65 : [263] Mis en forme **Utilisateur Microsoft Office** **13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme **Utilisateur Microsoft Office** **13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [263] Mis en forme	**Utilisateur Microsoft Office**	**13/02/2020 11:42:00**

Anglais (E.U.)

Page 65 : [264] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**

Page 65 : [264] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**

Page 65 : [265] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**

Surlignage

Page 65 : [266] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:46:00**

Surlignage

Page 65 : [266] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:46:00**

Surlignage

Page 65 : [266] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:46:00**

Surlignage

Page 65 : [267] Supprimé **Utilisateur Microsoft Office** **13/02/2020 11:34:00**

Page 65 : [268] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:49:00**

Surlignage

Page 65 : [268] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:49:00**

Surlignage

Page 65 : [268] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:49:00**

Surlignage

Page 65 : [268] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:49:00**

Surlignage

Page 65 : [268] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:49:00**

Surlignage

Page 65 : [269] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:50:00**

Surlignage

Page 65 : [269] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:50:00**

Surlignage

Page 65 : [269] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:50:00**

Surlignage

Page 65 : [269] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:50:00**

Surlignage

Page 65 : [270] Supprimé **Utilisateur Microsoft Office** **13/02/2020 11:36:00**

Page 65 : [271] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:52:00**

Surlignage

Page 65 : [271] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:52:00**

Surlignage

Page 65 : [271] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:52:00**

Surlignage

Page 65 : [271] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:52:00**

Surlignage

Page 65 : [271] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:52:00**

Surlignage

Page 65 : [271] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:52:00**

Surlignage

Page 65 : [271] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:52:00**

Surlignage

Page 65 : [271] Mis en forme **Utilisateur Microsoft Office** **07/02/2020 11:52:00**

Surlignage

Page 65 : [272] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 65 : [273] Mis en forme **Utilisateur Microsoft Office** **11/02/2020 11:47:00**

Surlignage

Page 65 : [273] Mis en forme **Utilisateur Microsoft Office** **11/02/2020 11:47:00**

Surlignage

Page 65 : [273] Mis en forme **Utilisateur Microsoft Office** **11/02/2020 11:47:00**

Surlignage

Page 65 : [273] Mis en forme **Utilisateur Microsoft Office** **11/02/2020 11:47:00**

Surlignage

Page 65 : [273] Mis en forme **Utilisateur Microsoft Office** **11/02/2020 11:47:00**

Surlignage

Page 65 : [273] Mis en forme **Utilisateur Microsoft Office** **11/02/2020 11:47:00**

Surlignage

Page 65 : [273] Mis en forme **Utilisateur Microsoft Office** **11/02/2020 11:47:00**

Surlignage

Page 65 : [273] Mis en forme **Utilisateur Microsoft Office** **11/02/2020 11:47:00**

Surlignage

Page 65 : [274] Supprimé **Utilisateur Microsoft Office** **13/02/2020 11:36:00**

Page 65 : [274] Supprimé **Utilisateur Microsoft Office** **13/02/2020 11:36:00**

Page 65 : [274] Supprimé **Utilisateur Microsoft Office** **13/02/2020 11:36:00**

Page 65 : [274] Supprimé **Utilisateur Microsoft Office** **13/02/2020 11:36:00**

Page 105 : [275] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:07:00**

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 105 : [276] Mis en forme Utilisateur Microsoft Office 08/04/2020 13:07:00

Français

Page 106 : [277] Mis en forme Utilisateur Microsoft Office 06/05/2020 09:46:00

Page 106 : [279] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [280] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [280] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [281] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [281] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [282] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [282] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [283] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [283] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [284] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [284] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [285] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [285] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [286] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [286] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [287] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [287] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [288] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [288] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [290] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:32:00**

Police :9 pt

Page 106 : [291] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [291] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [292] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [292] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [293] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [293] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [294] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [294] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [295] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [295] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [296] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [296] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [297] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [297] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [298] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:32:00**

Police :9 pt

Page 106 : [299] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [299] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [300] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [302] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [302] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [303] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [303] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [304] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [304] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [305] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [305] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [306] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 15:32:00**

Police :9 pt

Page 106 : [307] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [307] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [308] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [308] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [309] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [309] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [310] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [310] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [311] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 106 : [311] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**

Page 106 : [314] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [314] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [315] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [315] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [316] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [316] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [317] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [317] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [318] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [318] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [319] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [319] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [320] Mis en forme Utilisateur Microsoft Office 07/04/2020 15:32:00

Police :9 pt

Page 106 : [321] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [321] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [322] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [322] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [323] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [323] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [325] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [325] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [326] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [326] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [327] Mis en forme **Utilisateur Microsoft Office** **23/01/2020 13:55:00**

Français

Page 106 : [328] Mis en forme **Utilisateur Microsoft Office** **08/04/2020 13:17:00**

Police :9 pt, Français

Page 106 : [329] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:35:00**

Français

Page 106 : [330] Modifier **Unknown**

Code de champ modifié

Page 106 : [331] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:32:00**

Police :9 pt

Page 106 : [331] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:32:00**

Police :9 pt

Page 106 : [332] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:32:00**

Police :9 pt

Page 106 : [332] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:32:00**

Police :9 pt

Page 106 : [333] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 13:13:00**

Anglais (E.U.)

Page 106 : [334] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [334] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [335] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [335] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 106 : [337] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [337] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [338] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [338] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [339] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [339] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [340] Mis en forme Utilisateur Microsoft Office 07/04/2020 15:33:00

Police :9 pt

Page 106 : [341] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [341] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [342] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [342] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [343] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [343] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [344] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [344] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [345] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [345] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [346] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [346] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [347] Mis en forme Utilisateur Microsoft Office 07/04/2020 15:33:00

Page 106 : [349] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [349] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [350] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [350] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [351] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [351] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [352] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [352] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [353] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [353] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [354] Mis en forme Utilisateur Microsoft Office 07/04/2020 15:33:00

Police :9 pt

Page 106 : [355] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [355] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [356] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [356] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [357] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [357] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [358] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [358] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [360] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 106 : [361] Mis en forme Utilisateur Microsoft Office 07/04/2020 15:33:00

Police :9 pt

Page 107 : [362] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [362] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [363] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [363] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [364] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [364] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [365] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [365] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [366] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [366] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [367] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [367] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [368] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [368] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [369] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [369] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [370] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [370] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [372] Supprimé **Utilisateur Microsoft Office** **27/03/2020 10:54:00**

Page 107 : [373] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 10:53:00**

Français

Page 107 : [373] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 10:53:00**

Français

Page 107 : [373] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 10:53:00**

Français

Page 107 : [374] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Français

Page 107 : [375] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Français

Page 107 : [375] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Français

Page 107 : [375] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Français

Page 107 : [375] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Français

Page 107 : [376] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Français

Page 107 : [376] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Français

Page 107 : [377] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [377] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [378] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [378] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [379] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [379] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [381] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [382] Mis en forme Utilisateur Microsoft Office 07/04/2020 15:33:00

Police :9 pt

Page 107 : [383] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [383] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [384] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [384] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [385] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [385] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [386] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [386] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [387] Mis en forme Utilisateur Microsoft Office 07/04/2020 15:33:00

Police :9 pt

Page 107 : [388] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [388] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [389] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [389] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [390] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [390] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [391] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [391] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 107 : [393] Mis en forme	**Utilisateur Microsoft Office**	**03/02/2020 15:04:00**

Police :Non Gras

Page 107 : [394] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [394] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [395] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [395] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [396] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [396] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [397] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [397] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [398] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 15:33:00**

Police :9 pt

Page 107 : [399] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [399] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [400] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [400] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [401] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [401] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [402] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [402] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [403] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 15:33:00**

Police :9 pt

Page 107 : [406] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [407] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [408] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [409] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [410] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [411] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [412] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [413] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [414] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [414] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [414] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [414] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [415] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [415] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [416] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [417] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:56:00**

Français

Page 107 : [420] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 11:56:00**

Français

Page 107 : [421] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 11:56:00**

Français

Page 107 : [422] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 11:56:00**

Français

Page 107 : [423] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 11:56:00**

Français

Page 107 : [424] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 11:56:00**

Français

Page 107 : [424] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 11:56:00**

Français

Page 107 : [425] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [425] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [426] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [426] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [427] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [427] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [428] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [428] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**

Page 107 : [429] Mis en forme	**Utilisateur Microsoft Office**	**07/04/2020 15:33:00**

Police :9 pt

Page 107 : [430] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 107 : [430] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**

Page 107 : [432] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [433] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [433] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [434] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Police :9 pt

Page 107 : [435] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [435] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [436] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [436] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [437] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [437] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [438] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [438] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [439] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Police :9 pt

Page 107 : [440] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [440] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [441] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [441] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [442] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [442] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [444] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [444] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [445] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Police :9 pt

Page 107 : [446] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [446] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [447] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [447] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [448] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [448] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [449] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [449] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [450] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:33:00**

Police :9 pt

Page 107 : [451] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 107 : [451] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 108 : [452] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 108 : [452] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 108 : [452] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 108 : [452] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 108 : [452] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [452] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [452] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [452] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [452] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [453] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [453] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [454] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [454] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [455] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [455] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [456] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [456] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [457] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [457] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [458] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [458] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 108 : [460] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [461] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [461] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [462] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [462] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [463] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [463] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [464] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [464] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [465] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [465] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [466] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [466] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [467] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [467] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [468] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [468] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [469] Supprimé	**Utilisateur Microsoft Office**	**06/03/2020 10:03:00**
Page 108 : [470] Mis en forme	**Utilisateur Microsoft Office**	**06/03/2020 10:04:00**

Centré

Page 108 : [471] Mis en forme	**Utilisateur Microsoft Office**	**06/03/2020 10:04:00**

Page 108 : [473] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [474] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [474] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [474] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [475] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [475] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [475] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [476] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [476] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [476] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [477] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [477] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [478] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [478] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [479] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [479] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [480] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [480] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [481] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [483] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [483] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [484] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [484] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [485] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [485] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [486] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [486] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [487] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [487] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [488] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [488] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [489] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [489] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [490] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [490] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [491] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [491] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [492] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [492] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [494] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [494] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [495] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [495] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [496] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [496] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [497] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [497] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [498] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [498] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [499] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [499] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [500] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [500] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [501] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [501] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [502] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [502] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [503] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [503] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 108 : [505] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [505] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [506] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [506] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [507] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [507] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [508] Mis en forme Utilisateur Microsoft Office 06/03/2020 10:05:00

Centré

Page 108 : [509] Tableau mis en forme Utilisateur Microsoft Office 06/03/2020 10:05:00

Tableau mis en forme

Page 108 : [510] Supprimé Utilisateur Microsoft Office 06/03/2020 10:06:00

Agriculture and waste	**190** [174-201]	**183** [112-241]	**192** [178-206]	**202** [198-219]	**206** [191-223]	**217** [207-240]	**213** [198-232]	**227** [205-246]

Page 108 : [511] Supprimé Utilisateur Microsoft Office 07/04/2020 03:55:00

Page 108 : [511] Supprimé Utilisateur Microsoft Office 07/04/2020 03:55:00

Page 108 : [512] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [512] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [513] Supprimé Utilisateur Microsoft Office 07/04/2020 03:52:00

Page 108 : [513] Supprimé Utilisateur Microsoft Office 07/04/2020 03:52:00

Page 108 : [513] Supprimé Utilisateur Microsoft Office 07/04/2020 03:52:00

Page 108 : [514] Supprimé Utilisateur Microsoft Office 07/04/2020 03:58:00

Page 108 : [514] Supprimé Utilisateur Microsoft Office 07/04/2020 03:58:00

Page 108 : [515] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 108 : [517] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [517] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [518] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [518] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [519] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [519] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [520] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [520] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [521] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [521] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [522] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [522] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [523] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [523] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [524] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [524] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [524] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [525] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [525] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [525] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 108 : [527] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [527] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [528] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [528] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [529] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [529] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [530] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [530] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [531] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [531] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [532] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [532] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [533] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [533] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [534] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [534] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [535] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:56:00
Page 108 : [535] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:56:00
Page 108 : [536] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [536] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 108 : [537] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [538] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [538] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [539] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [539] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [540] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [540] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [541] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:56:00
Page 108 : [541] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:56:00
Page 108 : [541] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:56:00
Page 108 : [542] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [542] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [543] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:52:00
Page 108 : [543] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:52:00
Page 108 : [544] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [544] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [544] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [545] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [545] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [545] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 108 : [546] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [547] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [547] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [548] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [548] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [549] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:53:00
Page 108 : [549] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:53:00
Page 108 : [549] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:53:00
Page 108 : [550] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [550] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [551] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:58:00
Page 108 : [551] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:58:00
Page 108 : [551] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:58:00
Page 108 : [552] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [552] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [552] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [552] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [553] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [553] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [553] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 108 : [555] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [555] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [556] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [556] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [557] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:59:00
Page 108 : [557] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:59:00
Page 108 : [557] Supprimé	Utilisateur Microsoft Office	07/04/2020 03:59:00
Page 108 : [558] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [558] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [559] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [559] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [560] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [560] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [561] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [561] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [562] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [562] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [563] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [563] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 108 : [565] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [566] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [566] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [567] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [567] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [568] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [568] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [569] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [569] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [570] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [570] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [571] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [571] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [571] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [571] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [572] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [572] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [573] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [573] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 108 : [573] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 108 : [575] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:51:00**

Exposant

Page 108 : [576] Mis en forme **Utilisateur Microsoft Office** **09/03/2020 15:53:00**

Centré

Page 108 : [577] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:08:00**

Police :10 pt

Page 108 : [578] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 108 : [579] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:08:00**

Police :10 pt

Page 108 : [579] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:08:00**

Police :10 pt

Page 108 : [579] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:08:00**

Police :10 pt

Page 108 : [579] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:08:00**

Police :10 pt

Page 108 : [579] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:08:00**

Police :10 pt

Page 108 : [579] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:08:00**

Police :10 pt

Page 108 : [579] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:08:00**

Police :10 pt

Page 108 : [580] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 108 : [580] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 108 : [581] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:09:00**

Police :Non Gras

Page 108 : [582] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:09:00**

Police :Non Gras

Page 108 : [583] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:09:00**

Police :Non Gras

Page 108 : [586] Mis en forme	**Utilisateur Microsoft Office**	**06/03/2020 10:09:00**

Police :Non Gras

Page 108 : [587] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [587] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [588] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [588] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [589] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [589] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [589] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [590] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [590] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [591] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 108 : [591] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 109 : [592] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 109 : [592] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 109 : [593] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 109 : [593] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 109 : [594] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 109 : [594] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 109 : [595] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 109 : [595] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**

Page 109 : [597] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [597] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [598] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [598] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [599] Tableau mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:12:00**

Tableau mis en forme

Page 109 : [600] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:09:00**

Police :Gras

Page 109 : [601] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:09:00**

Centré

Page 109 : [602] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [602] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [603] Supprimé **Utilisateur Microsoft Office** **07/04/2020 03:57:00**

Page 109 : [603] Supprimé **Utilisateur Microsoft Office** **07/04/2020 03:57:00**

Page 109 : [604] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [604] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [605] Supprimé **Utilisateur Microsoft Office** **07/04/2020 03:57:00**

Page 109 : [605] Supprimé **Utilisateur Microsoft Office** **07/04/2020 03:57:00**

Page 109 : [605] Supprimé **Utilisateur Microsoft Office** **07/04/2020 03:57:00**

Page 109 : [606] Supprimé **Utilisateur Microsoft Office** **07/04/2020 03:54:00**

Page 109 : [606] Supprimé **Utilisateur Microsoft Office** **07/04/2020 03:54:00**

Page 109 : [606] Supprimé **Utilisateur Microsoft Office** **07/04/2020 03:54:00**

Page 109 : [607] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [608] Supprimé Utilisateur Microsoft Office 07/04/2020 03:55:00

Page 109 : [608] Supprimé Utilisateur Microsoft Office 07/04/2020 03:55:00

Page 109 : [609] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [609] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [610] Supprimé Utilisateur Microsoft Office 07/04/2020 04:02:00

Page 109 : [610] Supprimé Utilisateur Microsoft Office 07/04/2020 04:02:00

Page 109 : [610] Supprimé Utilisateur Microsoft Office 07/04/2020 04:02:00

Page 109 : [611] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [611] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [612] Supprimé Utilisateur Microsoft Office 05/05/2020 13:34:00

Page 109 : [612] Supprimé Utilisateur Microsoft Office 05/05/2020 13:34:00

Page 109 : [613] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [613] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [614] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [614] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [615] Mis en forme Utilisateur Microsoft Office 25/03/2020 16:04:00

Police :10 pt, Non Gras

Page 109 : [616] Mis en forme Utilisateur Microsoft Office 25/03/2020 16:04:00

Police :10 pt, Non Gras

Page 109 : [617] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [617] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 109 : [618] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Police :8 pt, Gras

Page 109 : [620] Mis en forme **Utilisateur Microsoft Office** **11/03/2020 14:24:00**

Police :8 pt, Gras

Page 109 : [621] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [621] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [621] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [621] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [622] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 11:31:00**

Exposant

Page 109 : [623] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 16:05:00**

Police :8 pt, Gras

Page 109 : [624] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 16:05:00**

Police :8 pt, Gras

Page 109 : [625] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [625] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [625] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [625] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [626] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 16:06:00**

Police :8 pt, Gras

Page 109 : [627] Mis en forme **Utilisateur Microsoft Office** **25/03/2020 16:06:00**

Police :8 pt, Gras

Page 109 : [628] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [628] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [628] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [630] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:14:00**

Police :8 pt, Gras

Page 109 : [630] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:14:00**

Police :8 pt, Gras

Page 109 : [631] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:14:00**

Police :Gras

Page 109 : [632] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:59:00**

Justifié, Interligne : 1,5 ligne

Page 109 : [633] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:14:00**

Police :Gras

Page 109 : [633] Mis en forme **Utilisateur Microsoft Office** **06/03/2020 10:14:00**

Police :Gras

Page 109 : [634] Mis en forme **Utilisateur Microsoft Office** **03/02/2020 14:59:00**

Justifié, Interligne : 1,5 ligne

Page 109 : [635] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [635] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [636] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [636] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [636] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [636] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [637] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [637] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [638] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [638] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [639] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [640] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [641] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [641] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [642] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [642] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [643] Mis en forme **Utilisateur Microsoft Office** **09/03/2020 16:44:00**

Indice

Page 109 : [643] Mis en forme **Utilisateur Microsoft Office** **09/03/2020 16:44:00**

Indice

Page 109 : [643] Mis en forme **Utilisateur Microsoft Office** **09/03/2020 16:44:00**

Indice

Page 109 : [643] Mis en forme **Utilisateur Microsoft Office** **09/03/2020 16:44:00**

Indice

Page 109 : [643] Mis en forme **Utilisateur Microsoft Office** **09/03/2020 16:44:00**

Indice

Page 109 : [644] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 109 : [644] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [645] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [645] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [645] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [645] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [645] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [645] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [646] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [646] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [647] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [647] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [648] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [648] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [649] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [649] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [650] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [650] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [651] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [651] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [652] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [652] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [653] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [653] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [654] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [654] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 110 : [656] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [656] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [657] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [657] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [658] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [658] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [659] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [659] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [660] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [660] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [661] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [661] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [662] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [662] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [663] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [663] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 110 : [664] Modifier **Unknown**

Code de champ modifié

Page 110 : [665] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:34:00**

Police :9 pt, Français

Page 110 : [666] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [668] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [669] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [670] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [671] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [672] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [673] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [674] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [675] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [676] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [677] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [678] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [679] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [680] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [681] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [682] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [683] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [685] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [685] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [686] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [687] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [688] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [689] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [690] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [691] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [692] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [693] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [694] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [695] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [696] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [697] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [698] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [701] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [702] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [702] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:53:00**

Français

Page 110 : [703] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [703] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [704] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [705] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [706] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [707] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [708] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [709] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [710] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [711] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [712] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [713] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [714] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [717] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [718] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [719] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [720] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [720] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [721] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [721] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [722] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [723] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [724] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [725] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [726] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [727] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [728] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [729] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [732] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [733] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [734] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [735] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [736] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [737] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [738] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [738] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [739] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [739] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [740] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [741] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [742] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [743] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [744] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [745] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [748] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [749] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [750] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [751] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [752] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [753] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [754] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [755] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [756] Mis en forme **Utilisateur Microsoft Office** **23/01/2020 13:55:00**

Français

Page 110 : [756] Mis en forme **Utilisateur Microsoft Office** **23/01/2020 13:55:00**

Français

Page 110 : [757] Mis en forme **Utilisateur Microsoft Office** **23/01/2020 13:55:00**

Français

Page 110 : [758] Mis en forme **Utilisateur Microsoft Office** **23/01/2020 13:55:00**

Français

Page 110 : [758] Mis en forme **Utilisateur Microsoft Office** **23/01/2020 13:55:00**

Français

Page 110 : [759] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [760] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [763] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [764] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [765] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [766] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [767] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [768] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [769] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [770] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [771] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [772] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [773] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [774] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [775] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [775] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:14:00**

Français

Page 110 : [776] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [776] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [779] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [780] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [781] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [782] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [783] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [784] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [785] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [786] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [787] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [788] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [789] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [790] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [791] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [792] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [793] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [794] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [795] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [796] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [797] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [798] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [799] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [800] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [801] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [802] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [803] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [804] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [805] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [806] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [807] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [808] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [809] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [811] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:54:00**

Français

Page 110 : [812] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:29:00**

Français

Page 110 : [812] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:29:00**

Français

Page 110 : [813] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [813] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [814] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [815] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [816] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [817] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [818] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [819] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [820] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [821] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [822] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [823] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [826] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [827] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [828] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [829] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:30:00**

Français

Page 110 : [830] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:30:00**

Français

Page 110 : [830] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:30:00**

Français

Page 110 : [830] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:30:00**

Français

Page 110 : [830] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 12:30:00**

Français

Page 110 : [831] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [831] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [832] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [833] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [834] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [835] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [836] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [837] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [840] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [841] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [842] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [843] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [844] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [845] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [846] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [847] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 03:50:00**

Français

Page 110 : [848] Mis en forme **Utilisateur Microsoft Office** **24/04/2020 15:44:00**

Police :9 pt, Français

Page 110 : [848] Mis en forme **Utilisateur Microsoft Office** **24/04/2020 15:44:00**

Police :9 pt, Français

Page 110 : [849] Modifier **Unknown**

Code de champ modifié

Page 110 : [850] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:34:00**

Police :9 pt

Page 110 : [851] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [851] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [852] Supprimé **Utilisateur Microsoft Office** **27/03/2020 13:16:00**

Page 110 : [854] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [855] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [856] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [857] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [858] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [859] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [860] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [861] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [862] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [863] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [864] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [865] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [866] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [867] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [868] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 11:16:00**

Anglais (E.U.)

Page 110 : [869] Mis en forme	**Utilisateur Microsoft Office**	**27/03/2020 13:19:00**

Français

Page 111 : [870] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [871] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:34:00**

Police :9 pt

Page 111 : [871] Mis en forme **Utilisateur Microsoft Office** **07/04/2020 15:34:00**

Police :9 pt

Page 111 : [872] Supprimé **Utilisateur Microsoft Office** **27/03/2020 13:19:00**

Page 111 : [873] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [873] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [874] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [875] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [876] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [877] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [878] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [879] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [880] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [881] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [882] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [885] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [886] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [887] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [888] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [889] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [890] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [890] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [890] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [891] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [892] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [893] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [894] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [895] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [896] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [897] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [898] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [901] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [902] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [903] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [904] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [905] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [906] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [907] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [908] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [908] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [908] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [909] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [910] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [911] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [912] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [913] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [916] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [917] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [918] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [919] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [920] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [921] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [922] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [923] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [924] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [925] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [926] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [926] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [927] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [927] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 111 : [928] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Anglais (E.U.)

Page 112 : [929] Mis en forme **Utilisateur Microsoft Office** **27/03/2020 11:16:00**

Page 112 : [931] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [932] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [932] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [933] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [933] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [934] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [934] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [935] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [935] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [936] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [936] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [937] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [937] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [938] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [938] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [939] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [939] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [940] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [940] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 112 : [942] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 112 : [943] Mis en forme **Utilisateur Microsoft Office** **31/01/2020 11:55:00**

Anglais (E.U.)

Page 112 : [944] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:31:00**

Anglais (E.U.)

Page 112 : [945] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:31:00**

Anglais (E.U.)

Page 112 : [946] Mis en forme **Utilisateur Microsoft Office** **30/03/2020 16:31:00**

Anglais (E.U.)

Page 112 : [947] Supprimé **Utilisateur Microsoft Office** **07/04/2020 04:32:00**

Page 112 : [947] Supprimé **Utilisateur Microsoft Office** **07/04/2020 04:32:00**

Page 112 : [948] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 112 : [948] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 112 : [949] Supprimé **Utilisateur Microsoft Office** **07/04/2020 04:33:00**

Page 112 : [949] Supprimé **Utilisateur Microsoft Office** **07/04/2020 04:33:00**

Page 112 : [949] Supprimé **Utilisateur Microsoft Office** **07/04/2020 04:33:00**

Page 112 : [950] Supprimé **Utilisateur Microsoft Office** **07/04/2020 04:32:00**

Page 112 : [950] Supprimé **Utilisateur Microsoft Office** **07/04/2020 04:32:00**

Page 112 : [950] Supprimé **Utilisateur Microsoft Office** **07/04/2020 04:32:00**

Page 112 : [951] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 112 : [951] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 112 : [952] Supprimé **Utilisateur Microsoft Office** **30/01/2020 14:01:00**

Page 112 : [953] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:32:00
Page 112 : [954] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [954] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [955] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [955] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [955] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [956] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:33:00
Page 112 : [956] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:33:00
Page 112 : [956] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:33:00
Page 112 : [957] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [957] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [958] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [958] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [959] Supprimé	Utilisateur Microsoft Office	05/05/2020 13:36:00
Page 112 : [959] Supprimé	Utilisateur Microsoft Office	05/05/2020 13:36:00
Page 112 : [960] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [960] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [961] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [961] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 112 : [963] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [964] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:45:00
Page 112 : [964] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:45:00
Page 112 : [964] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:45:00
Page 112 : [965] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [965] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [966] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:44:00
Page 112 : [966] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:44:00
Page 112 : [967] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [967] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [968] Supprimé	Utilisateur Microsoft Office	05/05/2020 13:40:00
Page 112 : [968] Supprimé	Utilisateur Microsoft Office	05/05/2020 13:40:00
Page 112 : [969] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [969] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [970] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [970] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [971] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:42:00
Page 112 : [971] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:42:00
Page 112 : [972] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 112 : [974] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [974] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [975] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [975] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [976] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [976] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [977] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [977] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [978] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:51:00
Page 112 : [978] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:51:00
Page 112 : [978] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:51:00
Page 112 : [979] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [979] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [980] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [980] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [980] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [981] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:48:00
Page 112 : [981] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:48:00
Page 112 : [981] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:48:00

Page 112 : [983] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [984] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [984] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [985] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [985] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [986] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:48:00
Page 112 : [986] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:48:00
Page 112 : [987] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [987] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [988] Supprimé	Utilisateur Microsoft Office	05/05/2020 13:39:00
Page 112 : [988] Supprimé	Utilisateur Microsoft Office	05/05/2020 13:39:00
Page 112 : [989] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [989] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [990] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [990] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [991] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [991] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [992] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [992] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 112 : [994] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [994] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [995] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [995] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [996] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:52:00
Page 112 : [996] Supprimé	Utilisateur Microsoft Office	07/04/2020 04:52:00
Page 112 : [997] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [997] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [998] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [998] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [999] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [999] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [1000] Supprimé	Utilisateur Microsoft Office	05/05/2020 13:39:00
Page 112 : [1000] Supprimé	Utilisateur Microsoft Office	05/05/2020 13:39:00
Page 112 : [1001] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [1001] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [1002] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 112 : [1002] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1003] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 113 : [1004] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1004] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1005] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1005] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1005] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1006] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1006] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1007] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1007] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1008] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1008] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1009] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1009] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1010] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1010] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1011] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1011] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1012] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1012] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1013] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 113 : [1014] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1015] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1015] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1016] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1016] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1016] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1016] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1016] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1017] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1017] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1017] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1017] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1018] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1018] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1018] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1018] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1019] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1019] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1019] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1019] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1021] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1021] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1022] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1022] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1023] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1023] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1023] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1024] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1024] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1024] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1024] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1025] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1025] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1025] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1025] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1026] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1026] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1026] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1026] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1027] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 113 : [1028] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1029] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1029] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1030] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1030] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1031] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1031] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1032] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1032] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1033] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1033] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1034] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1034] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1035] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1035] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1035] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1036] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1036] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1037] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1037] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 113 : [1037] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1038] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1038] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1039] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1039] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1039] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1039] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1039] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1040] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1040] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1041] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1041] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1042] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1042] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1043] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1043] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1044] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1044] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1045] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1045] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1047] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1047] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1048] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1048] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1049] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1049] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1050] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1050] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1051] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1051] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1051] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1051] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1051] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1052] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1052] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1053] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1053] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1053] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1053] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1054] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1055] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1055] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1055] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1056] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1056] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1057] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1057] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1058] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1058] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1059] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1059] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1060] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1060] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1060] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1061] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1061] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1062] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1062] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1063] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00
Page 113 : [1063] Supprimé	Utilisateur Microsoft Office	30/01/2020 14:01:00

Page 113 : [1065] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1065] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1065] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1065] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1065] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1066] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1066] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1066] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1066] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1067] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1067] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1067] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1067] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1067] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1068] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1068] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1068] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1069] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1069] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1069] Supprimé Utilisateur Microsoft Office 30/01/2020 14:01:00

Page 113 : [1070] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 113 : [1071] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 113 : [1071] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 115 : [1072] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**
Page 115 : [1072] Supprimé	**Utilisateur Microsoft Office**	**30/01/2020 14:01:00**