

**Supplementary material for:**

**Evaluation of anthropogenic CH<sub>4</sub> emissions over China using bottom-up inventories**

Xiaohui Lin<sup>1\*</sup>, Wen Zhang<sup>1\*</sup>, Monica Crippa<sup>2</sup>, Shushi Peng<sup>3</sup>, Pengfei Han<sup>4</sup>, Ning Zeng<sup>5</sup>, Lijun Yu<sup>1</sup>, Guocheng Wang<sup>1</sup>

<sup>1</sup>State Key Laboratory of Atmospheric Boundary Layer Physics and Atmospheric Chemistry, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing, China

<sup>2</sup>European Commission, Joint Research Centre (JRC), Ispra, Italy

<sup>3</sup>Sino-French Institute for Earth System Science, College of Urban and Environmental Sciences, Peking University, Beijing, China

<sup>4</sup>State Key Laboratory of Numerical Modeling for Atmospheric Sciences and Geophysical Fluid Dynamics, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing, China

<sup>5</sup>Department of Atmospheric and Oceanic Science, and Earth System Science Interdisciplinary Center, University of Maryland, College Park, Maryland, USA

\*Correspondence: [linxh@mail.iap.ac.cn](mailto:linxh@mail.iap.ac.cn); [zhw@mail.iap.ac.cn](mailto:zhw@mail.iap.ac.cn).

## Contents

Table S1 Source categories for each sector among different inventories.....	3
Table S1 Continued.....	4
Table S2 Sectoral and sub-sectoral CH <sub>4</sub> emissions of China among different inventories in 2010.	5
Table S3 Spatial proxy datasets and resolutions used by different inventories. ....	6
Table S4 Emission factors for different source categories among different inventories.....	8
Table S5 Emission factors for coal exploitation at the province-level.....	10
Table S6 Emission factors for manure management (kg/head/year). ....	11
Fig. S1 Changes of CH <sub>4</sub> emissions of energy for buildings (a) and energy sector (b) in EDGAR from 2000 to 2010. ....	12
References:.....	13

**Table S1 Source categories for each sector among different inventories.**

Sector categories	PKU	EDGAR	GAINS	REAS	NCCC	EPA
Agriculture	Rice cultivation	Agricultural soils	Agriculture	Rice cultivation	Rice cultivation	Rice cultivation
	Livestock	Agricultural waste burning	Burning of crop residues	Enteric fermentation	Enteric fermentation	Enteric fermentation
		Enteric fermentation		Manure management	Manure management	Manure management
		Manure management				
Energy	Coal mining	Power industry	Energy production	Fugitive_coal	Coal mining	Coal mining
	Fuel combustion	Oil refineries and Transformation industry	Domestic	Fugitive_gas	Fuel combustion	Fugitive_oil_gas
	Fugitive_oil_gas	Combustion for manufacturing	Transportation	Fugitive_oil	Fugitive_oil_gas	
		Road transportation	Other mobile	International navigation		
		Railways, pipelines, off-road transport		Other_transport		
		Shipping	Power_plant_point			
		Energy for buildings	Road_transport			
		Fuel exploitation COAL	Aviation			
		Fuel exploitation OIL	Domestic			
		Fuel exploitation GAS				
		Fossil Fuel Fires				
		Waste treatment	Landfills	Solid waste landfills	Waste	Waste
Wastewater	Solid waste incineration				Wastewater	Wastewater
	Waste water handling					

**Table S1 Continued.**

Sector categories	FAO	GMB_BU	CHRED	Huang et al.(2019)	Yue et al.(2012)	Zhang et al.(2014;2016;2018)
Agriculture	Rice cultivation	Rice cultivation	Rice cultivation	Rice cultivation	Rice cultivation	Rice cultivation
	Enteric fermentation	Enteric fermentation	Enteric fermentation	Enteric fermentation	Enteric fermentation	Enteric fermentation
	Manure management	Manure management	Manure management	Manure management	Manure management	Manure management
	Burning of crop residues and savanna		Burning of crop residues	Burning of crop residues		Burning of crop residues
Energy	energy	Coal mining	Coal mining	Coal mining	Coal mining	Coal mining
		Gas, Oil and Industry		Fugitive_oil_gas		Fugitive_oil_gas
						Fuel combustion Bio-fuel combustion
Waste treatment	Waste	Landfills and waste	Landfills	Landfills	Waste	Landfills
			Wastewater	Industrial wastewater		Industrial wastewater
				Domestic sewage		Domestic sewage

**Table S2 Sectoral and sub-sectoral CH<sub>4</sub> emissions of China among different inventories in 2010.**

Sector	PKU	EDGAR	NCCC	EPA	FAO	GAINS	Zhang et al. (2016)	Zhang et al. (2017)	Zhu et al. (2017)	Sheng et al. (2019)	Mean	SD
<b>China</b>	<b>44.80</b>	<b>57.46</b>	<b>53.69</b>	<b>41.89</b>	<b>51.30</b>	<b>47.64</b>	<b>44.35</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>48.73</b>	<b>5.21</b>
<b>Agriculture</b>	18.75	23.29	22.43	17.07	14.10	16.18	16.02	20.56	NA	NA	18.55	3.07
Livestock	11.41	9.38	13.38	11.18	8.86	NA	10.04	12.37	NA	NA	10.95	1.50
Rice cultivation	7.34	13.90	8.73	5.89	5.25	NA	5.61	8.19	NA	NA	7.84	2.76
<b>Energy</b>	21.75	23.74	26.86	16.18	26.80	25.95	22.10	NA	NA	NA	23.34	3.52
Coal mining	18.97	17.31	22.87	14.30	NA	NA	19.32	NA	16.00	16.70	17.92	2.57
Other	2.78	6.43	3.99	1.87	NA	NA	2.77	NA	NA	NA	3.57	1.58
<b>Waste treatment</b>	4.29	10.43	4.40	8.64	10.40	5.51	6.23	NA	NA	NA	7.13	2.47
Wastewater	2.27	7.68	2.19	6.36	NA	NA	2.28	NA	NA	NA	4.16	2.37
Landfills	2.02	2.75	2.21	2.28	NA	NA	3.95	NA	NA	NA	2.64	0.70

**Table S3 Spatial proxy datasets and resolutions used by different inventories.**

Sub-sector	Inventory	Proxy data	Spatial resolution	References
Livestock	PKU	Gridded data for numbers of animals in 2005	1 km x 1 km	Robinson et al. (2011)
	EDGAR	Animals: buffaloes, cattles, goats, pigs, sheeps. FAO Geonetwork (2014): <a href="http://livestock.geo-wiki.org/">http://livestock.geo-wiki.org/</a> and with for buffaloes: <a href="http://www.fao.org/AG/AGInfo/resources/en/glw/GLW_dens.html">http://www.fao.org/AG/AGInfo/resources/en/glw/GLW_dens.html</a>	0.1° x 0.1°	livestock: <a href="http://livestock.geo-wiki.org/">http://livestock.geo-wiki.org/</a> ; buffaloes: <a href="http://www.fao.org/AG/AGInfo/resources/en/glw/GLW_dens.html">http://www.fao.org/AG/AGInfo/resources/en/glw/GLW_dens.html</a>
	Lin	County data: diary and non-diary cattles, buffaloes, goats, sheeps, pigs; Land use data for grassland and rural settlements	10 km x 10 km	Lin et al. (2011)
Rice cultivation	PKU	Gridded harvested area of rice	0.083° x 0.083°	Monfreda et al. (2008)
	EDGAR	Ramankutty (2008) agricultural land and crop type mask		Ramankutty et al. (2008)
	Zhang	Process-based model: Gridded harvested area of rice	0.083° x 0.083°	Zhang et al. (2017)
Coal exploitation	PKU	Annual production from 4264 coal production sites	0.1° x 0.1°	Liu et al. (2015)
	MIT	More than 10000 coal mines in China for 2011	0.25° x 0.25°	Sheng et al. (2019)

	EDGAR	Brown and hard coal. USGS (2014); EPRTRv4.2 (2012); Liu et al. (2015): Combining USGS coal mines ( <a href="https://www.usgs.gov/">https://www.usgs.gov/</a> ) and EPRTRv4.2 for European mines ( <a href="http://prtr.ec.europa.eu">http://prtr.ec.europa.eu</a> ) and Global Energy Observatory ( <a href="http://globalenergyobservatory.org">http://globalenergyobservatory.org</a> ) and China coal mine data from Liu et al. (2015)	0.1° x 0.1°	Janssens-Maenhout et al. (2019) In-house EDGAR proxy based on EPRTR ( <a href="http://prtr.ec.europa.eu">http://prtr.ec.europa.eu</a> ) and USGS ( <a href="https://www.usgs.gov/">https://www.usgs.gov/</a> ) and Global Energy Observatory ( <a href="http://globalenergyobservatory.org/">http://globalenergyobservatory.org/</a> )
	Harvard	EDGAR v4.3.2 emission grid maps for 2012	0.1° x 0.1°	Janssens-Maenhout et al. (2019)
Oil and gas systems	PKU	EDGARv42 gridded 1B2a subcategory	0.1° x 0.1°	EDGARv42; Schwietzke et al. (2014)
	EDGAR	In-house EDGAR proxy based on <a href="https://www.ngdc.noaa.gov/eog/viirs.html">https://www.ngdc.noaa.gov/eog/viirs.html</a> ; World Port Index (PUB 150) ( <a href="http://msi.nga.mil/MSISiteContent/StaticFiles/NAV_PUBS/WPI/Pub150bk.pdf">http://msi.nga.mil/MSISiteContent/StaticFiles/NAV_PUBS/WPI/Pub150bk.pdf</a> )	0.1° x 0.1°	Janssens-Maenhout et al. (2019)
	Harvard	Global distributions of oil, gas wells, and pipelines	0.1° x 0.1°	Global distributions of oil and gas wells (Enverus (2017); Rose (2017)), pipelines (EIA ()); Petroleum Economist Ltd. (2010); (Sheng et al., 2017); Sabbatino et al. (2017)), and midstream facilities Sabbatino et al. (2017)
Landfills	PKU	Gridded total population in 2005 and 2010	1 km x 1 km	Huang et al. (2014)
	EDGAR	In-house EDGAR proxy based on EPRTRv4.2 European landfills ( <a href="http://prtr.ec.europa.eu">http://prtr.ec.europa.eu</a> ) and CEC ( <a href="http://takingstock.cec.org/">http://takingstock.cec.org/</a> ) (gapfilled with urban population)	0.1° x 0.1°	In-house EDGAR proxy based on EPRTR ( <a href="http://prtr.ec.europa.eu">http://prtr.ec.europa.eu</a> ) and CEC ( <a href="http://takingstock.cec.org/">http://takingstock.cec.org/</a> )
Wastewater	PKU	Gridded total population in 2005 and 2010	1 km x 1 km	Huang et al. (2014)

EDGAR In-house EDGAR proxy based on CIESIN GWPv3 population and settlements map (5 year timesteps from 1990 onwards) [http://sedac.ciesin.columbia.edu/\(rural pop.=total pop.-urban pop.\)](http://sedac.ciesin.columbia.edu/(rural pop.=total pop.-urban pop.))

0.1° x 0.1° In-house EDGAR proxy based on EPRTR (<http://prtr.ec.europa.eu>) and CEC (<http://takingstock.cec.org/>); In-house EDGAR proxy based on <http://sedac.ciesin.columbia.edu/>

**Table S4 Emission factors for different source categories among different inventories.**

Major sectors	Items	IPCC	EDGAR	PKU	FAO	GAINS	(Huang et al., 2019)	(Zhang and Chen, 2014)	(Zhang et al., 1999)
Energy	Coal mining_underground (m3/t)	18.0	10.0	8.23(5.58-20.35)		9.3	4.53-21.83	4.53-21.83	11.0
	Coal mining_underground_post (m3/t)	2.5	0.9	1.18-1.30		2.5	NA	1.13-3.02	1.8
	Coal mining_open (m3/t)	1.2	NA	2.5		NA	2.5	2.5	2.5
	Coal mining_open_post (m3/t)	0.1	NA	NA		NA	NA	0.1	0.1
	Oil (kg/t)	4.9	96.4(kg/TJ)*	3.3			0.4	1.0	0.4
	Gas (%)	2.0	144.3(kg/TJ)*	2.0-4.6			0.3	0.6	0.3
Agriculture	Dairy cattle_Enteric_Fermentation (kg/head/year)	68.0	77.2	54(46-64)	68.0	56.0	65.3	65.3	52.7
	Non-dairy cattle_Enteric_Fermentation (kg/head/year)	47.0	64.2	53(39-53)	47.0	44.0	54.2	54.2	40.5
	Buffalo_Enteric_Fermentation (kg/head/year)	55.0	55.0	57(47-62)	55.0	57.0	72.9	72.9	53.5
	Sheep_Enteric_Fermentation (kg/head/year)	5.0	5.0	5(5-7)	5.0	5.0	5.3	5.3	5.4
	Goats_Enteric_Fermentation (kg/head/year)	5.0	5.0	4(4-6)	5.0	NA	4.6	4.6	5.4
	Swine_Enteric_Fermentation (kg/head/year)	1.0	1.0	1.0	1.0	NA	1.0	1.0	NA



	Dairy cattle_Manure (kg/head/year)	10.0	11.5	18(9-26)	9.1	16.0	9.0	
	Non-dairy cattle_Manure (kg/head/year)	1.0	1.0	1.0	1.0	1.0	0.9	
	Buffalo_Manure (kg/head/year)	1-2	1.3	1-2	1.0	2.0	1.8	
	Sheep_Manure (kg/head/year)	0.10-0.15	0.12	0.10-0.15	0.1	0.2	0.1	
	Goats_Manure (kg/head/year)	0.11-0.17	0.13	0.11-0.17	0.1	NA	0.1	
	Swine_Manure (kg/head/year)	2-5	2.4	2-5	2.0	NA	3.1	
	Rice_High (g/m2/d)	0.1	1.4	0.3		0.1	NA	0.6
	Rice_Low g/m2/d	0.3	0.1	0.2		0.1	NA	0.6
	Landfill_EF (%(t/t))	15.0	15.0				NA	2.1
	Landfill_MCF	0.4-1.0		0.4-1.0				0.7-0.95
Waste	Waste water_domestic sewage	0.2	0.2	0.2			0.2	0.2
	Waste water_industrial wastewater	0.5	0.5	0.5			0.5	0.5

\*Implied EF for energy (combustion+fuel exploitation) in EDGAR

**Table S5 Emission factors for coal exploitation at the province-level**

Province	Coal mining from underground coal mines(m3/ton) (Peng et al. (2016); Zheng et al. (2006))			Coal exploitation (m3/ton) (Sheng et al. (2019))						Coal mining from underground coal mines(m3/ton) (Zhu et al. (2017))				
	Mean	1994	2000	Mean	Uncertainty (%)	Low	Uncertainty (%)	High	Uncertainty (%)	2006	2007	2008	2009	2010
Beijing	5.58	4.18	6.97	1.43	0.48	1.43	0.48	NA	NA	0.74	0.74	0.74	0.74	0.74
Hebei	5.58	4.18	6.97	9.74	0.87	2.88	0.74	16.60	1.00	4.89	4.74	4.60	4.47	4.34
Shanxi	5.58	4.18	6.97	12.70	0.67	3.34	0.69	22.05	0.65	6.48	6.49	6.49	6.50	6.51
Inner Mongolia	5.99	6.00	5.97	10.01	0.80	1.45	1.00	18.56	0.59	0.72	0.75	0.77	0.79	0.82
Liaoning	13.08	11.75	14.40	6.24	1.00	0.46	1.00	12.01	1.00	13.28	12.99	12.70	12.42	12.14
Jilin	13.08	11.75	14.40	8.64	0.42	5.48	0.46	11.80	0.38	6.86	6.71	6.57	6.43	6.29
Heilongjiang	13.08	11.75	14.40	12.02	0.65	3.51	0.66	20.53	0.64	10.04	10.77	11.57	12.42	13.33
Jiangsu	5.84	5.46	6.22	5.02	0.60	2.70	0.73	7.34	0.47	5.22	5.06	4.90	4.75	4.60
Anhui	5.84	5.46	6.22	7.25	0.58	3.87	0.43	10.62	0.73	26.57	25.55	24.57	23.62	22.71
Fujian	5.84	5.46	6.22	4.02	0.42	4.02	0.42	NA	NA	0.74	0.74	0.74	0.74	0.74
Jiangxi	5.84	5.46	6.22	11.28	0.39	6.14	0.30	16.42	0.48	14.68	14.05	13.45	12.88	12.33
Shandong	5.58	4.18	6.97	5.83	0.57	1.93	0.71	9.73	0.42	0.97	1.00	1.02	1.05	1.08
Henan	7.51	7.19	7.83	8.02	0.61	3.41	0.61	12.63	0.61	13.48	13.42	13.36	13.30	13.24

Hubei	7.51	7.19	7.83	11.55	0.47	5.04	0.41	18.05	0.52	6.29	6.48	6.68	6.88	7.09
Hunan	7.51	7.19	7.83	17.00	0.40	6.42	0.31	27.57	0.49	12.12	11.77	11.43	11.10	10.78
Guangxi	7.51	7.19	7.83	13.82	0.27	5.52	0.45	22.12	0.08	1.79	1.51	1.28	1.08	0.91
Chongqing	20.35	19.02	21.68	17.73	0.41	6.65	0.26	28.80	0.56	31.89	32.14	32.39	32.64	32.89
Sichuan	20.35	19.02	21.68	19.40	0.43	6.50	0.34	32.29	0.51	12.56	12.58	12.59	12.61	12.62
Guizhou	20.35	19.02	21.68	19.48	0.40	7.66	0.24	31.30	0.56	27.75	27.19	26.63	26.09	25.56
Yunnan	20.35	19.02	21.68	18.09	0.47	6.09	0.30	30.09	0.63	7.43	7.60	7.78	7.97	8.15
Shaanxi	5.99	6.00	5.97	12.26	0.81	2.46	0.84	22.06	0.78	6.36	5.37	4.54	3.83	3.24
Gansu	5.99	6.00	5.97	7.32	0.30	2.39	0.52	12.25	0.08	1.92	1.92	1.92	1.92	1.92
Ningxia	5.99	6.00	5.97	16.44	0.85	1.71	1.00	31.16	0.69	8.99	8.99	8.99	8.99	8.99
Xinjiang	5.99	6.00	5.97	8.33	0.51	2.92	0.54	13.73	0.47	3.14	3.14	3.14	3.14	3.14

**Table S6 Emission factors for manure management (kg/head/year).**

Category	CCCCS (2000)				IPCC (2006)/Peng et al. (2016)			Zhou et al. (2007)
	Cool (MAT ≤ 14C°)	Temperate (15 ≤ MAT ≤ 25C°)	Warm (MAT ≥ 26C°)	Average	Cool	Temperate	Warm	
Non-dairy cattle	0.65	0.92	1.97	0.77	1	1	1	0.92
Dairy cattle	7.65	16.36	26.17	8.87	9–12	13–26	28–31	8.95
Buffalo	0.92	1.07	2.35	1.07	1	2	2	1.8
Sheep	0.10	0.15	0.20	0.10	0.1	0.15	0.2	0.1
Goats	0.11	0.17	0.22	0.13	0.11	0.17	0.22	0.13
Pigs	1.26	3.74	7.09	3.05	2	3–6	6–7	1.53




Fig. S1 Changes of CH<sub>4</sub> emissions of energy for buildings (a) and energy sector (b) in EDGAR from 2000 to 2010.

## References:

- CCCCS: China climate change country study. Beijing: Tsinghua University Press; (in Chinese), 2000.
- EIA: U.S. Energy Mapping System, available at: <https://www.eia.gov/state/maps.php>, last access: June 2018.
- Enverus: Enverus International, available at: <http://drillinginfo.com/>, last access: June 2017., 2017.
- Huang, M., Wang, T., Zhao, X., Xie, X., and Wang, D.: Estimation of atmospheric methane emissions and its spatial distribution in China during 2015, *Acta Scientiae Circumstantiae* (in Chinese), 39, 1371-1380, 2019.
- Huang, Y. H., Jiang, D., and Fu, J. Y.: 1 km grid GDP data of China (2005, 2010), *Acta Geographica Sinica*, 69, 140 - 143, doi: 10.3974/geodb.2014.01.07.v1, 2014.
- IPCC: The 2006 IPCC guidelines for national greenhouse gas inventories (2006 guidelines), 2006.
- Janssens-Maenhout, G., Crippa, M., Guizzardi, D., Muntean, M., Schaaf, E., Dentener, F., Bergamaschi, P., Pagliari, V., Olivier, J. G., and Peters, J. A.: EDGAR v4. 3.2 Global Atlas of the three major greenhouse gas emissions for the period 1970–2012, *Earth System Science Data*, 11, 959–1002, 2019.
- Lin, Y., Zhang, W., and Huang, Y.: Estimating spatiotemporal dynamics of methane emissions from livestock in China, *Environmental Science* (in Chinese), 32, 2212–2220, 2011.
- Liu, Z., Guan, D., Wei, W., Davis, S. J., Ciais, P., Bai, J., Peng, S., Zhang, Q., Hubacek, K., and Marland, G.: Reduced carbon emission estimates from fossil fuel combustion and cement production in China, *Nature*, 524, 335–338, 2015.
- Monfreda, C., Ramankutty, N., and Foley, J. A.: Farming the planet: 2. Geographic distribution of crop areas, yields, physiological types, and net primary production in the year 2000, *Global biogeochemical cycles*, 22, 2008.
- Peng, S., Piao, S., Bousquet, P., Ciais, P., Li, B., Lin, X., Tao, S., Wang, Z., Zhang, Y., and Zhou, F.: Inventory of anthropogenic methane emissions in mainland China from 1980 to 2010, *Atmos. Chem. Phys.*, 16, 14545–14562, 2016.
- Petroleum Economist Ltd.: Oil & Gas Map of Russia/Eurasia & Pacific Markets, 1st Edn., Petroleum Economist Ltd in association with VTB Capital, London, UK, 2010.
- Ramankutty, N., Evan, A. T., Monfreda, C., and Foley, J. A.: Farming the planet: 1. Geographic distribution of global agricultural lands in the year 2000, *Global Biogeochemical Cycles*, 22, -, 2008.
- Robinson, T. P., Thornton, P. K., Franceschini, G., Kruska, R. L., Chiozza, F., Notenbaert, A., Cecchi, G., Herrero, M., Epprecht, M., Fritz, S., You, L., Conchedda, G., and See, L.: Global Livestock Production Systems. FAO and ILRI, Rome. ISBN 978-92-5-107033-8. Available at: <http://www.fao.org/docrep/014/i2414e/i2414e00.htm> 2011.
- Rose, K. K.: Signatures in the Subsurface – Big & Small Data Approaches for the Spatio-Temporal Analysis of Geologic Properties & Uncertainty Reduction, Oregon State University, available at: [https://ir.library.oregonstate.edu/concern/graduate\\_thesis\\_or\\_dissertations/2j62s975z](https://ir.library.oregonstate.edu/concern/graduate_thesis_or_dissertations/2j62s975z) (last access: August 2017), PhD thesis, 2017.
- Sabbatino, M., Romeo, L., Baker, V., Bauer, J., Barkhurst, A., Bean, A., DiGiulio, J., Jones, K., Jones, T. J., Justman, D., Miller III, R., Rose, K., and Tong, A.: Global Oil & Gas Features Database,

2017-12-12, <https://edx.netl.doe.gov/dataset/global-oil-gas-features-database>, DOI: 10.18141/1427300, 2017.

Schwietzke, S., Griffin, W. M., Matthews, H. S., and Bruhwiler, L. M. P.: Global bottom-up fossil fuel fugitive methane and ethane emissions inventory for atmospheric modeling, *Acs Sustainable Chem Eng*, 2, 1992-2001, 2014.

Sheng, J., Song, S., Zhang, Y., Prinn, R. G., and Janssens-Maenhout, G.: Bottom-up estimates of coal mine methane emissions in China: a gridded inventory, emission factors, and trends, *Environmental Science & Technology Letters*, 6, 473-478, 2019.

Sheng, J. X., Jacob, D. J., Maasakkers, J. D., Sulprizio, M. P., Zavala-Araiza, D., and Hamburg, S. P.: A high-resolution ( $0.1^\circ \times 0.1^\circ$ ) inventory of methane emissions from Canadian and Mexican oil and gas systems, *Atmospheric Environment*, 158, 211-215, 2017.

Zhang, B. and Chen, G.: China's CH<sub>4</sub> and CO<sub>2</sub> emissions: Bottom-up estimation and comparative analysis, *Ecological indicators*, 47, 112-122, 2014.

Zhang, B., Yang, T., Chen, B., and Sun, X.: China's regional CH<sub>4</sub> emissions: Characteristics, interregional transfer and mitigation policies, *Applied energy*, 184, 1184-1195, 2016.

Zhang, R., Wang, M., Li, J., Yang, X., and Wang, X.: The present status of the emission methane in China, *Climatic and Environmental Research*, 4, 194-202, 1999.

Zhang, W., Sun, W., and Li, T.: Uncertainties in the national inventory of methane emissions from rice cultivation: field measurements and modeling approaches, *Biogeosciences*, 14, 163-176, 2017.

Zheng, S., Wang, Y. A., and Wang, Z. Y.: Methane emissions to atmosphere from coal mine in China, *Saf. Coal Mines*, 36, 29-33,(in Chinese), 2006.

Zhou, J. B., Jiang, M. M., and Chen, G. Q.: Estimation of methane and nitrous oxide emission from livestock and poultry in China during 1949-2003, *Energy Policy*, 35, 3759-3767, 2007.

Zhu, T., Bian, W., Zhang, S., Di, P., and Nie, B.: An improved approach to estimate methane emissions from coal mining in China, *Environmental Science & Technology*, 51, 12072-12080, 2017.