



Interactive comment on “Very high-resolution terrain surveys of the Chã das Caldeiras lava fields (Fogo Island, Cape Verde)” by Gonçalo Vieira et al.

Gonçalo Vieira et al.

vieira@igot.ulisboa.pt

Received and published: 7 April 2021

Dear Dr Moritz Kirsch,

Thank you very much for the detailed review, comments and suggestions of our manuscript on the “Very high-resolution terrain surveys of the Chã das Caldeiras lava fields (Fogo Island, Cape Verde) submitted to ESSD.

We hope that with the significant changes we have made to the manuscript, following your comments, but also integrating the comments from other three reviewers and from the public discussion, the manuscript is now in good shape to be accepted for publication in ESSD.

Interactive
comment

In what concerns to your review of the manuscript, our revision of the text includes now more details on the objectives, which are the identification of small-scale geomorphic features below c. 50 cm, as well as improving the existing 1 m pixel DEM. The section 2 was removed following your suggestion. We have reorganized the text on the study area and added a new section on previous studies on the volcanica activity of 2014-15. The section 3 (now 4) on the methods was fully rewritten and provides more details on the procedures. We have also included a figure with the workflow. In section 5, we have clarified the issues raised associated with the evaluation of the point cloud and DSM quality, also following several of your suggestions, and after revisiting James' et al papers. A better description of the lava flow delineation procedure was included in section 4.5. We have also made available the full data set, very high resolution point cloud, 10 and 25 cm DSM and orthomosaic and have included all the aerial photos, as well as the GCP coordinates and lava flow delineation file.

We have also introduced your suggestions and replied accordingly in the attached the RC3-supplement-commentGV.pdf file.

I expect to be able to upload the revised version very soon in the platform.

Our sincere thanks for the time you have put into this review.

Best wishes,

Gonçalo Vieira

Please also note the supplement to this comment:

<https://essd.copernicus.org/preprints/essd-2020-289/essd-2020-289-AC3-supplement.pdf>

Interactive comment on Earth Syst. Sci. Data Discuss., <https://doi.org/10.5194/essd-2020-289, 2020>.

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 1. Figure 1 – Location of the Chã das Caldeiras and of the surveyed area (dashed line) in Fogo Island (Cape Verde). The 2014-15 lava flows are limited by a thin black line. Shaded relief derived from th

Printer-friendly version

Discussion paper



Fig. 2. Figure 2 – The Chã das Caldeiras and Pico do Fogo during the 2014-15 eruption. View towards the southeast with the ‘a’ÄA lava flows of 2014-15 in the foreground, evidencing a very irregular and inacces

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 3. Figure 3 – General characteristics of the aerial survey of the Chã das Caldeiras with the geolocation of the photographs according to the flights and take-off and landing locations. Shaded inside the

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 4. Figure 4 – Work flow from the field survey to the generation of the DSMs and orthomosaics.

Printer-friendly version

Discussion paper




Fig. 5. Figure 5 – Ground control points used for the model and for the accuracy evaluation (check points), manual tie points used to improve the point cloud accuracy and location of the GNSS base stations see

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 6. Figure 6 – Examples of the quality of the 3D dense point cloud. A. Low quality areas in ash surfaces close to Monte Beco (car tracks for scale), B. Most of the point cloud shows dense point coverage a

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 7. Figure 7 – Example of manual delineation of the lava flow by making use of the: A. Orthomosaic, B. Elevation contours with 50 cm interval, C. Hill shade model, D. Hill shade model and elevation contou

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 8. Figure 8 – Assessment of the quality of the dense point cloud and digital surface model in the Chã das Caldeiras and location of the sectors shown in figures 8 to 10. Shaded relief outside the surveye

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 9. Figure 9 – Digital surface model of the Chã das Caldeiras (A) and DSM shaded relief model (B). The surveyed area is overlaying the DEMFI (2010) 5 m DEM.

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 10. Figure 10 – Examples of surfaces in the Chã das Caldeiras with high-quality results for the digital surface model, with orthomosaic for visualization (10 cm resolution) and contour lines derived from

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 11. Figure 11 – Examples of surfaces in the Chã das Caldeiras with high-quality results for the digital surface model, with orthomosaic for visualization (10 cm resolution) and contour lines derived from

Printer-friendly version

Discussion paper




Fig. 12. Figure 12 – Examples of surfaces with medium and low quality. A and B: Steep slope covered with ash with medium-quality results (M) for the digital surface model, with orthomosaic (A, 10 cm resolution

Printer-friendly version

Discussion paper




Fig. 13. Figure 13 – Digital orthophoto mosaic with 25 cm resolution of the Chã das Caldeiras. The quality of the point cloud is shown in Fig. 7. Shaded relief outside the surveyed area derived from the DEMFI

[Printer-friendly version](#)

[Discussion paper](#)




Fig. 14. Figure 14 – 3D visualization of the texture mesh of the Chã das Caldeiras.

[Printer-friendly version](#)

[Discussion paper](#)

Table 1—Synthesis of flight characteristics and photos excluded from the modelling due to lack of calibration or manually disabled in the pre-processing.

Flight nr	Date (2016)	Start time	Duration n (min)	Area (km ²)	Weather	Camera	Nr of Photos	First and last photo ID (IMG)	Used	Uncalibrated images IDs (IMG)	Disabled images IDs (IMG)
1	12/12	14:58	20	0.99	Cloudfree	Canon G9X	92	0425 - 0516	Yes	448, 470 513-516 517,519, 542, 564-	425-428, 451-460,
2	12/12	15:21	29	1.21	Cloudfree	Canon G9X	150	0517 - 0666	Yes	568, 613-615, 639-642	
3	12/12	15:52	28	1.44	Cloudfree	Canon G9X	181	0667 - 0847	Yes		671, 683
4	12/12	16:43	33	0.37	Cloudfree	Canon G9X	50	0849 - 0898	Yes		
5	13/12	11:04	25	1.52	Cloudfree	Canon G9X	161	0900 - 1060	Yes		1053-1060
6	13/12	11:31	35	1.37	Cloudfree	Canon G9X	181	1061 - 1241	Yes	1200, 1241	1113-1116, 1155
7	13/12	12:59	30	1.41	Cloudfree	Canon G9X	166	1243 - 1408	Yes		1244-1260, 1352, 1406-1408
8	14/12	11:00	19	1.40	Cloudfree	Canon IXUS	215	0146 - 365	Yes		
9	14/12	11:55	27	1.19	Cloudfree	Canon IXUS	205	366 - 570	Yes		
10	14/12	12:33	31	1.35	Cloudfree	Canon IXUS	216	0571 - 0786	Yes	786	
11	14/12	13:06	30	0.82	Cloudfree	Canon IXUS	135	0787 - 0921	Yes		
12	14/12	13:41	42	1.43	Cloudfree	Canon IXUS	213	0922 - 1134	Yes		
13	14/12	14:28	15	0.41	Cloudfree	Canon IXUS	65	1135 - 1199	Yes		
14	14/12	17:03	34	1.23	Cloudfree	Canon IXUS	196	1200 - 1395	Yes		
15	15/12	12:45	29	1.31	Scattered low clouds*	Canon IXUS	198	1396 - 1593	No		
16	15/12	14:07	21	0.58	Scattered clouds*	Canon IXUS	119	1594 - 1712	Yes		
17	15/12	14:30	30	1.16	Scattered clouds*	Canon IXUS	196	1713 - 1908	Yes		
18	15/12	15:02	32	1.25	Scattered clouds*	Canon IXUS	209	1909 - 2117	Yes		
19	15/12	15:49	15	0.16	Scattered clouds*	Canon IXUS	57	2118 - 2154	Yes		
20	15/12	16:06	32	1.26	Scattered clouds*	Canon IXUS	197	2185 - 2381	Yes		

* Illumination problems, probably due to light scattering associated to fog entering the caldera from the NE and the dark wall of the bordoira in the S and W, resulting in striping.

Fig. 15. Tables 1 and 2