

An urban extent dataset in late imperial China in 15th-19th centuries

Qiaofeng Xue¹, Xiaobin Jin¹, Yinong Cheng², Xuhong Yang¹, and Yinkang Zhou¹

¹School of Geography and Ocean Science, Nanjing University, Nanjing 210023, China

²College of History and Archives, Yunnan University, Kunming 650091, China

Correspondence: Xiaobin Jin (jinxb@nju.edu.cn)

Abstract. Long-term urban extent data are highly desirable for understanding urban land use patterns ~~and achieving sustainable development goals~~. However, urban observation data based on remote sensing are typically confined to recent decades. In this study, we advance in this arena by reconstructing the urban extents for China that extend back from 15th century to 19th century based on multiple historical documents. Cities in late imperial China (the Ming and the Qing Dynasties, 1368-1911) generally had city walls, and these walls were usually built around the urban built-up area. By restoring the scope of the city walls, the urban extent in this period could be restored. Firstly, we collected the years of construction or reconstruction of city walls from the historical data. Specifically, the period in which the scope of the city wall keeps unchanged is recorded as a lifetime of it. Secondly, specialization of the scope of the city wall could be conducted based on the urban morphology method, and variety of documentation, including the historical literature materials, the military topographic maps of the first half of the 20th century, and the remote sensing images of the 1970s. Correlation and integration of the lifetime and the spatial data would produce China City Wall Areas Dataset (CCWAD) in late imperial. Based on the proximity to the time of most of the city walls, we generated China Urban Extent Dataset (CUED) in the 15th-19th centuries in six representative years (i.e., 1400, 1537, 1648, 1708, 1787, and 1866). These datasets are available at <https://doi.org/10.6084/m9.figshare.14112968.v2> <https://doi.org/10.6084/m9.figshare.14112968.v1> (Xue et al., 2021)

1 Introduction

As cities are one of the most obvious phenomena on the earth surface arising from human activities, human productivity has increased significantly since the industrial revolution, which has led to the expansion of population and the acceleration of urbanization (Mumford, 1968; Roberto, 2005). The rapidly expanding urban built-up area has serious impacts on regional and global changes by modifying the characteristics of the underlying surface while exacerbating human activities such as fossil fuel combustion (Seto et al., 2012; Rodriguez et al., 2018). With complex interactions happening in global environmental changes, the evolution of urban scale and spatial distribution is an important part of global change research (Solecki et al., 2013; Seto et al., 2016; Goldewijk et al., 2017; Bai et al., 2018; Kuang et al., 2021). Long-term data on historical urbanization trends and patterns will be conducive to contextualize the current urbanization, as well as to predict future trajectories on its process. In particular, China has a history of urban construction for thousands of years, and it is also one of the countries with a relatively fast urbanization process in the world today (Gong et al., 2019; Liu et al., 2020). However, China's industrial revolution did not start ~~slowly~~ until the end of the 19th century, while the pattern of cities in late imperial China in the Ming and Qing Dynasties (1368-1911) laid the foundation for Chinese cities in modern time (Skinner, 1977). ~~Rebuilding the urbanization process during this period will benefit exploration of the China's sustainable urbanization in the context of global~~

43 ~~change (He et al., 2002).~~

44 The data using for the study in the historical period must take into account the availability and
45 integrity even though there are many methods and indicators to assess the level of urbanization.
46 The widely used data is the statistical material about the population and area of cities for the study
47 of urbanization before the industrial revolution (Doxiadis, 1970). Significantly, population is an
48 effective indicator of the level of urbanization for most current studies to estimate the historical
49 urbanization levels (Chandler, 1987; Reba et al., 2016; Letk et al., 2020). However, in the case of
50 late imperial China, population is not fully applicable to the study of China's urbanization during
51 the Ming and Qing Dynasties for obvious limitation and flaw on the data when the data on urban
52 population was usually originated from the regional level where it included cities, thus few
53 separate statistics data on the number of urban residents could be found, although the official
54 demographics of China during this period were detailed and generally credible (Ho, 1959; Perkins,
55 1969; Cao, 2001a). For example, William Skinner (1977) used population as the key indicator to
56 measure the urbanization of China in the 19th century. However, since China did not have reliable
57 urban population data until 1953, Skinner had to work backward in time, extrapolating better,
58 more recent data to somewhat earlier dates, and building up a consistent time series culminating
59 with the fairly hard data for 1953. He selected 1893 as the representative year, and created a
60 comprehensive file of over 2,500 data cards designed to cover every city and town. Based on this
61 database of more than 150 attributes (mainly including administrative level, circumference of city
62 wall, postal status, population estimates, trade statistics and steamship or rail traffic), cities were
63 classified. Then, he defined the urban population class intervals that the upper boundary of each
64 class was twice the lower boundary, the following series was used: 1,000, 2,000, 4,000, 8,000,
65 16,000, 32,000, and so on. And finally, Skinner estimated the urbanization process of China in the
66 19th century. It is acceptable to use data of the 1950s to study the urbanization in the 19th century;
67 but for longer-term research, the credibility and operability of this approach will be greatly
68 reduced. In summary~~Therefore~~, the flaws in the original materials have led to a great controversy
69 over the different versions of estimation on Chinese urban population during this period (Li, 1998;
70 Cao, 2000; Cao, 2001b).

71 Another way to explore the urbanization process in the historical period is restoration of the
72 urban extents or the built-up areas of cities (He et al., 2002; Hedefalk, et al., 2019; Lin et al., 2017;
73 Qin et al., 2019; Uhl et al., 2021). However, before the popularization of scientific Cartography in
74 the 20th century, maps in China generally lacked the basis of surveying and mapping (Yee et al.,
75 1994; Cheng, 2019), and could not be used to restore the urban built-up areas in late imperial
76 period precisely. In addition, there was a lack of statistical data on urban area in late imperial
77 China. Therefore, researchers generally use alternatives to represent the built-up areas of Chinese
78 cities in late imperial period, and the one of the most commonly used indicator are the scope city
79 walls (Skinner, 1977; He et al., 2002; Qin et al., 2019). ~~That was because most cities in late~~
80 ~~imperial China built city walls, and these walls were usually built around the urban built-up area~~
81 ~~(Yannis et al., 2017).~~

82 How can the scope of a city wall represent the urban extent? Here we must begin by attempting
83 to summarize the city wall building history that existed in imperial China. The city wall is
84 considered to be one of the basic symbols of ancient Chinese cities (Chang, 1986). But to be
85 specific, cities in China were not always walled. In addition, the characteristics of city walls in
86 different eras were not the same. During the 3rd to 10th centuries, small cities in China generally

87 had no walls. Even regional capital cities only built small-scale city walls called *Zi-cheng* (*Zi*
88 means small and *Cheng* means city wall). The *Zi-cheng* was built around the government and
89 military barracks, just like castles in medieval Europe. Residential areas, markets, schools and
90 religious buildings were all outside the *Zi-cheng* (Lu, 2011). From the 10th to 13th centuries, there
91 were some large-scale city walls built around residential areas, but they were generally confined to
92 few important cities. During the Mongolian-ruled Yuan Dynasty (13-14th centuries), many city
93 walls were deliberately torn down. Only in the Ming and the Qing Dynasties (14-19th centuries),
94 cities generally built large-scale walls to protect governments, temples, granaries, residences, and
95 certain natural resources against invasion, tribal uprising, and peasant rebellion. According to
96 many previous studies (Chang, 1970; Kostof, 1992; Knapp, 2000), city walls in this period were
97 usually slightly larger than the built-up area of the city, and as the suburban areas grew, new and
98 larger city walls were often built. Thus, the city wall in the Ming and Qing periods could be
99 regarded as the urban fixation line, which reflected the extent of the city. On the other hand, the
100 Ming period and the first century of the Qing witnessed the extensive construction of city walls.
101 80% of cities in China had walls in the 15th century, and in the 16th century, 95% of cities were
102 walled (see the details in Section 5 below). Through the study of the scope of the city wall, it will
103 help to reconstruction the urban extent in the late imperial China in 15-19th centuries. The main
104 residential areas of cities, as well as government offices, markets, schools, military camps and
105 important temples were mostly located within the city walls. In other words, the city wall could be
106 regarded as the boundary of the city. Through the study of the scope of city walls, it can
107 approximately restore the urban extent at that time.

108 Historical materials in the Ming and the Qing Dynasties in China recorded the length and
109 construction time of the city wall of each administrative city above the county level in detail,
110 which provided reliable information for restoring the scale of the city walls. Researchers have
111 estimated the built-up area of Chinese cities in late imperial period by converting the perimeter of
112 the city wall into the area of the city wall (Skinner, 1977; He et al., 2002; Cheng, 2007). However,
113 due to the shape of the city walls were often irregular and their construction years were different
114 from each other, the mentioned urban built-up area estimation often produces large errors. There is
115 still lack of urban extent datasets with high resolution and definite age of late imperial China.

116 The aim of this project was to collect multiple historical data related to the city walls (urban
117 boundaries) of late imperial China, digitize it, and make China City Wall Areas Dataset (CCWAD)
118 and China Urban Extent Dataset (CUED) in late imperial in the 15th-19th centuries. We used a
119 similar method to product a dataset of urban extent areas in Northwest China in the Ming and the
120 Qing dynasties (Xue et al., 2018). And in this new database, we improved the research methods
121 and extended the study area across China. Firstly, based on the historical urban morphology theory
122 (Conzen, 1969), we restored the scope and construction time of walls of each administrative city
123 in the Ming (1368-1643) and the Qing (1644-1911) dynasties, and made the CCWAD product.
124 Then, we analyzed the years and sites of the construction of the city walls, and we found out six
125 representative years that could illustrate the general level of urban extent in China of this period.
126 Based on this strategy, we developed the product of the CUED product in 1400, 1537, 1648, 1708,
127 1787, and 1866 across China. These datasets provide a foundation for understanding cities in the
128 traditional agricultural society, and they will also be helpful in current and future research and
129 practices in urban environmental and cultural sustainability.

130 **2 Study area**

131 This research aims at the cities in China in 15th-19th centuries. Definition of city is the same as the
132 general research practice of ancient Chinese cities, namely administrative cities, including *county*,
133 *Zhou*, *Fu*, and *Ting*. In addition, the military cities of the Ming Dynasty, *Wei* and *Suo*, and the
134 *Eight Banner cities of Manchu* of the Qing Dynasty were added.

135 The research period consisted of the Ming and the Qing Dynasties, and there were some
136 differences in the territory of the two dynasties. In order to explore the temporal and spatial
137 characteristics of late imperial China's urban extent, the study area is divided into five sub-regions
138 based on landform types, local socio-economic history and ethnic distribution, as shown in Figure.
139 1. (I) The Northeast Region, which mainly covers the area to the east of Daxing'anling mountain
140 and the north of the Great Wall of the Ming Dynasty. This region was sparsely populated until the
141 influx of large numbers of immigrants in the 18th-19th century, and a number of cities were
142 established at the end of the 19th century and the beginning of the 20th century. (II) The North
143 Region includes the Inner Mongolia Plateau, the Ordos Plateau and the Hetao Plain. This region
144 was to the north of the Great Wall and was inhabited by Mongolian herdsmen in 15th-19th centuries.
145 (III) China Proper Region was densely populated, with many cities and a long history. (IV) The
146 Northwest Region, mainly includes Xinjiang Province. This region was located in the continental
147 interior, and the population was concentrated in oasis. ~~It This region~~ became the territory of the
148 Qing Dynasty after the mid-18th century. (V) The Qinghai-Tibet Plateau Region is mainly located
149 on the Qinghai-Tibet Plateau, which is the highest-elevation plateau in the world. There were
150 some historic cities on the edge of the ~~region plateau~~, but the administrative cities within ~~the~~
151 ~~region- it~~ were established very late.

152 **3 Data sources**

153 **3.1 City wall records in historical literature**

154 We regarded the city wall as an alternative of urban boundary, and there were detailed and
155 systematic records of city walls in Chinese historical literatures, such as the *Book Integration of*
156 *Ancient and Modern Times* (edited in 1701-1728), ~~*Book Integration of Ancient and Modern Times*~~
157 ~~*Unified Records of the Qing Dynasty*~~ (edited in 1842), and more than three thousand *Local*
158 *Chronicles* edited before 1949 all over China. There was a tradition of compiling *Local Chronicles*
159 in the Ming and Qing Dynasties. Most of these literatures were compiled by local governments,
160 and the city wall, as an important achievement, had been paid much attention. These records
161 detailed the construction and transformation of local city walls, such as their construction time,
162 scale and form (see Figure 2). And the *Book Integration of Ancient and Modern Times* and ~~*Book*~~
163 ~~*Integration of Ancient and Modern Times- Unified Records of the Qing Dynasty*~~ were collections of
164 *Local Chronicles*. The historian in our research team have systematically collated and studied
165 these literatures, and compiled a series of Data Compilations (Cheng, 2016a, 2016b, 2016c). And
166 the historical literatures of this study were from these Data Compilations.

167 **3.2 Old maps and remote sensing image**

168 Spatialization of the text of historical data was the next step to make this database. Most of the
169 city walls of Chinese cities were demolished after 1949, which made it impossible for us to
170 spatialize them directly on today's map. Fortunately, the 1: 25,000, 1: 50,000, and 1: 100,000
171 military topographic maps produced by the bureau of surveying and mapping of the Republic of
172 China (1912-1949) and the Japanese army in 1910s-1930s drawn the location of the city walls,
173 making it easier to restore these walls on modern maps (Figure 3a). These topographic maps were
174 mainly plotted in the periods of 1916-1925 and 1930-1939, and they are mainly collected in

175 Taiwan and Japan at present (Jiang, 2017). More than sixty thousand digitalized maps covering 25
176 provinces in China can be viewed online on various websites, and an integrated query system has
177 been launched (<http://map.rchss.sinica.edu.tw>).

178 In addition, we also need some remote sensing images for auxiliary work. ~~The 1970s China~~
179 ~~remote sensing image form the U.S. Geological Survey (USGS) website~~
180 ~~(<https://earthexplorer.usgs.gov/>) was the most important (Figure 3b).~~ and the CORONA
181 photographs are the most important. CORONA is the satellite deployed by the United States in
182 1958, and it takes remote sensing images covering the world from 1960 to 1972. Now the
183 CORONA photographs have been decrypted and can be downloaded from the USGS website
184 (<https://earthexplorer.usgs.gov/>). ~~That is because before~~ ~~Before~~ the 1980s, the city of Chinese
185 mainland has not started large-scale expansion, and the ancient relics can be clearly indentified
186 from these remote sensing images. And the modern remote sensing images are obtained from
187 Google Earth.

188 3.3 City sites and their lifetime

189 We need obtain the amount of cities in China during the study period including where they were
190 located, what time they appeared, and when they disappeared contributes. As mentioned above,
191 the research object was administrative city. If a site was chosen as a local administrative center, it
192 would be regarded as the birth of a new city; if all the administrative agencies mentioned above
193 were abandoned or moved, then it will be regarded as the abandoned city; and the period between
194 them was called the city's lifetime. Most of the city's lifetime information can be obtained from
195 the China Historical Geographic Information System (CHGIS, Version: 6.0, 2016; available at
196 https://dataverse.harvard.edu/dataverse/chgis_v6). In addition, we supplemented and corrected
197 some missing and mistaken data of CHGIS based on the *Historical Atlas of China* (Tan et al.,
198 1982) and *General History of Administrative Regions in China* (Zhou et al., 2007-2016). Through
199 the above work, the city site point layer of the Ming and Qing Dynasties could be obtained, as
200 well as the time records they set up or abandoned, including 2,560 lifetime records for 2,376 city
201 sites in total (Figure 1), functioning as the basis for the next step to make the CCWAD and the
202 CUED products.

203 4 The strategy of developing the CCWAD product

204 4.1 The historical urban morphology theory

205 The historical urban morphology theory was proposed by British architect Michael Conzen,
206 emphasizing the importance on studying the urban plan pattern from the perspective of
207 morphology (Conzen, 1969). It was believed that the urban plan pattern ~~retaining the residual~~
208 ~~characteristics of each stage of its development process~~ was a complex record of the
209 development of urban form space, which retaining the residual characteristics of each stage of its
210 development process. Therefore, based on the evolutionary perspective, it is a worthwhile analysis
211 method to study and reveal the potential history from the existing planning pattern. The urban
212 morphology theory focuses on large-scale city map, combine with field research and literature
213 analysis, to analyze the urban plane pattern based on the perspective of evolution, and interprets it
214 as three elements complex: street and its layout in the street system; burgage and its agglomeration
215 in the block; and block-plan of a building. And the city wall are generally considered as an
216 important "fixation line" that has the role of defining the static edge of the city (Conzen, 1969).

217 Conzen also put forward a series of basic concepts to describe the urban form and its evolution
218 phenomenon, which is of great significance to the study of urban historical form in China (Li et al.,

219 1992; Zhong, 2015; Lai, 2019). Chinese researchers often combine historical text data and old
220 maps to fix the lack of systematic ancient cadastral records. The main elements of the urban flat
221 pattern are appropriately adjusted to aggregation including streets, water systems and bridges, city
222 walls, moats, government offices, and temples for analysis. Thus, a relatively clear urban plan
223 pattern was obtained on several time sections in the pre-industrialization period. The production of
224 our database does not involve the restoration of streets and buildings, but focuses on the
225 restoration of the location of the city walls, thus reducing the difficulty of practice and the
226 requirements for the fineness of the original materials. With the historical urban morphology
227 theory, it is not difficult to restore the location of city walls in late imperial China by combining
228 historical literature data, old maps and remote sensing images with some necessary field
229 investigations, thus helping to understand the urban extent of this period in China.

230 Figure 4 provides a schematic overview of dataset construction and is referred to throughout the
231 methods section to clarify the dataset development process.

232 **4.2 Restoration of the scope of the city walls**

233 Sorting out the city wall records in historical records and tabulating them by Microsoft Excel
234 involved much work on filtering the city wall information in the historical literature data since it is
235 lengthy, messy, and mixed with many literary descriptions. Besides, the perimeter of the city walls
236 recorded is often not accurate and can only be used as a reference. Therefore, it is focus on
237 extracting information about construction time and reconstruction time. The literary descriptions
238 of city walls in the historical records were helpful to the interpretation of remote sensing images,
239 and were retained as for reference.

240 We georeferenced and digitized the military topographic maps and the 1970s remote sensing
241 images. In the georeferencing process, we used modern topographic web maps and Google Earth
242 to identify common points in the historic maps and ~~1970s remote sensing images~~ [the CORONA](#)
243 [photographs](#), such as temples, city gates, city walls, drum-towers, and crossroads. Using all of the
244 above processed materials, it is allowed to identify the location of city wall ruins, or other
245 associated ruins, on the Google Earth ~~platform~~. Then, according to the literary description in
246 historical records, the correspondence between the text records and the identified ruins are judged,
247 thereby identifying the time of the ruins.

248 Although most of the city walls of Chinese cities were demolished after 1949, there were still
249 many associated relics, such as the moat parallel to the city wall, or a ring road built after the city
250 wall was demolished, as well as the radial spread of multiple roads often implies the location of
251 the city gate. These associated relics could be investigated from remote sensing images of the
252 1970s, and even in modern remote sensing images (e.g., see Fig. 3 b, c, d). For example, Figure 5
253 and 6 show the scope of the city walls of several famous Chinese cities from 1368 to 1911, and the
254 red lines on these figures are the location of city walls presented in the dataset. The eight cities
255 shown in Figure 5 did not change the scope of the city walls during the period, while the six cities
256 in Figure 6 changed to varying degrees. Among these cities, Nanjing in Figure 5 and Xi'an
257 (1368-1642) in Figure 6 have retained relatively complete city walls today, so it is not difficult to
258 restore their scopes on the remote sensing images. Chengdu, Hangzhou and Suzhou in Figure 5
259 retained their city moats, so their city walls were located inside the moats. Shanghai and Kunming
260 in Figure 5 and Beijing, Shenyang, Tianjin (1369-1860) and Urumqi in Figure 6 demolished their
261 city wall and built ring roads on its old site, for example the “Second Ring Road” in Beijing and
262 the “Renmin Road” in Shanghai, so their city walls position overlaps with these ring roads. The

263 the scope of city walls in other cities were verified through various ground markers and Local
264 Chronicles. In cities where the scope of the city walls changed, most of the newly built walls were
265 located outside the old city gates (e.g. Xi'an, Lanzhou) or around the old cities (e.g. Shenyang,
266 Tianjin). This was to protect the newly urban built-up areas. There were also cities that built a new
267 city wall far from the old city (e.g. Urumqi).

268 ~~The maps and remote sensing images were transformed using a piecewise interpolation method~~
269 ~~(spline).~~ Target geographic objects, such as city walls, city gates, moats, and ring roads built after
270 the city walls demolished, were digitized as temporal snapshots from the maps. The
271 georeferencing and digitalization steps were performed by using ArcGIS Desktop 10.3
272 (<http://www.esri.com/software/arcgis/arcgis-for-desktop>). It would be next step to generate layers
273 in .kml format on Google Earth, marking their corresponding lifetime, and then use ArcGIS
274 Desktop 10.3 to convert .kml layers into .shp format. The .shp layers are associated with the Excel
275 table that previously saved the Local Chronicles data, thereby generating the .shp layer of the
276 scope of the city walls area with spatio-temporal attributes.

277 This section shows the process of making the CCWAD product during the Ming and Qing
278 Dynasties. Users could query and obtain the nationwide city wall area data for any year during
279 1368 to 1911 by GIS software from this dataset. This dataset is the basis for the further
280 development of CUED product.

281 **5 Extract representative years and develop the CUED product**

282 ~~To produce the dataset of the scope of the city walls of the Ming and Qing Dynasties (CCWAD)~~
283 ~~did not mean that we have a dataset of the urban extent (CUED) in late imperial China. The city~~
284 ~~wall was a functional building with high cost. And it would be built only when it was of vital~~
285 ~~importance to military and economic defense. Therefore, the scope of the city wall must be~~
286 ~~adapted to the physical boundaries of the urban built-up area at that time. Although the~~
287 ~~construction of city walls of Chinese cities during the Ming and Qing Dynasties were often~~
288 ~~consistent with the urban boundaries at that time, However, the urban extent would not remain~~
289 ~~unchanged forever, it would change accordingly with the increase of decrease of urban residents.~~
290 In contrast, after the city walls were built, the scope of the city walls generally did not change with
291 the built-up areas over time. The overflowing population would build contiguous settlements
292 outside the wall, especially during periods of peaceful and prosperous periods. And during these
293 periods, the scope of city wall could not be consistent with the urban land use. In addition, the
294 urban boundaries before the construction of the city wall were practically unknown. Finally, some
295 special cities, such as those established in the northeast of China at the end of the Qing Dynasty,
296 and ~~some the colonial cities (such as Hong Kong and Qingdao) and~~ urban concessions (such as the
297 Shanghai concession) established by foreigners in the 19th century, often did not build city walls.

298 After considering the relationship between the scope of the city wall and the urban extent, we
299 think that the city wall could be regarded as the urban boundary at least during the period when
300 the city wall exerts its functional role; and the closer the time to the construction of the city wall,
301 the more consistent the scope of city wall and the urban extent. Therefore, as long as the
302 appropriate periods were selected, the scope of city walls in these periods could be very
303 approximately regarded as the urban extent. Therefore, to make the dataset of city extent (CUED)
304 during the late imperial period, it is necessary to extract some suitable representative years to
305 make the time of city boundaries in close proximity to the time of most of the city walls built. ~~It~~
306 ~~should to analysis the time series of the changes in the area of the city walls scope, the number of~~

307 ~~city walls built, the total number of cities in China, and the total number of cities that built the city~~
308 ~~wall, during the study period. This requires statistics and analysis of the city walls' area, the~~
309 ~~number of walled cities, and the total number of all cities.~~

310 We plotted the time series of the number of city walls built (Fig. 7b), the total number of cities
311 (Fig. 7d), the total number of cities that built the city wall (Fig. 7e), and its percentage of the total
312 number of cities (Fig. 7c). It can be seen from Figure 7b that there were some connection
313 correlation between the number of wall constructions and the area of the walls scope. The periods
314 of more constructions were often of faster area growth, and the less construction periods were
315 always of area decline or unchanged. In 1368, there were 1,375 cities in China, of which 851 had
316 city walls, accounting for only 62% of the total (Fig. 7c, d, e). However, in the year 1393, 70% of
317 cities had city walls; in 1469 it reached 80%, in 1540 it was 90%, and in 1576 it was 95%. Since
318 then, even though the number of cities fluctuated to a considerable extent, the proportion of cities
319 with walls to the total cities has remained stable between 95%-97% for a long time. But after 1868,
320 this percentage began to decline, and after 1900 it dropped sharply.

321 According to the above facts, we selected six base years where the area of the city wall scope
322 were closest to the urban boundary from the six time periods (i.e. 1368-1404, 1405-1564,
323 1565-1662, 1663-1727, 1728-1860, and 1861-1911-), to product the CUED product in 15th-19th
324 centuries. The selection criteria for the representative base years are as follows. Firstly, the
325 proportion of cities with walls in the total cities should be higher. The proportion should generally
326 be more than 90%, except in the 14th and early 15th centuries. Secondly, after the city walls were
327 built, the scope of the city walls generally did not change with the built-up areas over time, so the
328 representative base years should be within only one or two years after the end of a large-scale
329 construction activities of the city wall period. In addition, the representative base year should be
330 selected at a moderate level of changes in the scope of the city wall within the period. Finally, the
331 representative base year should avoid major political, military events and severe natural disasters
332 in order to reflect the general level of urban development in that period.

333 Therefore, we selected 1400, 1537, 1648, 1708, 1787, and 1866 as the representative year to
334 develop the CUED product in 15th-19th centuries.

335 **6 The accuracy of the CCWAD and CUED**

336 Due to the differences in data richness and existing relics in various cities, the accuracy of urban
337 extent would also be different. Reliability is a necessary factor to allow researchers and data users
338 to be aware of the accuracy of the data and the subsequent analytical results. So we established an
339 accuracy ranking system for the entire dataset to test consistency. The accuracy ranking is based
340 on the reliability of restored results. It consists of three accuracy levels, A, B, and C, and two
341 special case marks, D and BW. The accuracy ranking A indicates that the authors are quite certain
342 about the restored result, the B indicates that part of the restoration is speculative, and the C means
343 that the restoration is entirely based on supposition. The accuracy ranking is mainly depends on
344 the richness of the city's historical documents and the integrity of the ground remains. But the
345 accuracy levels are basically subjective decisions of the authors. In addition, the D indicates that
346 the city has never been walled, so its urban extent is entirely speculative. This ranking system
347 consists of a five-tiered structure with ranks of A, B, C, D, and BW. Cities holding a rank of A are
348 considered most accurate, while those of rank C are least accurate. Cities holding a rank of D
349 indicates that they had never built city walls. And those of rank BW indicates that the city did not
350 build a city wall during this lifetime, but it was built later (next lifetime). It expresses the

351 speculation on the urban extent before the city built its original city wall. The hypothetical results
352 of C, D and BW were based on the city's limited historical documents and physical remains, its
353 administrative level as well as the size of the nearby cities. All the rankings were determined after
354 discussion by all authors. Ranks were determined through consistency of results.

355 In summary, the accuracy ranking A and B are more credible, accounting for 90% of the data of
356 CUED, and 69% of CCWAD. The C and D together account for 5% of CUED and 17% of
357 CCWAD. Limited by objective conditions, the extent of some cities may be difficult to restore, but
358 it may not be appropriate to exclude these cities directly. Although the accuracy ranking is an
359 uncertainty attribute in our dataset, it is~~This ranking system was~~ created with the intention of
360 allowing researchers to subset the dataset to the most suitable level of accuracy for each specific
361 analysis. For example, for studies where the most exact information is required, cities with a
362 certainty ranking of C or D could be rejected. Therefore, we developed the accuracy rankings so
363 that users with different needs could decide how to use these speculative data. Furthermore,
364 improvement and enhancement of the dataset can be better targeted to those cities where
365 geo-locations are suspect—cities with an accuracy value of B or C.

366 **7 Results**

367 Based on the CCWAD product, we plotted the time series of the changes in the area of the city
368 walls scope. Taking the area of scope of the city walls—area in of 1368-AD (=1,087.06 km²) as the
369 initial valueorigin, the Figure 7a reflects reflecting the changes in the area of the city wall area in
370 during the Ming and Qing Dynasties in of China. It can be seen that in the 14th-20th centuries, the
371 scope of the city walls area grown at a slow rate. The minimum is located in 1373 (=1,040.98 km²)
372 and the maximum is in 1911 (=1,367.22 km²). The smallest area of the city wall was in 1373
373 (=1,040.98 km²), and the largest area was in 1911 (=1,367.22 km²). According to the change of
374 the slope of the Figure 7a, the area change of the city wall scope can be divided into six periods:
375 ~~1368-1404, 1405-1564, 1565-1662, 1663-1727, 1728-1860, and 1861-1911.~~ Period 1369-1404
376 was in the early years of the Ming Dynasty, many cities were abandoned due to years of war,
377 which led to a decline of city wall areas. However, these cities were quickly rebuilt as well as
378 many military cities were built, making the built-up area soon exceed the level of 1368. At the
379 beginning of the 15th century, the Ming Dynasty abandoned the area north of the Great Wall, and
380 most of the cities in this area were abandoned. After that, in the period 1405-1564, the city wall
381 scope area grew slowly. Since the middle of the 16th century, the situation in the north and
382 southeast was tense, and many cities there built outer city walls, which accelerated the growth of
383 the city wall scope area (period 1565-1662). In the middle of the 17th century, the city wall scope
384 area fell again, partly because of the war in the late Ming and early Qing dynasties, and also
385 because the Qing government abolished many military cities built by Ming Dynasty (period
386 1663-1727). The growth of the city wall scope area in the period 1728-1860 was very slow. Until
387 the middle of the 19th century, the government opened up immigrants to the northeast of China,
388 and the city wall scope area began to grow rapidly.

389 Figure 8 based on the CUED product shows the urban extent areas in some provinces in each
390 representative year. Combine with Table 1 and Figure 1, it could be seen that provinces in the
391 northeast of the Region III had the largest urban extent area in late imperial period in 15th-19th
392 centuries. Hebei, where the capital Beijing was located, had the largest urban area. Jiangsu and
393 Shanghai, an economically developed area, ranked second, and Henan, a populous province,
394 ranked third. Shandong, Shanxi and Zhejiang also have large urban areas. During the study period,

395 the urban extent of the above provinces increased steadily or slowly, but Zhejiang province
396 decreased slightly in 1708. That was because the Qing Dynasty issued an order to demolish some
397 coastal cities at that time. The urban extents of other provinces in the Region III were roughly the
398 same. Among them, Anhui, Guangxi, Hubei, Hunan, Jiangxi, Sichuan and Chongqing had long
399 history of land development, and the urban extent had remained stable during in 15th-19th centuries.
400 Fujian, Guangdong and Hainan decreased slightly in 1708 by the same reason with Zhejiang.
401 Yunnan and Guizhou province developed intensively and built a number of cities in the early
402 Ming Dynasty. In the middle and late Ming Dynasty, the urban extent of Shaanxi, Liaoning, Gansu
403 and Ningxia increased rapidly because of the severe military pressure faced by nomads at that
404 time. Taiwan began large-scale development only after the 18th century, and some small cities
405 were built mainly on the west coast.

406 Jilin and Heilongjiang, located in the Region I, had no administrative cities in the Ming Dynasty.
407 After the mid-18th century, with the influx of immigrants, a number of cities were established.
408 Inner Mongolia, located in the Region II, had a certain number of cities in the Yuan Dynasty
409 (1271-1368) and the early Ming Dynasty, but by the middle of Ming Dynasty, these cities were
410 gradually abandoned. It was not until the late 18th century that Inner Mongolia rebuilt some cities
411 with the influx of immigrants. Xinjiang, located in the Region IV, was not under the rule of the
412 Ming Dynasty. In the late 18th century, the Qing Dynasty completely conquered Xinjiang and
413 established a number of administrative cities. ~~And Qinghai Province, located in the Region V, only
414 had some cities in the Valley of Yellow River and Huangshui River in the east of Qinghai Tibet
415 Plateau. And the cities of Qinghai of the Region V were located in the valleys of the Yellow River
416 and Huangshui River.~~

417 **8 Data availability**

418 The datasets include the CCWAD in 1368-1911 and the CUED in 1400, 1537, 1648, 1708, 1787,
419 and 1866 are publicly available and can be downloaded from
420 <https://doi.org/10.6084/m9.figshare.14112968.v2> <https://doi.org/10.6084/m9.figshare.14112968.v1>
421 (Xue et al., 2021).

422 ~~The CCWAD we provide a shapefiles file (referring to files with .cpg, .shp, .dbf, .shx, .sbn, .sbx,
423 and .prj extensions). Appendix A provides an introduction to the attributes of CCWAD. The
424 CUED we provide six shapefile files (referring to files with .cpg, .shp, .dbf, .shx, .xml, .sbn, .sbx
425 and .prj extensions). Appendix B provides an introduction to the attributes of CCWAD.~~

426 **9 Conclusion and outlook**

427 Ultimately, we view the CUED dataset as a beginning compilation of a richer historical, city-level
428 urban extent database in late imperial China. Despite of the current reliability gaps, the dataset
429 does provide a spatially explicit, long-term historical record of urban extent of China especially no
430 alternative geo-coded dataset at such resolution exists. As a result, this dataset could be used as a
431 foundation to build a full and accurate record of urban built-up areas through history, creating
432 systematic, global built-up area data to measure urban growth at a long timescale.

433 However, we caution potential CCWAD and CUED users of the following limitations and
434 dataset details:

435 1. The urban extent dataset (CUED) is based on the scope of the city wall (CCWAD). Strictly
436 speaking, the scope of the city wall cannot be completely equal to the scope of the urban extent.
437 The data may better reflect the urban extent in which year the city wall was built. The lifetime of
438 each urban extent provided by the CCWAD is a period of time, and the urban extent of any year

439 within the time period can be intercepted. However, if the year of interception is too far from the
440 year of construction of the city wall, the actual urban extent may have a large difference with the
441 wall's scope. Before the construction of the city wall, in fact, we were hardly to know the actual
442 scope of the urban extent, and only the later wall's area was referred to. More often, after the city
443 wall was built, as time goes by, the area farther away from the city gates and the center were
444 gradually becoming uninhabited and even becomes cultivated land; the area with convenient
445 transportation outside the city gates forms new built-up areas. Therefore, we recommend that
446 potential CCWAD users should be careful not to be too far away from the year of construction of
447 the city wall when choosing the research years. And this was why we generated six representative
448 years in the CUED product in 15th-19th centuries China.

449 2. In general, the increase or decrease of the city wall range often means the increase or
450 decrease of the urban extent, but they are not completely synchronized in time. Like most ancient
451 civilizations, city walls in China were primarily defensive military structures. In peacetime, the
452 city walls were useless and often hindered the expansion of cities. During these periods, suburbs
453 grew outside the city gates, and the walls were often neglected or even vandalized. But during the
454 war, the walls became necessary facilities to defend the cities. At this time, if the suburbs outside
455 the city gates had grown large, new suburban walls were built to protect them. ~~The expansion of~~
456 urban extent is often caused by economic development and population growth while the
457 construction of the city wall is often caused by the stimulation of wars. Therefore, a paradox is
458 that the development of cities generally require peaceful social environment, but the expansion of
459 the city wall area often happened in the period of wars. In this sense, the city wall can be seen as
460 the sign and confirmation of the urban development before wars. Users should understand that it is
461 not the war that has led to the expansion of urban extents, but the expansion of the city wall
462 reflects the development of the city's economy and the increase of population before the outbreak
463 of wars.

464 3. To sum up, the reliability of this dataset is acceptable, but users need to be aware of whether
465 the reliability rating of the area has fallen when it comes to smaller areas. In the 15th-19th
466 centuries, cities in some regions generally did not built city walls, ~~such as some cities in~~
467 ~~southwestern of Zhejiang province.~~ We use accuracy ranking D to represent the cities without
468 walls in CUED and CCWAD. In CCWAD, there have 436 such kind of cities, accounting for 13%.
469 In CUED, there are 83 such cities in the representative year 1400, 48 in the year 1537, 43 in the
470 year 1648, 31 in the year 1708, 37 in the year 1787, and 42 in the year 1866; and the proportions
471 are between 2% and 5%. Cities without the walls could be roughly divided into two categories.
472 One was the less important cities located in the inland areas. The other was the cities established at
473 the end of the 19th century. At that time, with the advancement of weapons, the defensive
474 significance of the city wall was greatly reduced. When researching these areas, be sure to pay
475 attention to the reliability rating.

476 4. The objects of our study only include administrative cities. Although almost all cities in the
477 late imperial China could be classified as administrative cities, we must point out that the
478 following types of settlements could also be regarded as "cities", but they are not included in our
479 datasets. (a) In the late imperial China, the industrial and commercial settlements without
480 administrative agencies were generally called "markets (shi)" or "towns (zhen)". The size of the
481 town was generally smaller than the lowest administrative center, the county seat. But there were
482 also some huge towns, such as Hankou, Foshan, and Jingde, etc., whose scale exceeded the county

483 seat and even higher-level cities. These huge towns should undoubtedly be regarded as cities, but
 484 they are not in scope of this research. (b) If a city was already there, and got chosen later to
 485 become an administrative center, in this case, data before the “city” became the administrative
 486 center were not included in our datasets. (c) Cities outside the direct administration of the Ming
 487 and Qing empires, such as Lhasa. (d) Cities belonging to colonists, such as Macau, Hong Kong,
 488 and Qingdao, etc. The definition of “city” or “urban” in the late imperial China is complex and far
 489 from conclusive, but we hope that the content of our datasets to have a clear border. Therefore, in
 490 this study, we defined “city” as the settlement which the administrative center was located. And
 491 this definition is the same as the general research practice of pre-modern China. As for the cities
 492 outside the range of this study, further detailed explorations are needed.

493
 494 **Appendix A: Data records of CCWAD**

495 The China City Wall Areas Dataset (CCWAD) in 1368-1911 we provide a shapefile file (referring
 496 to files with .cpg, .shp, .dbf, .shx, .sbn, .sbx, and .prj extensions). It includes the following
 497 attributes:

<u>FID</u>	<u>The (unique) identifier for each object (integer).</u>
<u>NAME</u>	<u>The longest-used official name in the city’s lifetime.</u>
<u>BEG_YEAR</u>	<u>The year in which the lifetime begins. It means that the city began to appear in this year. Its minimum value is 1368 (the year that the Ming Dynasty established), and the maximum is 1911 (the year when the Qing Dynasty ended).</u>
<u>END_YEAR</u>	<u>The year in which the lifetime ends. It means that the city’s status changed during this year (expanding, reducing, changing the shape of the plan, or disappearing). The age range is also from 1368 to 1911.</u>
<u>TYPE</u>	<u>The city’s administrative level in the year of the “BEG_YEAR”.</u>
<u>RELIABILIT</u>	<u>Reliability rating of the data.</u>
<u>REFERENCES</u>	<u>References on which the data was mainly based. For the meaning of abbreviations, see Appendix C.</u>
<u>AREA_sq_km</u>	<u>Area within the city wall (unit: square kilometer).</u>

498

499 **Appendix B: Data records of CUED**

500 The China Urban Extent Dataset (CUED) in 15th-19th centuries we provide six shapefile files
 501 (referring to files with .cpg, .shp, .dbf, .shx, .xml, .sbn, .sbx and .prj extensions). It includes six
 502 representative years (1400, 1537, 1648, 1708, 1787 and 1866). The data records of CUED in six
 503 representative years are the same. They include the following attributes:

<u>FID</u>	<u>The (unique) identifier for each object (integer).</u>
<u>REP_YEAR</u>	<u>The representative years (i.e., 1400, 1537, 1648, 1708, 1787, and 1866).</u>
<u>NAME</u>	<u>City’s name in the representative years.</u>
<u>TYPE</u>	<u>City’s administrative level in the representative years.</u>
<u>RELIABLIT</u>	<u>Reliability rating of the data.</u>
<u>REFERENCES</u>	<u>References on which the data was mainly based. For the meaning of abbreviations, see Appendix C.</u>
<u>AREA_sq_km</u>	<u>Area of the city (unit: square kilometer).</u>

504

505

Appendix C: Abbreviations

ACM	<u>Guo, H., and Jin, R.: General history of administrative regions in China (the volume of Ming Dynasty), Fudan University Press, Shanghai, 2007.</u>
ACQ	<u>Fu, L., Lin, J., Ren, Y., and Wang, W.: General history of administrative regions in China (the volume of Qing Dynasty), Fudan University Press, Shanghai, 2013.</u>
BIAM	<u>Cheng, Y.: City wall data compilation of Book Integration of Ancient and Modern Times, China Social Sciences Press, Beijing, 2016.</u>
CTW	<u>Zhang, Z.: Ancient cities in Taiwan, Joint Publishing, Beijing, 2009.</u>
LC	<u>Cheng, Y.: City wall data compilation of local Chronicles, China Social Sciences Press, Beijing, 2016.</u>
URQ	<u>Cheng, Y.: City wall data compilation of Unified Records of the Qing Dynasty, China Social Sciences Press, Beijing, 2016.</u>

506

507 **Author contributions.** JX, XQ and CY originated, conceived and designed the work. CY collated
508 and studied the historical literatures. XQ, JX, YX and ZY developed and analyzed the dataset. All
509 authors contributed to the writing of the manuscript.

510

511 **Competing interests.** The authors declare that they have no conflict of interest.

512

513 **Acknowledgements.** We would like to thank Lijun Qin, Rui Sun, Shuai Cao, Yuchao Jiang,
514 Xiaolin Zhang of Nanjing University, Zihao Xu of Yunnan University and Xinghua Chen of
515 Nanjing Agricultural University for their work of the dataset.

516

517 **Financial support.** This research has been supported by the National Natural Science Foundation
518 of China (No.41671082).

519


Figures and figures legends

520 **Table 1.** Provincial distribution of urban extents in 15th-19th centuries.

Province	Urban extent area (km ²)					
	1400	1537	1648	1708	1787	1866
Anhui	52.68	53.54	53.64	53.39	53.19	54.55
Fujian	40.33	42.04	43.77	37.88	38.55	38.71
Gansu & Ningxia	32.76	49.71	52.29	51.64	53.47	53.41
Guangdong & Hainan	40.26	44.92	51.32	49.47	44.05	44.30
Guangxi	22.34	23.95	25.46	24.83	26.24	26.24
Guizhou	13.08	14.72	18.34	15.89	18.18	18.00
Hebei, Beijing & Tianjin	168.88	154.87	182.13	175.69	180.04	201.36
Heilongjiang	0	0	0.29	5.81	17.53	18.30
Henan	102.62	112.01	113.74	111.26	112.58	114.32
Hubei	41.05	41.80	42.28	42.10	42.73	42.73
Hunan	26.85	26.27	27.70	26.59	27.26	27.77
Inner Mongolia	28.59	3.16	2.90	0.79	10.60	10.60
Jiangsu & Shanghai	122.06	120.26	127.08	126.27	127.39	124.55

Jiangxi	44.74	45.38	46.97	46.68	47.08	47.08
Jilin	0	0.18	0.18	4.22	4.68	5.51
Liaoning	21.34	26.02	37.73	37.71	38.93	39.69
Qinghai	2.23	2.21	2.66	2.66	3.03	3.28
Shaanxi	47.82	51.63	58.74	57.96	60.04	63.80
Shandong	87.22	92.51	94.80	93.38	90.56	104.98
Shanxi	79.68	91.50	98.37	97.65	94.13	93.65
Sichuan & Chongqing	55.24	58.71	59.59	55.30	58.91	59.72
Taiwan	0	0	0	3.31	4.03	4.64
Xinjiang	0.33	0.15	0.15	0.15	20.79	20.96
Yunnan	29.28	32.50	35.05	31.54	35.10	35.21
Zhejiang	82.62	87.44	87.92	73.91	74.18	74.41


522



523


524 **Figure 1. Cities in the Ming and Qing Dynasties (1368-1911). The study area is divided into**
525 **five natural sub-regions (I, II, III, IV and V): Region I, Northeast China; Region II, Inner**
526 **Mongolia; Region III, traditional agricultural area; Region IV, Xinjiang; Region V,**
527 **Qinghai-Tibet Plateau.**

528




529
530
531
532
533
534
535

Figure 2. The image of the record of the city wall in a *Local Chronicles* of the 17th century (*Kang-Xi Changshu county's Chronicle*). (a) City's name: Changshu (Jiangsu Province). (b) Chapter name: city wall and moat. (c) Year of the city wall built: the 16th year of *Zhizheng* in the Yuan Dynasty (1356 AD). (d) The perimeter of the wall: around 4.6 kilometers (actual about 5.44 kilometers).




536

537 **Figure 3. Maps and remote sensing images that show the city wall and associated relics of**
 538 **Changshu, Jiangsu Province. (a) The 1:50,000 military topographic maps made in 1928. The**
 539 **jagged line on the map represents the city wall and the double line represents the river. (b)**
 540 **The 1970s CORONA photographs remote-sensing image form USGS. (c) The remaining city**
 541 **walls (tagged as red line) and moats (tagged as blue line) are still clearly visible. The map is**
 542 **based on © Google Earth image, 2018. (d) According to the remains of the city walls and the**
 543 **moat, the scope of the city wall is drawn (yellow area). The map is based on © Google Earth**
 544 **image, 2018.**




545
546
547
548
549

Figure 4. A flowchart of the methodology used to generate the China City Wall Areas Dataset (CCWAD) and China Urban Extent Dataset (CUED) in 15th -19th centuries in late imperial China



550
551
552
553


Figure 5. Several scope of city walls of Chinese cities from 1368 to 1911. The red aeriels are from the China City Wall Areas Dataset (CCWAD) which illustrate the location of city walls. These maps are based on © Google Earth image, 2020.



554

555 **Figure 6. Several scope of city walls of Chinese cities from 1368 to 1911. The red aerials are**
 556 **from the China City Wall Areas Dataset (CCWAD) which illustrate the location of city walls.**
 557 **These maps are based on © Google Earth image, 2020.**


558



559

560 **Figure 7. Time series of cities and city walls in the Ming and Qing Dynasties (1368-1911). (a)**
 561 **The time series of the area of the scope of city walls. (b) The number of city walls built. (c)**

562 **Walled cities' percentage of the total number of cities. (d) The total number of cities. (e) The**
 563 **total number of walled cities.**
 564



565
 566 **Figure 8. Provincial distribution of urban extents in 1400, 1537, 1648, 1708, 1787 and 1866.**
 567

568 **References**

569 Bai, X., Dawson, R. J., Urge-Vorsatz, D., Delgado, G. C., Barau, A. S., Dhakal, S., Dodman, D.,
 570 Leonardsen, L., MassonDelmotte, V., Roberts, D., and Schultz, S.: Six research priorities for cities
 571 and climate change, *Nature*, 555, 19-21, 2018.

572 Cao, S.: A Study on the Population of Northern Cities in Qing Dynasty, A Discussion with
 573 William Skinner, *Chinese Journal of Population Science*, 04, 15-28, 2001a [\(in Chinese\)](#).

574 Cao, S.: Chinese population history, Volume 4 (the Ming Dynasty), Fudan University Press,
 575 Shanghai, 2000 [\(in Chinese\)](#).

576 Cao, S.: Chinese population history, Volume 5 (the Qing Dynasty), Fudan University Press,
 577 Shanghai, 2001b [\(in Chinese\)](#).

578 Chandler, T.: Four thousand years of urban growth: an historical census, Edwin Mellen Press,
 579 UK, 1987.

580 [Chang, K.: The archaeology of ancient China \(4th edition, revised and enlarged\), Yale](#)
 581 [University Press, New Haven and London, 1986.](#)

582 [Chang, S.: Some observations on the morphology of Chinese walled cities, *Ann. Assoc. Am.*](#)
 583 [Geogr., 60, 63-91, 1970.](#)

584 Cheng, Y.: City wall data compilation of Book Integration of Ancient and Modern Times, China
 585 Social Sciences Press, Beijing, 2016a [\(in Chinese\)](#).

586 Cheng, Y.: City wall data compilation of local Chronicles, China Social Sciences Press, Beijing,
 587 2016b [\(in Chinese\)](#).

588 Cheng, Y.: City wall data compilation of Unified Records of the Qing Dynasty, China Social
 589 Sciences Press, Beijing, 2016c [\(in Chinese\)](#).

590 Cheng, Y.: Discussion with the Professor Peter K. Bol About His Exploring the Proposition in
 591 the Map: Taking Yujitu of 1136 as a Case, *Journal of Tsinghua University (Philosophy and Social*
 592 *Sciences)* 34, 99-105, 2019 [\(in Chinese\)](#).

593 Cheng, Y.: The Urban Size and Administrative Scales in the Qing Dynasty, *Journal of Yangzhou*
 594 *University (Humanities and Social Sciences Edition)*, 11(3), 124-128, 2007 [\(in Chinese\)](#).

595 Conzen, M. R. G.: Alnwick, Northumberland: a study in town-plan analysis, Institute of British
 596 Geographers, London, 1969.

597 Doxiadis, C. A.: Ekistics, the Science of Human Settlements, *Science*, 170, 393-404, 1970.

598 Fairbank Center for Chinese Studies of Harvard University and the Center for Historical
599 Geographical Studies at Fudan University: CHGIS, Version: 6.0, Harvard Yenching Institute,
600 Cambridge, MA, USA, 2016.

601 [Fu, L., Lin, J., Ren, Y., and Wang, W.: General history of administrative regions in China \(the
602 volume of Qing Dynasty\), Fudan University Press, Shanghai, 2013 \(in Chinese\).](#)

603 Goldewijk, K. K., Dekker, S. C., and Zanden, J. L.: Per-capita estimations of long-term
604 historical land use and the consequences for global change research, *J. Land Use Sci.*, 12, 313-337,
605 2017.

606 Gong, P., Li, X., and Zhang, W.: 40-Year (1978–2017) human settlement changes in China
607 reflected by impervious surfaces from satellite remote sensing, *Sci. Bull.*, 64, 756-763, 2019.

608 [Guo, H., and Jin, R.: General history of administrative regions in China \(the volume of Ming
609 Dynasty\), Fudan University Press, Shanghai, 2007 \(in Chinese\).](#)

610 He, F., Ge, Q., and Zheng., J.: Reckoning the Areas of Urban Land Use and Their Comparison
611 in the Qing Dynasty in China, *Acta Geoi. Sin.*, 57, 709-716, 2002 [\(in Chinese\)](#).

612 Hedefalk, F., Svensson, P., and Harrie, L.: Spatiotemporal historical datasets at micro-level for
613 geocoded individuals in five Swedish parishes, 1813–1914, *Sci. Data*, 4, 1–13, 2017.

614 Ho, P.: Studies on the population of China, 1368-1953, Harvard University Press, Cambridge,
615 MA, USA, 1959.

616 Jiang, W.: Number of commercial towns in Jiangnan: a sharp contrast of the number of
617 commercial towns between Changshu and Wujiang, *Journal of Chinese Historical Geography*, 32,
618 56-69, 2017 [\(in Chinese\)](#).

619 [Knapp, R.: China's walled cities, Oxford University Press, Oxford, 2000.](#)

620 [Kostof, S.: The city assembled: the elements of urban form through history, Thames & Hudson
621 Ltd, London, 1992.](#)

622 Kuang, W., Zhang, S., Li, X., and Lu, D.: A 30 m resolution dataset of China's urban
623 impervious surface area and green space, 2000–2018, *Earth Syst. Sci. Data*, 13, 63–82, 2021.

624 Lai, Y.: The changing spatial pattern of Jiangyin city Song, *Historical Review*, 179, 17-29, 2019.

625 Leyk, S., Uhl, J. H., and Connor, D. S., Braswell, A. E., Mietkiewicz, N., Balch, J. K., and
626 Gutmann, M.: Two centuries of settlement and urban development in the United States, *Sci. Adv.*,
627 6, eaba2937, <https://doi.org/10.1126/sciadv.aba2937>, 2020.

628 Li, B.: Agricultural development in Jiangnan, 1620-1850, The Macmillan Press Ltd.,
629 Houndmills, England and St. Martin's Press, Inc., New York, ~~USA~~, 1998.

630 Li, X., Wu, H.: Application of color infrared aerial photography to study urban historical
631 geography: taking the relationship between cultural landscape evolution and river course change
632 in the three riverside cities of Jiujiang, Wuhu and Anqing as an example, *Journal of Peking
633 University (Historical Geography Special Issue)*, 37-41, 1992 [\(in Chinese\)](#).

634 Lin, Y., Jin, X., Yang, X., Long, Y. and Zhou, Y.: Dataset establishment and spatial
635 reconstruction of urban and rural construction land of Jiangsu Province in the past 200 years, *Acta
636 Geoi. Sin.*, 72, 488-506, 2017.

637 Liu, H., Gong, P., Wang, J., Clinton, N., Bai, Y.-Q., and Liang, S.-L.: Annual dynamics of global
638 land cover and its long-term changes from 1982 to 2015, *Earth Syst. Sci. Data*, 12, 1217–1243,
639 2020.

640 [Lu, X.: Inside and outside the city wall: urban form and spatial structure in ancient Han River
641 basin, Zhonghua Press, Beijing, 2011 \(in Chinese\).](#)

642 Mumford, L.: The city in history: its origins, its transformations, and its prospects, Harcourt,
643 Chicago, 1968.

644 Perkins, D.: Agricultural development in China 1368-1968, Edinburgh University Press,
645 Edinburgh, 1969.

646 Qin, L., Jin, X., Jiang, Y., Xue, Q., Cheng, Y., Long, Y., Yang, X., and Zhou, Y.: Analysis of the
647 spatial pattern of urban areas and urban system of Yangtze River Delta in the past 600 years, *Sci.*
648 *Geol. Sinica*, 38, 1045-1062, 2019.

649 Reba, M., Reitsma, F., and Seto, K.: Data descriptor: Spatializing 6000 years of global
650 urbanization from 3700 BC to AD 2000, *Sci. Data*, 2016.

651 Roberto, S. R.: Science Plan: Urbanization and global environmental change, IHDP Report,
652 2005.

653 Rodriguez, R. S., Ürge-Vorsatz, D., and Barau, A. S.: Sustainable Development Goals and
654 climate change adaptation in cities, *Nat. Clim. Change*, 8, 181–183, 2018.

655 Seto, K. C., Guneralp, B., and Hutyrá, L. R.: Global forecasts of urban expansion to 2030 and
656 direct impacts on biodiversity and carbon pools, *P. Natl. Acad. Sci. USA*, 109, 16083–16088,
657 <https://doi.org/10.1073/pnas.1211658109>, 2012.

658 Seto, K. C., Ramankutty, N.: Hidden linkages between urbanization and food systems, *Science*,
659 352, 943-945, 2016.

660 Skinner, W.: The city in late imperial China, Stanford University Press, California, 1977.

661 Solecki, W. D., Seto, K. C., Marcotullio, P.: It's time for an urbanization science, *Environment*, 55,
662 12-17, 2013.

663 Tan, Q., et al.: The historical atlas of China, China Cartographic Publishing House, Beijing,
664 1982 ([in Chinese](#)).

665 Uhl, J. H., Leyk, S., McShane, C. M., Braswell, A. E., Connor, D. S., and Balk, D.:
666 Fine-grained, spatiotemporal datasets measuring 200 years of land development in the United
667 States, *Earth Syst. Sci. Data*, 13, 119–153, 2021.

668 Xue, Q., Cheng, Y., and Jin, X.: A GIS dataset of urban built-up area along the Silk Road in the
669 Ming and Qing dynasties, *China Sci. Data*, 3(3), 2018.

670 Xue, Q., Jin, X., Cheng, Y., Yang, X., Jia, X., and Zhou, Y.: The historical process of the
671 masonry city walls construction in China during 1st to 17th centuries AD, *PLOS ONE*, 14(3),
672 2019.

673 Xue, Q., Jin, X., Cheng, Y., Yang, X., and Zhou, Y.: An urban extent dataset in late imperial
674 China in 15th-19th centuries, Figshare, <https://doi.org/10.6084/m9.figshare.14112968.v2>
675 <https://doi.org/10.6084/m9.figshare.14112968.v1>, 2021.

676 Yannis, M. L., Zhang, J.: Walled cities in late imperial China, *J. Urban Econ.*, 97, 71-88, 2017.

677 Yee, D. K., Harley, J. B., and Woodward, D.: The history of cartography, volume two, book two:
678 cartography in the traditional east and southeast Asian societies, The University of Chicago Press,
679 Chicago, 1994.

680 [Zhang, Z.: Ancient cities in Taiwan, Joint Publishing, Beijing, 2009 \(in Chinese\).](#)

681 Zhong, C.: Long-term morphological changes of the old Shanghai town: a meso-scale study in
682 town-plan analysis, *Journal of Chinese Historical Geography*, 3, 56-70, 2015 ([in Chinese](#)).

683 Zhou, Z., et al.: General History of Administrative Regions in China, Fudan University Press,
684 Shanghai, 2007-2016 ([in Chinese](#)).