

Supplementary material

Li, F. et al.: Gridded pollen-based Holocene regional plant cover in temperate and northern subtropical China suitable for climate modeling

Table S.1: Metadata for all sites/pollen records used in this study. Reference: see the end of Appendix C for full references. Data type: Raw: raw data from a database or data contributors; Digit.= Pollen percentages and the sum of pollen counts digitized from publications and converted into pollen counts. No. of dates: The capital letter indicate the dated material, A: terrestrial plant macrofossil; B: charred terrestrial plant macrofossil; C: non-terrestrial plant macrofossil; D: bulk peat and/or gyttja; E: bulk lake marl; F: bulk organic matter from fluvial, loess, and paleo-soil deposits; G: shell and animal remains; H: unknown (modified from Li et al., 2020)

Site															Reference (see the end of Appendix C for full reference)	
Vegetation Zones	Site Groups	ID	Site name	Lat. (° N)	Long. (° E)	Eleva. (m)	Province	Site area (ha)	Site radius (m)	Basin type	Data type	Dating method	No. of dates	Timespan (cal ka BP)	Resn. (yrs)	
II	Gr1	1	Beidawan	48.13	134.7	60	Heilongjiang	7.7	157	Bog	Raw	¹⁴ C	3H	5.5–0.5	350	Xia, 1988a
		2	Chuangye	48.33	134.47	50	Heilongjiang	1	56	Bog	Raw	¹⁴ C	3H	11.8–1	400	Xia, 1988a
		3	Minzhuqiao	47.53	133.87	52	Heilongjiang	1	56	Bog	Raw	¹⁴ C	3H	6.5–0.5	420	Xia, 1988a
		4	Qindeli	47.88	133.67	52	Heilongjiang	1	56	Bog	Raw	¹⁴ C	6H	13.5–0.5	380	Xia, 1988a
		5	Xingkai Lake	45.21	132.51	69	Heilongjiang	438000	37339	Lake	Digit.	¹⁴ C	3H	27.7–0	100	Ji et al., 2015
	Gr2	6	Tangbei	48.35	129.67	486	Heilongjiang	1	56	Bog	Raw	¹⁴ C	3D	5.5–1	160	Xia, 1996
		7	Harbaling	43.63	129.2	600	Jilin	1	56	Bog	Raw	¹⁴ C	3H	2.8–0.1	150	Xia, 1988b

		8	Jinbo Lake	43.77	128.45	350	Heilongjiang	9000	5352	Lake	Digit.	¹⁴ C	7H	12.3–0	55	Li et al., 2011
	Gr3	9	Sihailongwan Lake	42.28	126.6	797	Jilin	42.6	368	Lake	Raw	¹⁴ C	40A	16.9–0.1	60	Stebich et al., 2015
		10	Jinchuan	42.35	126.38	620	Jilin	1	56	Bog	Digit.	¹⁴ C	7A	5.5–0	105	Li Y.H. et al., 2003a
VI	Gr4	11	Dashan	44.88	124.85	200	Jilin	1	56	Bog	Raw	¹⁴ C	5D	7.5–1	160	Xia et al., 1993
		12	Xiaonan	43.88	125.22	209	Jilin	1	56	Bog	Raw	¹⁴ C	3H	5.5–0	290	Wang and Xia, 1988
	Gr5	13	Charisu	42.95	122.35	249	Inner Mongolia	1	56	Bog	Digit.	¹⁴ C	8A+2B	5.5–0	170	Li Y.H. et al., 2003b
		14	Maili	42.87	122.88	155	Liaoning	1	56	Bog	Digit.	¹⁴ C	7D	3.2–0	115	Ren and Zhang, 1997
		15	Qiganhu Lake	42.9	119.3	600	Inner Mongolia	190.19	778	Lake	Raw	¹⁴ C	7E	12.0–6.7	40	Hu et al., 2016
		16	Wangyanggou	42.07	119.92	751	Inner Mongolia	12.56	200	Lake	Digit.	¹⁴ C	7F	5.2–0	85	Li et al., 2006
	Gr6	17	Hulun Nur lake_1995	49.28	117.4	544	Inner Mongolia	233900	27286	Lake	Raw	¹⁴ C	7H	19.0–0.5	190	Yang et al., 1995
		18	Hulun Nur lake_2006	49.13	117.51	545	Inner Mongolia	232900	27228	Lake	Raw	¹⁴ C	13E	11.0–0	65	Wen et al., 2010
	Gr7	19	Bayanchagan Lake	41.65	115.21	1355	Inner Mongolia	1500	2185	Lake	Raw	¹⁴ C	7E+2C	11.5–0	250	Jiang et al., 2006

		20	Gaoximage Lake	42.95	115.37	1253	Inner Mongolia	9600	5528	Lake	Digit.	¹⁴ C	4E	5.8–0	150	Li C.Y. et al., 2003
		21	Haoluku Lake	42.96	116.76	1295	Inner Mongolia	1384	2099	Lake	Digit.	¹⁴ C	4E	11.5–0	250	Wang et al., 2001
	Gr8	22	Daihai Lake_2004	40.58	112.67	1220	Inner Mongolia	16000	7136	Lake	Digit.	¹⁴ C	8E	11.5–0	215	Xiao et al., 2004
		23	Diaojiaohaizi Lake	41.3	112.35	1800	Inner Mongolia	30	309	Lake	Raw	¹⁴ C	4H	11.5–2.5	95	Song et al., 1996
	Gr9	24	Baahar Nuur Lake	39.32	109.27	1278	Inner Mongolia	2210	2652	Lake	Digit.	¹⁴ C	5E	8.5–0	70	Huang et al., 2009
		25	Qigai nuur Lake	39.5	109.5	1408	Inner Mongolia	500	1262	Lake	Raw	¹⁴ C	17E	11.7–0.1	50	Sun et al., 2013
	Gr10	26	Ganhai Lake	38.89	112.19	1854	Shanxi	0.76	49	Lake	Digit.	¹⁴ C	5H	13.5–0	300	Meng et al., 2007
		27	Gonghai Lake	38.9	112.23	1860	Shanxi	36	339	Lake	Raw	¹⁴ C +Pb/Cs	19A	14.6–0	20	Chen et al., 2015
	Gr11	28	Tianchi Lake	35.26	106.31	2430	Gansu	0.2	25	Lake	Raw	¹⁴ C	19 A	6.3–0	90	Zhao et al., 2010
	Gr12	29	ATM C4	48.81	86.91	1774	Xinjiang	1	56	Bog	Raw	¹⁴ C	NA	11.0–0	40	Zhao et al., unpublished
		30	ATM C6	48.12	86.36	2446	Xinjiang	1	56	Bog	Raw	¹⁴ C	NA	11.0–0	120	Zhao et al., unpublished
III	Gr13	31	Cangumiao	38.97	118.6	70	Hebei	9	169	Bog	Raw	¹⁴ C	3H	5.5–0	150	Xu et al., 2002

	Gr14	32	Maohebei	39.5	119.17	50	Hebei	1	56	Bog	Raw	^{14}C	4H	11.8–4	380	Li and Liang, 1985
IV	Gr15	33	Boyiqiao	31.81	119.97	7	Jiangsu	1	56	Bog	Raw	^{14}C	6H	11.8–0	200	Shu et al., 2007
		34	Chaohu Lake	31.56	117.39	10	Anhui	76000	15554	Lake	Raw	^{14}C	7E	9.8–0	100	Wu et al., 2008
		35	Chaohu Lake	31.53	117.37	10	Anhui	76000	15554	Lake	Raw	^{14}C	3A+2B+4E+2G	11.0–0	180	Chen et al., 2009
		36	Dianshanhu Lake	31.08	120.97	2	Shanghai	1	56	Lake	Digit.	^{14}C	4E	6–0.5	240	Zhao B.C. et al., 2007b
		37	Gucheng Lake	31.28	118.9	6	Jiangsu	3900	3523	Lake	Raw	^{14}C	4H	17–2	30	Yang et al., 1996
		38	Pingwang	30.96	120.64	1.6	Jiangsu	0.3	31	Lake	Digit.	^{14}C	1A+1B+3E	9.0–1.3	150	Innes et al., 2014
	Gr16	39	Dajiuhu bog	31.75	110.67	1700	Hubei	3600	3385	Bog	Digit.	^{14}C	4H	14–0	400	Liu H.P. et al., 2001
		40	Dajiuhu_2013	31.49	110	1751	Hubei	3600	3385	Bog	Raw	^{14}C	2A+3D+2F	40.9–0	270	Li et al., 2013
	Gr17	41	Miancheng	30.18	113.22	24	Hubei	7.2	151	Lake	Raw	^{14}C	4H	9.5–0.5	50	Yang et al., 1998
		42	Zhoulao	29.82	112.88	31	Hubei	1	56	Lake	Digit.	^{14}C +Pb/Cs	3H	5–1.5	60	Gu, 2004
	Gr18	43	Dahaizi Lake	27.83	102.67	3660	Sichuan	15	219	Lake	Digit.	^{14}C	3H	14.5–0	405	Li and Liu, 1988

		44	Shayema Lake	28.58	102.22	2400	Sichuan	4	113	Lake	Digit.	^{14}C	5H	13.5–0	150	Tang and Shen., 1996
		45	Nantun	26.7	104.23	2197	Guizhou	1	56	Bog	Digit.	^{14}C	7ADF	12.5–0.5	200	Chen P. Y. et al., 1991
	Gr19	46	Haligu Lake	27	100.18	3277	Yunnan	4.7	122	Lake	Digit.	^{14}C	4E	8.8–0	220	Song et al., 2012
		47	Tiancai Lake	26.63	99.72	3898	Yunnan	0.25	28	Lake	Digit.	^{14}C +Pb/Cs	15A+3E	12.0–0	50	Xiao et al., 2014
		48	Erhai Lake	25.77	100.2	1974	Yunnan	14980	6905	Lake	Digit.	^{14}C	7E	13–0	190	Zhou et al., 2003
	Gr20	49	Xingyun Lake	24.34	102.78	1722	Yunnan	3470	3323	Lake	Raw	^{14}C	8H	8.5–0	200	Chen et al., 2014
	Gr21	50	Naleng Co	31.11	99.76	4200	Xizang	162.8	720	Lake	Raw	^{14}C	16E	18–0	90	Kramer et al., 2010
		51	Yidun Lake	30.3	99.55	4470	Sichuan	24.08	277	Lake	Digit.	^{14}C	3E	13.5–0	380	Shen et al., 2006
		52	Ren Co	30.73	96.68	4450	Xizang	370	1085	Lake	Digit.	^{14}C	7A	19–0	470	Tang et al., 1999
VII	Gr22	53	Hurleg Lake	37.28	96.9	2817	Qinghai	5740	4274	Lake	Raw	^{14}C	7A	12.5–0	210	Zhao Y. et al., 2007
		54	Qingtuhu	39.07	103.61	1302	Qinghai	10000	5642	Lake	Raw	^{14}C	2B+3E	7.5–0	90	Zhao et al., 2008
		55	Sanjiaocheng	39.01	103.34	1320	Gansu	1	56	Lake	Digit.	^{14}C	3B+9F	11.5–7	100	Zhu et al., 2002

	56	Zhuye Ze	39.05	103.67	1309	Gansu	10000	5642	Lake	Raw	^{14}C	7E + 6G	13-0	210	Li et al., 2009
Gr23	57	Dalianhai Lake	37.91	100.41	2850	Qinghai	224.84	846	Lake	Raw	^{14}C	11H	14.6-0	70	Cheng et al., 2013
	58	Luanhaizi Lake	37.59	101.35	3200	Qinghai	150	691	Lake		^{14}C + U/Th	4C+4G+4	22-0	540	Herzschuh et al., 2005
	59	Qinghai Lake	36.67	100.52	3200	Qinghai	418600	36503	Lake	Raw	^{14}C	6H	19.5-0	70	Liu et al., 2002
Gr24	60	Juyan Lake	41.89	101.85	892	Inner Mongolia	72000	15139	Lake	Raw	^{14}C	5E	10.5-1.5	140	Herzschuh et al., 2004
	61	Sugan lake	38.83	93.75	2793	Qinghai	10600	5809	Lake	Raw	varve counting	every year	2.5-0	15	Zhang et al., 2010
Gr25	62	Balikun	43.62	92.8	1575	Xinjiang	11300	5997	Lake	Digit.	^{14}C	1A+10E	37-0	115	Tao et al., 2009
	63	Dongdaohaizi Lake	44.7	89.56	430	Xinjiang	20	252	Lake	Raw	^{14}C	8H	5.5-0	85	Yan et al., 2004
Gr26	64	Aibi Lake	44.9	82.58	200	Xinjiang	55200	13255	Lake	Digit.	^{14}C	8E	11.5-0	60	Wang et al., 2013
	65	Manas Lake	45.83	85.92	251	Xinjiang	55000	13231	Lake	Raw	^{14}C	7H	13.5-1	210	Sun et al., 1994
	66	Wulungu Lake	47.22	87.3	479	Xinjiang	92700	17178	Lake	Raw	^{14}C + Pb/Cs	6E	8.9-0	80	Liu et al., 2008
Gr27	67	Bosten Lake	41.97	86.55	1050	Xinjiang	100000	17841	Lake	Digit.	^{14}C	5H	13-0	420	Xu, 1998

	68	Bosten Lake	41.93	86.67	1050	Xinjiang	100000	17841	Lake	Raw	¹⁴ C	NA	8.3–0	60	Huang et al., unpublished
	69	Caotanhu	44.42	86.02	380	Xinjiang	2760	2964	Bog	Raw	¹⁴ C	5D	8.5–0	150	Zhang Y. et al., 2008
Gr28	70	Swan Lake	43.05	84.38	2541	Xinjiang	50	399	Lake	Raw	¹⁴ C	3A+5E	8.5–0	170	Huang et al., 2015
Gr29	71	Sayram Lake	44.5	81.08	2071.9	Xinjiang	45800	12074	Lake	Raw	¹⁴ C	12E	13.8–0.1	90	Jiang et al., 2013
Gr30	72	Niya River	37.73	82.77	1373	Xinjiang	1	56	Bog	Raw	¹⁴ C	4F	3.5–0	170	Shu, 2001
	80	Dongi Cona	35.22	98.33	4090	Qinghai	22416.32	8447	Lake	Raw	¹⁴ C	12E	18.9–1.1	250	Wang et al., 2014
Gr31a	81	Kucha Lake	34.01	97.24	4540	Qinghai	1596.36	2254	Lake	Raw	¹⁴ C	4A	15–0	250	Herzschuh et al., 2009
	82	Kuhai Lake	35.52	99.31	4150	Qinghai	4850	3929	Lake	Raw	¹⁴ C	3A+10E	20–0	330	Mischke et al., 2010
	73	Ximen Co	33.38	101.47	4020	Xizang	380	1100	Lake	Raw	¹⁴ C	10E	19–0	200	Herzschuh et al., 2014
	74	Zoige_RH	33.95	103.35	3400	Sichuan	460000	38265	Bog	Digit.	¹⁴ C	3H	11.0–0.1	480	Tang and Shen, 1996
Gr31b	75	Hongyuanbai River	32.8	102.53	3500	Sichuan	1	56	Bog	Raw	¹⁴ C	5H	10.5–0.5	230	Wang, 1987
	76	Wasong	32.99	103.05	3490	Xizang	1	56	Bog	Digit.	¹⁴ C	9F	22–4.5	450	Yan et al., 1999

	77	ZB08c1	33.45	102.63	3467	Sichuan	460000	38265	Bog	Raw	¹⁴ C	9B	10.3–0	70	Zhao et al., 2011
	78	Zoige_DC	33.9	102.55	3396	Sichuan	460000	38265	Bog	Raw	¹⁴ C	3H	19–4.5	190	Liu et al., 1995
	79	Zoige_RM	33.95	102.35	3401	Sichuan	460000	38265	Bog	Raw	¹⁴ C	5H	11.8–0	250	Shen et al., 1996
Gr32	83	Hidden Lake	29.81	92.54	4980	Xizang	6.05	139	Lake	Digit.	¹⁴ C	3A+4B	13.0–0	450	Tang et al., 1999
	84	Ngion Co	30.47	91.5	4515	Xizang	6130	4417	Lake	Digit.	¹⁴ C	2C+10E	6.5–0	115	Shen et al., 2008
	85	Qongjiamong Co	29.81	92.37	4980	Xizang	7.75	157	Lake	Digit.	¹⁴ C	3C+19G	14.5–0	180	Shen, 2003
	86	Wumaqu	30.53	91.38	4370	Xizang	1	56	Bog	Raw	¹⁴ C	3D	12–3.5	440	Wang et al., 1988
	87	Ahung Co	31.62	92.07	4450	Xizang	237.97	870	Lake	Digit.	¹⁴ C	6B+50C	8.5–3.5	230	Shen, 2003
	88	Selin Co	31.57	88.52	4530	Xizang	0.16	23	Lake	Raw	¹⁴ C	5H	14.5–0.5	255	Sun et al., 1993
	89	Xuguo Co	31.95	90.33	4595	Xizang	2270	2688	Lake	Digit.	¹⁴ C	4E	8.5–0	160	Shen, 2003
	90	Zigetang Lake	32	90.9	4560	Xizang	19000	7777	Lake	Raw	¹⁴ C	5E	10.5–0	160	Herzschuh et al., 2006
Gr33	91	Gounong Co	34.63	92.15	4670	Qinghai	174	744	Lake	Raw	¹⁴ C	3E	22–1.5	150	Shan et al., 1996

129° E 43° N; 129° E 48° N																											
119° E 42° N; 122° E 42° N	Gr5	1S2 b	1S2 b	1S2b	1S2b	1S2b	1S2b	1S2b	1S2b	1S2b	1S1b	1S1b	1S1b	1S1b			1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L
117° E 49° N	Gr6	1L	1L	2L	2L	1L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	1L
115° E 41° N; 115° E 42° N; 116° E 42° N	Gr7	1L	1L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L
112° E 40° N; 112° E 41° N	Gr8	1L	1L	1L	1L	1L	1L	1L1S	1L1S	1L1S	1L1S	1L1S 1	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S
109° E 39° N	Gr9	2L	1L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	2L	1L	1L	1L	1L	1L	1L
106° E 35° N	Gr10	1S	2S	2S	2S	2S	2S	2S	2S	2S	2S	1S	1S	2S	1S	2S	1S	1S	2S	2S	2S	2S	2S	2S	2S	2S	2S
86° E 48° N	Gr11	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S												
118° E 38° N	Gr12	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	2b	1b
117° E 31° N	Gr13	1b	1b	1b	1b	1b	1b	1b	1b	1b	1b	1b															
119° E 39° N	Gr14										1b	1b	1b	1b		1b	1b		1b	1b	1b	1b	1b	1b	1b	1b	
110° E 31° N; 118° E 31° N; 119° E 31° N; 120° E 30° N; 120° E 31° N	Gr15	2L	2L1 b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b	2L1b
102° E 27° N	Gr16	2B	2B	2B	2B	2B	2B	2B	2B	1B	2B	2B	2B	2B	2B	2B	2B	2B	2B	2B	2B	2B	2B	2B	2B	2B	2B
112° E 29° N; 113° E 30° N	Gr17			1S	1S	1S1b	1S1b	1S1b	1S1b	1S1b	1S1b	1S1b	1S1b	1S	1S	1S	1S	1S	1S	1S	1S	1S					
100° E 25° N; 102° E 28° N; 104° E 26° N	Gr18	2S		2S	2S	2S	2S	2S	2S	2S	2S	2S	1S	2S	2S	2S	2S	2S	2S	1S	2S	2S	2S	2S	1S	2S	1S

100° E 27° N; 102° E 24° N; 99° E 26° N	Gr19	1L1 S	1L2 S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L2S	1L1S	1L1S	1L1S	1L1S		
96° E 30° N	Gr20	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L							
103° E 39° N; 99° E 30° N; 99° E 31° N	Gr21	1S	2L	2L	2L1S	2L1S	1L	2L1S	1L1S	2L1S	2L1S	1L1S	2L1S	1L	2L1S	1L1S	2L1S	2L	2L1S	2L1S	2L1S	2L	2L1S	2L1S	1L1S	2L1S		
100° E 36° N; 96° E 37° N	Gr22	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L1b	3L1b	3L1b	3L1b	3L1b	3L1b	3L1b	3L1b		
100° E 37° N; 101° E 37° N; 101° E 41° N	Gr23	3L	3L	3L	3L	3L	2L	2L	3L	2L	3L	3L	2L	3L	3L	3L	2L	3L	2L	2L	3L	2L	2L	3L	2L	3L		
89° E 44° N	Gr24	1L	1L	1L	1L	2L	2L	1L	1L	1L		1L	1L	1L	1L		1L	1L	1L	1L	1L	1L	1L		1L	1L		
82° E 44° N; 92° E 43° N	Gr25	1L1 S	1L1 S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L1S	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L		
85° E 45° N; 86° E 41° N; 87° E 47° N	Gr26	2L	2L	2L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	3L	2L	2L	2L	1L	1L	1L	1L	1L		
84° E 43° N; 86° E 44° N	Gr27	2L1 B	2L1 B	2L1B	2L1B	2L1B	2L1B	2L1B	2L1B	2L1B	2L1B	1L1B	2L1B	2L1B	2L1B	1L1b	2L1B	2L1B	2L1B	2L1B		1L			1L	1L	1L	
81° E 44° N	Gr28	1L		1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L							
82° E 37° N	Gr29	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L		
101° E 33° N	Gr30	1b	1b	1b	1b	1b	1b	1b	1b	1b																		
102° E 32° N; 102° E 33° N; 103° E 32° N; 103° E 33° N; 97° E 34° N	Gr31 a	1L2 B	1B	1L2B 1b	1L2B 1b	1L3B 1b	1L3B 1b	1L2B 1b	1L3B 1b	1L3B	1L3B 1b	1L4B 2b	1L4B 2b	1L4B 2b	1L3B 1b	1L5B 1b	1L4B 2b	1L3B 2b	1L3B 2b	1L3B 2b	1L4B 2b	1L3B 2b	1L4B 2b	1L3B 1b	1L2B 1b	1L3B	1L2B 1b	1L1B 1b

126° E 42° N; 98° E 35° N; 99° E 35° N	Gr31 b	1L		2L	3L	3L	3L	3L	3L	3L	3L	3L	2L	3L	2L	2L	3L	3L	3L	3L	3L	3L	1L	3L	3L	3L
88° E 31° N; 90° E 31° N; 90° E 32° N; 92° E 29° N;91° E 30° N; 92° E 31° N	Gr32	2L1 S	3L1 S	3L2S	3L3S	3L3S	3L3S	3L3S	2L3S	3L3S 1b	4L2S 1b	4L3S 1b	3L3S 2b	4L2S 1b	3L3S 1b	4L2S	3L2S	3L3S	3L3S	3L3S 1B	1L3S 1B	1L3S	1L2S	1L3S 1b	3S	3S1b
92° E 34° N	Gr33				1L	1L		1L	1L				1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L
80° E 34° N	Gr34	1S	1S		1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S	1S
79° E 33° N	Gr35	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L	1L
85° E 28° N	Gr36													1L	1L	1L	1L	1L		1L	1L	1L	1L	1L	1L	1L

References:

- Campo, E.V., Gasse, F., 1993. Pollen- and diatom-inferred climatic and hydrological changes in Sumxi Co Basin (Western Tibet) since 13,000 yr B.P. *Quaternary Research*, 39: 300–313.
- Chen, F., Chen, X., Chen, J., Zhou, A., Wu, D. U. O., Tang, L., Zhang, X., Huang, X., & Yu, J. 2014. Holocene vegetation history, precipitation changes and Indian Summer Monsoon evolution documented from sediments of Xingyun Lake, south-west China. *Journal of Quaternary Science*, 29(7): 661–674.
- Chen, F., Xu, Q., Chen, J., Birks, H. J. B., Liu, J., Zhang, S., Jin, L., An, C., Telford, R. J., Cao, X., Wang, Z., Zhang, X., Selvaraj, K., Lu, H., Li, Y., Zheng, Z., Wang, H., Zhou, A., Dong, G., Zhang, J., Huang, X., Bloemendal, J., & Rao, Z. 2015. East Asian summer monsoon precipitation variability since the last deglaciation. *Scientific Reports*, 5(11186): 1–11.
- Chen, P.Y., Zhou, Q.Y., Lin, S.J., 1991. Palaeoenvironment from 15000 a B.P. to the present in Weining County, Guizhou: A study of Nantun peat-bed section. *Geology of Guizhou*, 8: 141–152 (in Chinese with English abstract).
- Chen, P.Y., Zhou, Q.Y., Lin, S.J., Qiao, Y.L., Sun, Y.M., 1994. The late Pleistocene palaeovegetation and palaeoclimate of Xiaoheitu, Anshun, Guizhou. *Guizhou Science*, 12: 24–31 (in Chinese with English abstract).
- Chen, W., Wang, W.-M., & Dai, X.-R. 2009. Holocene vegetation history with implications of human impact in the Lake Chaohu area, Anhui Province, East China. *Vegetation History and Archaeobotany*, 18(2): 137–146.
- Cheng, B., Chen, F., & Zhang, J. 2013. Palaeovegetational and palaeoenvironmental changes since the last deglacial in Gonghe Basin, northeast Tibetan Plateau. *Journal of Geographical Sciences*, 23(1): 136–146.
- Cook, C.G., Jones, R.T., Langdon, P.G., Leng, M.J., Zhang, E., 2011. New insights on Late Quaternary Asian palaeomonsoon variability and the timing of the Last Glacial Maximum in southwestern China. *Quaternary Science Reviews*, 30: 808–820.
- Herzschuh, U., Borkowski, J., Schewe, J., Mischke, S., & Tian, F. 2014. Moisture-advection feedback supports strong early-to-mid Holocene monsoon climate on the eastern Tibetan Plateau as inferred from a pollen-based reconstruction. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 402: 44–54.
- Herzschuh, U., Kramer, A., Mischke, S., Zhang, C.J., 2009. Quantitative climate and vegetation trends since the late glacial on the northeastern Tibetan Plateau deduced from Koucha Lake pollen spectra. *Quaternary Research*, 71: 162–171.
- Herzschuh, U., Tarasov, P., Wünnemann, B., Hartmann, K., 2004. Holocene vegetation and climate of the Alashan Plateau, NW China, reconstructed from Pollen data. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 211: 1–17.
- Herzschuh, U., Winter, K., Wünnemann, B., Li, S.J., 2006. A general cooling trend on the central Tibetan Plateau throughout the Holocene recorded by the Lake Zigetang pollen spectra. *Quaternary International*, 154–155: 113–121.
- Herzschuh, U., Zhang, C.J., Mischke, S., Herzschuh, R., Mohammadi, F., Mingram, B., Kurschner, H., Riedel, F., 2005. A late Quaternary lake record from the Qilian Mountains (NW China): evolution of the primary production and the water depth reconstructed from macrofossil, pollen, biomarker, and isotope data. *Global and Planetary Change*, 46: 361–379.
- Hu, Y., Cao, X., Zhao, Z., Li, Y., Sun, Y., Wang, H., 2016. The palaeoenvironmental and palaeoclimatic reconstruction and the relation with the human activities during the early and middle Holocene in the upper western Liao River region. *Quaternary Sciences*, 36(3): 530–541.
- Huang, F., 2000. Vegetation and climate between 13 ka to 5 ka B.P. in Peiku Co, Tibet. *Acta Palaeontologica Sinica*, 39: 441–448 (in Chinese with English abstract).
- Huang, X., Chen, C., Jia, W., An, C., Zhou, A., Zhang, J., Jin, M., Xia, D., Chen, F., & Grimm, E. C. 2015. Vegetation and climate history reconstructed from an alpine lake in central Tienshan Mountains since 8.5 ka BP. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 432: 36–48.
- Huang, C., Feng, Z., Ma, Y., Guo, L., Wang, W., 2009. Holocene palaeoenvironment changes recorded by pollen of Baahar Nuur Lake. *Journal of Lanzhou University (Natural Sciences)*, 45: 7–12 (in Chinese with English abstract).
- Innes, J. B., Zong, Y., Wang, Z., & Chen, Z. 2014. Climatic and palaeoecological changes during the mid- to Late Holocene transition in eastern China : high-resolution pollen and non-pollen palynomorph

- analysis at Pingwang, Yangtze coastal lowlands. *Quaternary science reviews*, 99: 164–175.
- Ji, M., Shen, J., Wu, J., & Wang, Y. 2015. Paleovegetation and Paleoclimate Evolution of Past 27.7 cal ka BP Recorded by Pollen and Charcoal of Lake Xingkai, Northeastern China. In K. Kashiwaya, J. Shen, & J. Y. Kim (Eds.), *Earth Surface Processes and Environmental Changes in East Asia: Records From Lake-catchment Systems*: 81–94. Tokyo: Springer Japan.
- Jiang, Q., Ji, J., Shen, J., Matsumoto, R., Tong, G., Qian, P., Ren, X., & Yan, D. 2013. Holocene vegetational and climatic variation in westerly-dominated areas of Central Asia inferred from the Sayram Lake in northern Xinjiang, China. *Science China Earth Sciences*, 56(3):339–353.
- Jiang, W.Y., Guo, Z.T., Sun, X.J., Wu, H.B., Chu, G.Q., Yuan, B.Y., Hatte, C., Guiot, J., 2006. Reconstruction of climate and vegetation changes of Lake Bayanchagan (Inner Mongolia): Holocene variability of the East Asian monsoon. *Quaternary Research*, 65: 411–420.
- Kramer, A., Herzsuh, U., Mischke, S., & Zhang, C. 2010. Holocene treeline shifts and monsoon variability in the Hengduan Mountains (southeastern Tibetan Plateau), implications from palynological investigations. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 286(1–2): 23–41.
- Li, C., Wu, Y., & Hou, X. 2011. Holocene vegetation and climate in Northeast China revealed from Jingbo Lake sediment. *Quaternary International*, 229(1–2): 67–73.
- Li, C.Y., Xu, Z.L., Kong, Z.C., 2003. A preliminary investigation on the Holocene vegetation changes from pollen analysis in the Gaoxigema section, Hunshandak Sand Land. *Acta Phytoecologica Sinica*, 27: 797–803 (in Chinese with English abstract).
- Li, F., Gaillard, M.-J., Cao, X., Herzsuh, U., Sugita, S., Tarasov, P. E., Wagner, M., Xu, Q., Ni, J., Wang, W., Zhao, Y., An, C., Beusen, A. H. W., Chen, F., Feng, Z., Goldewijk, C. G. M. K., Huang, X., Li, Y., Li, Y., Liu, H., Sun, A., Yao, Y., Zheng, Z., and Jia, X.: Towards quantification of Holocene anthropogenic land-cover change in temperate China: A review in the light of pollen-based REVEALS reconstructions of regional plant cover, *Earth-Science Reviews*, 103119, <https://doi.org/10.1016/j.earscirev.2020.103119>, 2020.
- Li, J., Zheng, Z., Huang, K., Yang, S., Chase, B., Valsecchi, V., Carre, M., Cheddadi, R., 2013. Vegetation changes during the past 40,000 years in Central China from a long fossil record. *Quaternary International*, 310: 221–226.
- Li, S.J., Zheng, B.X., Jiao, K.Q., 1991. Preliminary research on lacustrine deposit and lake evolution on the south slope of the west Kunlun Mountains. *Scientia Geographica Sinica*, 11: 306–314 (in Chinese with English abstract).
- Li, W.Y., Liang, Y.L., 1985. Vegetation and environment of the hypsithermal interval of Holocene in eastern Hebei Plain. *Acta Botanica Sinica*, 27: 640–651 (in Chinese with English abstract).
- Li, X., Liu, J.L., 1988. Holocene vegetational and environmental changes at Mt. Luoji, Sichuan. *Acta Geographica Sinica*, 43: 44–51 (in Chinese with English abstract).
- Li, Y., Wang, N., Cheng, H., Long, H., Zhao, Q., 2009. Holocene environmental change in the marginal area of the Asian monsoon: A record from Zhuye Lake, NWChina. *Boreas* 38, 349–361.
- Li, Y.H., Yin, H.N., Zhang, X.Y., Chen, Z.J., 2003b. The environment disaster events and the evolution of man-land relation in the west Liaoning during 5000 aBP. *Journal of Glaciology and Geocryology*, 25: 19–26 (in Chinese with English abstract).
- Li, Y.H., Yin, H.N., Zhang, Y., Zhao, J., 2003a. Temperature drop at about 5000 aB.P.–4700 aB.P. in northeast of China and effect on archaeological culture. *Yunnan Geographic Environment Research*, 15, 12–18 (in Chinese with English abstract).
- Li, Y.Y., Willis, K.J., Zhou, L.P., Cui, H.T., 2006. The impact of ancient civilization on the northeastern Chinese landscape: palaeoecological evidence from the Western Liaohe River Basin, Inner Mongolia. *The Holocene*, 16: 1109–1121.
- Liu, G.X., Shen, Y.P., Wang, S.M., 1995. The vegetation and climate of Holocene megathermal in Zoige, Northwestern Sichuan, China. *Journal of Glaciology and Geocryology*, 17: 247–249 (in Chinese with English abstract).
- Liu, H.P., Tang, X.C., Sun, D.H., Wang, K.F., 2001. Palynofloras of the Dajiuhe Basin in Shennongjia Mountains during the last 12.5ka. *Acta Micropalaeontologica Sinica*, 18: 101–109 (in Chinese with English abstract).
- Liu, X.Q., Herzsuh, U., Shen, J., Jiang, Q.F., Xiao, X.Y., 2008. Holocene environmental and climate changes inferred from Wulungu Lake in northern Xinjiang, China. *Quaternary Research*, 70: 412–425.
- Liu, X.Q., Shen, J., Wang, S.M., Yang, X.D., Tong, G.B., Zhang, E.L., 2002. A 16000-year pollen record of Qinghai Lake and its paleoclimate and paleoenvironment. *Chinese Science Bulletin*, 47: 1931–1936.
- Meng, X.M., Zhu, D.G., Shao, Z.G., Han, J.E., Yu, J., Meng, Q.W., Lv, R.P., Luo, P., 2007. Paleoclimatic and plaeoenvironmental evolution since Holocene in the Ningwu Area, Shanxi Province. *Acta Geologica Sinica*, 81: 316–323 (in Chinese with English abstract).
- Mischke, S., Zhang, C.J., Borner, A., Herzsuh, U., 2010. Lateglacial and Holocene variation in aeolian sediment flux over the northeastern Tibetan Plateau recorded by laminated sediments of a saline meromictic lake. *Journal of Quaternary Science*, 25: 162–177.
- Ren, G.Y., Zhang, L.S., 1997. Late Holocene vegetation in Maili region, northeast China, as inferred from a high-resolution pollen record. *Acta Botanica Sinica*, 39: 353–362 (in Chinese with English abstract).
- Shan, F.S., Kong, Z.C., Du, N.Q., 1996. Palaeovegetation and environmental changes. In: Li, B.Y. (Ed.), *Physical*

- Environment of Hoh Xil Region*, Qinghai. Science Press, Beijing, pp. 197–206 (in Chinese).
- Shen, C.M., 2003. Millennial-scale variations and centennial-scale events in the southwest Asian Monsoon: Pollen evidence from Tibet (PhD Thesis). Louisianan State University, USA.
- Shen, C.M., Liu, K.B., Morrill, C., Overpeck, J.T., Peng, J.L., Tang, L.Y., 2008. Ecotone shift and major droughts during the mid-late Holocene in the central Tibetan Plateau. *Ecology*, 89: 1079–1088.
- Shen, C.M., Liu, K.B., Tang, L.Y., Overpeck, J.T., 2006. Quantitative relationships between modern pollen rain and climate in the Tibetan Plateau. *Review of Palaeobotany and Palynology*, 140: 61–77.
- Shen, C.M., Tang, L.Y., Wang, S.M., 1996. Vegetation and climate during the past 22000 years in Zoige Region. *Acta Micropalaeontologica Sinica*, 13: 401–406 (in Chinese with English abstract).
- Shu, J.W., Wang, W.M., Chen, W., 2007. Holocene vegetation and environment changes in the NW Taihu Plain, Jiangsu Province, East China. *Acta Micropalaeontologica Sinica*, 24: 210–221 (in Chinese with English abstract).
- Shu, Q., 2001. Study on the Changes of Historic Paleoclimate and Paleoenvironment and Man-Land Relationship of Southern Xinjiang (Master Thesis). Xinjiang University, Urumqi (in Chinese with English abstract).
- Song, C.Q., Wang, B.Y., Sun, X.J., 1996. Implication of paleovegetational changes in Diaojiao Lake, Inner Mongolia. *Acta Botanica Sinica*, 38: 568–575 (in Chinese with English abstract).
- Song, X.Y., Yao, Y.F., Wortley, A. H., Paudyal, K. N., Yang, S.-H., Li, C.-S., & Blackmore, S. 2012. Holocene vegetation and climate history at Haligu on the Jade Dragon Snow Mountain, Yunnan, SW China. *Climatic Change*, 113(3): 841–866.
- Stebich, M., Rehfeld, K., Schlütz, F., Tarasov, P. E., Liu, J., & Mingram, J. 2015. Holocene vegetation and climate dynamics of NE China based on the pollen record from Sihailongwan Maar Lake. *Quaternary Science Reviews*, 124: 275–289.
- Sun, A.Z., Feng, Z.D. 2013. Holocene climatic reconstructions from the fossil pollen record at Qigai Nuur in the southern Mongolian Plateau. *The Holocene*, 23: 1391–1402.
- Sun, X.J., Du, N.Q., Chen, Y.S., Gu, Z.Y., Liu, J.Q., Yuan, B.Y., 1993. Holocene Palynological Records in Lake Selincuo, Northern Xizang. *Acta Botanica Sinica* 35, 943–950 (in Chinese with English abstract).
- Sun, X.J., Du, N.Q., Weng, C.Y., Lin, R.F., Wei, K.Q. (1994) Paleovegetation and paleoenvironment of Manasi Lake, Xinjiang, N.W. China during the last 14 000 years. *Quaternary Sciences*, 14: 239–248 (in Chinese with English abstract).
- Tang, L.Y., Shen, C.M., 1996. Holocene pollen records of The Qinghai-Xizang Plateau. *Acta Micropalaeontologica Sinica*, 13: 407–422 (in Chinese with English abstract).
- Tang, L.Y., Shen, C.M., Liu, K.B., Overpeck, J.T., 1999. New high-resolution pollen records from two lakes in Xizang (Tibet). *Acta Botanica Sinica*, 41: 896–902 (in Chinese with English abstract).
- Tao, S.C., An, C.B., Chen, F.H., Tang, L.Y., Lv, Y.B., Zheng, T.M., 2009. Holocene vegetation changes interpreted from pollen records in Balikun Lake, Xinjiang, China. *Acta Palaeontologica Sinica*, 48: 194–199 (in Chinese with English abstract).
- Van Campo, E., Cour, P., Huang, C.X., 1996. Holocene environmental changes in Bangong Co basin (Western Tibet). Part 2: The pollen record. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 120: 49–63.
- Wang, H.Y., Liu, H.Y., Cui, H.T., Abrahamsen, N., 2001. Terminal Pleistocene/Holocene palaeoenvironmental changes revealed by mineral-magnetism measurements of lake sediments for Dali Nor area, southeastern Inner Mongolia Plateau, China. *Palaeogeography Palaeoclimatology Palaeoecology*, 170: 115–132.
- Wang, M.H., 1987. The spore-pollen groups of peatland on Ruorgai Plateau and palaeobotany and paleoclimate. *Scientia Geographica Sinica*, 7: 147–155 (in Chinese with English abstract).
- Wang, P.F., Xia, Y.M., 1988. Preliminary research of vegetational succession on the Songnen Plain since Late Pleistocene. *Bulletin of Botanical Research*, 8: 87–96. (in Chinese with English abstract).
- Wang, P.F., Xia, Y.M., Wang, M.H., 1988. An approach to the spore-pollen assemblages of peat in the Holocene and the evolution of natural environment in southern Xizang. In: Huang, X.C. (Ed.), *Study of Mire in China*. Science Press, Beijing, pp. 257–265 (in Chinese).
- Wang, W., Feng, Z., Ran, M., & Zhang, C. 2013. Holocene climate and vegetation changes inferred from pollen records of Lake Aibi, northern Xinjiang, China: A potential contribution to understanding of Holocene climate pattern in East-central Asia. *Quaternary International*, 311: 54–62.

- Wang, Y., Herzschuh, U., Shumilovskikh, L.S., Mischke, S., Birks, H.J.B., Wischnewski, J., Böhner, J., Schlütz, F., Lehmkuhl, F., Diekmann, B., Wünnemann, B., Zhang, C., 2014. Quantitative reconstruction of precipitation changes on the NE Tibetan Plateau since the last glacial maximum extending the concept of pollen source area to pollen-based climate reconstructions from large lakes. *Clim. Past*, 10: 21–39.
- Wen, R.L., Xiao, J.L., Chang, Z.G., Zhai, D.Y., Xu, Q.H., Li, Y.C., Itoh, S., 2010. Holocene precipitation and temperature variations in the East Asian monsoonal margin from pollen data from Hulun Lake in northeastern Inner Mongolia, China. *Boreas*, 39: 262–272.
- Wen, R., Xiao, J., Chang, Z., Zhai, D., Xu, Q., Li, Y., Itoh, S., Lomtatidze, Z., 2010. Holocene climate changes in the mid–high–latitude–monsoon margin reflected by the pollen record from Hulun Lake, northeastern Inner Mongolia. *Quaternary Research*, 73: 293–303.
- Wu, L., Wang, X.Y., Zhang, G.S., Xiao, X.Y., 2008. Vegetation evolution and climate change since the Holocene recorded by pollen–charcoal assemblages from lacustrine sediments of Chaohu Lake in Anhui Province. *Journal of Palaeogeography*, 10, 183–192 (in Chinese with English abstract).
- Xia, Y.M., 1988a. Preliminary study on vegetational development and climatic changes in the Sanjiang Plain in the last 12000 years. *Scientia Geographica Sinica*, 8: 240–249 (in Chinese with English abstract).
- Xia, Y.M., 1988b. Preliminary study on pollen assemblage and palaeoenvironment of the Holocene peat in Northeast China. In: Huang, X.C. (Ed.), *Studies on Chinese Bog*. Science Press, Beijing, pp. 65–72 (in Chinese).
- Xia, Y.M., 1996. Study on record of spore–pollen in high moor peat and development and successive process of peat in Da and Xiao Hingan Mountains. *Scientia Geographica Sinica*, 16: 337–344 (in Chinese with English abstract).
- Xia, Y.M., Wang, P.F., Li, Q.S., Jiang, G.W., 1993. The preliminary study on climate change of the warm period of Holocene in the Northeast China. In: Zhang, L.S. (Ed.), *Research on the Past Life–Supporting Environment Change of China*. China Ocean Press, Beijing, pp. 296–315 (in Chinese).
- Xiao, J.L., Xu, Q.H., Nakamura, T., Yang, X.L., Liang, W.D., Inouchi, Y., 2004. Holocene vegetation variation in the Daihai Lake region of north–central China: a direct indication of the Asian monsoon climatic history. *Quaternary Science Reviews*, 23: 1669–1679.
- Xiao, X., Shen, J. I., Haberle, S. G., Han, Y., Xue, B., Zhang, E., Wang, S., & Tong, G. 2015. Vegetation, fire, and climate history during the last 18 500 cal a BP in south–western Yunnan Province, China. *Journal of Quaternary Science*, 30(8): 859–869.
- Xu, Q.H., Kong, Z.C., Yang, X.L., Liang, W.D., Sun, L.M., 2002c. Vegetation changes and human influences on Qianan Basin since the Middle Holocene. *Acta Botanica Sinica*, 44: 611–616. (in Chinese with English abstract).
- Xu, Y.Q., 1998. The assemblage of Holocene spore pollen and its environment in Bosten Lake area, Xinjiang. *Arid Land Geography*, 21: 43–49 (in Chinese with English abstract).
- Yan, G., Wang, F.B., Shi, G.R., Li, S.F., 1999. Palynological and stable isotopic study of palaeoenvironmental changes on the northeastern Tibetan plateau in the last 30,000 years. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 153: 147–159.
- Yan, S., Li, S.F., Kong, Z.C., Yang, Z.J., Ni, J., 2004. The pollen analyses and environmental changes of the Dongdaohaizi area in Urumqi, Xinjiang. *Quaternary Sciences*, 24: 463–468 (in Chinese with English abstract).
- Yang, D., Peng, Z., Luo, C., Liu, Y., Zhang, Z., Liu, W., & Zhang, P. 2013. High–resolution pollen sequence from Lop Nur, Xinjiang, China: Implications on environmental changes during the late Pleistocene to the early Holocene. *Review of Palaeobotany and Palynology*, 192: 32–41.
- Yang, X.D., Wang, S.M., Tong, G.B., 1996. Character of palynology and changes of monsoon climate over the last 10000 years in Gucheng Lake, Jiangsu Province. *Acta Botanica Sinica*, 38: 576–581 (in Chinese with English abstract).
- Yang, X.D., Wang, S.M., Xue, B., Tong, G.B., 1995. Vegetational development and environmental changes in Hulun Lake since Late Pleistocene. *Acta Palaeontologica Sinica*, 34: 647–656 (in Chinese with English abstract).
- Yang, X.D., Zhu, Y.X., Jiang, X.Z., Wu, Y.H., Wang, S.M., 1998. Environmental changes from spore–pollen record of Mianyang region over the past 10000 years. *Journal of Lake Sciences*, 10: 23–29. (in Chinese with English abstract).
- Zhang, K., Zhao, Y., Yu, Z., & Zhou, A. 2010. A 2700–year high resolution pollen record of climate change from varved Sugan Lake in the Qaidam Basin, northeastern Tibetan Plateau. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 297(2): 290–298.

- Zhang, Y., Kong, Z.C., Ni, J., Yan, S., Yang, Z.J., 2008. Pollen record and environmental evolution of Caotanhu wetland in Xinjiang since 4550 cal. a BP. *Chinese Science Bulletin*, 53: 1049–1061.
- Zhao, Y., Chen, F.H., Zhou, A.F., Yu, Z.C., Zhang, K., 2010. Vegetation history, climate change and human activities over the last 6200 years on the Liupan Mountains in the southwestern Loess Plateau in central China. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 293: 197–205.
- Zhao, Y., Yu, Z., & Zhao, W. 2011. Holocene vegetation and climate histories in the eastern Tibetan Plateau: controls by insolation-driven temperature or monsoon-derived precipitation changes? *Quaternary Science Reviews*, 30(9–10): 1173–1184.
- Zhao, Y., Yu, Z., Chen, F., & Li, J. 2008. Holocene vegetation and climate change from a lake sediment record in the Tengger Sandy Desert, northwest China. *Journal of Arid Environments*, 72(11): 2054–2064.
- Zhao, Y., Yu, Z.C., Chen, F.H., Ito, E., Zhao, C., 2007. Holocene vegetation and climate history at Hurleg Lake in the Qaidam Basin, northwest China. *Review of Palaeobotany and Palynology* 145, 275–288.
- Zhou, J., Wang, S.M., Lv, J., 2003. Climatic and environmental changes from the sediment record of Erhai Lake over the past 10000 Years. *Journal of Lake Sciences*, 15: 104–111 (in Chinese with English abstract).
- Zhu, Y., Chen, F.H., Madsen, D., 2002. The environmental signal of an early Holocene pollen record from the Shiyang River basin lake sediments, NW China. *Chinese Science Bulletin*, 47: 267–273.