1 A newly integrated ground temperature dataset of permafrost along the China-

# 2

28

# Russia Crude Oil Pipeline route in Northeast China

3 Guoyu Li<sup>1,3,4</sup>, Wei Ma<sup>1,3,4</sup>, Fei Wang<sup>1, 2\*</sup>, Huijun Jin<sup>1, 3, 5\*</sup>, Alexander Fedorov<sup>6</sup>, Dun Chen<sup>1,3</sup>, Gang Wu<sup>1,3,4</sup>, Yapeng Cao<sup>1,3,4</sup>, Yu

4 Zhou<sup>1,3,4</sup>, Yanhu Mu<sup>1,3,4</sup>, Yuncheng Mao<sup>7</sup>, Jun Zhang<sup>8</sup>, Kai Gao<sup>1,3,4</sup>, Xiaoying Jin<sup>5</sup>, Ruixia He<sup>1,3</sup>, Xinyu Li<sup>9</sup>, and Yan Li<sup>1,3</sup>

<sup>1</sup> State Key Laboratory of Frozen Soil Engineering, Northwest Institute of Eco-Environment and Resources, Chinese Academy of
 Sciences, Lanzhou 730000, China;

<sup>7</sup> <sup>2</sup> Faculty of Civil Engineering and Mechanics, Jiangsu University, Zhenjiang 212013, China;

8 <sup>3</sup> Da Xing'anling Observation and Research Station of Frozen-Ground Engineering and Environment, Northwest Institute of Eco-

9 Environment and Resources, Chinese Academy of Sciences, Jagdaqi, Inner Mongolia 165000, China;

<sup>4</sup> School of Engineering Science, University of Chinese Academy of Sciences, Beijing 100049, China;

<sup>5</sup> School of Civil Engineering and Permafrost Institute, Northeast Forestry University, Harbin 150040, China;

12 <sup>6</sup>Melnikov Permafrost Institute, Russian Academy of Sciences, Yakutsk 677010, Russia;

<sup>13</sup> <sup>7</sup> School of Civil Engineering, Northwest Minzu University, Lanzhou 730000, China;

<sup>8</sup> School of Civil Engineering, Henan Polytechnic University, Jiaozuo 454000, China, and;

<sup>9</sup> School of Civil Engineering, Harbin Institute of Technology, Harbin 150090, China

16 Correspondence: Fei Wang (wangfei9107@ujs.edu.cn) and Huijun Jin (hjjin@nefu.edu.cn)

17 Abstract: Thermal state of permafrost in the present and future is fundamental to ecosystem evolution,

18 hydrological processes, carbon release, and infrastructure integrity in cold regions. In 2011 we initiated a

19 permafrost monitoring network along the China-Russia Crude Oil Pipelines (CRCOPs) route at the eastern flank of

20 the northern Da Xing'anling Mountains in Northeast China. We compiled an integrated dataset of the ground

21 thermal state along the CRCOPs route, consisting of meteorological data near the southern limit of latitudinal

22 permafrost, ground temperature data in 20 boreholes with depths of 10.0–60.6 m, soil volumetric liquid water

23 contents and 2-dimensional electrical resistivity tomography (ERT) data at different sites. Results demonstrate a

24 permafrost warming during 2011–2020 in the vicinity of the southern limit of latitudinal permafrost, as manifested

25 by rising ground temperatures at almost all depths in response to climate warming. Local thermal disturbances

26 triggered by the construction and operation of CRCOPs have resulted in significant permafrost warming and

27 subsequent thawing on the right-of-way (ROW) of the pipelines. This permafrost thaw will persist, but it can be

alleviated by adopting mitigative measures, such as an insulation layer and thermosyphons. The in-situ

29 observational dataset is of great value for assessing the variability of permafrost under the linear disturbances of the

30 CRCOPs and related environmental effects, for understanding hydro-thermal-mechanical interactions between the

- 31 buried pipelines and permafrost foundation soils, and for evaluating the operational and structural integrity of the
- 32 pipeline systems in the future. The dataset is available at the National Tibetan Plateau/Third Pole Environment Data
- 33 Center (http://doi.org/10.11888/Cryos.tpdc.272357; Li, 2022).

# 34 **1 Introduction**

As a major component of the Earth's cryosphere, permafrost is sensitive to climate change, surface disturbances 35 36 and human activities (Smith et al., 2022). Over the last few decades, the warming and thawing of permafrost have 37 been observed in most permafrost regions (e.g., Ran et al., 2018; Biskaborn et al., 2019; O'Neill et al., 2019; 38 Etzelmüller et al., 2020; Liu et al., 2021; Noetzli et al., 2021; Smith et al., 2022), and permafrost degradation will 39 continue in response to a warming climate (Koven et al., 2013; Burke et al., 2020). Permafrost degradation affects 40 the geomorphological characteristics, carbon release, hydrological process, ecosystem, climate system, and 41 integrity of infrastructure (Cheng and Jin, 2013; Beck et al., 2015; Hjort et al., 2018, 2022; Turetsky et al., 2020; Jin 42 and Ma, 2021; Jin et al., 2021, 2022; Luo et al., 2021; Jones et al., 2022; Liu et al., 2022; Miner et al., 2022). 43 Permafrost occurs extensively in the Da and Xiao Xing'anling mountains in Northeast China (referred to as the 44 Xing'an permafrost). Its distribution displays both latitudinal and altitudinal zonality and is strongly influenced by 45 local environmental factors (Jin et al., 2008; Guo et al., 2018; He et al., 2021). The Xing'an permafrost has also 46 experienced significant degradation under a warming climate, wildfires, and human activities, such as 47 deforestation, urbanization, mining and linear infrastructure construction (Guo and Li, 1981; Jin et al., 2007; Wang 48 et al., 2019a; Mao et al., 2019; Li et al., 2021; Serban et al., 2021), as evidenced by rising ground temperature (GT), 49 thickening active layer, shrinking permafrost extent, and increasing thaw-related hazards, such as ground surface 50 subsidence, settlement of foundation soils and development of taliks and thermokarst. Multiple studies on future 51 changes in Xing'an permafrost have been conducted based on different modeling approaches and climate warming 52 scenarios (e.g., Ran et al., 2012; Zhang et al., 2021). Research results indicate that persistent permafrost degradation is likely to occur during the next few decades (Jin et al., 2007; Wei et al., 2011). However, there are 53 54 great uncertainties in the prediction of the magnitude and timing of these changes (Smith et al., 2022). For example, the estimated areal extent of existing permafrost in Northeast China ranges from 2.4×10<sup>5</sup> to 3.1×10<sup>5</sup> km<sup>2</sup> (Ran et al., 55

2012; Zhang et al., 2021). Field observations of meteorological variables and permafrost thermal states have substantially contributed to the understanding of the responses of GTs to climate change and to hydrothermal processes in the active layer and permafrost, facilitating the evaluation and/or validation of predictive permafrost models, and thus they are of great importance (Zhao et al., 2021; Wu et al., 2022). However, in Northeast China, long-term and continuous datasets of permafrost thermal state are scarce, especially at the eastern flank of the Da Xing'anling Mountains, due to the harsh periglacial environment, inconvenient access, and expensive installation and maintenance costs (Jin et al., 2007; He et al., 2021; Li et al., 2021).

Since 2008, extensive permafrost investigations for the construction of the China-Russia Crude Oil Pipelines 63 (CRCOPs) I and II were conducted in the permafrost zones on the eastern slopes of the Da Xing'anling Mountains. 64 65 As a result, a permafrost monitoring network along the CRCOPs route was gradually established by referring to the experiences and lessons learned from other oil and gas pipelines (e.g., Norman Wells to Zama crude oil pipeline in 66 67 Canada, Alyeska crude oil pipeline in the U.S., and Nadym-Pur-Taz natural gas pipeline in Russia) in permafrost 68 regions (Burgess and Smith, 2003; Johnson and Hegdal, 2008; Smith and Riseborough, 2010; Oswell, 2011). Boreholes were instrumented to measure GTs in the active layer and near-surface permafrost on and off the right-69 70 of-way (ROW) of the CRCOPs and electrical resistivity tomography (ERT) surveys were used to delineate frozen 71 and unfrozen ground in the vicinity of the CRCOPs (Kneisel et al., 2008; Farzamian et al., 2020).

We firstly present the integrated dataset of permafrost thermal state along the CRCOPs route on the eastern slopes of the northern Da Xing'anling Mountains in Northeast China. This dataset includes meteorological data, GTs, soil volumetric liquid water content, and subsurface electrical resistivity (ER) on and off the ROW of the pipeline. Detailed information for the integrated dataset is provided so that this dataset can be easily understood, readily accessed and properly applied by potential users.

### 77 **2 Site description**

Five permafrost observation sites, named as Xing'an (XA), Xin-tian (XT), Jin-song (JS), Song-ling (SL), and 78 79 Jagdaqi Bei (North) (JB), respectively, were established along the CRCOPs route in Northeast China (50.4710°-80 53.3328°N, 123.9875°–124.3132°E) (Fig.1) through the joint efforts of the State Key Laboratory of Frozen Soil 81 Engineering (SKLFSE), Northwest Institute of Eco-Environment and Resources (the former Cold and Arid Regions 82 Environmental and Engineering Research Institute), Chinese Academy of Sciences and the Jagdaqi Division of the 83 PetroChina Pipeline Company. Site selection was primarily based on engineering geological conditions of permafrost (Jin et al., 2010). According to the meteorological data of 1972–2017, the study area is characterized of 84 85 a frigid-temperate continental monsoon climate with mean annual air temperatures (MAAT) of -4.0 to -0.4 °C, with annual precipitation of 447 to 525 mm, which falls mostly as summer rain. Snow cover generally occurs at the 86 87 end of September-beginning of October and disappears in late April and early May of next year. The snow depth 88 ranges from 5 to 35 cm. Between 1972 and 2017, MAAT increased at a rate of 0.32 °C per decade while annual 89 precipitation increased at a rate of 14.6 mm per decade (Wang et al., 2019a).

90 Table 1 summarizes the geographical information and permafrost characteristics of monitoring sites. 91 Permafrost is warm with mean annual ground temperature (MAGT) at the depth of zero annual amplitude (D<sub>ZAA</sub>) 92 ranging from -1.8 to -0.4 °C. The permafrost thickness exceeds 60 m, and the observed active layer thickness 93 (ALT) ranges from 1.0 to 2.7 m (Wang et al., 2019b). Along the CRCOP route, the XA site, located in a permafrost 94 wetland, is the most northern and has the lowest air temperature, while the JB site, near the southern limit of the 95 latitudinal permafrost in Northeast China, has the highest air temperature, where permafrost occurs in isolated patches. The XT and JS sites are located in the transition zone between isolated patches of permafrost and sporadic 96 97 permafrost, making them the ideal locations for examining permafrost dynamics. The SL site is located in a wetland underlain by ice-rich permafrost, where seasonal frost mounds, sometimes migratory, with a maximum height of 2 98 99 m are developed (Wang et al., 2015), and monitoring devices are prone to be destroyed due to significant frost

# 100 mound-related ground deformation.



101

Figure 1. Location of permafrost monitoring sites along the route of China-Russia Crude Oil Pipelines (CRCOPs).
 Permafrost zone from Jin et al., (2007, 2010). The red dash line represents the paralleling CRCOPs I and II (the inter-

104 pipeline distance is generally limited to approximately 10 m).

105	Table 1. Permafrost characteristics	for monitoring sites along	g the route of China-Russia	Crude Oil Pipelines.

Site	Lat. (°N)	Long. (°E)	Elev. (m a.s.l.)	Permafrost zone	Vegetation	Ice content	MAGT (°C)	ALT (cm)
XA	53.3328	123.9875	318	Sporadic permafrost	Carex tato swamp	Ice-saturated	-1.8	130
XT	51.2444	124.2096	621	Sporadic permafrost	Shrub meadow	Ice-saturated	-1.8	100
JS	51.1619	124.1943	508	Sporadic permafrost	Carex tato swamp	Ice-rich	-0.7 to -0.4	200~270
SL	50.6868	124.3132	398	Isolated patches permafrost	Carex tato swamp	Ice-saturated /ice-rich	-0.9	130
JB	50.4710	124.2257	484	Isolated patches permafrost	Carex tato swamp	Ice-rich	-0.8 to -0.5	178~200

106 Notes: MAGT, mean annual ground temperature, and ALT, active layer thickness.

107

# 108 **3 Data description**

### 109 3.1 Meteorological data

110 In October 2017, a small automated weather station (AWS, Fig. B1) was installed at the JB site for measuring air

temperature, relative humidity, wind speed and direction, and total solar radiation. Details of the sensors used are

112 listed in Table 2. All meteorological data were recorded every two hours by a CR3000 data logger (Campbell

113 Scientific, Inc., USA) with a relay multiplexer (TRM128, China), powered by a battery cell and solar panel

114 regulated by a solar charge controller (Phocos ECO (10 A), Germany). The collected data have been transferred

automatically to the specified server by the wireless transmission module (HKT-DTU, Campbell Scientific, Inc.,

116 USA). Using such technology, it would be possible to check collected data in real-time and identify possible sensor

117 failures.

118 Table 2 List of sensors, measuring range and accuracy for meteorological data, ground temperature, soil water content, 119 and ground electrical resistivity.

Variable	Sensor/measurement device	Measuring range	Accuracy/Resolution			
		(operating temperature)				
Meteorological data						
Air temperature	HMP155A	-80 to 60 °C	$(0.226-0.0028 \times T)^{\circ}C$ (-80 to 20°C),			
	Vaisala Finland		(0.055+0.0057× <i>T</i> )°C (20 to 60 °C)			
Relative humidity (RH)	HMP155A	0 to 100% RH	(1.4+0.032×RH)% (-60 to -40°C),			
	Vaisala Finland		(1.2+0.012×RH)% (-40 to -20°C, 40 to			
			60°C), (1.0+0.008×RH)% (-20 to			
			40°C)			
Wind speed/direction	Model 05103	0 to 100 m/s (-50 to 50°C)	$\pm 0.3 \text{ m s}^{-1}, \pm 3^{\circ}$			
	R.M. Young Company					
Total solar radiation	LI200X Pyranometer	0~1000 W/m <sup>2</sup> (-40 to 65°C)	±5% (absolute error in natural			
	Campbell Scientific, Inc.		daylight), $\pm 3\%$ typical			
Permafrost monitoring						
Soil temperature	Thermistor cable	−30 to 30 °C	±0.05°C			
	SKLFSE, China					
Soil volumetric liquid CS616		0% to saturation (0 to 70°C)	±2.5%			
water content	Campbell Scientific, Inc.					
-		-10 to 10 V	≤30nV			
resistivity	Advanced Geosciences, Inc.					

120 The AWS was regularly maintained and repaired, resulting in data collection with satisfactory quality and 121 continuity. Between 15 October 2017 and 10 August 2020, less than 5% of the data were missing. However, the

122 meteorological data had been discontinued since 10 August 2020 due to the failure of the online data transmission

123 module and lack of essential on-site maintenance for equipment under the influence of the COVID-19 pandemic.

Air temperature and relative humidity were measured at a height of 1.5 m every two hours using the Vaisala HMP155A sensor protected by a radiation shield. The accuracy of temperature and relative humidity measurements decreased along with lowering temperatures. For example, the accuracy for the HMP155A sensor was as good as ±0.17 °C at an ambient environment of 20 °C, but it worsened up to ± 0.34 °C at -40 °C. At the JB permafrost site, the annual range of daily air temperature was approximately 56 °C. The recorded maximum air temperature was 24.7 °C on 25 July 2020, and the minimum, -33.7 °C on 27 December 2019 (Fig. 2a). The seasonal variation in relative humidity followed similar patterns with the seasonal variability in air temperature (Fig. 2b).



131 132



Total solar radiation was measured at a height of 1.5 m above the ground surface by the LI200X Pyranometer with an accuracy of  $\pm 3\%$  to  $\pm 5\%$ ). Although the sensors were regularly checked (e.g., checking the level of the instrument and removing dust) during the site visits and re-calibrated after two years of installation, the instruments were largely unattended and their accuracy was therefore likely to worsen up to  $\pm 5\%$ . It is worth noting that the LI200X may read negative solar radiation during the night, which is later set to zero in the data processing. The total solar radiation reached its maximum in summer (June to August) and was lowest in winter (December to next February), with a similar pattern with seasonal variations in air temperature (Fig. 2c). 140 The wind speed and direction were measured at a height of 2 m above the ground surface by a propeller 141 anemometer (Model 05103, R.M. Young Company). The standard error of wind direction was also calculated using 142 a specific algorithm provided by the CR3000 data logger. The recorded maximum wind speed of 9 m s<sup>-1</sup> occurred 143 on 28 May 2019. The average monthly wind speeds ranged from 0.9 to 2.6 m s<sup>-1</sup> and reached their maximum in 144 April–May (Fig. 2d).

#### 145 **3.2 Ground temperature and soil water content data**

146 In total, 20 boreholes were drilled and instrumented for GT monitoring both on the ROW of the CRCOPs at 147 varying distances from the pipe centerline/axis-lines and in nearby undisturbed terrains (off the ROW, 2.6 to 90 m 148 from the ROW edge) between 2011 and 2021 (Table 3). Generally, the ROW is approximately 20 m wide. The 149 depths of boreholes range from 10.0 to 60.6 m, although most of them are 15 to 20 m deep. In-situ temperature 150 monitoring in the borehole JB-B-II (6.6 m from the ROW edge) was deployed starting in November 2011, and ten boreholes (JB-B-1 to JB-B-10) were drilled on the ROW between 2 and 4 m from the centerline of pipe in 2014 and 151 152 2015 at the JB site. Besides, a new borehole (JB-B-I) was drilled down to 60.6 m near the above-mentioned AWS in March 2017. At the SL site, two on-ROW boreholes (SL-B-1 and SL-B-2, 3 and 5.9 m from the centerline of 153 154 CRCOP II, respectively) and one off-ROW borehole (SL-B-I, 2.6 m from the edge of the CRCOP I ROW) were 155 drilled in March 2017 and instrumented in September 2017. At the JS site, two boreholes (JS-B-1 and JS-B-2, 2 and 156 5 m from the pipe centreline, respectively) were established on the CRCOP II ROW in 2017, and an additional 157 borehole (JS-B-I) was drilled 14.8 m from the ROW edge of CRCOP I in 2018. A borehole (XT-B-I) at the XT site, 158 10 km north of the JS site, was drilled in 2019 to evaluate the spatial differentiation of permafrost distribution 159 influenced by local geo-environmental factors. At the XA site, a borehole with a depth of 60.5 m (XA-B-I) was 160 drilled 7 km south of the first pump station of the CRCOPs in Xing'an Village of Mo'he County, Heilongjiang 161 Province, where there was previously no GT data.

162	Table 3	Summary of	of monitoring	information	of	ground	temperature	boreholes,	water	content	monitoring	pits,	and

electrical resistivity tomography (ERT) profiles along the China-Russia Crude Oil Pipelines (CRCOPs) in NortheastChina.

Variable	Borehole/ ERT profile	Maximum monitoring depth (m)	Distance from pipe centreline (m)	Data logger	Measuring internal	Operation period
Soil/permafrost temperature at	XA-B-I	60.5	100	CR 3000	2h, AUTO	Nov 2018 - Nov 2020
the natural site (off-ROW)	XT-B-I	20	80	RTB37a36V3	2h, AUTO	Jul 2019 - Aug 2021
	JS-B-I	20	24.8	CR 3000	2h, AUTO	Dec 2018 - Jun 2021
	SL-B-I	25	12.6	Fluke 87/89 RTB37a36V3	Monthly, MANU 2h, AUTO	Sep 2017 - Oct 2019 Aug 2020 - Dec 2020
	JB-B-I	60.6	80	CR 3000	2h, AUTO	Jun 2018 - Aug 2020
	JB-B-II	20	16.6	Fluke 87/89 CR 3000	Monthly, MANU 2h, AUTO	Nov 2011 - Sep 2017 Oct 2017 - Aug 2021
Soil/permafrost temperature on	JS-B-1*	19.8	2	CR 3000	2h, AUTO	Oct 2017 - May 2021
pipeline ROW (on-ROW)	JS-B-2*	20	5	CR 3000	2h, AUTO	Oct 2017 - Aug 2021
	SL-B-1*	24.8	3	Fluke 87/89 RTB37a36V3	Monthly, MANU 2h, AUTO	Sep 2017 - Oct 2019 Aug 2020 - May 2021
	SL-B-2*	24.8	5.9	Fluke 87/89 RTB37a36V3	Monthly, MANU 2h, AUTO	Sep 2017 - Oct 2019 Aug 2020 - May 2021
	JB-B-1	20	2	Fluke 87/89 CR 3000	Monthly, MANU 2h, AUTO	Mar 2014 - Sep 2017 Oct 2017 - Aug 2021
	JB-B-2	15	2	CR 3000	2h, AUTO	Jun 2015 - Aug 2021
	JB-B-3	15	2		2h, AUTO	Jun 2015 - May 2018
	JB-B-4	15	2		2h, AUTO	Jun 2015 - May 2019
	JB-B-5	10	3		2h, AUTO	Jun 2015 - Aug 2021
	JB-B-6	14	3		2h, AUTO	Jun 2015 - May 2018
	JB-B-7	15	3		2h, AUTO	Jun 2015 - May 2020
	JB-B-8	15	4		2h, AUTO	Jun 2015 - Aug 2021
	JB-B-9	15	4		2h, AUTO	Jun 2015 - May 2018
	JB-B-10	15	4		2h, AUTO	Jun 2015 - May 2020
Soil volumetric liquid water	JB-W1	2.5	1	CR 3000	2h, AUTO	Jun 2015–Aug 2021
content on pipeline ROW	JB-W2					
	JB-W3					
Electrical	P-JS	24		SuperSting R8	Site visit	Apr 11, 2018
resistivity	P-SL	24		system	Site visit	Apr 12, 2018
	P-JB-1	24			Site visit	Apr 06 - Apr 10, 2018
	P-JB-2	24				
	P-JB-3	24				
	P-JB-4	18				

\* Boreholes were drilled on the ROW of CRCOP II. The width of ROW along the pipeline is about 20 m.

165	The GT measurement was carried out by installing a thermistor cable protected by a steel tube into the
166	borehole (Wang et al., 2019b). The thermistor cable was assembled by the SKLFSE, with thermistors at the
167	designed intervals. Manual temperature reading using Fluke 87/89 was made in five boreholes (SL-B-I, SL-B-1,
168	SL-B-2, JB-B-II, and JB-B-1) for some earlier time (Table 3). The accuracy of the manual readings is estimated to
169	be $\pm 0.1$ °C (Juliussen et al., 2010). Two types of data loggers, which are connected to the thermistor cables, are now
170	used for automatic and continuous GTs monitoring in boreholes at 2 h intervals. They are CR3000 data loggers and
171	miniature temperature data loggers (RTB37a36V3, jointly developed by Northwestern Polytechnical University and
172	SKLFSE). The latter generally has a lower resolution than the CR3000 data logger ( $\pm 0.05^{\circ}$ C), but allows more
173	widely used due to its lower cost. The GT in boreholes at the SL site has been recorded by this miniature data
174	logger. Besides, the soil volumetric liquid water content (VWC) was measured by the Campbell Scientific CS616
175	water content reflectometer probe (Table 2) by connecting to a CR3000 data logger. Three pits were excavated on
176	the ROW of the CRCOP I at the JB site and three probes were embedded horizontally at depths of 0.5, 1.5, and 2.5
177	m in each pit (Table 3).
178	Quality control of data was carried out by manually checking to detect missing data and obvious erroneous
179	recordings in the GT and VWC data. All the missing or abnormal data were replaced with null values. Then, daily

averages were calculated from hourly values at 2-hour intervals if at least 10 values (~ 83 %) were available within
1 day.

#### ioi i uay.

# 182 **3.2.1** Ground temperature at the undisturbed sites

To analyze the spatial distribution of GT, we chose GTs between 2018 and 2021, when GT data series of all five permafrost sites were available (Fig. 3). The average daily GTs at depths of 0-3 m showed seasonal dynamic variations, but the changing amplitudes of GTs weakened progressively with increasing depth and varied significantly from one site to another (Fig. 3a). For example, the JS site with a high permafrost temperature had the maximum variation amplitude of GT at the depth of 0.5 m (from -14.9 to 16.6 °C) among all the five sites, while at the depth of 3 m, the XT site had the maximum variation amplitude of GT, which was mainly related to the local topography, vegetation, soils and geology (Table 1). Zero-curtain effects were evident at a particular depth in these five sites, but the duration time of zero curtains at the same depth varied greatly with location, which was mainly related to *in situ* soil water/ice content of these permafrost sites.



192

Figure 3. Variability of ground temperatures at depths of 0–3 m (a) and 8–20 m (b) at the undisturbed sites along the route of China-Russia Crude Oil Pipelines (CRCOPs) in Northeast China, 2018–2021.

Seasonal changes in GTs at depths  $\geq$  15 m are negligible at all sites, except for the JS site, which indicates that zero annual amplitude (ZAA) is located below 15 m in depth (Fig.3b). At the JS site, abnormal positive temperatures were observed in the summers of 2019 and 2020, probably due to the thermal disturbance of supraand/or intra-permafrost groundwater. GTs at depths of 8, 10, 15, and 20 m showed that permafrost temperature decreased with the increasing northern latitude. Overall, the relationship between GT and latitude is not linearly dependent (Fig. 4).





Figure 4. Relationship between latitude and GT along the route of China-Russia Crude Oil Pipelines (CRCOPs). 202 203 A decade record (2011-2020) of GTs in the active layer and near-surface permafrost in borehole JB-B-II 204 allows for assessment of the inter-annual trend of permafrost under a warming climate. As displayed in Fig. 5, the monthly average GTs in 2018 at depths from 1 to 2 m were fluctuating in proximity to 0 °C without an obvious 205 geothermal gradient (termed as the zero curtain layer), decreased with a geothermal gradient of 0.08 °C m<sup>-1</sup> at 206 depths from 2 to 7 m, and remained unchanged below 7 m. The ALT (the maximum depth of 0 °C isotherm from 207 linear interpolation of the daily average GTs) in this borehole varied slightly between 178 and 200 cm from 2011 to 208 2020, mainly due to the damping effect of the zero curtain layer (Fig. 6a), while the near-surface permafrost at 209 depths of 8-20 m was warming at an average rate of 0.035 °C yr<sup>-1</sup> in this 10-year observation period (Fig. 6b). At 210 211 the D<sub>ZZA</sub> of 15 m, MAGT increased by 0.3 °C (from -0.8 to -0.5 °C) during 2011-2020.



212

Figure 5. Monthly average ground temperatures at depths of 0-20 m recorded in the JB-B-II borehole at the JB site in

214 2018.

215



Figure 6. Variations in the active layer thickness (ALT) (a) and mean annual ground temperature (MAGT) (b) in borehole
JB-B-II at the JB site along the China-Russia Crude Oil Pipeline (CRCOP) I in northern part of Northeast China from
2011 to 2020.

#### 219 **3.2.2** Ground temperature on the ROW of pipeline

220 Boreholes on the ROW along the CRCOPs were drilled and instrumented for GT monitoring at three permafrost sites (JS, SL, and JB) to evaluate the thermal disturbances of the insulated or uninsulated CRCOPs on the 221 222 surrounding permafrost (Table 3). At the JS and SL sites, the pipelines were insulated and initially buried at depths 223 of 2-3 m, while they were uninsulated and buried at about 1.6-2.4 m in depth at the JB site. The warm oil (with the 224 maximum recorded temperature of 28 °C at the first/northernmost pump station of the CRCOPs in China) flowing 225 in the pipeline brought substantial heat into the underlying and ambient permafrost, resulting in the rising GTs, 226 even though the pipelines were wrapped by an insulation layer (Fig. 7). However, temperature differences on and off the ROW of pipeline were substantially reduced by an insulation layer at the JS and SL sites compared to those 227 at the JB site without insulation. Besides, GTs in the borehole 5 m (perpendicular to the CRCOP I) away from the 228 pipe centerline were also greater than those at the nearby undisturbed site, indicating the lateral thermal disturbance 229 230 range of the pipeline may have extended beyond a horizontal distance of 5 m.

The time-series of the depths of the permafrost table and maximum frost penetration in borehole JB-B-1, horizontally 2 m away from the uninsulated pipe centerline at the JB site shows that since the official operation of CRCOP I starting in 2011, the depth of the permafrost table has been increasing with an average rate of 0.9 m yr<sup>-1</sup> and depth of seasonal frost penetration decrease rapidly and then varies little (0.4-0.8 m) during 2010–2021 (Fig. 8). Therefore, a thawed interlayer between permafrost table and the bottom of seasonal frost (i.e., supra-permafrost subaerial talik, SST) formed and developed with an average rate of 1.1 m yr<sup>-1</sup> in the same period. This has demonstrated that the pipeline has triggered an intensive and quick permafrost degradation at a local scale. This deepening of the permafrost table and thickening of the SST have exposed the pipelines to thawed low-bearing foundation soils, resulting in potential pipeline damage. For example, the excavation at the JB site in 2015 revealed that the CRCOP I had locally settled down by 1.4 m during 2010–2015.



241

Figure 7. Variations in ground temperatures at the depth of 3 m on the right-of-way (ROW) at the JS (a), SL (b), and JB

243 (c) sites along the China-Russia Crude Oil Pipeline (CRCOP) I in northern part of Northeast China during 2017–2021.



#### 244

Figure 8. Variations in the depths of permafrost table and seasonal frost, and thickness of supra-permafrost subaerial talik
during 2010–2021 in borehole JB-B-1, 2 m away from the centerline of the uninsulated China-Russia Crude Oil Pipeline
(CRCOP) I at the JB site in northern part of Northeast China.

248 Thermosyphons, a widely-used mitigative measure for permafrost thaw in cold region engineering, can

effectively change the temporal and spatial variations of local GT distribution. Figure 9 shows the time series of 249 temperature contours in boreholes of JB-B-2, JB-B-3, JB-B-6, and JB-B-9 from July 2015 to August 2021 (the 250 251 period with high-quality GT data series). Borehole JB-B-2 is located 2 m away from the pipeline centerline with 252 one pair of thermosyphons, while boreholes JB-B-3, JB-B-6, and JB-B-9 are set 2, 3, and 4 m, respectively, away 253 from the centerline of the CRCOP I, but with two pairs of thermosyphons. During the cold season, the artificial 254 permafrost table (APT) remains unchanged due to the cooling effect of thermosyphons, but it deepens when the 255 thermosyphons stop working during the warm season. Overall, APT has been increasing slowly over the 256 observational decade (Fig.9a). The cooling performance of the thermosyphons on pipeline foundation soils has 257 been enhanced with an increased number of thermosyphons, as characterized by a lower rate of APT deepening and 258 a wider vertical cooling extent in winter or the cold season (Fig.9b). Besides, GTs in boreholes of JB-B-6 and JB-B-259 9 indicate a greater-than-1.5-m cooling range of thermosyphons, and a greater-than-4-m lateral extent on the 260 ground surface of thermal disturbance of the warm pipeline (CRCOP I) (Figs.9c and 9d). During June-August 2020, abnormal changes in 0 °C isotherm shown in Figures 9b, 9c, and 9d are likely related to the infiltration of 261 262 surface waters and supra- and/or intra-permafrost waters. The above results show that the vertically-inserted 263 thermosyphons are unable to completely prevent the thawing of the underlying permafrost. The unexpectedly warmer oil temperature, thermal erosion of surface water ponding on the ROW, lowering thermosyphon 264 performance, as well as climate warming are responsible for the unsatisfactory cooling effect of thermosyphons on 265 266 the pipeline foundation soils.



267

Figure 9. Time series of temperature contours (°C) with thermosyphons from the ground surface (0 m) to a depth of 15 m, derived from the boreholes JB-B-2 (a), JB-B-3 (b), JB-B-6 (c), and JB-B-9 (d) at the JB site along the China-Russia Crude Oil Pipeline (CRCOP) I in the northern part of Northeast China. The blank gap indicates the missing data.

#### 271 **3.2.3 Soil water content on the ROW of pipeline**

272 The variations in VWC at depths of 0.5 m (peaty soil) and 1.5 m (silt clay) are controlled by the freeze-thaw

processes of soil layers. In the ground thawing season, VWC is 0.55 m<sup>3</sup> m<sup>-3</sup> at 0.5 m in depth and reaches 0.64 m<sup>3</sup> m<sup>-3</sup> at 1.5 m. While the VWC at 2.5 m (silt clay) is less changed with an average of 0.45 m<sup>3</sup> m<sup>-3</sup> (Fig.10), offering indirect evidence to the presence of the SST around the warm-oil pipe (Li et al., 2018). All these findings undoubtedly confirm that the construction and operation of the buried warm pipeline have resulted in locally intensive thermal disturbances on the underlying permafrost in the ROW along CRCOPs, although spatially confined.



279

Figure 10. Temporal history of soil volumetric liquid water content at depths of 0.5, 1.5, and 2.5 m at the JB site along
the China-Russia Crude Oil Pipeline (CRCOP) I in the northern part of Northeast China during 2015-2021.

#### 282 **3.3 Subsurface electrical resistivity data**

283 The electrical resistivity (ER) is dependent on many parameters including lithology, soil water/ice content, and soil 284 temperature. The ER distribution in the ground can be visualized by ERT, which provides a continuous transect of 285 the characteristics of the active layer and near-surface permafrost to delineate the shape and size of talik or 286 permafrost islands along the CRCOPs route. We performed ERT surveys in April 2018 with the SuperSting R8 287 system (Advanced Geosciences, Inc., Table 2) using the Wenner-Schlumberger configuration due to its high signal-288 to-noise ratio (Dahlin and Zhou, 2014). In addition to the fourth ERT profile at the JB site (P-JB-4), other profiles were done using stainless electrodes spaced by 2 m along the 120-m-long profile, reaching a maximum penetration 289 290 depth of 24 m (Table 3). The smoothness-constrained least-squares method was employed for ERT inversion.

The inverted ERT results, i.e., distribution of apparent ER within the subsurface, can provide information 291 292 regarding the spatial distribution of permafrost and talik (unfrozen ground in permafrost regions) (Zhang, 2011). 293 The configurations of talik around the CRCOPs can be seen in Figure 11. Here, an ER value of 300 Ωm was used 294 as the critical value to identify the boundary between frozen and unfrozen zones combined with the profile 295 characteristics of resistivity, GT, water/ice content, and lithology (obtained from borehole drilling) (Fig.12). There 296 was a significant difference in the sizes of taliks around the CRCOPs in April 2018, suggesting that pipeline 297 operation-related thermal disturbances had accelerated permafrost thaw (Fig. 11). Besides, the shallow soil layer 298 beneath the vegetation cleared pipeline ROW had lower ER values, compared to those in the adjacent undisturbed 299 site at the same time (Fig. 11), indicating that the clearing of the ROW has also contributed to permafrost warming 300 and thawing.



301

Figure 11. Inversion results of electrical imaging along P-JB-1 profile at the JB site along the China-Russia Crude Oil
 Pipeline (CRCOP) I in the northern part of Northeast China in April 2018.





305

Figure 12. Dependence of electrical resistivity on ground temperature and lithology.

# 306 **4 Data availability**

The data sets presented herein can be freely downloaded from the National Tibetan Plateau/Third Pole Environment
 Data Center at http://doi.org/10.11888/Cryos.tpdc.272357 (Li, 2022).

# 309 5 Conclusions

310 For this study, an *in-situ* monitoring network for the ground thermal state of permafrost was established along the 311 CRCOP route, at the eastern flank of the northern Da Xing'anling Mountains in Northeast China. The resulting 312 dataset fills the gaps in the spatial coverage of mid-latitude mountain permafrost databases with and without warm pipeline disturbances. This dataset consists of daily ground temperatures at depths of 0-20 m in 20 boreholes (10.0 313 314 to 60.6 deep, spanning a range of latitudes from 50.47 to 53.33°N), soil volumetric liquid water contents, 315 meteorological variables, and ERT data. The harsh environmental conditions and inaccessibility to the field sites 316 during the COVID-19 pandemic have resulted in some missing data, but we will continue to update the dataset by overcoming these difficulties in subsequent years. 317

318 The dataset presented herein shows permafrost at the eastern flank of the northern Da Xing'anling Mountains 319 is controlled by latitude and strongly influenced by the local geo-environmental factors. The MAGT at 15 m depth ranges from -1.8 to -0.4 °C, and the ALT varies from 100 to 270 cm from north to south in permafrost terrains. 320 321 The record from 2011 to 2020 of GT measurements indicates an extensive ground warming in the vicinity of the 322 southern limit of latitudinal permafrost. Permafrost temperatures at depths of 8-20 m have been rising at a rate of 323 0.035 °C yr<sup>-1</sup>, but there is no significant change in ALT, varying between 178 and 200 cm in the 10-year 324 observation period. The GT measurements on the ROW of the pipeline and the ERT results show that the 325 construction and operation of the CRCOP have brought strong thermal disturbances to the underlying and ambient permafrost foundation soils, leading to a talik with a maximum depth of 11.5 m around the pipeline, although 326 327 laterally much confined to the ROW of the CRCOP I. This permafrost disturbance is still in rapid expanding. Thawing of permafrost on the ROW of the pipelines cannot be completely prevented by installing the insulation 328 329 layer or thermosyphons, but its rate can be reduced significantly. This dataset provides a solid basis for assessing 330 the spatiotemporal variability of ground hydrothermal states of the active layer and near-surface (generally  $\leq 20$  m) 331 permafrost under the linear disturbances of the buried warm pipeline and related environmental effects, for revealing hydro-thermal-mechanical interactions between buried pipeline and the ambient permafrost environment, 332 for evaluating the integrity of the pipeline systems, and for offering crucial and badly needed data on the design, 333 334 construction and maintenance of similar pipelines in permafrost regions.

## 335 Author contribution

GY, WM and HJ designed this study and obtained the financial support for establishing and maintaining the monitoring sites. FW and GY compiled the dataset, performed the analysis, and wrote the manuscript. FA, YH, and DC improved the writing. GW, YP, YZ, YC, JZ, KG, RH, XJ, XL, and YL participated in the fieldwork and editing of manuscripts at various stages.

#### 340 **Competing interests**

341 The authors declared no conflicts of interest in this work.

### 342 Special issue statement

This article is part of the special issue "*Extreme Environment Datasets for the Three Poles*". It is not associated with a conference.

## 345 Acknowledgments

This work was financially supported by the Strategic Priority Research Program of Chinese Academy of Sciences (Grant No. XDA2003020102), the National Natural Science Foundation of China (Grant No. 42101121), and the Research Projects of the State Key Laboratory of Frozen Soil Engineering (Grant Nos. SKLFSE-ZY-20 and SKLFSE202010).

# 350 **References**

351 Beck I, Ludwig R, Bernier M, et al. Vertical movements of frost mounds in subarctic permafrost regions analyzed

using geodetic survey and satellite interferometry. Earth Surface Dynamics, 2015, 3(3): 409-421.

- Biskaborn B K, Simth S L, Noetzli J, *et al.* Permafrost is warming at a global scale. Nature Communications, 2019,
  10: 264.
- 355 Burgess M M, Smith S L. 17 years of thaw penetration and surface settlement observations in permafrost terrain
- 356 along the Norman Wells pipeline, Northwest Territories, Canada. Proceedings of the Eighth International
- 357 Conference on Permafrost, 2003: 107-112.
- 358 Burke E J, Zhang Y, Krinner G. Evaluating permafrost physics in the Coupled Model Intercomparison Project 6
- 359 (CMIP6) models and their sensitivity to climate change. The Cryosphere, 2020, 14(9): 3155-3174.
- 360 Cheng G, Jin H. Permafrost and groundwater on the Qinghai-Tibet Plateau and in northeast China. Hydrogeology

- 361 Journal, 2013, 21(1): 5-23.
- Dahlin T, Zhou B. A numerical comparison of 2D resistivity imaging with 10 electrode arrays. Geophysical
   Prospecting, 2004, 52(5): 379-398.
- 364 Etzelmüller B, Guglielmin M, Hauck C, et al. Twenty years of European mountain permafrost dynamics-the PACE
- 365 legacy. Environmental Research Letters, 2020, 15(10): 104070.
- 366 Farzamian M, Vieira G, Monteiro Santos F A, et al. Detailed detection of active layer freeze-thaw dynamics using
- quasi-continuous electrical resistivity tomography (Deception Island, Antarctica). The Cryosphere, 2020, 14(3):
  1105-1120.
- 369 Guo D, Li Z. Historical evolution and formation age of permafrost in northeastern China since the Late Pleistocene.
- 370 Journal of Glaciology and Geocryology 3(4): 1-6. (In Chinese)
- 371 Guo W, Liu H, Anenkhonov O A, et al. Vegetation can strongly regulate permafrost degradation at its southern edge
- through changing surface freeze-thaw processes. Agricultural and Forest Meteorology, 2018, 252: 10-17.
- 373 He R, Jin H, Luo D, et al. Permafrost changes in the Nanwenghe Wetlands Reserve on the southern slope of the Da
- 374 Xing'anling–Yile'huli mountains, Northeast China. Advances in Climate Change Research, 2021, 12(5): 696-709.
- 375 Hjort J, Karjalainen O, Aalto J, et al. Degrading permafrost puts Arctic infrastructure at risk by mid-century. Nature
- 376 Communications, 2018, 9(1): 5147.

377 Hjort J, Streletskiy D, Doré G, *et al.* Impacts of permafrost degradation on infrastructure. Nature Reviews Earth &

- 378 Environment, 2022, 3(1): 24-38.
- 379 Jin H, Hao J, Chang X, et al. Zonation and assessment of frozen-ground conditions for engineering geology along
- 380 the China-Russia crude oil pipeline route from Mo'he to Daqing, Northeastern China. Cold Regions Science and
- 381 Technology, 2010, 64(3): 213-225.
- Jin H, Ma Q. Impacts of permafrost degradation on carbon stocks and emissions under a warming climate: A review. Atmosphere, 2021, 12(11): 1425.

- Jin H, Huang Y, Bense V F, *et al.* Permafrost degradation and its hydrogeological impacts. Water, 2022, 14(3): 372.
- Jin H, Wu Q, Romanovsky V E. Degrading permafrost and its impacts. Advances in Climate Change Research,
  2021, 12(1): 1-5.
- 387 Jin H, Sun G, Yu S, et al. Symbiosis of marshes and permafrost in Da and Xiao Hinggan Mountains in northeastern
- 388 China. Chinese Geographical Science, 2008, 18(1): 62-69.
- Jin H, Yu Q, Lü L, et al. Degradation of permafrost in the Xing'anling Mountains, Northeastern China. Permafrost
- 390 and Periglacial Processes, 2007, 18(3): 245-258.
- 391 Johnson E R, Hegdal L A. Permafrost-related performance of the Trans-Alaska oil pipeline. Proceedings of Ninth
- 392 International Conference on Permafrost, Fairbanks, AK, USA. 2008: 857-864.
- 393 Jones B M, Grosse G, Farquharson L M, et al. Lake and drained lake basin systems in lowland permafrost regions.
- 394 Nature Reviews Earth & Environment, 2022, 3(1): 85-98.
- 395 Juliussen H, Christiansen H H, Strand G S, et al. NORPERM, the Norwegian permafrost database-a TSP
- 396 NORWAY IPY legacy. Earth System Science Data, 2010, 2(2): 235-246.
- 397 Kneisel C, Hauck C, Fortier R, et al. Advances in geophysical methods for permafrost investigations. Permafrost
- 398 and Periglacial Processes, 2008, 19(2): 157-178.
- 399 Koven C D, Riley W J, Stern A. Analysis of permafrost thermal dynamics and response to climate change in the
- 400 CMIP5 Earth System Models. Journal of Climate, 2013, 26(6): 1877-1900.
- 401 Li G. Ground temperature dataset of permafrost along the China-Russia crude oil pipeline route (2011-2021),
- 402 National Tibetan Plateau Data Center, http://doi.org/10.11888/Cryos.tpdc.272357, 2022.
- 403 Li G, Wang F, Ma W, et al. Field observations of cooling performance of thermosyphons on permafrost under the
- 404 China-Russia Crude Oil Pipeline. Applied Thermal Engineering, 2018, 141: 688-696.
- 405 Li X, Jin H, Wang H, et al. Influences of forest fires on the permafrost environment: A review. Advances in Climate
- 406 Change Research, 2021, 12(1): 48-65.

- Liu G, Xie C, Zhao L, *et al.* Permafrost warming near the northern limit of permafrost on the Qinghai–Tibetan
  Plateau during the period from 2005 to 2017: A case study in the Xidatan area. Permafrost and Periglacial
  Processes, 2021, 32(3): 323-334.
- 410 Liu W, Fortier R, Molson J, et al. Three-dimensional numerical modeling of cryo-hydrogeological processes in a
- 411 river-talik system in a continuous permafrost environment. Water Resources Research, 2022: e2021WR031630.
- 412 Luo L, Zhuang Y, Zhang M, et al. An integrated observation dataset of the hydrological and thermal deformation in
- 413 permafrost slopes and engineering infrastructure in the Qinghai–Tibet Engineering Corridor. Earth System Science
- 414 Data, 2021, 13(8): 4035-4052.
- 415 Mao Y, Li G, Ma W, et al. Field observation of permafrost degradation under Mo'he airport, Northeastern China
- 416 from 2007 to 2016. Cold Regions Science and Technology, 2019, 161: 43-50.
- 417 Miner K R, Turetsky M R, Malina E, *et al.* Permafrost carbon emissions in a changing Arctic. Nature Reviews
  418 Earth & Environment, 2022, 3(1): 55-67.
- 419 Noetzli J, Christiansen H H, Hrbacek F, et al. [Global Climate] Permafrost thermal state [in "State of the Climate in
- 420 2020"]. Bulletin of the American Meteorological Society, 2021, 102 (8): S42-S44.
- 421 O'Neill H B, Smith S L, Duchesne C. Long-term permafrost degradation and thermokarst subsidence in the
- 422 Mackenzie Delta area indicated by thaw tube measurements//Cold Regions Engineering 2019. Reston, VA:
- 423 American Society of Civil Engineers, 2019: 643-651.
- 424 Oswell J M. Pipelines in permafrost: geotechnical issues and lessons. Canadian Geotechnical Journal, 2011, 48(9):
- 425 1412-1431.
- 426 Ran Y, Li X, Cheng G, et al. Distribution of permafrost in China: an overview of existing permafrost maps.
- 427 Permafrost and Periglacial Processes, 2012, 23(4): 322-333.
- 428 Ran Y, Li X, Cheng G. Climate warming over the past half century has led to thermal degradation of permafrost on
- 429 the Qinghai–Tibet Plateau. The Cryosphere, 2018, 12(2): 595-608.

- 430 Smith S L, Riseborough D W. Modelling the thermal response of permafrost terrain to right-of-way disturbance and
- 431 climate warming. Cold Regions Science and Technology, 2010, 60(1): 92-103.
- 432 Serban R D, Serban M, He R, et al. 46-year (1973-2019) permafrost landscape changes in the Hola Basin,
- 433 Northeast China using machine learning and object-oriented classification. Remote Sensing, 2021, 13(10): 1910.
- 434 Smith S L, O'Neill H B, Isaksen K, et al. The changing thermal state of permafrost. Nature Reviews Earth &
- 435 Environment, 2022, 3(1): 10-23.
- Turetsky M R, Abbott B W, Jones M C, *et al.* Carbon release through abrupt permafrost thaw. Nature Geoscience,
  2020, 13(2): 138-143.
- 438 Wang F, Li G, Ma W, et al. Permafrost warming along the Mo'he-Jiagedaqi section of the China-Russia Crude Oil
- 439 Pipeline. Journal of Mountain Science, 2019a, 16(2): 285-295
- Wang F, Li G, Ma W, *et al.* Pipeline–permafrost interaction monitoring system along the China–Russia crude oil
  pipeline. Engineering Geology, 2019b, 254: 113-125.
- 442 Wang Y, Jin H, Li G, et al. Secondary geohazards along the operating Mohe-Jagdaqi section of China-Russia crude
- 443 oil pipeline in permafrost regions: a case study on a seasonal frost mound at the Site MDX364. Journal of
- 444 Glaciology and Geocryology, 2015, 37(3): 731-739. (In Chinese)
- 445 Wei Z, Jin H, Zhang J, et al. Prediction of permafrost changes in Northeastern China under a changing climate.
- 446 Science China Earth Sciences, 2011, 54(6): 924-935.
- 447 Wu T, Xie C, Zhu X, et al. Permafrost, active layer, and meteorological data (2010–2020) at the Mahan Mountain
- relict permafrost site of northeastern Qinghai–Tibet Plateau. Earth System Science Data, 2022, 14(3): 1257-1269.
- 449 Zhang T. Talik. In: Vijay P. Singh, Pratap Singh & Umesh K. Haritashya (eds.), Encyclopedia of Snow, Ice and
- 450 Glaciers, Springer, 1143-1144. 2011.
- 451 Zhang Z, Wu Q, Hou M, et al. Permafrost change in Northeast China in the 1950s–2010s. Advances in Climate
- 452 Change Research, 2021, 12(1): 18-28.

- 453 Zhao L, Zou D, Hu G, et al. A synthesis dataset of permafrost thermal state for the Qinghai–Tibet (Xizang) Plateau,
- 454 China. Earth System Science Data, 2021, 13(8): 4207-4218.

#### 455 Appendix A: Abbreviations

ALT	Active layer thickness
APT	Artificial permafrost table
CRCOP	China-Russia crude oil pipeline
ER	Electrical resistivity
ERT	Electrical resistivity tomography
GT	Ground temperature
MAAT	Mean annual air temperature
MAGT	Mean annual ground temperature
ROW	Right-of-way
SST	Supra-permafrost subaerial talik
VWC	Volumetric liquid water content
ZAA	Zero annual amplitude

#### 456 Appendix B: Photos of meteorological station and instrumentations



457

Figure B1. The automated weather station and instrumentations at the JB site along the China-Russia Crude Oil Pipelines route in the northern Da Xing'anling Mountains, Northeast China. Notes: Photo was taken on April 2018. The rain gauge sensor has been installed but is ineffective. The photo shows the location of the Jagdaqi pump station. The CR3000 data logger, multiplexer, battery cell, solar charge controller, and wireless transmission module are placed in the white box with a solar panel (*i.e.*, insulated box). All monitoring devices are protected by an aluminum alloy fence.

- 463 Appendix C: Relative position of boreholes and automatic collection instrumentation for ground temperatures at
- 464 **permafrost monitoring sites**



465

Figure C1. Position of boreholes drilled on and off the pipeline ROW and the ERT profile at the JS permafrost site. Photo was taken on 29 June 2021. Ground temperatures are measured using thermistor chains connected to the CR3000 data logger. Notes: (a) Wireless transmission module (HKT-DTU, Campbell Scientific, Inc., USA), (b) CR3000 data logger with a TRM128 multiplexer, (c) Solar charge controller (Phocos ECO (10 A), Germany), (d) Battery cell, a part of the power supply device.



471

Figure C2. Position of boreholes drilled on and off the pipeline ROW and the ERT profile at the SL permafrost site. Notes: (a). Photo was taken on 30 March 2018. The ground surface within the trench is completely covered with ice and snow. (b) Miniature temperature data loggers were installed in August 2020. Photo was taken on 17 April 2021. The surface vegetation was destroyed by a controlled burn.



476

Figure C3. Picture of the monitored cross-sections, perpendicular to the pipeline at 20 m intervals, at the JB permafrost site. Notes: (a) Plane view, (b) Section 1, without thermosyphon, (c) Section 2, one pair of thermosyphons, (d) Section 3, two pairs of thermosyphons at a longitudinal spacing of 1.3 m, and (e) Section 4, two pairs of thermosyphons at a longitudinal spacing of 1.4 m. The data acquisition device is the same as that at the JS site.



481 Appendix D: ERT results along P-JS, P-SL, P-JB-2, P-JB-3, and P-JB-4 profiles

<sup>483</sup> Figure D1. Inversion results of electrical imaging along P-JS profile at the JS site, carried out in April 2018.



485 Figure D2. Inversion results of electrical imaging along P-SL profile at the SL site, carried out in April 2018.



Figure D3. Inversion results of electrical imaging along monitored cross-sections with thermosyphons at the JB site, carried out in April 2018. Notes: (a) P-JB-2 profile, one pair of thermosyphons, (b) P-JB-3 profile, two pairs of thermosyphons at a longitudinal spacing of 1.3 m, and (c) P-JB-4 profile, two pairs of thermosyphons at a longitudinal spacing of 1.4 m.