

# 1 **An earthquake focal mechanism catalog for source and tectonic studies** 2 **in Mexico from February 1928 to July 2022.**

3  
4  
5 **Quetzalcoatl Rodríguez-Pérez<sup>1</sup>, F. Ramón Zúñiga<sup>2</sup>**

6 <sup>1</sup> Dirección de Desarrollo Científico, Consejo Nacional de Ciencia y Tecnología, Mexico City, Mexico

7 <sup>2</sup> Centro de Geociencias, Universidad Nacional Autónoma de México, Juriquilla, Querétaro, Mexico

8  
9 **Correspondence:** Quetzalcoatl Rodríguez-Pérez ([quetza@geociencias.unam.mx](mailto:quetza@geociencias.unam.mx))

10  
11 **Abstract.** We present a focal mechanism catalog for earthquakes that occurred in Mexico and  
12 surrounding areas reported from February 1928 to July 2022. The magnitude of the events varies from  
13 -0.9 to 8.2. The hypocentral depth is in the range of  $0 < Z < 270$  km. Focal mechanisms in this catalog  
14 are associated with tectonic, geothermal, and volcanic environments. Reported focal mechanisms were  
15 derived using different types of data at local, regional, and teleseismic distances and different methods  
16 such as first motions, composite solutions, waveform analysis, and moment tensor inversion. So far,  
17 focal mechanism data for earthquakes in Mexico are dispersed over many publications without any link  
18 among them. For this reason, we collect and revise focal mechanism solutions previously reported by  
19 different agencies and studies from published sources. Our catalog consists of 7664 focal mechanism  
20 solutions for a total of 5701 events since we report all the available focal mechanisms obtained by  
21 different authors and seismological agencies for each seismic event. Additionally, we classify the focal  
22 mechanisms according to their fault types using the ternary diagrams of Kaverina-type classification.  
23 We also rank the quality of the focal mechanism data into three categories: A, B, and C. A represents  
24 good/reliable data, B represents regular, and C represents poor/questionable data according to a well-  
25 defined criterion. The main goal of this study is to provide a comprehensive compilation of focal

1 mechanism data that can help in future source and tectonic studies in Mexico.

2

3 The earthquake focal mechanism catalog

4 ([https://figshare.com/articles/dataset/Earthquake\\_focal\\_mechanism\\_catalog\\_for\\_Mexico/21663668](https://figshare.com/articles/dataset/Earthquake_focal_mechanism_catalog_for_Mexico/21663668);

5 Rodríguez-Pérez and Zúñiga, 2022) is given as the Supplement of this paper.

6

## 7 **1 Introduction**

8

9 Earthquake catalogs are used in several tasks by seismologists daily. In most cases, seismic catalogs  
10 contain essential information such as origin time, hypocentral location, and magnitude of the events in  
11 a particular region. In other cases, the catalogs also include specific information such as fault planes,  
12 source duration, seismic wave phases, seismic source parameters, and finite-fault models (e.g., Ekström  
13 et al., 2012; Mai and Thingbaijam, 2014; Vallé and Douet, 2016; Di Giacomo et al., 2018; Rodríguez-  
14 Pérez et al., 2018). Studies related to seismicity and seismic hazard often require as input a seismic  
15 catalog that, in ideal conditions, contains information that has been derived in a homogenous way using  
16 the same procedures over some time (Cornell, 1968). Combining different datasets, and methods used  
17 to estimate a specific parameter, such as location or focal mechanism, can be an alternative form to  
18 increase the number of observations and enhance the resolution of an earthquake catalog. However,  
19 when combining different datasets, it is important to know the type and quality of data used and the  
20 advantages and limitations of the methods used to obtain a parameter reported in the catalogs. This  
21 study is focused on a compilation of an extensive earthquake focal mechanism catalog. Focal  
22 mechanisms describe the spatial fault orientation where earthquakes occur and the slip direction. Fault  
23 plane solutions are essential to understanding seismotectonic processes, such as studying the stress field  
24 in a given region. There are different methods available for determining focal mechanisms. One of the

1 most common is based on *P*-wave polarities (Knopoff and Gilbert, 1960). The moment tensor inversion  
2 was introduced later, becoming one of the most popular methods nowadays (e.g., Dziewonski et al.,  
3 1981; Pasyanos et al., 1996; Guilhem and Dreger, 2011).

4

5 Generally, the seismic source is considered as a point source located at the hypocenter, but in other  
6 cases, the source can be assumed as a centroid. The size of the earthquake plays an essential role in the  
7 source representation (Dziewonski and Woodhouse, 1983). For example, the difference between the  
8 centroid and the location of the rupture initiation can be significant. As a result, focal mechanisms  
9 derived from wave polarities and moment tensors differ not only from inadequate velocity models or  
10 systematic errors. Focal mechanisms derived from *P*-wave polarities represent the geometry of the fault  
11 at the beginning of the rupture. On the contrary, the moment tensor solutions provide the source  
12 mechanism of the predominant component of the seismic rupture. The difference between wave  
13 polarities and moment tensors is more drastic in the cases where the source deviates from a pure double  
14 couple representation. Nevertheless, the seismic polarity method is still in use despite its limitations,  
15 which can include incorrect polarity readings, inaccurate velocity models, and poor azimuthal coverage  
16 of stations, due to its simplicity and affordability. First motion polarities are often the only method to  
17 derive focal mechanisms for small to moderate earthquakes (e.g., seismic swarms and aftershock  
18 sequences).

19

20 As a general practice, seismological observatories routinely compute moment tensors for earthquakes  
21 above a certain threshold of magnitude and publish their solutions in online catalogs. The threshold  
22 magnitudes of some of these agencies are  $M_w = 5.0$  for the Global Centroid Moment Tensor (CMT)  
23 project (Dziewonski et al., 1981; Ekström et al., 2012),  $M_w = 4.5$  for the GEOFON Global Seismic  
24 Network, and  $M_w = 5.5$  for the National Earthquake Information Center (NEIC) of the USGS (Benz,

1 2017). Similarly, there are local and regional moment tensors catalogs with lower threshold magnitudes  
2 ( $3.5 < M_w < 4.5$ ). Some other online databases, such as the focal mechanism bulletin of the  
3 International Seismological Centre (ISC) (Lentas and Harris, 2019; Lentas et al., 2019) contain both  
4 moment tensor solutions and wave polarities of global seismicity. Focal mechanisms have been  
5 computed and published in previous studies investigating seismotectonic features of specific regions.  
6 Several authors have made a considerable effort to determine focal mechanisms reported in different  
7 documents and also collect them in catalogs for specific areas to provide a set of revised information  
8 (e.g., Whidden and Pankow, 2012; Franco et al., 2020; Saraò et al., 2021). Many focal mechanism  
9 solutions are commonly spread in different documents and locations, making standardizing  
10 information, checking, and selecting parameters a painstaking job.

11

12 In Mexico, seismological agencies responsible for providing information about earthquakes must report  
13 focal mechanisms. The parameters routinely reported are the hypocentral location, magnitude, and  
14 origin time. This fact highlights the need to have a robust focal mechanism catalog. For this purpose,  
15 we study earthquakes with focal mechanisms in the region corresponding to the Mexican territory and  
16 surrounding areas (latitude  $12 - 33^\circ$  N and longitude  $120 - 88^\circ$  W). Mexico is one of the most  
17 seismically active regions in the World, where different tectonic environments concur (subduction  
18 zone, transform fault zones, and intraplate regions). In Mexico, most of the seismic activity is due to  
19 the interaction among five tectonic plates (North American, Pacific, Cocos, Rivera, and Caribbean  
20 plates) and, to a lesser extent but not exempt of importance in terms of hazard, to the intraplate stresses  
21 located inland at tectonic plates. The region has experienced several shallow crustal intraplate, thrust  
22 subduction zone, and intra-slab earthquakes of great magnitude ( $7.0 < M < 8.2$ ) over the past century,  
23 causing extensive damage to the population centers as in the case of the 12 November 1912 Acambay  
24 earthquake ( $M \sim 7.0$ ), the 19 September 1985 Michoacan earthquake ( $M = 8.2$ ), and the 19 September

1 2017 ( $M = 7.1$ ) among others.

2

3 In virtue of the relevant seismic hazard in the region and its importance from the geodynamical  
4 perspective, many authors have computed the focal mechanisms of seismic events using different data  
5 and several techniques (e.g., Molnar and Sykes, 1969; Dean and Drake, 1978; Chael and Stewart, 1982;  
6 LeFevre and McNally, 1985; Goff et al., 1987; Guzmán-Speziale et al., 1989; Doser and Rodriguez,  
7 1993; Pacheco et al., 1993; Pardo and Suárez, 1993; Pardo and Suárez, 1995; Quintanar et al., 1999;  
8 Rebollar et al., 1999; Quintanar et al., 2004; Rodríguez-Lozoya et al., 2008; Ortega and Quintanar,  
9 2010; Pacheco and Singh, 2010; Sumy et al., 2013; Dougherty and Clayton, 2014; Abbott and  
10 Brudzinski, 2015; Rodríguez-Pérez and Singh, 2016; Huesca-Pérez et al., 2022). National and  
11 International observatories also provide focal mechanism solutions for seismic events generated in the  
12 territory of Mexico (e.g., the Mexican Seismological Service, SSN; the Southern California Seismic  
13 Network, SCSN; U.S. Geological Survey, USGS, among others). In this study, we aim to collect and  
14 revise as many focal mechanisms as possible over time in a comprehensive catalog that can be a great  
15 starting point for future seismotectonic and seismic hazard studies.

16

## 17 **2 Data and methods**

### 18 **2.1 Data**

19 To collect information on focal mechanisms in Mexico, we first conduct a bibliographic search in  
20 libraries retrieving documents such as theses and reports. Secondly, the individual published articles are  
21 found via different search engines such as google scholar, research gate, and Geoscienceworld. Finally,  
22 we search for focal mechanism solutions in catalogs reported by different seismic agencies. After  
23 examining information from several literature references and seismological agencies catalogs, we find  
24 5701 earthquakes with at least one fault plane solution. We report all the available focal mechanisms

1 obtained by different authors and seismological agencies for each seismic event making 7664 the total  
2 number of focal mechanisms. The compiled catalog has focal mechanism data from February 1928 to  
3 July 2022; the lowest data density is in the time interval of 1928-1970 (125 focal mechanisms) (upper  
4 panel in Fig. 1). Then, the number of focal mechanisms increased gradually between 1970 to 1995 (860  
5 focal mechanisms) (Fig. 1). Since 1995, the number of focal mechanisms reported in Mexico has  
6 increased significantly (6679 focal mechanisms) (Fig. 1). The magnitude of these events fluctuates  
7 from -0.9 to 8.2, while the hypocentral depth is in the interval of  $0 < Z < 270$  km. The negative  
8 magnitude values are associated with microearthquakes in Sonora, located by Natali and Sbar (1982).  
9 These microearthquakes were detected using a 10-station temporal seismic network with the  
10 Hypoellipse program (Lahr, 1979). We classify the focal mechanisms into three categories regarding  
11 the general geological nature: 1) tectonic or regular, 2) geothermal, and 3) volcanic events.

12  
13 In our catalog, tectonic earthquakes comprise 7459 focal mechanisms reported in previous studies and  
14 for different seismological observatories using different data and methods (Molnar and Sykes, 1969;  
15 Thatcher and Brune, 1971; Molnar, 1973; Johnson et al., 1976; Jimenez-Jimenez, 1977; Dean and  
16 Drake, 1978; Ebel et al., 1978; Jimenez, 1978; Kanamori and Stewart, 1978; Yamamoto, 1978; Reyes  
17 et al., 1979; Astiz, 1980; Morales-Matamoros, 1980; Zúñiga and Valdés-González, 1980; Chael and  
18 Stewart, 1982; Frohlich, 1982; Natali and Sbar, 1982; Domínguez-Reyes, 1983; Havskov et al., 1983;  
19 Astiz and Kanamori, 1984; Beroza et al., 1984; Burbach et al., 1984; González and Suárez, 1984;  
20 González et al., 1984; Lesage, 1984; Munguía and Brune, 1984; Yamamoto et al., 1984; LeFevre. and  
21 McNally, 1985; Singh et al., 1985; González-Ruiz, 1986; Mota-Palomino et al., 1986; Ruiz-Kitcher,  
22 1986; Suárez and Ponce, 1986; Yamamoto, 1986; Goff et al., 1987; González-Ruiz, 1987; Yamamoto  
23 and Mota, 1988; Yamamoto and Mitchell, 1988; Guzmán-Speziale et al., 1989; Domínguez-Rivas,  
24 1991; Doser, 1992; Doser and Rodriguez, 1993; Pacheco et al., 1993; Pardo and Suárez, 1993; Singh

1 and Pardo, 1993; Wolfe et al., 1993; Zúñiga et al., 1993; Cocco et al., 1994; Ruff and Miller, 1994;  
2 Santoyo-García-Galeano, 1994; Delgado-Vazquez, 1995; Pardo and Suárez, 1995; UNAM and  
3 CENAPRED Seismology group, 1995; Wong et al., 1997; Pacheco and Singh, 1998; Quintanar et al.,  
4 1999; Rebollar et al., 1999; Singh et al., 1999; Terán-Mendieta, 1999; Campos-Enriquez et al., 2000;  
5 Cruz-Jiménez, 2000; Singh et al., 2000a,b; Delgadillo-Peralta, 2001; Rebollar et al., 2001; Iglesias et  
6 al., 2002; Yamamoto et al., 2002; Chavacán-Ávila, 2003, Pacheco et al., 2003; Sánchez-Alvaro, 2003;  
7 Singh et al., 2003; Zúñiga et al., 2003; Aguilar-Rosales, 2004; García et al., 2004; Núñez-Cornú et al.,  
8 2004; Quintanar et al., 2004; Hurtado-Díaz, 2005; Bernal-Esquia, 2006; González et al., 2006;  
9 Chavacán-Ávila, 2007; Singh et al., 2007a,b; Huesca-Pérez, 2008; Rodríguez-Lozoya et al., 2008;  
10 Ortega and Quintanar, 2010; Pacheco and Singh, 2010; Pérez-Campos et al., 2010; Rodríguez-Lozoya  
11 et al., 2010; Vidal et al., 2010; Jaramillo and Suárez, 2011; Martínez-López, 2011; Okal and Borrero,  
12 2011; Stella-Ramírez, 2011; Singh et al., 2012; Soto-Peredo, 2012; Bello-Segura, 2013; Clemente-  
13 Chavez et al., 2013; Franco et al., 2013; Rutz-López et al., 2013; Sumy et al., 2013; UNAM  
14 Seismology Group, 2013; Yamamoto et al., 2013; De la Vega, 2014; Dougherty et al., 2014; Abbott and  
15 Brudzinski, 2015; Singh et al., 2015; Suárez and López, 2015; UNAM Seismology Group, 2015;  
16 Yamamoto and Jiménez, 2015; Granados-Chavarría, 2016; Gómez-Arredondo et al., 2016; Munguía et  
17 al., 2016a,b; Rodríguez-Cardozo, 2016; Rodríguez-Pérez and Singh, 2016; Suárez et al., 2016; Vallée  
18 and Douet, 2016; Singh et al., 2017; Yela-Portilla, 2018; Chávez-Hernández, 2019; Domínguez-Reyes  
19 et al., 2019; Quintanar et al., 2019; Méndez-Alarcón, 2020; Singh et al., 2020a,b; Mendoza-Zúñiga,  
20 2021; Néquiz-Guillén, 2021; Núñez-Cornú et al., 2021; Sánchez-Lopez, 2021; Corona-Fernández and  
21 Santoyo, 2022; Huesca-Pérez et al., 2022).

22

23 On the other hand, focal mechanisms of geothermal events include 151 events reported in the literature  
24 (Albores et al., 1980; Fabriol and Munguía, 1997; González et al., 2001; Rebollar et al., 2003;

1 Antayhua-Vera, 2007; Suárez-Vidal et al., 2007; Romero-Domínguez, 2013; Pérez, 2017; Oregel-  
2 Morales, 2019; GEMex project, 2020). Finally, the volcanic earthquakes part consists of 54 focal  
3 mechanisms (Núñez-Cornú and Sánchez-Mora, 1998; Jimenez-Jimenez, 1999; Arámbula-Mendoza,  
4 2007; Pinzón et al., 2017; Angulo-Carrillo, 2018; Núñez et al., 2022). Focal mechanisms reported in  
5 this catalog were derived with the following techniques: 1) regional and teleseismic moment tensor  
6 inversion (4747 fault plane solutions with  $1.4 < M < 8.2$ ), 2) waveform analysis (208 fault plane  
7 solutions with  $1.4 < M < 8.1$ ), and 3) first-motion wave polarities of single or composite mechanisms  
8 (2584 with  $0.4 < M < 8.2$ , and 125 with  $-0.9 < M < 5.7$ , fault plane solutions, respectively).

9

## 10 **2.2 Methods**

11 After carefully searching focal mechanism solutions in the literature, we classify all the focal  
12 mechanisms in our catalog. For this purpose, we use the FMC's computer program (from Focal  
13 Mechanisms Classification) (Álvarez-Gómez, 2019). The software uses the Kaverina-type  
14 classification diagrams (Kaverina et al., 1996) to verify the rupture type of focal mechanism data. The  
15 Kaverina-type ternary diagrams classify earthquakes into seven rupture types based on the plunges of  
16 the  $P$ ,  $B$ , and  $T$  principal axes: 1) normal (N), 2) normal – strike-slip (N-SS), 3) strike-slip – normal  
17 (SS-N), 4) strike-slip (SS), 5) strike-slip – reverse (SS-R), 6) reverse – strike-slip (R-SS), and 7)  
18 reverse (R) (lower panel in Fig. 1). Subsequently, we calculate the missing information of the  
19 fault/auxiliary planes, and principal axes. At this stage, we use the code library “cmt” of seizmo  
20 software (Euler, 2014). Seizmo is a collection of different Matlab libraries to perform different tasks in  
21 seismology. In particular, we use the library called "cmt" which deals with obtaining auxiliary planes,  
22 calculating fault angles, and converting focal mechanisms, principal axes, and moment tensors. This  
23 library is made up of several functions, some of which we use and briefly describe below. We use the  
24 function “auxplane.m” to calculate the auxiliary focal plane. The function “sdr2tpb.m” is used to



1 determine the principal axes of a focal mechanism. In some cases, we have to convert the moment  
2 tensor and principal axes to strike, dip, and rake angles. For that purpose, we use the function  
3 “tpb2sdr.m”. Transformations of moment tensors to strike-dip-rake are performed with the function  
4 “mt2sdr.m”. In cases where only the strike and dip of the fault and auxiliary planes were reported, the  
5 rake angles are calculated with the function “GetRake” of the RFOC software (Lees, 2018). The  
6 package RFOC is written in *R* language and deals with graphics for statistics on a sphere, earthquake  
7 focal mechanisms, radiation patterns, and ternary plots.

8

9 Our database merges focal mechanism solutions from different studies that used different  
10 methodologies, each with a different uncertainty level. To address this variability in data and methods,  
11 we rank the quality and reliability of the focal mechanisms in our catalog using the following criteria.  
12 We assign a quality factor based on data availability and the calculation process. For data availability,  
13 we consider the number of observations, quality of the records (e.g., digitized seismograms, type of  
14 instrument), and their spatial distribution (hypocentral distance and station coverage). In the case of the  
15 calculation process, we consider the uniformity of the method throughout the reported study, the  
16 methodology's description, and the method's calibration (selection of input parameters for the method  
17 chosen to calculate focal mechanisms or moment tensors). A good calibration considers a correct  
18 selection of the medium's properties, especially the velocity model used to calculate travel times or  
19 synthetic seismograms. Due to the lack of uncertainty estimates reported in several studies, we do not  
20 consider them for assigning a quality factor in most fault plane solutions. The quality of the moment  
21 tensor solutions is assigned based on the overall variance reduction (VR). The VR describes the  
22 goodness of fit between observed and synthetic waveforms of the moment tensor inversion. We only  
23 considered VR to assign a quality factor when it was available. Franco et al. (2020) studied seismic  
24 moment tensors in Mexico, and they established that a value of  $VR \geq 50\%$  is a reasonable threshold for

1 reliable focal mechanism solutions.

2

3 We classify the focal mechanism data into three categories: A, B, and C. A represents good/reliable  
4 data, B represents regular, and C represents poor/questionable data. Category A has one or more of the  
5 following situations: an adequate velocity structure, a VR of  $> 70\%$ , an adequate number of  
6 observations, a good spatial distribution of observations, a uniform methodology (avoiding the use of  
7 several methods to obtain parameters and mix the results), a good description of the method  
8 (advantages and disadvantages of the technique used) and data processing, and modern seismic  
9 instrumentation. Category B has one or more of the following situations: an adequate velocity model, a  
10 VR range of  $50\% < VR < 70\%$ , few observations, a regular spatial distribution of observations, a  
11 uniform methodology, and a good description of the method and data processing. Category C has one  
12 or more of the following situations: a global/mean velocity model, a VR of  $< 50\%$ , few observations,  
13 poor spatial distribution of observations, nonuniform methodology, a poor description of the method  
14 and data processing, and analog instrumentation. Here, the term adequate velocity model refers to the  
15 model being specific to the region where the earthquakes are generated. Since, in many cases, average  
16 models are used that cover vast regions of the territory of Mexico. The quality criterium presented here  
17 may help the user decide if the selected focal mechanisms are suitable for their analysis or study. For  
18 each focal mechanism solution, we show all the magnitudes reported. An event can have a different  
19 type of magnitude. Given all the different magnitude scales, compiling a unified magnitude scale is a  
20 demanding task requiring further detailed analysis outside this study's scope. In addition, the main  
21 objective of this study is the focal mechanisms per se.

22

23 We provide our catalog in ASCII and Excel files entitled "Focal\_mechanisms\_Mexico\_1928-2022". In  
24 this file, we provide the following information: 1) the number of the event, 2) the number of solutions

1 named as S-1, S-2, and S- $n$ , where  $n$  is the number of a solution, 3) date of the event, 4) origin time, 5)  
2 longitude of the epicenter, 6) latitude of the epicenter, 7) hypocentral depth, 8) magnitude for each of  
3 the solutions, 9) rupture type (N, N-SS, SS-N, SS, SS-R, R-SS, and R) , 10) strike angle 1, 11) dip  
4 angle 1, 12) rake angle 1, 13) strike angle 2, 14) dip angle 2, 15) rake angle 2, 16) plunge of the  $T$ -axis,  
5 17) azimuth of the  $T$ -axis, 18) plunge of the  $P$ -axis, 19) azimuth of the  $P$ -axis, 20) plunge of the  $B$ -axis,  
6 21) azimuth of the  $B$ -axis, 22) tectonic environment (tectonic, geothermal zone or volcanic), 23)  
7 observations of the event (here we reported the type of magnitude for each of the solutions,  $M_s$ ,  $m_b$ ,  $M_w$ ,  
8  $M_L$ , and  $M_c$ ), 24) method used to determine the focal mechanism (first arrivals, composite solution,  
9 waveform analysis, moment tensor), 25) variance reduction when the information was available, 26)  
10 quality of the event, and 27) bibliographical references or seismological agency. When the information  
11 is missing (the origin time, the seismic magnitude, or the hypocentral depth), the database cell is  
12 highlighted in red, and a question mark is also shown in the cell.

13

### 14 **3 Results**

15 The information in this catalog is presented in an easy-to-understand manner as an aid to the user. The  
16 classification of the focal mechanisms in our catalog yielded 1750 events with normal-faulting (Fig. 2).  
17 Earthquakes with N-SS faulting include 691 events (Fig. 3). On the other hand, reverse-faulting forms a  
18 group of 2248 earthquakes (Fig. 4). R-SS faulting consists of 351 events (Fig. 5). Pure strike-slip  
19 rupture is made up of 1320 seismic events (Fig. 6). SS-N faulting comprises a group of 792  
20 earthquakes (Fig. 7). SS-R faulting is made up of 512 seismic events (Fig. 8). The earthquake  
21 magnitude distribution for all types of faulting exhibits bimodal distributions (Figs. 2 to 8). Several  
22 factors can explain this. On the one side, the earthquake detection capability of permanent seismic  
23 networks has improved with new developments and densification of seismometers. On the other hand,  
24 it is also due to the use of temporary networks used to study aftershock sequences and seismic swarms.

1

## 2 **4 Discussion**

3 In Figs. 9 to 15, we show the orientation of the pressure and tension axes. Some conspicuous  
4 differences can already be distinguished among the different tectonic regimes. We provide some  
5 statistics on P and T axes for each type (Table 1) which may serve as a first step to a more detailed  
6 analysis since this is not the aim of this work. We interpret the large deviations from the main trends in  
7 data presented in Table 1 as arising from the mixture of tectonic regimes involved in the average; these  
8 should decrease when differentiating among such regimes. Nevertheless, the azimuths of the P and T  
9 axes primarily reflect the expected conditions of subduction for events of the R type which dominate  
10 this type of events, as well as the trends of transform faults in the case of SS type. N-type events  
11 comprise a mixture of tectonic regimes which precludes identifying a particular regime as dominating  
12 the whole data set. Even though a detailed tectonic analysis is out of the scope of this work, we believe  
13 that the data presented here will make such a task more accessible and provide a basis for systematic  
14 comparisons.

15

## 16 **5 Conclusions**

17 We collect and revise focal mechanism solutions previously reported by different agencies and studies  
18 from published sources to compile a catalog of focal mechanisms for Mexico. Our catalog consists of  
19 7664 solutions for 5701 local and regional events. From these, 1750 events correspond to normal  
20 faulting, 691 events to N-SS, 2248 to pure-reverse, 351 to R-SS, 1320 to pure strike-slip, 792 to SS-N,  
21 and 512 to SS-R faulting. These account for 32% of the solutions corresponding to normal in general,  
22 34% to reverse, and 34% for the dominantly strike-slip type. Besides including all information about  
23 the source of the data, we also ranked the quality of the focal mechanism data into three categories: A,  
24 B, and C. A represents good/reliable data, B represents regular, and C represents poor/questionable data

1 according to a robust criterion. Moment tensor inversion involves many assumptions and constraints  
2 that make evaluating confidence in fault planes difficult. For this reason, we present all the focal  
3 mechanism solutions available for one event. In this way, the users can consider the variability of the  
4 focal mechanisms in their analysis.

5

## 6 **6 Data availability**

7 Some focal mechanisms were taken from the following sources: 1) Global Centroid Moment Tensor  
8 (Global CMT) via <https://www.globalcmt.org>, 2) Mexican Global Centroid Moment Tensor via  
9 <http://132.248.6.13/cmt>, 3) GEOFON Global Seismic Network via [https://geofon.gfz-](https://geofon.gfz-potsdam.de/old/eqinfo/list.php?mode=mt)  
10 [potsdam.de/old/eqinfo/list.php?mode=mt](https://geofon.gfz-potsdam.de/old/eqinfo/list.php?mode=mt), 4) International Seismic Centre (ISC) bulletin via  
11 <http://www.isc.ac.uk/iscbulletin/search/fmechanisms>, 5) U.S. Geological Survey (USGS) via  
12 <https://earthquake.usgs.gov>, 6) Saint Louis University moment tensor catalog via  
13 [http://www.eas.slu.edu/eqc/eqc\\_mt/MECH.NA](http://www.eas.slu.edu/eqc/eqc_mt/MECH.NA), 7) SCARDEC Source Time Functions Database via  
14 <http://scardec.projects.sismo.ipgp.fr>, and 8) Southern California Seismic Network (SCSN) earthquake  
15 catalogs via [http://www.eas.slu.edu/eqc/eqc\\_mt/MECH.NA](http://www.eas.slu.edu/eqc/eqc_mt/MECH.NA). In all cases, last access: 17 September  
16 2022.

17

## 18 **7 Code availability**

19 All figures were plotted by the Generic Mapping Tools software package ([https://www.generic-](https://www.generic-mapping-tools.org)  
20 [mapping-tools.org](https://www.generic-mapping-tools.org); Wessel et al., 2013). Earthquake fault classification were performed with FMC  
21 software (<https://github.com/Jose-Alvarez/FMC>; Álvarez-Gómez, 2019). Conversions among fault  
22 planes, principal axes and/or moment tensors were performed with RFOC and seizmo cmt codes  
23 (<https://github.com/cran/RFOC>; Lees, 2018; and <https://github.com/g2e/seizmo>).

24

1 **Author contributions.**

2 QRP and FRZ designed the idea and discussed the results. QRP was responsible for the data collection  
3 and earthquake selection. The two authors contributed to the manuscript and approved the final version.

4

5 **Competing interests.**

6 The authors declare that they have no conflict of interest.

7

8 **Acknowledgements.**

9 Quetzalcoatl Rodríguez-Pérez was supported by the Mexican National Council for Science and  
10 Technology (CONACYT) (Research - project 1126). Partial support for F. Ramón Zúñiga was obtained  
11 from grant PAPIIT-UNAM IG101823 which is also acknowledged. Constructive reviews by two  
12 anonymous reviewers helped to improve the manuscript.

13

14 **References.**

15

16 Abbott, E. R., and Brudzinski, M. R.: Shallow seismicity patterns in the northwestern section of the  
17 Mexico Subduction Zone, *J. S. Am. Earth Sci.*, 63, 279-292,  
18 <https://doi.org/10.1016/j.jsames.2015.07.012>, 2015.

19

20 Aguilar-Rosales, M. A.: Determinación del tipo de fuentes sísmicas dentro de la Cuenca de México y  
21 sus relación con la geología local, B.Eng. thesis, UNAM, Mexico, 38 pp., 2004.

22

23 Albores, A., Reyes, A., Brune, J. N., Gonzalez, J., Garcilazo, L., and Suarez, F.: Seismicity studies in  
24 the region of the Cerro Prieto Geothermal field, *Geothermics*, 9, 65-77, <https://doi.org/10.1016/0375->

1 6505(80)90024-3, 1980.

2

3 Álvarez-Gómez, J. A.: FMC- Earthquake focal mechanisms data management, cluster and  
4 classification, *Software X*, 9, 299-307, <https://doi.org/10.1016/j.softx.2019.03.008>, 2019.

5

6 Angulo-Carrillo, J.: Análisis de la actividad sísmica e hidrotermal del Volcán La Malinche, México,  
7 M.S. thesis, UNAM, Mexico, 85 pp., 2018.

8

9 Antayhua-Vera, Y. T.: Sismicidad en el campo geotermico de los Humeros-Puebla (1997-2004), su  
10 relacion con los pozos y la tectonica local, M.S. thesis, UNAM, Mexico, 225 pp., 2007.

11

12 Arámbula-Mendoza, R.: Estado de esfuerzos en el Volcán Popocatepetl obtenido con mecanismos  
13 focales, en el periodo de actividad de 1996 a 2003, M.S. thesis, UNAM, Mexico, 122 pp., 2007.

14

15 Astiz, L. M.: Sismicidad en Acambay, Estado de Mexico. El temblor del 22 de febrero de 1979, B.Eng.  
16 thesis, UNAM, Mexico, 130 pp., 1980.

17

18 Astiz, L. M., and Kanamori, H.: An earthquake doublet in Ometepec, Guerrero, Mexico, *Phys. Earth  
19 and Planet. Int.*, 34, 24-45, [https://doi.org/10.1016/0031-9201\(84\)90082-7](https://doi.org/10.1016/0031-9201(84)90082-7), 1984.

20

21 Bello-Segura, D. I.: Parámetros de la fuente de sismos con epicentros en el Valle de México durante  
22 2008-2012, M.S. thesis, UNAM, Mexico, 85 pp., 2013.

23

24 Benz, H.: Building a National Seismic Monitoring Center: NEIC from 2000 to the Present, *Seism. Res.*

1 Lett., 88, 457-461, <https://doi.org/10.1785/0220170034>, 2017.

2

3 Bernal-Esquia, Y. I.: Microzonificación sísmica de la Ciudad de Tlaxcala, Mexico, M.S. thesis, UNAM,  
4 130 pp., 2006.

5

6 Beroza, G., Rial, J. A., and McNally, K. C.: Source mechanisms of the June 7, 1982 Ometepe, Mexico  
7 earthquake, *Geophys. Res. Lett.*, 11, 689-692, <https://doi.org/10.1029/GL011i008p00689>, 1984.

8

9 Burbach, G., Frolich, C., Pennington, W., and Matumoto, T.: Seismicity and tectonics of the subducted  
10 Cocos plate, *J. Geophys. Res.*, 89, 7719-7735, <https://doi.org/10.1029/JB089iB09p07719>, 1984.

11

12 Campos-Enriquez, J. O., Rodríguez, M., Delgado-Rodríguez, O., and Milán, M.: Contribution to the  
13 tectonics of the northern portion of the central sector of the trans-Mexican Volcanic Belt, *Geol. Soc.  
14 Am.*, Special Paper, 334, 223-235, <https://doi.org/10.1130/0-8137-2334-5.223>, 2000.

15

16 Chael, E. P., and Stewart, G. S.: Recent large earthquakes along the Middle American Trench and their  
17 implications for the subduction process, *J. Geophys. Res.*, 87, 329-338,  
18 <https://doi.org/10.1029/JB087iB01p00329>, 1982.

19

20 Chavacán-Ávila, M. R.: Catalogo de sismicidad local para la Cuenca de Mexico, M.S. thesis, UNAM,  
21 Mexico, 159 pp., 2007.

22

23 Chavacán-Avila, M. R.: Parámetros de fuente asociados a la sismicidad del sistema de fallas de la  
24 Sierra del Chichinautzin, B.Eng. thesis, UNAM, Mexico, 90 pp., 2003.



1

2 Chávez-Hernández, O. C.: Determinación de mecanismos focales en el Valle de México durante el  
3 periodo 2014-2016, B.Eng. thesis, IPN, Mexico, 68 pp., 2019.

4

5 Clemente-Chavez, A., Figueroa-Soto, A., Zúñiga, F. R., Arroyo, M., Montiel, M., and O. Chavez, O.:  
6 Seismicity at the northeast edge of the Mexican Volcanic Belt (MVB) and activation of an  
7 undocumented fault: the Peñamiller earthquake sequence of 2010-2011, Querétaro, Mexico, Nat.  
8 Hazards Earth Syst. Sci., 13, 2521-2531, <https://doi.org/10.5194/nhess-13-2521-2013>, 2013.

9

10 Cocco, M., Pacheco, J., Singh, S. K., and Courboux, F.: The Zihuatanejo, Mexico, earthquake of 1994  
11 December 10 ( $M = 6.6$ ): source characteristics and tectonic implications, Geophys. J. Int., 131, 135-  
12 145, <https://doi.org/10.1111/j.1365-246X.1997.tb00600.x>, 1997.

13

14 Cornell, C. A.: Engineering seismic risk analysis, Bull. Seismol. Soc. Am., 58, 1583-1606,  
15 <https://doi.org/10.1785/BSSA0580051583>, 1968.

16

17 Corona-Fernández, R.D., and Santoyo, M. A.: Re-examination of the 1928 Parral, Mexico earthquake  
18 ( $M6.3$ ) using a new multiplatform graphical vectorization and correction software for legacy seismic  
19 data, Geosci. Data J. 00, 1-15, <https://doi.org/10.1002/gdj3.159>, 2022.

20

21 Cruz-Jiménez, H.: Análisis de las réplicas de los sismos del 3 ( $M = 4.1$ ) y 5 ( $M = 4.2$ ) de junio de 1996  
22 en Bella Vista, Querétaro, B.Eng. thesis, IPN, Mexico, 95 pp., 2000.

23

24 Dean, B. W., and Drake, C. L.: Focal mechanism solutions and tectonics of the Middle America arc, J.

1 Geol., 86, 111-128, 1978.

2

3 De la Vega-Cabrera, O. O.: Un método de inversion del tensor de momento sismico: implementacion y  
4 aplicacion a las replicas del temblor de 20 de marzo 2012, Ometepec, Guerrero, UNAM, Mexico,  
5 B.Eng. thesis, 114 pp., 2014.

6

7 Delgadillo-Peralta, M.: Un estudio de sismicidad en el Valle de México durante el periodo de 1996 al  
8 2000. B.Eng. thesis, UNAM, Mexico, 63 pp., 2001.

9

10 Delgado-Vazquez, M. A.: Zonificacion sismica para la zona urbana de Guadalajara, B.Eng. thesis,  
11 UNAM, Mexico, 95 pp., 1995.

12

13 Di Giacomo, D., Engdahl, E. R., and Storchak, D. A.: The ISC-GEM Earthquake Catalogue (1904-  
14 2014): status after the Extension Project, Earth Syst. Sci. Data, 10, 1877-1899,  
15 <https://doi.org/10.5194/essd-10-1877-2018>, 2018.

16

17 Domínguez-Reyes, T.: Estudio del temblor de Tehuantepec del 22 de Junio de 1979 ( $m_b$ - 6.2, h-113 km)  
18 mediante modelado de ondas de cuerpo, B.Eng. thesis, UNAM, Mexico, 48 pp., 1983.

19

20 Domínguez-Reyes, T., Rodríguez Lozoya, H. E., Reyes, G., Quintanar Robles, L., Aguilar Meléndez,  
21 A., and Rodríguez Leyva, H. E.: Sorce parameters, focal mechanisms and stress tensor inversion from  
22 moderate earthquakes and its relationship with subduction zone, Geofis. Int., 58, 127-137,  
23 <https://doi.org/10.22201/igeof.00167169p.2018.58.2.1965>, 2019.

24

1 Domínguez-Rivas, J.: Geometría de la Placa de Cocos en la región del río Balsas, Guerrero, B.Eng.  
2 thesis, UNAM, Mexico, 72 pp., 1991.  
3  
4 Doser, D. I.: Faulting process of the 1956 San Miguel, Baja California, earthquake sequence, Pure and  
5 Appl. Geophys., 139, 3-16, 1992.  
6  
7 Doser, D. I., and J. Rodriguez, J.: The seismicity of Chihuahua, Mexico, and the 1928 Parral  
8 earthquake, Phys. of Earth and Planet. Int., 78, 97-104, [https://doi.org/10.1016/0031-9201\(93\)90086-O](https://doi.org/10.1016/0031-9201(93)90086-O),  
9 1993.  
10  
11 Dougherty, S. L., and Clayton, R. W.: Seismicity and structure in central Mexico: evidence for a  
12 possible slab tear in the South Cocos plate, J. Geophys. Res., 119, 3424-3447,  
13 <https://doi.org/10.1002/2013JB010883>, 2014.  
14  
15 Dziewonski, A. M., Chou, T. A., and Woodhouse, J. H.: Determination of earthquake source parameters  
16 from waveform data for studies of global and regional seismicity, J. Geophys. Res., 86, 2825-2852,  
17 <https://doi.org/10.1029/JB086iB04p02825>, 1981.  
18  
19 Dziewonski, A. M. and Woodhouse, J. H.: An experiment in systematic study of global seismicity:  
20 centroid-moment tensor solutions for 201 moderate and large earthquakes of 1981, J. Geophys. Res.,  
21 88, 3247-3271, <https://doi.org/10.1029/JB088iB04p03247>, 1983.  
22  
23 Ebel, J. E., Burdick, L. J., and Stewart, G. S.: The source mechanism of the August 7, 1966 El Golfo  
24 earthquake, Bull. Seismol. Soc. Am., 68, 1281-1292, <https://doi.org/10.1785/BSSA0680051281>, 1978.

1

2 Ekström, G., Nettles, M., and Dziewonski, A. M.: The global CMT project 2004-2010: Centroid-  
3 moment tensors for 13,017 earthquakes, *Phys. Earth Planet. Inter.*, 200-201, 1-9,  
4 <https://doi.org/10.1016/j.pepi.2012.04.002>, 2012.

5

6 Escobedo-Zenil, D.: El sismo del 09 de Octubre de 1995 en Colima. Un estudio telesísmico, M.S.  
7 thesis, UNAM, Mexico, 67 pp., 1997.

8

9 Euler, G. G.: Seizmo package. <https://github.com/g2e/seizmo>, 2014.

10

11 Franco, S. I., Canet, C., Iglesias, A., and Valdés-Gonzalez, C.: Seismic activity in the Gulf of Mexico.  
12 A preliminary analysis, *Bol. Soc. Geol. Mex.*, 65, 447-455,  
13 <http://dx.doi.org/10.18268/BSGM2013v65n3a2>, 2013.

14

15 Franco, S. I., Iglesias, A., and Fukuyama, E.: Moment tensor catalog for Mexican earthquakes: almost  
16 two decades of seismicity, *Geofis. Int.*, 59, 54-82,  
17 <https://doi.org/10.22201/igeof.00167169p.2020.59.2.2081>, 2020.

18

19 Fabriol, H., and Munguía, L.: Seismic activity at the Cerro Prieto geothermal area (Mexico) from  
20 August 1994 to December 1995, and its relationship with tectonics and fluid exploitation, *Geophys.*  
21 *Res. Lett.*, 24, 1807-1810, <https://doi.org/10.1029/97GL01669>, 1997.

22

23 Frohlich, C.: Seismicity of the central Gulf of Mexico, *Geology*, 10, 103-106,  
24 [https://doi.org/10.1130/0091-7613\(1982\)10](https://doi.org/10.1130/0091-7613(1982)10), 1982.

1

2 García, D., Singh, S. K., Herrádiz, M., Pacheco, J. F., and Ordaz, M.: Inslab earthquakes of Central  
3 Mexico:  $Q$ , source spectra, and stress drop, Bull. Seismol. Soc. Am., 94, 789-802,  
4 <https://doi.org/10.1785/0120030125>, 2004.

5

6 Guilhem, A., Dreger, D. S.: Rapid detection and characterization of large earthquakes using quasi-  
7 finite-source Green's functions in continuous moment tensor inversion, Geophys. Res. Lett., 38,  
8 L13318, <https://doi.org/10.1029/2011GL047550>, 2011.

9

10 Goff, J. A., Bergman, E. A., and Solomon, S. C.: Earthquake source mechanisms and transform fault  
11 tectonics in the Gulf of California, J. Geophys. Res., 92, 10485-10510,  
12 <https://doi.org/10.1029/JB092iB10p10485>, 1987.

13

14 GEMex project: Seismic structures of the Acoculco and Los Humeros geothermal fields, European  
15 Union's Horizon 2020 programme for Research and Innovation, Open File Rep. D5.3, 128 pp., 2020.

16

17 Gómez-Arredondo, C. M., Montalvo-Arrieta, J. C., Iglesias-Mendoza, A., and Espindola-Castro, V. H.:  
18 Relocation and seismotectonic interpretation of the seismic swarm of August - December of 2012 in the  
19 Linares area, northeastern Mexico, Geofis. Int., 55, 95-106,  
20 <https://doi.org/10.22201/igeof.00167169p.2016.55.2.1714>, 2016.

21

22 González, J. J., and Suárez, F.: Geological and seismic evidence of a new branch of the Agua Blanca  
23 Fault, Geophys. Res. Lett., 11, 42-45, <https://doi.org/10.1029/GL011i001p00042>, 1984.

24

1 González, J., Nava, F. A., and Reyes, C. A.: Foreshock and aftershock activity of the 1976 Mesa de  
2 Andrade, Mexico, earthquake, Bull. Seismol. Soc. Am., 74, 223-233,  
3 <https://doi.org/10.1785/BSSA0740010223>, 1984.  
4  
5 González, M., Munguía, L., Vidal, A., and Wong, V.: Two  $M_w$  4.8 Cerro Prieto, Baja California,  
6 México, earthquakes on 1 June and 10 September 1999: strong-motion observations, Bull. Seismol.  
7 Soc. Am., 91, 1456-1470, <https://doi.org/10.1785/0120000033>, 2001.  
8  
9 González, M., Vidal, A., and Munguía, L.: An  $M_L$  scale for the La Paz-Los Cabos region, Baja  
10 California Sur, Mexico, Bull. Seismol. Soc. Am., 96, 1296-1304, <https://doi.org/10.1785/0120050196>,  
11 2006.  
12  
13 Gonzalez-Ruiz, L. C.: Patrones de sismicidad en Guerrero y peligro sísmico, M.S. thesis, UNAM,  
14 Mexico, 69 pp., 1987.  
15  
16 Gonzalez-Ruiz, J.: Earthquake source mechanics and tectonophysics of the middle America subduction  
17 zone in Mexico, Ph.D. Thesis, U. of California, Santa Cruz., 1986.  
18  
19 Granados-Chavarría, I.: Analisis de los sismos de Julio de 2012 en el Valle de Chalco, Estado de  
20 Mexico: estudios de fuente y efectos en superficie, B.Eng. thesis, UNAM, Mexico, 115 pp., 2016.  
21  
22 Guzmán-Speziale, M., Pennington, W. D., and Matumoto, T.: The triple junction of the North America  
23 Cocos, and Caribbean plates: seismicity and tectonics, Tectonics, 8, 981-997,  
24 <https://doi.org/10.1029/TC008i005p00981>, 1989.

1

2 Havskov, J., Singh, S. K., Nava, E., Dominguez, T., and Rodríguez, M.: Playa Azul, Michoacan,  
3 Mexico, earthquake of 25 October 1981 ( $M_s = 7.3$ ), Bull. Seismol. Soc. Am., 73, 449-457,  
4 <https://doi.org/10.1785/BSSA0730020449>, 1983.

5

6 Huesca-Pérez, E.: Sismicidad y el campo de esfuerzos en la Cuenca de Mexico, M.S. thesis, UNAM,  
7 Mexico, 118 pp., 2008.

8

9 Huesca-Pérez, E., Gutierrez-Reyes, E., and Quintanar, L.: Seismic source processes of 25 earthquakes  
10 ( $M_w > 5$ ) in the Gulf of California, Bull. Seismol. Soc. Am., 112, 714-733,  
11 <https://doi.org/10.1785/0120210218>, 2022.

12

13 Hurtado-Díaz, A.: Geometria y estado de esfuerzos de la zona de Benioff de la placa de Rivera bajo el  
14 Bloque de Jalisco, B.Eng. thesis, UNAM, Mexico, 61 pp., 2005.

15

16 Iglesias, A., Singh, S.K., Pacheco, J. F., and Ordaz, M.: A source and wave propagation study of the  
17 Copalillo, Mexico, earthquake of 21 July 2000 ( $M_w 5.9$ ): implications for seismic hazard in Mexico  
18 City from inslab earthquakes, Bull. Seismol. Soc. Am., 92, 1060-1071,  
19 <https://doi.org/10.1785/0120010144>, 2002.

20

21 Jaramillo, S. H., and Suárez, G.: The 4 december 1948 earthquake ( $M_w 6.4$ ): evidence of reverse  
22 faulting beneath the Tres Marías escarpment and its implications for the Rivera-North American  
23 relative plate motion, Geofis. Int., 50, 313-317,  
24 <https://doi.org/10.22201/igeof.00167169p.2011.50.3.229>, 2011.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24

Jimenez-Jimenez, Z.: Mecanismo focal de siete temblores ( $m_b \geq 5.5$ ) ocurridos en la región de Orizaba, México, en el periodo de 1928 a 1973, B.Eng. thesis, UNAM, Mexico, 102 pp., 1977.

Jimenez, Z., and Ponce, L.: Focal mechanism of six large earthquakes in Northern Oaxaca, Mexico, for the period 1928-1973, Geofis. Int., 17, 379-386,

<https://doi.org/10.22201/igeof.00167169p.1978.17.3.1059>, 1978.

Jimenez-Jimenez, Z.: Evolución del proceso eruptivo del Volcán El Chichón de Marzo-Abril de 1982, M.S. thesis, UNAM, Mexico, 102 pp., 1999.

Johnson, T.L., Madrid, J., and Koczynski, T.: A study of microseismicity in Northern Baja California, Mexico, Bull. Seismol. Soc. Am., 66, 1921-1929, <https://doi.org/10.1785/BSSA0660061921>, 1976.

Kanamori, H., and Stewart, G.: Seismological aspects of the Guatemala earthquake of February 4, 1976, J. Geophys. Res., 83, 3427-3434, <https://doi.org/10.1029/JB083iB07p03427>, 1978.

Kaverina, A. N., Lander, A. V., and Prozorov, A. G.: Global creepex distribution and its relation to earthquake-source geometry and tectonic origin, Geophys. J. Int., 125, 249-265,

<https://doi.org/10.1111/j.1365-246X.1996.tb06549.x>, 1996.

Knopoff, L., and Gilbert, F.: First motions from seismic sources, Bull. Seismol. Soc. Am., 50, 117-134, <https://doi.org/10.1785/BSSA0500010117>, 1960.



1 Lahr, J. C.: A computer program for determining local earthquake hypocenter parameters, magnitude  
2 and first motion pattern, U.S. Geol. Surv., Open-File Rept, 79-431, 52pp, 1979.  
3

4 LeFevre, L. V. and McNally, K. C.: Stress distribution and subduction of aseismic ridges in the Middle  
5 America subduction zone, J. Geophys. Res., 90, 4495-4510, <https://doi.org/10.1029/JB090iB06p04495>,  
6 1985.  
7

8 Lees, J. M.: RFOC. Graphics for Spherical Distributions and Earthquake FocalMechanisms. R package,  
9 2018.  
10

11 Lentas, K., and Harris, J.: Enhanced performance of ISC focal mechanism computations as a result of  
12 automatic first-motion polarity picking optimization, J. Seismol., 23, 1141-1159,  
13 <https://doi.org/10.1007/s10950-019-09862-x>, 2019.  
14

15 Lentas, K., Di Giacomo, D., Harris, J., and Storchak, D. A.: The ISC Bulletin as a comprehensive  
16 source of earthquake source mechanisms, Earth Syst. Sci. Data, 11, 565-578,  
17 <https://doi.org/10.5194/essd-11-565-2019>, 2019.  
18

19 Lesage, P.: Determinacion de parametros focales del temblor de Huajuapán de León, Oaxaca, del 24 de  
20 Octubre de 1980, usando sismogramas sinteticos de ondas compresionales y un metodo de inversion  
21 linealizada, Geofis. Int., 23, 57-72, <https://doi.org/10.22201/igeof.00167169p.1984.23.1.796>, 1984.  
22

23 Mai, P. M., and Thingbaijam, K. K. S.: SRCMOD: An online database of finite-fault rupture models,  
24 Seismol. Res. Lett., 85, 1348-1357, <https://doi.org/10.1785/0220140077>, 2014.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24

Martínez-López M. R.: Estudio sísmico de la estructura cortical en el bloque de Jalisco a partir de registros locales del proyecto MARS, M.S. thesis, UNAM, Mexico, 129 pp., 2011.

Méndez-Alarcón, M. A.: Análisis del sismo del 19 de septiembre del 2017 y su secuencia de réplicas, B.Eng. thesis, UNAM, Mexico, 108 pp., 2020.

Mendoza-Zúñiga, J.F.: Fallamiento asociado a la sismicidad mayor ocurrida en el Valle de México durante 2017, B.Eng. thesis, UNAM, Mexico, 75 pp., 2021.

Molnar, P. and Sykes, L. R.: Tectonics of the Caribbean and Middle American region from focal mechanisms and seismicity, Geol. Soc. Am. Bull., 80, 1639-1684, [https://doi.org/10.1130/0016-7606\(1969\)80\[1639:TOTCAM\]2.0.CO;2](https://doi.org/10.1130/0016-7606(1969)80[1639:TOTCAM]2.0.CO;2), 1969.

Molnar, P.: Fault plane solutions of earthquakes and direction of motion in the Gulf of California and on the Rivera Fracture zone, Geol. Soc. Am. Bull., 84, 1651-1658, [https://doi.org/10.1130/0016-7606\(1973\)84](https://doi.org/10.1130/0016-7606(1973)84), 1973.

Morales-Matamoros, L. D.: Microtemblores y sismotectónica de la Costa de Guerrero entre Acapulco y Tecpan, Master Thesis, UNAM, 118 pp., 1980.

Mota-Palomino, R., Andrieux, J., and Bonnin, J.: Bosquejo sismotectónico del Sur de México, Geofis. Int., 25, 207-231, <https://doi.org/10.22201/igeof.00167169p.1986.25.1.805>, 1986.

1 Munguía, L., and Brune, J. N.: High stress drop events in the Victoria, Baja California earthquake  
2 swarm of 1978 March, *Geophys. J. Int.*, 76, 725-752, [https://doi.org/10.1111/j.1365-  
4 246X.1984.tb01919.x](https://doi.org/10.1111/j.1365-<br/>3 246X.1984.tb01919.x), 1984.

5 Munguía, L., González-Escobar, M., Navarro, M., Valdez, T., Mayer, S., Aguirre, A., Wong, V., and  
6 Luna, M.: Active crustal deformation in the area of San Carlos, Baja California Sur, Mexico as shown  
7 by data of local earthquakes sequences, *Pure and Appl. Geophys.*, 173, 3631-3644,  
8 <https://doi.org/10.1007/s00024-015-1217-4>, 2016a.

9  
10 Munguía, L., Mayer, S., Aguirre, A., Méndez, I., González-Escobar, M., and Luna, M.: The 2006 Bahía  
11 Asunción earthquake swarm: seismic evidence of active deformation along the Western Margin of Baja  
12 California Sur, Mexico, *Pure and Appl. Geophys.*, 173, 3615-3629, [https://doi.org/10.1007/s00024-015-  
14 1184-9](https://doi.org/10.1007/s00024-015-<br/>13 1184-9), 2016b.

15 Natali, S. G., and Sbar, M. L.: Seismicity in the epicentral region of the 1887 Northeastern Sonoran  
16 earthquake, Mexico, *Bull. Seismol. Soc. Am.*, 72, 181-196, <https://doi.org/10.1785/BSSA0720010181>,  
17 1982.

18  
19 Néquiz-Guillén, B. A.: Estudio de las características focales de la sismicidad en el estado de Hidalgo,  
20 B.Eng. thesis, UNAM, Mexico, 78 pp., 2021.

21  
22 Núñez-Cornú, F. J., and Sánchez-Mora, C.: Stress field estimations for Colima Volcano, Mexico, based  
23 on seismic data, *Bull. Volcanol.*, 60, 568-580, <https://doi.org/10.1007/s004450050252>, 1998.

24

- 1 Núñez-Cornú, F. J., Reyes-Dávila, G. A., Rutz Lopez, M., Trejo Gómez, E., Camarena-García, M. A.,  
2 and Ramírez-Vazquez, C. A.: The 2003 Armería, México earthquake ( $M_w$  7.4): mainshock and early  
3 aftershocks, *Seismol. Res. Lett.*, 75, 734-743, <https://doi.org/10.1785/gssrl.75.6.734>, 2004.
- 4
- 5 Núñez-Cornú, F. J., Rengifo, W. M., Escalona Alcázar, F. J., Núñez, D., Quinteros Cartaya, C. B., and  
6 Trejo Gómez, E.: The seismic sequences of December 2015 ( $M_L$  = 4.3) and May 2016 ( $M_L$  = 4.9) in  
7 Guadalajara, Jalisco, México, *J. S. Am. Earth Sci.*, 108, 103201,  
8 <https://doi.org/10.1016/j.jsames.2021.103201>, 2021.
- 9
- 10 Núñez, D., Núñez-Cornú, F. J., and Rowe, C. A.: Recent seismicity at Ceboruco Volcano (Mexico), *J.*  
11 *Vol. Geotherm. Res.*, 421, 107451, <https://doi.org/10.1016/j.jvolgeores.2021.107451>, 2022.
- 12
- 13 Okal, E. A., and Borrero, J. C.: The ‘tsunami earthquake’ of 1932 June 22 in Manzanillo, Mexico:  
14 seismological study and tsunami simulations, *Geophys. J. Int.*, 187, 1443-1459,  
15 <https://doi.org/10.1111/j.1365-246X.2011.05199.x>, 2011.
- 16
- 17 Oregel-Morales, L.A.: Análisis de la sismicidad en el Campo Geotérmico de Humeros Puebla, México  
18 en el marco del Proyecto GEMEX, B.S. thesis, UMSNH, Mexico, 105 pp., 2019.
- 19
- 20 Ortega, R., and Quintanar, L.: Seismic evidence of a ridge-parallel strike-slip fault off the transform  
21 system in the Gulf of California, *Geophys. Res. Lett.*, 37, L06301,  
22 <https://doi.org/10.1029/2009GL042208>, 2010.
- 23
- 24 Pacheco, J. F., Sykes, L. R., and Scholz, C. H.: Nature of seismic coupling along simple plate

1 boundaries of the subduction type, *J. Geophys. Res.*, 98, 14133-14159,  
2 <https://doi.org/10.1029/93JB00349>, 1993.

3

4 Pacheco, J. F., and Singh, S. K.: Source parameters of two moderate Mexican earthquakes estimated  
5 from single-station, near-source recording, and from MT inversion of regional data: a comparison of  
6 the results, *Geofis. Int.*, 37, 95-102, <https://doi.org/10.22201/igeof.00167169p.1998.37.2.398>, 1998.

7

8 Pacheco, J. F., Bandy, W., Reyes-Dávila, G. A., Núñez-Cornú, F. J., Ramírez-Vázquez, C. A., and  
9 Barrón, J. R.: The Colima, Mexico earthquake ( $M_w$  5.3) of 7 March 2000: seismic activity along the  
10 Southern Colima Rift, *Bull. Seismol. Soc. Am.*, 93, 1458-1467, <https://doi.org/10.1785/0120020193>,  
11 2003.

12

13 Pacheco, J. F., and Singh, S. K.: Seismicity and state of stress in Guerrero segment of the Mexican  
14 subduction zone, *J. Geophys. Res.*, 115, B01303, <https://doi.org/10.1029/2009JB006453>, 2010.

15

16 Pardo, M., and Suárez, G: Steep subduction geometry of the Rivera plate beneath the Jalisco Block in  
17 Western Mexico, *Geophys. Res. Lett.*, 20, 2391-2394, <https://doi.org/10.1029/93GL02794>, 1993.

18

19 Pardo, M., and Suárez, G.: Shape of the subducted Rivera and Cocos plates in southern Mexico:  
20 seismic and tectonic implications, *J. Geophys. Res.*, 100, 12357-12373,  
21 <https://doi.org/10.1029/95JB00919>, 1995.

22

23 Pasyanos, M. E., Dreger, D. S., Romanowicz, B.: Toward real-time estimation of regional moment  
24 tensors, *Bull. Seismol. Soc. Am.*, 86, 1255-1269, <https://doi.org/10.1785/BSSA0860051255>, 1996.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24

Pérez-Campos, X., Singh, S. K., Iglesias, A., Alcántara, L., Ordaz, M., and Legrand, D.: Intraslab Mexican earthquakes of the 27 April 2009 ( $M_w$  5.8) and 22 May 2009 ( $M_w$  5.6): a source and ground motion study, *Geofis. Int.*, 49, 153-163, <https://doi.org/10.22201/igeof.00167169p.2010.49.3.111>, 2010.

Pérez, J. L.: Estudio de microsismicidad en la caldera La Reforma del complejo volcanico Las Tres Virgenes, Baja California Sur, Mexico, M.S. thesis, CICESE, Mexico, 88 pp., 2017.

Pinzón, J. I., Núñez-Cornú, F. J., and Rowe, C. A.: Magma intrusion near Volcan Tancítaro: evidence from seismic analysis, *Phys. Earth Planet. Int.*, 262, 66-79, <https://doi.org/10.1016/j.pepi.2016.11.004>, 2017.

Quintanar, L., Yamamoto, J., and Jiménez, Z.: Source mechanism of two 1994 intermediate-depth-focus earthquakes in Guerrero, Mexico, *Bull. Seismol. Soc. Am.*, 89, 1004-1018, <https://doi.org/10.1785/BSSA0890041004>, 1999.

Quintanar, L., Rodríguez-González, M., and Campos-Enríquez, O.: A shallow crustal earthquake doublet from the Trans-Mexican Volcanic Belt (Central Mexico), *Bull. Seismol. Soc. Am.*, 94, 845-855, <https://doi.org/10.1785/0120030057>, 2004.

Quintanar, L., Ortega, R., Rodríguez-Lozoya, H. E., and Domínguez-Reyes, T.: The 4 January 2006 ( $M_w$  6.6), San Pedro Martir earthquake: example of an earthquake for calibrating excitation and attenuation studies, *Bull. Seismol. Soc. Am.*, 109, 2399-2414, <https://doi.org/10.1785/0120190146>, 2019.

1

2 Rebollar, C. J., Espíndola, V. H., Uribe, A., Mendoza, A., and Pérez-Vertti, A.: Distributions of stresses  
3 and geometry of the Wadati-Benioff zone under Chiapas, Mexico, *Geofis. Int.*, 38, 95-106,  
4 <https://doi.org/10.22201/igeof.00167169p.1999.38.2.386>, 1999.

5

6 Rebollar, C. J., Quintanar, L., Castro, R. R., Day, S. M., Madrid, J., Brune, J. N., Astiz, L., and Vernon,  
7 F.: Source characteristics of a 5.5 magnitude earthquake that occurred in the transform fault system of  
8 the Delfin Basin in the Gulf of California, *Bull. Seismol. Soc. Am.*, 91, 781-791,  
9 <https://doi.org/10.1785/0120000077>, 2001.

10

11 Rebollar, C. J., Reyes, L. M., Quintanar, L., and Arellano, J. F.: Stress heterogeneity in the Cerro Prieto  
12 Geothermal field, Baja California, Mexico, *Bull. Seismol. Soc. Am.*, 93, 783-794,  
13 <https://doi.org/10.1785/0120020003>, 2003.

14

15 Reyes, A., Brune, J. N., and Lomnitz, C.: (1979). Source mechanism and aftershock study of the  
16 Colima Mexico earthquake of January 30, 1973, *Bull. Seismol. Soc. Am.*, 69, 1819-1840,  
17 <https://doi.org/10.1785/BSSA0690061819>, 1979.

18

19 Rodríguez-Cardozo, F. R.: Inversion del tensor de momento sísmicos asociado a eventos de magnitud  
20 intermedia en México, M.S. thesis, UNAM, Mexico, 84 pp., 2016.

21

22 Rodríguez-Lozoya, H. E., Quintanar Robles, L., Ortega, R., Rebollar, C. J., and Yagi, Y.: Rupture  
23 process of four medium-sized earthquakes that occurred in the Gulf of California, *J. Geophys. Res.*,  
24 113, B10301, <https://doi.org/10.1029/2007JB005323>, 2008.

1

2 Rodríguez-Lozoya, H. E., Quintanar Robles, L., Huerta López, C. I., Bojórquez-Mora, E., and León-  
3 Monzón, I.: Source parameters of the July 30, 2006 ( $M_w$  5.5) Gulf of California earthquake and a  
4 comparison with other moderate earthquakes in the region, *Geofis. Int.*, 49, 119-129,  
5 <https://doi.org/10.22201/igeof.00167169p.2010.49.3.108>, 2010.

6

7 Rodríguez-Pérez, Q., and Singh, S. K.: Seismic source parameters of normal-faulting inslab  
8 earthquakes in Central Mexico, *Pure and Appl. Geophys.*, 173, 2587-2619,  
9 <https://doi.org/10.1007/s00024-016-1329-5>, 2016.

10

11 Rodríguez-Pérez, Q., Márquez-Ramírez, V. H., Zúñiga, F. R., Plata-Martínez, R., and Pérez-Campos,  
12 X.: The Mexican earthquake source parameter database: a new resource for earthquake physics and  
13 seismic hazard analyses in Mexico, *Seismol. Res. Lett.*, 89, 1846-1862,  
14 <https://doi.org/10.1785/0220170250>, 2018.

15

16 Romero-Domínguez, J. C.: Estado de esfuerzos en la region geotermica de Tres Virgenes, B.C.S.,  
17 B.Eng. thesis, UNAM, Mexico, 69 pp., 2013.

18

19 Ruiz-Kitcher, R.E.: Estudio del mecanismo de reajuste litostático posterior al evento de Oaxaca ( $M_s$  =  
20 7.8) del 29 de Noviembre de 1978, *Geofis. Int.*, 25, 587-608,  
21 <https://doi.org/10.22201/igeof.00167169p.1986.25.4.780>, 1986.

22

23 Rutz-López, M., Núñez-Cornú, F. J., and Suárez-Placencia, C.: Study of seismic clusters at Bahía de  
24 Banderas region, Mexico, *Geofis. Int.*, 52, 59-72, [https://doi.org/10.1016/S0016-7169\(13\)71462-4](https://doi.org/10.1016/S0016-7169(13)71462-4),



1 2013.

2

3 Ruff, L.J., and Miller, A. D.: Rupture process of large earthquakes in the Northern Mexico subduction  
4 zone, *Pure and Appl. Geophys.*, 142, 101-171, <https://doi.org/10.1007/BF00875970>, 1994.

5

6 Sánchez-Alvaro, E.: Actividad sísmica en la vecindad de la central hidroeléctrica Aguamilpa un caso de  
7 sismicidad inducida, B.Eng. thesis, UNAM, Mexico, 82 pp., 2003.

8

9 Sánchez-Lopez, G.: La secuencia sísmica de Ixtlán del río ¿Un caso de sismicidad disparada por  
10 presas?, B.Eng. thesis, UNAM, Mexico, 78 pp., 2021.

11

12 Santoyo-García-Galeano, M. A.: Estudio del proceso de ruptura del sismo del 25 de abril de 1989  
13 usando registros de movimientos fuertes y telesísmicos, M.S. thesis, UNAM, Mexico, 78 pp., 1994.

14

15 Saraò, A., Sukan, M., Bressan, G., Renner, G., and Restivo, A.: A focal mechanism catalogue of  
16 earthquakes that occurred in the southeastern Alps and surrounding areas from 1928-2019, *Earth Syst.*  
17 *Sci. Data*, 13, 2245–2258, <https://doi.org/10.5194/essd-13-2245-2021>, 2021.

18

19 Singh, S. K., Suárez, G., and Domínguez, T.: The Oaxaca, Mexico, earthquake of 1931: lithospheric  
20 normal faulting in the subducted Cocos plate, *Nature*, 317, 56-58, <https://doi.org/10.1038/317056a0>,  
21 1985.

22

23 Singh, S. K., and Pardo, M.: Geometry of Benioff zone and state of stress in the overriding plate in  
24 Central Mexico, *Geophys. Res. Lett.*, 20, 1483-1486, <https://doi.org/10.1029/93GL01310>, 1993.

1

2 Singh, S. K., Ordaz, M., Pacheco, J. F., Quaas, R., Alcántara, L., Alcocer, S., Gutiérrez, C., Meli, R.,  
3 and Ovando, E.: A preliminary report on the Tehuacán, Mexico earthquake of June 15, 1999 ( $M_w = 7.0$ ),  
4 Seismol. Res. Lett., 70, 489-504, <https://doi.org/10.1785/gssrl.70.5.489>, 1999.

5

6 Singh, S. K., Ordaz, M., Pacheco, J. F., and Courboux, F.: A simple source inversion scheme for  
7 displacement seismograms recorded at short distances, J. of Seismol., 4, 267-284,  
8 <https://doi.org/10.1023/A:1009849819475>, 2000a.

9

10 Singh, S. K., Ordaz, M., Alcántara, L., Shapiro, N., Kostoglodov, V., Pacheco, J. F., Alcocer, S.,  
11 Gutiérrez, C., Quaas, R., Mikumo, T., and Ovando, E.: The Oaxaca earthquake of the 30 September  
12 1999 ( $M_w = 7.5$ ): a normal-faulting event in the subducted Cocos plate, Seismol. Res. Lett., 71, 67-78,  
13 <https://doi.org/10.1785/gssrl.71.1.67>, 2000b.

14

15 Singh, S. K., Pacheco, J. F., Alcántara, L., Reyes, G., Ordaz, M., Iglesias, A., Alcocer, S. M., Gutierrez,  
16 C., Valdés, C., Kostoglodov, V., Reyes, C., Mikumo, T., Quaas, R., and Anderson, J. G.: A preliminary  
17 report on the Tecomán, Mexico earthquake of 22 January 2003 ( $M_w$  7.4) and its effects, Seismol. Res.  
18 Lett., 74, 279-289, <https://doi.org/10.1785/gssrl.74.3.279>, 2003.

19

20 Singh, S. K., Pérez-Campos, X., Espíndola, V. H., Cruz-Antieza, V. M., and Iglesias, A.: A report on the  
21 Atoyac, Mexico, earthquake of 13 April 2007 ( $M_w$  5.9), Seismol. Res. Lett., 78, 635-648,  
22 <https://doi.org/10.1785/gssrl.78.6.635>, 2007a.

23

24 Singh, S. K., Iglesias, A., García, D., Pacheco, J. F., and Ordaz, M.:  $Q$  of  $L_g$  waves in the Central

1 Mexican Volcaic Belt, Bull. Seismol. Soc. Am., 97, 1259-1266, <https://doi.org/10.1785/0120060171>,  
2 2007b.

3  
4 Singh, S. K., Iglesias, A., Garduño, V. H., Quintanar, L., and Ordaz, M.: A source study of the October,  
5 2007 earthquake sequence of Morelia, Mexico and ground-motion estimation from larger earthquakes  
6 in the region, Geofis. Int., 51, 73-86, <https://doi.org/10.22201/igeof.00167169p.2012.51.1.147>, 2012.

7  
8 Singh, S. K., Pacheco, J. F., Pérez-Campos, X., Ordaz, M., and Reinoso, E.: The 6 September 1997 ( $M_w$   
9 4.5) Coatzacoalcos-Minatitlan, Veracruz, Mexico earthquake: implications for tectonic and seismic  
10 hazard of the region, Geofis. Int., 54, 191-199, <https://doi.org/10.1016/j.gi.2015.08.001>, 2015.

11  
12 Singh, S. K., Arroyo, D., Pérez-Campos, X., Iglesias, A., Espíndola, V. H., and Ramírez, L.:  
13 Guadalajara, Mexico, earthquake sequence of December 2015 and May 2016: source, Q, and ground  
14 motions, Geofis. Int., 56, 173-186, <https://doi.org/10.22201/igeof.00167169p.2017.56.2.1764>, 2017.

15  
16 Singh, S.K., Quintanar-Robles, L., Arroyo, D., Cruz-Atienza, V. M., Espíndola, V. H., Bello-Segura, D.  
17 I., and Ordaz, M.: Lessons from a small local earthquake ( $M_w$  3.2) that produced the highest  
18 acceleration ever recorded in Mexico City, Seismol. Res. Lett., 91, 3391-3406,  
19 <https://doi.org/10.1785/0220200123>, 2020a.

20  
21 Singh, S.K., Pérez-Campos, X., Espindola, V.H., Iglesias, A., and Quintanar, L.: An intraslab  
22 earthquake at a depth of 100 km in the subducting Cocos plate beneath Nevado de Toluca volcano,  
23 Geofis. Int., 59, 5-12, <https://doi.org/10.22201/igeof.00167169p.2020.59.1.2072>, 2020b.

24

1 Soto-Peredo, J.: Sismicidad en el Estado de Hidalgo durante 1997-2010, B.S. thesis, UNAM, Mexico,  
2 67 pp., 2012.  
3  
4 Stella-Ramírez, L. M.: La actividad sísmica en el área de Huetamo Michoacán de Agosto de 2006 y sus  
5 implicaciones en el peligro sísmico de la región, B.S. thesis, UNAM, Mexico, 53 pp., 2011.  
6  
7 Suárez, G., and Ponce, L.: Intraplate seismicity and crustal deformation in Central Mexico (abs): EOS  
8 Transactions of the American Geophysical Union, 67, 1114, 1986.  
9  
10 Suárez, G., and López, A.: Seismicity in the southwestern Gulf of Mexico: evidence of active back arc  
11 deformation, Rev. Mex. Cien. Geol., 32, 77-83, 2015.  
12  
13 Suárez, G., Sánchez-Alvaró, E., Lomas-Delgado, E., and Arvizu-Lara, G.: The 2013 seismic swarm in  
14 Chihuahua, Mexico: evidence of active extensional deformation in the Southern Basin and Range, Bull.  
15 Seismol. Soc. Am., 106, 2686-2694, <https://doi.org/10.1785/0120160179>, 2016.  
16  
17 Suárez-Vidal, F., Munguía-Orozco, L., González-Escobar, M., González-García, J., and Glowacka, E.:  
18 Surface rupture of the Morelia fault near the Cerro Prieto geothermal field, Mexicali, Baja California,  
19 Mexico, during the  $M_w$  5.4 earthquake of 24 May 2006, Seismol. Res. Lett., 78, 394-399,  
20 <https://doi.org/10.1785/gssrl.78.3.394>, 2007.  
21  
22 Sumy, D.F., Gaherty, J. B., Kim, W. Y., Diehl, T., and Collins, J. A.: The mechanisms of earthquakes  
23 and faulting in the Southern Gulf of California, Bull. Seismol. Soc. Am., 103, 487-506,  
24 <https://doi.org/10.1785/0120120080>, 2013.

1

2 Terán-Mendieta, L.F.: Estudio del proceso de ruptura del sismo del 10 de Diciembre de 1994 usando un  
3 método de inversión, B.S. thesis, UNAM, Mexico, 47 pp., 1999.

4

5 Thatcher, W., and Brune, J. N.: Seismic study of an Oceanic Ridge earthquake swarm in the Gulf of  
6 California, *Geophys. J. Int.*, 22, 473-489, <https://doi.org/10.1111/j.1365-246X.1971.tb03615.x>, 1971.

7

8 UNAM and CENAPRED Seismology group: The Milpa Alta earthquake of January 21, 1995, *Geofis.*  
9 *Int.*, 34, 355-362, 1995.

10

11 UNAM Seismology Group: Ometepe-Pinotepa Nacional, Mexico earthquake of 20 March 2012 ( $M_w$   
12 7.5): a preliminary report, *Geofis. Int.*, 52, 173-196, [https://doi.org/10.1016/S0016-7169\(13\)71471-5](https://doi.org/10.1016/S0016-7169(13)71471-5),  
13 2013.

14

15 UNAM Seismology Group: Papanaoa, Mexico earthquake of 18 April 2014 ( $M_w$  7.3), *Geofis. Int.*, 54,  
16 363-386, <https://doi.org/10.22201/igeof.00167169p.2017.56.1.1731>, 2015.

17

18 Vallée, M., and Douet, V.: A new database of source time functions (STFs) extracted from the  
19 SCARDEC method, *Phys. Earth Planet. Inter.*, 257, 149-157,  
20 <https://doi.org/10.1016/j.pepi.2016.05.012>, 2016.

21

22 Vidal, A., Munguía, L., and González-García, J. J.: Faulting parameters of earthquakes ( $4.1 \leq M_L \leq$   
23  $5.3$ ) in the Peninsular ranges of Baja California, Mexico, *Seismol. Res. Lett.*, 81, 44-52,  
24 <https://doi.org/10.1785/gssrl.81.1.44>, 2010.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24

Wessel, P., Smith, W. H., Scharroo, R., Luis, J., and Wobbe, F.: Generic mapping tools: Improved version released, *Eos Trans. AGU* 94, 45, 409-410, <https://doi.org/10.1002/2013EO450001>, 2013.

Whidden, K. M., and Pankow, K. L.: A catalog of regional moment tensors in Utah from 1998 to 2011, *Seismol. Res. Lett.*, 83, 775-783, <https://doi.org/10.1785/0220120046>, 2012.

Wolfe, C.J., Bergman, E. A., and Solomon, S. C.: Oceanic transform earthquakes with unusual mechanisms or locations: relation to fault geometry and state of stress in the adjacent lithosphere, *J. Geophys. Res.*, 98, 16187-16211, <https://doi.org/10.1029/93JB00887>, 1993.

Wong, V., Frez, J., and Suárez, F.: The Victoria, Mexico, earthquake of June 9, 1980, *Geofis. Int.*, 36, 1-14, 1997.

Yamamoto, J.: Rupture processes of some complex earthquakes in southern Mexico, PhD dissertation, St. Louis University. St. Louis, MO, 203 pp., 1978.

Yamamoto, J., Jimenez, Z., and Mota, R.: El temblor de Huajuapán de León, Oaxaca, México del 24 de Octubre de 1980, *Geofis. Int.*, 23, 83-110, <https://doi.org/10.22201/igeof.00167169p.1984.23.1.798>, 1984.

Yamamoto, J.: Evidences of the existence of an abnormal seismic signal attenuation in Southern Mexico, *Geofis. Int.*, 25, 521-536, <https://doi.org/10.22201/igeof.00167169p.1986.25.4.776>, 1986.

1 Yamamoto, J., and Mota R.: La secuencia de temblores del Valle de Toluca, Mexico de Agosto 1980,  
2 Geofis. Int., 27, 279-298, <https://doi.org/10.22201/igeof.00167169p.1988.27.2.787>, 1988.

3

4 Yamamoto, J., and Mitchell, B. J.: Rupture mechanics of complex earthquakes in southern Mexico,  
5 Tectonophysics, 154, 25-40, [https://doi.org/10.1016/0040-1951\(88\)90226-0](https://doi.org/10.1016/0040-1951(88)90226-0), 1988.

6

7 Yamamoto, J., Quintanar, L., Rebollar, C. J., and Jiménez, Z.: Source characteristics and propagation  
8 effects of the Puebla, Mexico, earthquake of 15 June 1999, Bull. Seismol. Soc. Am., 92, 2126-2138,  
9 <https://doi.org/10.1785/0120010117>, 2002.

10

11 Yamamoto, J., González-Moran, T., Quintanar, L., Zavaleta, A. B., Zamora, A., and Espindola, V. H.:  
12 Seismic patterns of the Guerrero-Oaxaca, Mexico region, and its relationship to the continental margin  
13 structure, Geophys. J. Int., 192, 375-389, <https://doi.org/10.1093/gji/ggs025>, 2013.

14

15 Yamamoto, J., and Jiménez, Z.: A 2006 Colima rift earthquakes series and its relationship to the Rivera-  
16 Cocos plate boundary, Earth Sciences, 4, 21-30, <https://doi.org/10.11648/j.earth.20150401.12>, 2015.

17

18 Yela-Portilla, J. D.: Análisis paramétrico del tensor de momento sísmico regional en México, M.S.  
19 thesis, UNAM, Mexico, 119 pp., 2018.

20

21 Zúñiga, F. R., and Valdés-González, C. M.: Analisis de las replicas del temblor de Petatlan del 14 de  
22 Marzo de 1979, B.Eng. thesis, UNAM, Mexico, 92 pp., 1980.

23

24 Zúñiga, F. R., Gutiérrez, C., Nava, E., Lermo, J., Rodríguez, M., and Coyoli, R.: Aftershocks of the San

1 Marcos earthquake of April 25, 1989 ( $M_s = 6.9$ ) and some implications for the Acapulco-San Marcos,  
2 Mexico, seismic potential, Pure and Appl. Geophys., 140, 287-300,  
3 <https://doi.org/10.1007/BF00879408>, 1993.

4

5 Zúñiga, F. R., Pacheco, F. J., Guzmán-Speziale, M., Aguirre-Díaz, G. J., Espíndola, V. H., and Nava, E.:  
6 The Sanfandila earthquake sequence of 1998, Queretaro, Mexico: activation of an undocumented fault  
7 in the northern edge of central Trans-Mexican Volcanic Belt, Tectonophysics, 361, 229-238,  
8 [https://doi.org/10.1016/S0040-1951\(02\)00606-6](https://doi.org/10.1016/S0040-1951(02)00606-6), 2003.

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24



1 **Table 1.** Mean and standard deviations for the principal stress axes trends for each type of mechanism.

Type	<i>T</i> -axis plunge	<i>T</i> -axis azimuth	<i>P</i> -axis plunge	<i>P</i> -axis azimuth
N	66.81°±13.35°	184.71°±91.23°	19.02°±13.43°	146.82°±106.75°
N-SS	55.18°±7.35°	190.58°±92.75°	12.06°±7.34°	177.73°±102.20°
R	20.35°±12.27°	184.40°±78.51°	66.67°±12.23°	109.95°±102.42°
R-SS	14.10°±8.32°	185.00°±104.45°	54.38°±7.92°	173.10°±100.26°
SS	8.19°±6.07°	216.95°±111.41°	7.29°±5.60°	181.58°±96.02°
SS-N	30.65°±6.74°	196.09°±108.33°	11.82°±7.58°	190.12°±99.39°
SS-R	13.90°±8.85°	184.44°±113.30°	30.01°±7.37°	172.57°±102.16°

2

3

4

5

6

7

8

9

10

11

12

13

14


15

16

17



18

19



1

2 **Figure 1.** Probability density function and magnitude time series of seismic events with at least one  
 3 focal mechanism reported in this catalog (upper panels). The Kaverina rupture type classification  
 4 ternary diagram (lower left panel). Classification of focal mechanisms (lower right panel).




1

2


3 **Figure 2.** Hypocentral distribution of normal faulting earthquakes (N) (upper panel). Lower panels  
 4 show magnitude and hypocentral depth distributions.

5



1  
2  
3 **Figure 3.** Hypocentral distribution of normal faulting with a strike-slip component earthquakes (N-SS)  
4 (upper panel). Lower panels show magnitude and hypocentral depth distributions.

5




1

2

3 **Figure 4.** Hypocentral distribution of reverse faulting (R) (upper panel). Lower panels show magnitude  
 4 and hypocentral depth distributions.

5




1

2

3 **Figure 5.** Hypocentral distribution of reverse faulting with a strike-slip component (R-SS) (upper  
 4 panel). Lower panels show magnitude and hypocentral depth distributions.

5





1

2

3 **Figure 6.** Hypocentral distribution of strike-slip faulting (SS) (upper panel). Lower panels show  
 4 magnitude and hypocentral depth distributions.



5



1  
2  
3  
4  
5

**Figure 7.** Hypocentral distribution of strike-slip faulting with a normal component (SS-N) (upper panel). Lower panels show magnitude and hypocentral depth distributions.






1

2


3 **Figure 8.** Hypocentral distribution of strike-slip faulting with a reverse component (SS-R) (upper  
 4 panel). Lower panels show magnitude and hypocentral depth distributions.

5



1  
2  
3  
4  
5  
6  
7  
8  
9

**Figure 9.** Spatial distribution of P- and T- axes for normal faulting earthquakes (N) (lower and upper left panels, respectively). Distribution of P- and T- axes (red and blue colors, respectively) (right panel).



1

2


3 **Figure 10.** Spatial distribution of P- and T- axes for normal faulting with a strike-slip component  
 4 earthquakes (N-SS) (lower and upper left panels, respectively). Distribution of P- and T- axes (red and  
 5 blue colors, respectively) (right panel).

6

7

8

9



1

2

3 **Figure 11.** Spatial distribution of P- and T- axes for reverse faulting (R) (lower and upper left panels,

4 respectively). Distribution of P- and T- axes (red and blue colors, respectively) (right panel).


5

6

7


8

9




1  
2  
3  
4  
5  
6  
7  
8  
9

**Figure 12.** Spatial distribution of P- and T- axes for reverse faulting with a strike-slip component (R-SS) (lower and upper left panels, respectively). Distribution of P- and T- axes (red and blue colors, respectively) (right panel).



1  
2  
3  
4  
5  
6  
7  
8  
9  
10

**Figure 13.** Spatial distribution of P- and T- axes for strike-slip faulting (SS) (lower and upper left panels, respectively). Distribution of P- and T- axes (red and blue colors, respectively) (right panel).



1

2


3 **Figure 14.** Spatial distribution of P- and T- axes for strike-slip faulting with a normal component (SS-  
 4 N) (lower and upper left panels, respectively). Distribution of P- and T- axes (red and blue colors,  
 5 respectively) (right panel).

6

7

8

9



1  
2  
3  
4  
5  
6

**Figure 15.** Spatial distribution of P- and T- axes for strike-slip faulting with a reverse component (SS-R) (lower and upper left panels, respectively). Distribution of P- and T- axes (red and blue colors, respectively) (right panel).