



The INGV macroseismic photographic database (DFM): a structured photographic collection of earthquake effects in Italy

Andrea Tertulliani¹, Laura Graziani¹, Mario Locati², Manuela Sbarra¹, Corrado Castellano³, Michele Berardi³

¹ Istituto Nazionale di Geofisica e Vulcanologia, Sezione di Roma 1, via di Vigna Murata 605, 00143 Roma, Italy.

² Istituto Nazionale di Geofisica e Vulcanologia, Sezione di Milano, via Alfonso Corti 12, 20133 Milano, Italy.

³ Istituto Nazionale di Geofisica e Vulcanologia, Sezione ONT, via di Vigna Murata 605, 00143 Roma, Italy.

Correspondence to: Mario Locati (mario.locati@ingv.it)

Abstract

The Macroseismic Photographic Database (DFM) is a FAIR (Findable, Accessible, Interoperable, and Reusable) dataset developed and maintained by the Istituto Nazionale di Geofisica e Vulcanologia (INGV). It provides a structured archive of photographic evidence documenting the effects of moderate to strong earthquakes in Italy since the late 1970s. The data collection is primarily carried out by the INGV's QUEST (QUick Earthquake Survey Team) during post-event macroseismic field campaigns. The database was initially conceived to preserve at-risk analogue photographic material but has evolved into a comprehensive digital resource where each image is catalogued with detailed metadata. The classification of building typologies and damage grades is standardised according to the principles of the European Macroscopic Scale 1998 (EMS-98). The DFM is designed for full interoperability within the INGV data ecosystem, linking each photograph to earthquakes, localities, and macroseismic observations contained in primary databases such as the Italian Seismological Instrumental and Parametric Database (ISIDe), the Parametric Catalogue of Italian Earthquakes (CPTI15), and the Italian Macroseismic Database (DBMI15). This paper describes the database structure, the data collection protocol, the metadata schema, and the technical solutions adopted to ensure data quality and accessibility. The DFM represents a valuable resource for scientific research in engineering seismology, historical seismology, and for training operators involved in damage assessment, providing crucial ground-truth data for seismic hazard studies and civil protection purposes. The dataset is publicly accessible at <https://doi.org/10.13127/dfm> (Quick Earthquake Survey Team, QUEST, 2023).

1. Introduction

Systematic documentation of earthquake-induced damage is fundamental to seismology and earthquake engineering. Macroscopic surveys assess seismic intensity based on the observed effects on buildings, people and the environment, and provide fundamental data for understanding seismic hazards (Tertulliani et al., 2011; Galli et al., 2009). The concept of macroseismic intensity and the scales used to measure it have evolved over two centuries of observations (Tertulliani, 2019; Musson et al., 2010). While written reports and intensity assignments are important, they are, by nature, the results of interpretations and therefore inherently abstract. In contrast, photographic documentation offers an unfiltered, objective record of damage, capturing nuances that are often lost in textual descriptions. This visual data is vital for calibrating macroseismic scales, studying the seismic performance of different building types, and validating damage scenarios (Rossi et al., 2019).



40 In Italy, the Istituto Nazionale di Geofisica e Vulcanologia (INGV) is mandated with the seismic surveillance of
41 the national territory. This responsibility is carried out, in part, by the QUEST (QUick Earthquake Survey
42 Team), an operational group active for over two decades (Tertulliani and QUEST Team, 2003). QUEST
43 conducts rapid-response macroseismic surveys following significant earthquakes as an institutional task
44 within the framework of the National Civil Protection System. Over several decades of activity, QUEST has
45 amassed a vast collection of photographs, initially in analogue format and later in digital format. However,
46 this collection was fragmented and at risk of degradation, lacking a standardised structure that limited its
47 scientific usability. Further details on the group's activities are available on the official website
48 (<https://quest.ingv.it/> in Italian).

49 To address this gap, INGV developed the Macroseismic Photographic Database (in Italian “Database
50 Fotografico Macrosismico”, DFM; Quick Earthquake Survey Team, QUEST, 2023). The recent formalisation of
51 QUEST's operational structure, which supervises its contents, and the public launch of the DFM web portal
52 after a period of development and testing, mark the maturation of this long-term effort. The DFM transforms
53 this heterogeneous collection into a structured, curated, and openly accessible scientific dataset. Its primary
54 objectives are to preserve a unique visual heritage of Italy's recent seismic history, to provide a standardised
55 framework for damage classification based on the European Macroscopic Scale 1998 (EMS-98; Grünthal,
56 1998), and to create an interoperable resource integrated with Italy's national seismic databases.

57 While other valuable image datasets of earthquake damage exist, such as the EUCENTRE's IDEA database
58 (Senaldi et al., 2025) and engineering-focused collections like EERI's Concrete Coalition Damaged Concrete
59 Buildings Database (Wallace et al., 2012), their primary purpose is typically to provide labelled data for
60 training machine learning algorithms or to support detailed structural performance analysis. In contrast, the
61 DFM is uniquely designed as a macroseismic tool. Each image is not just a depiction of damage, but a piece
62 of evidence contextualised within the framework of the EMS-98 scale, intended to support expert-driven
63 intensity assessment at the locality scale and to preserve a standardised visual record of earthquake effects
64 on the built environment. This paper presents the DFM, detailing its design, architecture, contents, and
65 potential applications for the earth science community.

66 2. Data Collection and Quality Control

67 The scientific value of the DFM lies in its rigorous and consistent process of acquiring and validating data.
68 This process is managed by the QUEST Operational Group. As INGV is a geographically distributed institution,
69 QUEST involves personnel from various INGV sites. To ensure efficient and scientifically robust operations,
70 QUEST is therefore structured with an overarching Coordination Committee and a Territorial Support Group.

71 Following a significant earthquake, QUEST is officially activated according to its operational protocol. The
72 standard activation thresholds are for earthquakes with magnitude ≥ 5.0 in tectonic areas, although
73 interventions can also be planned for lower magnitude events of particular scientific or training interest.
74 Once activated, QUEST teams are deployed to the epicentral area to perform a systematic macroseismic
75 survey, aiming to achieve a comprehensive overview of the earthquake's impact in the affected area by
76 estimating macroseismic intensity and collecting data on building seismic vulnerability and damage severity.
77 This is achieved by targeting a representative sample of buildings within each locality.


78 It is important to highlight the challenging conditions under which these surveys are conducted. For safety
79 reasons, physical entry into damaged buildings is rarely possible, as they may be unsafe or officially
80 interdicted. In the most heavily affected areas (the so-called “red zones”), access is often restricted, and
81 QUEST personnel must be escorted by the fire brigade, with movements severely limited. Consequently, the



82 photographic documentation is predominantly of building exteriors.

83 The data acquisition workflow starts in the field, where expert surveyors photograph significant damage
84 patterns, building typologies and environmental effects. The aim is to document elements that are useful for
85 applying the EMS-98 scale. Once collected, the photographic material enters a quality control pipeline.
86 Building typology and damage grade are attributed by trained personnel and subsequently reviewed by at
87 least one other expert to ensure consistency and minimise subjectivity. This cross-validation process,
88 illustrated in the workflow diagram in Fig. 1, is fundamental to guarantee the reliability of the labels
89 associated with each image, making the DFM a high-quality dataset suitable for scientific analysis.

90 Finally, although QUEST has been officially operational since 2004, the DFM archive has also collected images
91 from older macroseismic surveys, dating back to the 1970s.



92

93 *Figure 1. Flow chart of the process of collecting, entering and validating data in the DFM.*

94 3. Database Architecture, Content, and Overview



95 3.1. Technical Architecture

96 The DFM is built on a relational database managed with MySQL, with a web interface developed using PHP
 97 and JavaScript. The system is designed to handle a large volume of high-resolution images and their
 98 metadata. The web portal is divided into two main sections: a public-facing area for data consultation and a
 99 restricted-access administration backend. This backend allows accredited contributors to upload and
 100 catalogue new photographic data, and enables coordinators to validate the content and metadata before
 101 final publication. The public architecture allows for multiple query modalities. Users can perform simple or
 102 advanced searches, filtering by earthquake or by subject type. A key feature of the web portal is the
 103 interactive, map-based search function, which enables users to explore the available data geographically.
 104 Furthermore, the DFM provides curated 'thematic paths', guiding users through collections of images related
 105 to specific earthquakes or notable damage typologies and offering a thematic approach to data consultation.

106 3.2. Data Structure and Metadata

107 The core of the DFM is the link between a photographic image and the subject it portrays. A key aspect of
 108 the database design is that each subject can be linked to multiple photographs, allowing for a comprehensive
 109 documentation from different angles. This approach is crucial for a reliable macroseismic assessment, as
 110 observing a single façade can often be misleading. Each photograph is enriched with a comprehensive set of
 111 metadata, which includes image-specific information such as the author, date of capture, original resolution,
 112 and a Creative Commons (CC BY 4.0) license. Crucially, full georeferencing is ensured by associating precise
 113 geospatial information with the photographed subject. To comply with GDPR regulations and protect
 114 individual privacy, these precise coordinates are used for internal validation and research purposes only and
 115 are not publicly displayed. The public portal only shows the locality to which the building belongs.
 116 Furthermore, sensitive elements such as vehicle license plates, house numbers, and the faces of any
 117 individuals not belonging to the QUEST team are systematically blurred before publication. A detailed subject
 118 description further clarifies what is depicted in the image.

119 To ensure consistency, photographed subjects are classified into predefined categories such as building,
 120 special building (e.g., schools, hospitals), monumental building (e.g., churches, towers), other structure (e.g.,
 121 bridges, walls), domestic object, external object, overview, environmental effects, and miscellaneous.

122 For subjects classified as Building, the DFM implements a detailed cataloguing system based on the EMS-98
 123 scale (Grünthal, 1998). This involves assigning a building types based on the primary structural material, such
 124 as masonry (with sub-categories like rubble stone, adobe, unreinforced, with manufactured stone units, or
 125 massive stone), reinforced concrete, steel, and wood, which directly corresponds to the EMS-98 vulnerability
 126 classes (A to F). In parallel, a damage grade is assessed and classified into one of five grades, ranging from
 127 Grade 1 (negligible to slight damage) to Grade 5 (destruction), as defined by the EMS-98 guidelines. This
 128 structured approach allows users to perform granular queries, such as retrieving all images of unreinforced,
 129 with manufactured stone units, masonry buildings (vulnerability class B) that suffered Grade 4 damage during
 130 a specific earthquake.

131 3.3. Dataset Overview

132 As of the current version, the DFM contains 1685 photographs. The dataset documents the effects of 11
 133 significant seismic events that have occurred in Italy, with a temporal coverage extending from the 1976 Friuli
 134 earthquake to the present day. The surveys have been conducted in 150 distinct localities across the national
 135 territory, providing a geographically diverse and extensive collection of macroseismic evidence, as shown in



136 Fig. 2. A summary of the main earthquakes included in the database is provided in Table 1. It is important to
137 note that these figures represent only the initial fraction of a much larger photographic archive collected
138 over decades. The population of the DFM is a recent and ongoing long-term effort, and the dataset is
139 expected to grow substantially in the coming years.




140
141 *Figure 2. Geographic coverage of DFM. The red stars represent the epicenters of earthquakes for which the*
142 *QUEST group has taken action, and the blue dots represent inhabited locations for which photographs are*
143 *available on the DFM.*

144 4. Interoperability and programmatic access

145 A key feature of the DFM is its seamless integration into the INGV data infrastructure, achieved through web
146 services and the use of unique, persistent identifiers that make it a fully interoperable component of a larger
147 data ecosystem, as schematised in Fig. 3. Each earthquake is linked via a unique event ID to the Italian
148 Seismological Instrumental and Parametric Database (ISide Working Group, 2007) for events since 1985, or
149 to the Parametric Catalogue of Italian Earthquakes (CPTI15; Rovida et al., 2020; 2022) for historical events.
150 Similarly, the localities where photographs are taken are linked to the Italian Macroseismic Database
151 (DBMI15; Locati et al., 2022), allowing users to retrieve the complete seismic history and all macroseismic
152 observations for a specific site. This connection is further enriched by links to the Italian Archive of Historical
153 Earthquake Data (ASMI) (Rovida et al., 2025) and the Catalogue of Strong Italian Earthquakes (CFTI).



154 Consistency across these resources is guaranteed by the adoption of the official INGV Gazetteer, a unified
 155 geographical reference system that facilitates robust cross-database queries and geospatial analysis. This
 156 deep integration allows researchers to move fluidly from a single photograph of a damaged building to the
 157 instrumental parameters of the causative earthquake, its complete macroseismic intensity map, and the full
 158 seismic history of the locality.



159
 160 *Figure 3. Diagram showing the interoperability of the DFM with other INGV seismological databases.*

161 4.1. Data Access via Web Services

162 To further enhance data accessibility and interoperability, the DFM provides a RESTful web service that allows
 163 for programmatic querying and downloading of the information associated with the archived photographs.
 164 This service is designed for researchers, developers, and specialists who need to integrate DFM data into
 165 their own systems, GIS applications, or analysis workflows. Access is provided via an HTTP GET request to the
 166 main endpoint (<https://dfm.ingv.it/services/query>), which can be customised with a range of parameters to
 167 filter results based on geographic, temporal, or seismological criteria.

168 The service returns data in GeoJSON format, an open standard based on JSON for representing geographic
 169 features. Each feature in the response corresponds to a single photograph and includes a Point geometry
 170 with the coordinates of the photographed location, along with a set of properties detailing the earthquake
 171 parameters, the locality, and the photograph's metadata, including the URL to the original image and the
 172 damage description according to the EMS-98 scale.

173 5. Use cases and future developments

174 The DFM is a versatile resource with multiple applications for research and operational activities. For
 175 scientific research, the georeferenced nature of each photograph, combined with the structured damage
 176 classification, enables detailed spatial analyses to correlate observed damage with local geological
 177 conditions, ground shaking parameters, or to study damage progression during seismic sequences (Graziani
 178 et al., 2019).

179 A crucial application is in the realm of training and education. As stated in the official QUEST operational



protocol, the DFM is the reference tool for the online training of the group's surveyors. This creates a positive feedback loop: the high-quality data produced by experts are used to train new personnel, ensuring that the standards of data collection and classification remain consistent and robust over time.

The large corpus of images labelled with building structural typology and damage grade makes the DFM an ideal machine learning resource, providing a high-quality training set for developing algorithms for automated damage classification. Finally, the database supports Civil Protection agencies in emergency planning and post-earthquake response by offering a visual record of damage patterns from past events in a given area.

Future developments will focus on continuously expanding the database with data from future seismic events and digitised historical archives. Furthermore, we plan to enhance the user interface with more advanced data visualisation tools and to establish a formal link between the INGV Gazetteer and the official identifiers published by ISTAT (the Italian National Institute of Statistics) to facilitate socio-economic impact analysis.

6. Data availability

The DFM is an open-access resource, accessible via its public web portal at <https://dfm.ingv.it/>. The entire dataset, including images and metadata, is freely available for scientific and non-commercial use. The data are published under the Creative Commons Attribution 4.0 International (CC BY 4.0) license. The dataset is identified by the persistent Digital Object Identifier (DOI): <https://doi.org/10.13127/dfm>. Detailed metadata are available through the INGV data portal at <https://data.ingv.it/dataset/774>. When using data or images from the DFM, users are required to cite this paper and the dataset itself (Quick Earthquake Survey Team, QUEST, 2023).

7. Conclusions

The DFM provides a unique, structured, and open-access collection of photographic evidence of earthquake effects in Italy. By standardising damage and building types descriptions according to the EMS-98 scale and ensuring full interoperability with national seismic databases, the DFM represents more than a simple image archive: it is a scientific tool that connects direct field observations with parametric and historical data. The transparent data collection and quality control protocol, rooted in the institutional mandate of the INGV QUEST Operational Group, ensures the reliability of the dataset. It is a living dataset, continuously updated and improved, that serves as a fundamental resource for the seismological community, civil engineers, and Civil Protection authorities. Crucially, in a context where the Italian macroseismic community faces the risk of knowledge loss due to generational turnover, the DFM also acts as a vital tool for preserving and transferring decades of field experience to new generations of surveyors. We believe the DFM will foster new research on seismic vulnerability and contribute to a better understanding of seismic risk in Italy.

Author contributions

The DFM was conceived and developed by all the authors. A.T. and L.G. provided the main scientific supervision. M.S. and M.L. were responsible for the technological development of the database and the web portal, including both its public and private sections. M.B. coordinated the population of the database. C.C. provided overall support to all aspects of the project. M.L. wrote the main draft of this manuscript. All authors contributed to the final version with reviews and edits.

Acknowledgements



219 The authors wish to thank all the participants in the QUEST (Quick Earthquake Survey Team) activities who,
 220 over the years, have taken and shared the photographs that constitute the core of this database; among
 221 them a sincere gratitude to Luca Arcoraci, Sergio Del Mese, Alessandra Maramai, Ilaria Leschiutta, Antonio
 222 Rossi and Maurizio Vecchi who participated to the early phases of DFM construction. Special thanks go to the
 223 members of the national Coordination Committee (Laura Graziani, Tiziana Tuvè, Salvatore D’Amico,
 224 Alessandra Maramai, Antonio Fodarella, Filippo Bernardini, Andrea Rovida, Andrea Tertulliani) and the
 225 Territorial Support Group (Corrado Castellano, Andrea Antonucci, Emanuela Ercolani, Elisabetta Giampiccolo)
 226 who supervise the insertion and cataloguing of photos and metadata in the DFM. The activities of the QUEST
 227 team and the development of the DFM are partially funded by the Italian Department of Civil Protection
 228 (Dipartimento della Protezione Civile) within the framework of the ongoing agreement with INGV. The
 229 authors acknowledge that they used Google’s Gemini model (<https://gemini.google.com/>) and DeepL
 230 (<https://www.deepl.com/>) to refine the English text of this manuscript, which was then edited iteratively
 231 based on the authors’ input and guidance. The authors retained full responsibility for the final content,
 232 scientific accuracy, and all conclusions presented in the paper.

233 References

- 234 Galli, P., Camassi, R., Azzaro, R., Bernardini, F., Castenetto, S., Ercolani, E., Molin, D., Peronace, E., Rossi, A.,
 235 Vecchi, M., and Tertulliani, A.: Il terremoto aquilano del 6 aprile 2009: rilievo macrosismico, effetti di
 236 superficie ed implicazioni sismotettoniche, *Il Quaternario, Italian Journal of Quaternary Sciences*, 22, 235–
 237 246, <https://amq.aigua.it/index.php/amq/article/view/303>, 2009.
- 238 Graziani, L., Del Mese, S., Tertulliani, A., Arcoraci, L., Maramai, A., and Rossi, A.: Investigation on damage
 239 progression during the 2016–2017 seismic sequence in Central Italy using the European Macroseismic
 240 Scale (EMS-98), *Bull. Earthquake Eng.*, 17, 5535–5558, <https://doi.org/10.1007/s10518-019-00645-w>,
 241 2019.
- 242 Grünthal, G. (Ed.): *European Macroseismic Scale 1998*, Cahiers du Centre Européen de Géodynamique et de
 243 Séismologie, 15, Conseil de l’Europe, Luxembourg, 1998.
- 244 ISIDe Working Group: Italian Seismological Instrumental and Parametric Database (ISIDe), Istituto Nazionale
 245 di Geofisica e Vulcanologia (INGV), <https://doi.org/10.13127/ISIDE>, 2007.
- 246 Rovida, A., Locati, M., Camassi, R., and Antonucci, A.: The Italian Archive of Historical Earthquake Data, *ASMI*,
 247 *Earth Syst. Sci. Data*, 17, 3109–3136, <https://doi.org/10.5194/essd-17-3109-2025>, 2025.
- 248 Locati, M., Camassi, R., Rovida, A., Ercolani, E., Bernardini, F., Castelli, V., Caracciolo, C. H., Tertulliani, A.,
 249 Rossi, A., Azzaro, R., D’Amico, S., and Antonucci, A.: Database Macrosismico Italiano (DBMI15), versione
 250 4.0 [Dataset], Istituto Nazionale di Geofisica e Vulcanologia (INGV),
 251 <https://doi.org/10.13127/DBMI/DBMI15.4>, 2022.
- 252 Musson, R. M. W., Grünthal, G., and Stucchi, M.: The comparison of macroseismic intensity scales, *J. Seismol.*,
 253 14, 413–428, <https://doi.org/10.1007/s10950-009-9172-0>, 2010.
- 254 Quick Earthquake Survey Team, QUEST: Database Macrosismico Fotografico (DFM) [Dataset], Istituto
 255 Nazionale di Geofisica e Vulcanologia (INGV), <https://doi.org/10.13127/dfm>, 2023.
- 256 Rossi, A., Tertulliani, A., Azzaro, R., Graziani, L., Rovida, A., Maramai, A., Pessina, V., Hailemichael, S., Buffarini,
 257 G., Bernardini, F., Camassi, R., Del Mese, S., Ercolani, E., Fodarella, A., Locati, M., Martini, G., Paciello, A.,



- 258 Paolini, S., Arcoraci, L., Castellano, C., Verrubbi, V., and Stucchi, M.: The 2016–2017 earthquake sequence
 259 in central Italy: macroseismic survey and damage scenario through the EMS-98 intensity assessment, *Bull.*
 260 *Earthquake Eng.*, 17, 2407–2431, <https://doi.org/10.1007/s10518-019-00556-w>, 2019.
- 261 Rovida, A., Locati, M., Camassi, R., Lolli, B., and Gasperini, P.: The Italian earthquake catalogue CPTI15,
 262 *Bulletin of Earthquake Engineering*, 18(7), 2953–2984. <https://doi.org/10.1007/s10518-020-00818-y>,
 263 2020.
- 264 Rovida, A., Locati, M., Camassi, R., Lolli, B., Gasperini, P., and Antonucci, A.: Catalogo Parametrico dei
 265 Terremoti Italiani (CPTI15), versione 4.0 [Data set], Istituto Nazionale di Geofisica e Vulcanologia (INGV),
 266 <https://doi.org/10.13127/CPTI/CPTI15.4>, 2022.
- 267 Senaldi, I., Casarotti, C., Mandirola, M., and Cantoni, A.: IDEA: Image database for earthquake damage
 268 annotation, *Data in Brief*, 61, 111733, <https://doi.org/10.1016/j.dib.2025.111733>, 2025.
- 269 Tertulliani, A.: Storia delle scale macrosismiche, Duecento anni di osservazione degli effetti del terremoto,
 270 *Quaderni di Geofisica*, 150, (in Italian), <https://doi.org/10.13127/qdg/150>, 2019.
- 271 Tertulliani, A. and QUEST Team: Quick earthquake surveys for Italian recent events, EGS-AGU-EUG Joint
 272 Assembly, Abstracts from the meeting held in Nice, France, 6 - 11 April 2003, abstract #8909,
 273 <https://ui.adsabs.harvard.edu/abs/2003EAEJA.....8909T/abstract>, 2003.
- 274 Tertulliani, A., Arcoraci, L., Berardi, M., Bernardini, F., Camassi, R., Castellano, C., Del Mese, S., Ercolani, E.,
 275 Graziani, L., Leschiutta, I., Rossi, A., and Vecchi, M.: An application of EMS98 in a medium-sized city: the
 276 case of L'Aquila (Central Italy) after the April 6, 2009 Mw 6.3 earthquake, *Bull. Earthquake Eng.*, 9, 67–80,
 277 <https://doi.org/10.1007/s10518-010-9188-4>, 2011.
- 278 Wallace, J., Wood, S., and the Concrete Coalition: Performance of Concrete Buildings in the 22 February 2011
 279 Christchurch, New Zealand, Earthquake and Recommendations for ACI 318, American Concrete Institute
 280 (ACI) and the Earthquake Engineering Research Institute (EERI) report, 2012.